




Safety Helmets

Product system planet series › Visors

uvex has developed the **protecting planet** icon, to help raise awareness of its commitment to achieving increased sustainability. Based on the brand claim, **protecting people**, our sustainable approach integrates three core interlinked pillars – **ecology, economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.

uvex pronamic



Date created 06/2023*

MADE IN GERMANY 



protecting planet

by using recycled material

Visor system

- › visor lens made of up to 100 percent mass-balanced** polycarbonate
- › visor arms made of up to 85 percent recycled plastic (made of high-quality post-industrial and post-consumer materials)
- › reduction in CO₂ emissions by over 50 percent



protecting planet

by using environmentally-friendly packaging

Instructions for use

- › made from waste paper

Packaging

- › CO₂-offset polybag
- › clean disposal and return to the recycling process possible



100%

mass-balanced**
polycarbonate
per lens

CO₂ emissions

50%

saving



9916000

85%

recycled plastic in the
visor arms

** Mass-balanced products are products where **traceable** bio-based raw materials or primary products **have been used in the production process** within a specified scope **without** biogenic carbon **being reliably detectable in the final product**. Mass balancing is a bookkeeping method (e.g. for the proportion of recycled materials) used to record and track mass flows of plastics along the entire value creation chain. This allows sources of fossil-based raw materials to be removed from the production process, for example by removing CO₂, biomass or secondary raw materials from chemical recycling. As the mass balancing approach is a bookkeeping method, the exact percentage of recycled material in the product cannot be determined precisely.

Standards at a glance

EN 397 · EN 50365

EN 397 – Industrial safety helmets

Protection against falling objects and the consequences thereof, such as brain damage and skull fracture

Binding requirements: all helmets certified according to EN 397 must meet these requirements.

- shock absorption, vertical
- penetration resistance (against sharp and pointed objects)
- flame resistance
- chin strap attachment: chin strap releases at minimum 150 N and maximum 250 N

Optional requirements: a helmet certified in accordance with EN 397 may meet these requirements; they are, however, not mandatory requirements.

- very low temperatures (-20 °C or -30 °C)
- very high temperatures (+150 °C)
- electrical insulation (440 V)
- molten metal (MM)
- lateral deformation (LD)

very low temperatures (-20 °C or -30 °C)	 uvex pheos	 uvex pheos alpine	 uvex perfexxion	 uvex pronamic alpine	 uvex pronamic
very high temperatures (+150 °C)					
molten metal (MM)	 uvex pheos			 uvex pronamic alpine	 uvex pronamic
lateral deformation			 uvex perfexxion	 uvex pronamic alpine	

EN 50365 – Insulating helmets for use on low voltage installations

Protection against electric shocks and prevention of dangerous electric current passing through the head

Requirements:

- All helmets must also meet the requirements in accordance with EN 397.
- Protection against alternating voltage of up to 1000 V (AC) or direct voltage up to 1500 V (DC)
- Insulating helmets must not contain any conductive parts.
- Air vents (if available) must not allow any accidental contact with live parts.



Overview of standards

EN 12492 · EN 1078

EN 12492 – Helmets for mountaineers

Protection against hazards that may occur during activities undertaken by mountaineers

Requirements:

- Shock absorption, vertical, frontal, lateral, dorsal
- Penetration resistance
- Carrier element (chin strap releases at min. 500 N)
- Strength of carrier element: Chin strap may exhibit maximum elongation of 25 mm
- Carrier element effectiveness: Helmet must not slide from the head



uvex pheos alpine

uvex perffexion

uvex pronamic alpine



EN 1078: Cycling helmet

Helmets for pedal cyclists and for users of skateboards and roller skates

Requirements:

- absorbs impact from vertical force
- the effectiveness of the retention system must be ensured via a retention test
- the mechanical strength of the chin strap must be ensured
 - the maximum permissible elongation is 35 mm



uvex perffexion



uvex pronamic


The innovative multi-functional helmet

Perfect interplay of protection and dynamic

The modern, sporty uvex pronamic has a unique, innovative helmet structure. Taking inspiration from bionics (namely, the lily pad), a completely new helmet design has been brought to life – for increased performance, better ergonomics and a more sustainable use of materials. The uvex pronamic offers maximum protection: It meets both the requirements of necessary standards (shock absorption, penetration, flammability) and optional requirements ("–30°C", MM).

Maximum ventilation

The fully integrated ventilation sliders are easy to operate even when wearing gloves.



brim long brim short


Optimal vision

The long brim protects against sunlight, while the short brim expands the field of vision.



IES system – Now as standard

Safety spectacles can be conveniently stored in the resting position in the helmet – now integrated as standard. Spectacle clip (9772002) required.



Positioning closer to head

The optimised shape of the uvex pronamic helmet shell means that it rests closer to the head. This makes the helmet feel lighter because its centre of gravity is now closer to the centre of the head. The enlarged neck area at the back of the head also provides greater protection.



Space for accessories

There is a wide range of accessories available for the uvex pronamic, such as a half visor.



Integrated neck piece

The ergonomic spiderneck neck piece enlarges the contact surface at the back of the head and provides increased wearer comfort, especially when carrying out work above head height.

Extended size range

Variable size adjustment from 51 to 65 cm.



Integrated neck piece

The ergonomic spiderneck neck piece enlarges the contact surface at the back of the head and provides increased wearer comfort, especially when carrying out work above head height.



Robust, lightweight structure

The newly developed design of the inside of the helmet saves material without sacrificing stability.



For more information, visit:
uvex-safety.com/de/pronamic



uvex pronamic

uvex pronamic B-WR · pronamic B-S-WR · pronamic S-KR



9731030



9731130



9731330



9731530

uvex pronamic B-WR

- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- additional elements allow a wide range of accessories to be attached to the helmet
- adjustable air vents for maximum ventilation
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment
- fitted with sweatband (9790311)
- six-point textile band attachment ensures an optimal fit and maximum comfort
- adapter for the IES spectacle clip (9772002) included as standard

uvex pronamic B-WR				
Art. no.	9731030	9731130	9731330	9731530
Colour	white	yellow	red	blue
Version	with long brim			
Material	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 65 cm	51 to 65 cm	51 to 65 cm	51 to 65 cm
Order unit	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



9731031



9731131



9731331



9731531

uvex pronamic B-S-WR

- shorter brim for a wider field of vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- additional elements allow a wide range of accessories to be attached to the helmet
- adjustable air vents for maximum ventilation
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment
- fitted with sweatband (9790311)
- six-point textile band attachment ensures an optimal fit and maximum comfort
- adapter for the IES spectacle clip (9772002) included as standard

uvex pronamic B-S-WR				
Art. no.	9731031	9731131	9731331	9731531
Colour	white	yellow	red	blue
Version	with short brim			
Material	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 65 cm	51 to 65 cm	51 to 65 cm	51 to 65 cm
Order unit	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



9731033



9731133



9731333



9731533

uvex pronamic S-KR

- pre-mounted four-point forked chin strap (9790021)
- attachment clip (9790022) for positioning the forked chin strap in the resting position
- shorter brim for a wider field of vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- additional elements allow a wide range of accessories to be attached to the helmet
- adjustable air vents for maximum ventilation
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment
- fitted with sweatband (9790311)
- six-point textile band attachment ensures an optimal fit and maximum comfort
- adapter for the IES spectacle clip (9772002) included as standard

uvex pronamic S-KR				
Art. no.	9731033	9731133	9731333	9731533
Colour	white	yellow	red	blue
Version	with short brim			
Material	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 65 cm	51 to 65 cm	51 to 65 cm	51 to 65 cm
Order unit	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



Safety Helmets

uvex pronamic alpine



Generous ventilation

The side air vents significantly improve the temperature inside the helmet.



Closed version

This version also offers optimal protection for work in low-voltage areas. It fully complies with EN 397, EN 50365 and EN 12492 except point 4.1.4 (ventilation).



Optimal adjustment

The wheel ratchet system provides plenty of scope for adjustments and the suspension harness inside the helmet can be adjusted as desired to provide the perfect fit for the wearer's head shape



EN 12492 and EN 397

The best equipment for various applications. Whether used while working at height or as an industrial safety helmet, the helmet's chin strap system is quick and easy to change, enabling the helmet to fulfil the safety standards for both applications and offer optimum protection at all times



MIPS included

An additional MIPS inner shell can be integrated as an option to absorb rotational energy, reducing the force transferred to the wearer's head. A detailed description of how the MIPS safety system works can be found on page 123.



Accessories can be fitted easily and quickly

The four stylistic retaining clips guarantee an optimal fit of the helmet accessories. This ensures that the user has access to any necessary application-related products, such as helmet torches or goggles, and that these are in the perfect position at all times.



Scan QR code for more information.

Safety Helmets

uvex pronamic alpine · pronamic alpine E



LD-tested



uvex pronamic alpine

- multi-standard helmet that meets the requirements of EN 397 and EN 12492
- patented MIPS inner shell available as an option
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- four retaining clips for fitting head torches or goggles
- additional elements allow our wide range of accessories to be attached to the helmet
- air vents for maximum ventilation

- versatile and adjustable suspension harness with variable wheel ratchet system
- EPS inner shell ensures excellent fit and comfort
- EN 12492 forked chin strap (art. no. 9790351) included in the standard scope of delivery, EN 397 version (art. no. 9790021) sold separately as an accessory
- replaceable hygiene kits 9790350 and 9790352 (MIPS)



uvex pronamic alpine						
Art. no.	9735030	9735130	9735230	9735031	9735131	9735231
Colour	white	hi-viz yellow	hi-viz orange	white	hi-viz yellow	hi-viz orange
Version				Mips	Mips	Mips
Material	ABS	ABS	ABS	ABS	ABS	ABS
Standard	EN 12492, EN 397 -30°C, MM, LD	EN 12492, EN 397 -30°C, MM, LD	EN 12492, EN 397 -30°C, MM, LD	EN 12492, EN 397 -30°C, MM, LD	EN 12492, EN 397 -30°C, MM, LD	EN 12492, EN 397 -30°C, MM, LD
Sizes	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT



LD-tested

uvex pronamic alpine E

- multi-standard helmet that meets the requirements of EN 397, EN 50365 and EN 12492 (except ventilation 4.1.4)
- patented MIPS inner shell available as an option
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- four retaining clips for fitting head torches or goggles
- additional elements allow our wide range of accessories to be attached to the helmet

- versatile and adjustable suspension harness with variable wheel ratchet system
- EPS inner shell ensures excellent fit and comfort
- forked chin strap EN 12492 (art. no. 9790351) included in the standard scope of delivery, EN 397 version (art. no. 9790021) sold separately as an accessory
- replaceable hygiene kits 9790350 and 9790352 (MIPS)

uvex pronamic alpine E						
Art. no.	9736030	9736130	9736230	9736031	9736131	9736231
Colour	white	hi-viz yellow	hi-viz orange	white	hi-viz yellow	hi-viz orange
Version				Mips	Mips	Mips
Material	ABS	ABS	ABS	ABS	ABS	ABS
Standard	EN 50365 EN 12492 (except 4.1.4) EN 397	EN 50365 EN 12492 (except 4.1.4) EN 397	EN 50365 EN 12492 (except 4.1.4) EN 397	EN 50365 EN 12492 (except 4.1.4) EN 397	EN 50365 EN 12492 (except 4.1.4) EN 397	EN 50365 EN 12492 (except 4.1.4) EN 397
	-30 °C, MM, LD	-30 °C, MM, LD	-30 °C, MM, LD	-30 °C, MM, LD	-30 °C, MM, LD	-30 °C, MM, LD
Sizes	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT

Safety Helmets

uvex pheos S-KR Mips



MIPS inner shell

The additional MIPS safety system is integrated into the suspension harness.



Large neck piece

The additional neck piece increases the contact surface, reducing pressure on the back of the wearer's head. This improves the wearing comfort.



Pre-mounted forked chin strap


The comfortable forked chin strap secures the helmet and guarantees optimum protection, especially when carrying out overhead work

Safety Helmets

uvex pheos S-KR Mips



What is MIPS?

The MIPS safety system is designed to provide additional protection for helmets during a wide variety of accidents. In certain impact situations, the MIPS system can reduce dangerous forces that might otherwise be transferred to the helmet wearer's head.



Linear impacts

Conventional helmets are designed and tested for linear impacts. In most cases, however, impacts occur at an angle and lead to a rotational movement of the head.



Angled impacts

The low-friction inner shell is designed to help reduce the rotational forces acting on the head in certain cases of an angled impact.



Further information can be found at
uvex-safety.com/en/mips/
(or scan the QR code).



9772090



9772190



9772260

uvex pheos S-KR Mips

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- MIPS inner shell absorbs rotational forces
- three adjustable air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort
- pre-mounted forked chin strap (9790021)
- large neck piece (9790149) increases wearing comfort
- fitted with a sweatband (9760260)
- also available as a planet version, see page 129

uvex pheos S-KR Mips			
Art. no.	9772090	9772190	9772260
Colour	white	yellow	hi-viz orange
Version	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397
	-30°C, MM	-30°C, MM	-30°C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC
Outer packaging	20 PC per CT	20 PC per CT	20 PC per CT

Safety Helmets

uvex pheos alpine



uvex pheos alpine

- multifunctional helmet for working at heights and rescue operations
- combines the features of an industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- light ABS helmet shell offers a high level of protection and durability
- shorter brim for a wider field of upward vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- options for attaching head torches and goggles
- permanently opened air vents
- meets standard EN 397 and additional requirements for very low temperatures (-30°C)
- firmly riveted chin strap for use in accordance with EN 12492

- six-point textile band attachment ensures ideal fit and great comfort
- suspension harness with wheel ratchet system for variable width adjustment
- the helmet is delivered as standard with a black PU sweatband (art. no. 9760009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760005)



product
design award

2013

uvex pheos alpine with wheel ratchet system

Art. no.	9773050	9773150	9773250	9773350	9773450	9773550	9773950
Colour	white	yellow	orange	red	green	blue	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS	ABS	ABS	ABS
Standard	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC,	PC,	PC,	PC,	PC,	PC,	PC,
Outer packaging	individually packed in CT 6 PC per CT	individually packed in CT 6 PC per CT	individually packed in CT 6 PC per CT	individually packed in CT 6 PC per CT	individually packed in CT 6 PC per CT	individually packed in CT 6 PC per CT	individually packed in CT 6 PC per CT

LD-tested



uvex perfixxion

- unique combination of the standards EN 397 (meets partly), EN 12492 and EN 1078
- side Euroslot adapters (30 mm) for attaching earmuffs
- additional slots allow for a wide variety of accessories to be attached
- complies with the following standards:
 - EN 397 (in part) – Industrial safety helmet standard
 - optional requirements: LD, -30°C
 - EN 12492 – Mountaineering helmet standard
 - EN 1078 – Cycling helmet standard

- increased resistance to lateral deformation (LD) provides additional protection
- adjustable and convenient air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment and height adjustment
- suspension harness with convenient inner mesh for added wearer comfort
- optimal fit thanks to two different sizes (M and L)
- additional clip-on brim included in the scope of delivery

uvex perfixxion

Art. no.	9720940	9720950	9720040	9720050
Colour	black	black	white	white
Version	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS
Standard	EN 397, -30 °C, LD EN 12492, EN 1078	EN 397, -30 °C, LD EN 12492, EN 1078	EN 397, -30 °C, LD EN 12492, EN 1078	EN 397, -30 °C, LD EN 12492, EN 1078
Sizes	M (52 to 58 cm)	L (59 to 63 cm)	M (52 to 58 cm)	L (59 to 63 cm)
Order unit	PC	PC	PC	PC
Outer packaging	6 PC per CT	6 PC per CT	6 PC per CT	6 PC per CT

Safety Helmets

uvex pheos forestry · uvex pheos ABS



Further information can be found at uvex-safety.com/en/forestryset (or scan the QR code).



9774236



9774237



9774238



uvex pheos forestry

- set specially developed to meet the needs of forestry workers, consisting of the uvex pheos ABS B-S-WR, uvex pheos forestry visor and uvex pheos K2P mechanical
- labelled with label set, including pre-attached chin strap and signal whistle
- meets standards EN 166, 1731, 352-1 and 397 and additional requirement for very low temperatures (-30 °C)
- fully integrated metal mesh visor with high transmission (transparency) protects against foreign objects and ensures a clear view
- high-insulation earmuffs (SNR: 30 dB) round off the system perfectly and reliably protect against noise produced by chainsaws and brush cutters
- three variable air vents for maximum ventilation, offering ventilation in the direction of movement
- suspension harness with wheel ratchet system enables the width to be variably adjusted with just one hand

uvex pheos forestry - pre-assembled set

Art. no.	9774236	9774237	9774238
Colour	yellow	orange	red
Version	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS
Standard	EN 397, -30 °C, MM EN 1731:2006-F EN 352-3	EN 397, -30 °C, MM EN 1731:2006-F EN 352-3	EN 397, -30 °C, MM EN 1731:2006-F EN 352-3
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC
Outer packaging	15 PC per CT	15 PC per CT	15 PC per CT

uvex pheos forestry - spare parts

Art. no.		Order unit
9790210	Replacement visor (metal)	PC
2600214	uvex K2P mechanical	PR
9760106	Replacement suspension harness pheos ABS	PC
9760009	Sweatband pheos ABS	PC
9790021	Four-point chin strap	PC
9790146	Signal whistle	PC



9772071



9772171



9772271



9772371

uvex pheos ABS

- ABS safety helmet with slots for uvex visors, earmuffs and helmet lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets EN 397 standards and additional requirements for very low temperatures (-30°C)
- high lateral rigidity
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet system (9760106) and sweatband (9760009)
- six-point textile band attachment ensures optimum fit and comfort

uvex pheos ABS B-S-WR with wheel ratchet system

Art. no.	9772071	9772171	9772271	9772371
Colour	white	yellow	orange	red
Version	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS
Standard	EN 397 -30 °C, MM	EN 397 -30 °C, MM	EN 397 -30 °C, MM	EN 397 -30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC
Outer packaging	24 PC per CT	24 PC per CT	24 PC per CT	24 PC per CT

MADE IN GERMANY



Safety Helmets

uvex pheos B · uvex pheos B-WR · uvex pheos B-S-WR



uvex pheos B · uvex pheos B-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos B-WR)
- fitted with the 9760005 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B with conventional suspension harness

Art. no.	9772020	9772120	9772220	9772320	9772520	9772920
Colour	white	yellow	orange	red	blue	black
Version	with long brim					
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

uvex pheos B-WR with wheel ratchet system

Art. no.	9772030	9772130	9772230	9772330	9772430	9772530	9772930
Colour	white	yellow	orange	red	green	blue	black
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



uvex pheos B-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment

- fitted with the 9760005 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B-S-WR with wheel ratchet system

Art. no.	9772031	9772131	9772231	9772332	9772531	9772832	9772932
Colour	white	yellow	orange	red	blue	dark grey	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



protecting planet

To help raise awareness of its commitment to achieving increased sustainability, uvex has developed the **protecting planet** icon.

For uvex, **protecting planet** is more than a label. Based on the brand claim, **protecting people**, our sustainable approach integrates three core interlinked pillars – **ecology**, **economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.



Creation date 05/2022



9772042

The **uvex pheos planet** is an example of the **planet series** product system.



protecting planet

by using recycled material //
by using bio-based material

The helmet shell is made of up to 30 percent bioplastic. The organic raw material, sugar cane, is converted using a process that complies with the strictest quality requirements and achieves high stability and strength. 50 percent of the material for the headband is made of helmet shells. This significantly reduces process-related waste during production.



protecting planet

by using environmentally-
friendly packaging

All individual packaging is made of regranulated material and has been taken from the recycling economy. The packaging is single-grade and can be returned to the recycling chain after use. This also saves fossil resources. The user instructions are printed on 100 percent recycled paper.

uvex pheos planet B-WR · pheos planet B-S-WR · pheos planet S-KR Mips

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- helmet shell partially made of bio-based plastic
- head rings made of regranulated helmet shells
- MIPS inner shell absorbs rotational forces on the uvex pheos planet S-KR MIPS
- three adjustable air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort
- pre-assembled four-point forked chin strap (9790021) for uvex pheos planet S-KR MIPS
- large neck piece (9790149) increases the wearer comfort of the uvex pheos planet S-KR MIPS
- equipped with sweatband 9760005 or 9760260 in the case of uvex pheos planet S-KR MIPS

	uvex pheos planet B-WR	uvex pheos planet B-S-WR	uvex pheos planet S-KR Mips
Art. no.	9772042	9772043	9772092
Colour	white	white	white
Version	with long brim	with short brim	with short brim and Mips-Technology
Material	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30°C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61cm
Order unit	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT

Safety Helmets

uvex pheos E · uvex pheos E-WR · uvex pheos E-S-WR



uvex pheos E · uvex pheos E-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- conventional suspension harness for comfortable adjustable fit (uvex pheos E)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos E-WR)
- fitted with the 9760005 (uvex pheos E) or 9760009 (uvex pheos E-WR) sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E with conventional suspension harness		
Art. no.	9770020	9770120
Colour	white	yellow
Version	with long brim	with long brim
Material	HDPE	HDPE
Standard	EN 397	EN 397
	-30 °C, MM	-30 °C, MM
	EN 50365, 1000 V AC	EN 50365, 1000 V AC
Sizes	51 to 61 cm	51 to 61 cm
Order unit	PC	PC
Outer packaging	25 PC per CT	25 PC per CT

uvex pheos E-WR with wheel ratchet system							
Art. no.	9770030	9770130	9770230	9770330	9770430	9770530	9770830
Colour	white	yellow	orange	red	green	blue	dark grey
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



uvex pheos E-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- suspension harness with wheel ratchet for variable width adjustment
- fitted with the 9760009 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E-S-WR with wheel ratchet system								
Art. no.	9770031	9770131	9770231	9770331	9770431	9770531	9770832	9770931
Colour	white	yellow	orange	red	green	blue	dark grey	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365
	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY





uvex

Safety Helmets

uvex pheos IES · uvex pheos S-KR · reflex set



uvex pheos IES

- safety helmet with slots for uvex visors, earmuffs, lamps and Integrated Eyewear System (IES)
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment – also has the option to mount uvex pheos, uvex pheos or uvex i-works safety spectacles
- fitted with the 9760007 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos IES with wheel ratchet system					
Art. no.	9772040	9772140	9772240	9772340	9772540
Colour	white	yellow	orange	red	blue
Version	with long brim				
Material	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	55 to 61 cm	55 to 61 cm	55 to 61 cm	55 to 61 cm	55 to 61 cm
Order unit	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



uvex pheos S-KR

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- side Euroslot adapters (30 mm) for attaching earmuffs
- three adjustable air vents for maximum ventilation
- fitted with the sweatband 9760005
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort
- pre-fitted four-point forked chin strap
- attachment clip (9790022) for positioning the forked chin strap in the resting position or as a holder for goggles
- products that are eligible according to BG-Bau (German employer's liability insurance association for the construction industry) are available on request

uvex pheos S-KR					
Art. no.	9772034	9772134	9772234	9772335	9772534
Colour	white	yellow	orange	red	blue
Version	with short brim				
Material	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



uvex pheos reflex set L

- safety helmet with highly reflective sticker set
- helmets are delivered with the stickers already applied



uvex pheos reflex set L
(select preferred helmet colour)

uvex pheos reflex set L					
Art. no.	Colour	Version	Art. no.	Colour	Version
9770026	white	uvex pheos E with reflective sticker	9772526	blue	uvex pheos B with reflective sticker
9770126	yellow	uvex pheos E with reflective sticker	9772035	white	uvex pheos B-WR with reflective sticker
9770036	white	uvex pheos E-WR with reflective sticker	9772138	yellow	uvex pheos B-WR with reflective sticker
9770136	yellow	uvex pheos E-WR with reflective sticker	9772236	orange	uvex pheos B-WR with reflective sticker
9770536	blue	uvex pheos E-WR with reflective sticker	9772437	green	uvex pheos B-WR with reflective sticker
9772045	white	uvex pheos IES with reflective sticker	9772538	blue	uvex pheos B-WR with reflective sticker
9772246	orange	uvex pheos IES with reflective sticker	9772936	black	uvex pheos B-WR with reflective sticker
9772343	red	uvex pheos IES with reflective sticker	9772038	white	uvex pheos B-S-WR with reflective sticker
9772046	white	uvex pheos S-KR with reflective sticker	9772137	yellow	uvex pheos B-S-WR with reflective sticker
9772541	blue	uvex pheos S-KR with reflective sticker	9772334	red	uvex pheos B-S-WR with reflective sticker
9772026	white	uvex pheos B with reflective sticker	9772433	green	uvex pheos B-S-WR with reflective sticker
9772126	yellow	uvex pheos B with reflective sticker	9772537	blue	uvex pheos B-S-WR with reflective sticker
9772226	orange	uvex pheos B with reflective sticker	9772937	black	uvex pheos B-S-WR with reflective sticker
9772326	red	uvex pheos B with reflective sticker			
Order quantity multiples/ Order unit			25 PC		

► Please contact our service hotline on +49 911 9736-0.

Safety Helmets

Accessories



Accessories for uvex pheos, uvex pheos alpine, uvex airwing, uvex super boss and uvex thermo boss

	Leather chin straps for uvex pheos (not for pheos IES and pheos E), uvex pheos alpine, uvex airwing, uvex superboss and uvex thermo boss
Art. no.	9790005
Version	Robust leather design with plastic eyelets with metal rivets, Adjustable length
Order unit	PC

	Forked chin straps for uvex pheos and uvex pheos E (not for uvex pheos alpine)
Art. no.	9790021
Version	Textile strap with quick-release push-button fastening, plastic hooks and chin pad, adjustable length
Order unit	PC

	IES mount with sliding element for uvex pheos IES System	Penholder for uvex pheos and uvex pheos E
Art. no.	9772002	9790023
Version	plastic	plastic
Order unit	PC	PC

	Goggles clip for uvex pheos/ chin strap clip for uvex pheos alpine
Art. no.	9790022
Version	Plastic clip for fixing the goggles band or the chin strap on the helmet
Order unit	PC

	Elastic Chinstrap for uvex pheos and uvex pheos E (not for uvex pheos alpine)
Art. no.	9790031
Version	Elastic textile strap, adjustable length, color grey/green
Order unit	PC

	uvex spiderneck neck support
Art. no.	9790149
Version	Kunststoffclip zur Fixierung des Vollsichtbrillenbandes bzw. des Kinnriemens am Helm for use with the uvex pheos alpine increases neck increases neck support, improves comfort, improved weight distribution across the helmet easy installation: is threaded over the wheel ratchet
Order unit	PC

	Business card holder
Art. no.	9790166
Content	10 holders + 20 PVC cards
Order quantity multiples	10 PC

	uvex helmet bag for storing and transporting the uvex safety helmet	Helmet slot sealing plug set
Art. no.	9790071	9790077
Version	polyester	plastic
Order unit	PC	PC

uvex pheos helmet sticker

- ideal for identifying different trades
- durable and weather-resistant high-performance PVC film

uvex pheos helmet sticker							
Art. no.	9790150	9790151	9790152	9790153	9790154	9790155	9790156
Colour	silver	yellow	orange	red	green	blue	black
Material	PVC film	PVC film	PVC film	PVC film	PVC film	PVC film	PVC film
Order unit	PC	PC	PC	PC	PC	PC	PC

Safety Helmets

Accessories

Accessories for uvex pheos IES

	Suspension harness for IES For uvex pheos (Not pheos E and pheos alpine)	Sweatband for pheos IES
Art. no.	9772001	9760007
Version	Six-point textile suspension with textile sweatband with uvex pheos glasses clip	textile/foam material
Order unit	PC	10 PC

Accessories for uvex pheos E-WR and uvex pheos alpine

	Suspension harness for uvex pheos E-WR	Suspension harness for uvex pheos alpine
Art. no.	9760012	9760011
Version	Six-point textile attachment with sweatband	Six-point textile attachment with sweatband
Order unit	PC	PC

	Sweatband for uvex pheos alpine and uvex pheos E-WR	Wheel ratchet padding
Art. no.	9760009	9760014
Version	PU, leather	polyester
Order unit	10 PC	10 PC

Accessories for uvex pheos

	Conventional suspension harness for uvex pheos	Suspension harness for uvex pheos (not for uvex pheos E) with wheel ratchet
Art. no.	9760000	9760001
Version	Six-point textile attachment with sweatband	Six-point textile attachment with sweatband
Order unit	PC	PC

	Sweatband for uvex pheos (not for pheos alpine, E, IES)	
Art. no.	9760005	9760008
Version	Artificial leather (Beige)	Artificial leather (Black)
Order unit	10 PC	10 PC

uvex pheos reflex set M

- highly reflective sticker set
- extremely high brightness with prism film
- easy to affix
- suitable for all uvex pheos and uvex pheos alpine safety helmets

uvex pheos reflex set M	
Art. no.	9790018
Order unit	PC



Safety Helmets

Accessories: Head torchs

- All torches fit in the front slot of our uvex helmets.

9790062
9790063



uvex head torch pheos Lights · pheos Lights EX

- LED helmet torch with two separate reflectors for distance and area lighting
- compact design, very low weight (80 g), extremely robust
- power source: 1.7 Ah-Li-Ion battery
- illuminance: max. 6500 lux
- operating temperature: -20 °C to + 60 °C
- charge adapter and micro-USB charger included
- protection class IP 67 (dust-tight and waterproof)
- 9790063: ATEX certification II 2G Ex ib IIC T4

Press switch	Modes	Lumen	Range	Light duration
Area light	low	55	5 m	11 h
	high	115	10 m	5.5 h
Distance light	low	55	50 m	11 h
	high	115	100 m	5.5 h

	LED head torch pheos Lights	LED head torch pheos Lights EX
Art. no.	9790062	9790063
Version	for uvex pheos helmets	for uvex pheos helmets – ATEX
Order unit	PC	PC

9790069



9790064



LED head torch u-cap sport · uvex pheos helmet adapter

- LED head torch with two separate reflectors for distance and area lighting
- sturdy design, with very low weight (55 g without batteries)
- power source: 3 x AAA batteries (not included)
- illuminance: approx. 4000 lux
- operating temperature: -20 °C to +45 °C
- protection class IP 66 (complete protection against dust and powerful water jets)
- Adapter for the LED head torch u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets

Press switch for 1 s	Modes	Lumen	Range	Light duration
Area light	high	30	7 m	80 h
	low	10	3 m	150 h
	medium	40	80 m	70 h
Distance light	high	100	110 m	30 h
	low	5	10 m	150 h

	LED head torch uvex u-cap sport	uvex pheos helmet adapter
Art. no.	9790064	9790069
Version	for uvex u-cap sport	for LED head torch uvex u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets
Order unit	PC	PC

9790029



KS-6003-DUO

- LED helmet torch with two separate precision lenses for distance and area lighting
- boost mode (420 lumen) by pressing and holding the button for 5 seconds
- compact design
- Beam can be infinitely adjusted to suit the area to be lit
- power source: lithium-Ion battery, 3.7 V, 1.7 Ah
- operating temperature: -20°C to +60°C
- protection class: IP 68 (dust-tight and waterproof)
- charger included
- charging time: approx. 3 hours

Press switch	Modes	Lumen	Range	Light duration
Area light	normal	70	5 m	10 h
	strong	260	10 m	2.5 h
Distance light	normal	130	100 m	10 h
	strong	260	200 m	2.5 h

	LED head torch KS-6003-DUO
Art. no.	9790029
Version	for uvex pheos helmets
Order unit	PC

9790028



KS-7630-MCII

- compact design
- protection class IP 67 (dust-tight and waterproof)
- operating temperature -15 °C to 50 °C
- power source: lithium-ion battery
- charging time: approx. 9 hours
- >80% capacity after 500 charging cycles
- ATEX approval (Directive 2014/34/EU)

Mode	Lumen	Strength**	Range	Light duration
Emergency light	70 lm	≥ 3000 lx	80 m	≥ 30 h
Work light	180 lm	≥ 5500 lx	140 m	≥ 14 h
Strong light*	230 lm	≥ 10000 lx	190 m	≥ 6 h

	KS-7630-MCII
Art. no.	9790028
Version	for uvex pheos helmets
Order unit	PC

Accessories

uvex pronamic · uvex perfexxion



		uvex pronamic B-WR	uvex pronamic B-S-WR	uvex pronamic S-KR	uvex pronamic alpine	uvex pronamic alpine MIPS	uvex pronamic alpine E	uvex pronamic alpine E MIPS	uvex perfexxion
9790310	Suspension harness for pronamic	■	■	■	-	-	-	-	-
9790311	Sweatband for pronamic	■	■	■	-	-	-	-	-
9790350	Hygiene kit for pronamic alpine	-	-	-	■	-	■	-	-
9790352	MIPS hygiene kit for pronamic alpine	-	-	-	-	■	-	■	-
9790109	Hygiene kit for perfexxion	-	-	-	-	-	-	-	■
9790021	Forked chin strap	■	■	■	■	■	■	■	-
9790351	Forked chin strap EN 12492 for pronamic alpine	-	-	-	■	■	■	■	-
9790035	Leather chin strap IES	■	■	■	■	■	■	■	-
9772002	IES spectacle clip	■	■	■	-	-	-	-	-
9790022	Goggle clip	■	■	■	■	■	■	■	-
9790065	Winter cap, yellow	■	■	■	-	-	-	-	-
9790068	Winter cap, orange	■	■	■	-	-	-	-	-
9790066	Balaclava	■	■	■	■	■	■	■	■
9790075	Neck protection, orange	■	■	■	-	-	-	-	-
9790076	Neck protection, yellow	■	■	■	-	-	-	-	-
9790086	Cooling neck protection	■	■	■	-	-	-	-	-
9790166	Business card holder	■	■	■	■	■	■	■	■
2600201 2600202	Earmuffs K1H/K2H	■	■	■	■	■	■	■	■
2630210 2630220 2630230	Earmuffs K10H/K20H/K30H	■	■	■	■	■	■	■	■
2600214 2600216	Earmuffs K1P/K2P bayonet (in combination with 2600236 or pronamic visor)	■	■	■	■	■	■	■	-
2600236	uvex pronamic helmet adapter pull bayonet	■	■	■	■	■	■	■	-
9916000	uvex pronamic visor clear sv exc	■	■	■	■	■	-	-	-
9916001	uvex pronamic visor with chin guard	■	■	■	■	■	-	-	-
9916002	uvex pronamic visor clear sv exc. SLB 1	-	-	-	-	-	■	■	-
9916003	uvex pronamic visor sv exc. SLB 2	-	-	-	-	-	■	■	-
9916100	uvex pronamic mesh visor	■	■	■	■	■	-	-	-
9916200	uvex pronamic half visor clear	-	■	■	■	■	-	-	-
9916201	uvex pronamic half visor grey	-	■	■	■	■	-	-	-
9920001	uvex vimox visor	■	■	■	■	■	-	-	-
9790062	LED head torch pheos Lights	■	■	■	■	■	■	■	■
9790063	LED head torch pheos Lights EX	■	■	■	■	■	■	■	■
9790028	KS 7630 MC II	■	■	■	■	■	■	■	■
9790029	LED head torch KS-6003 Duo	■	■	■	■	■	■	■	■
9790064	LED head torch for u-cap sport	■	■	■	■	■	■	■	■
9790069	uvex pheos helmet adapter for u-cap LED	■	■	■	■	■	■	■	■

■ supplied as standard

■ compatible

- not compatible

Accessories

uvex pheos

	uvex pheos B	uvex pheos B-WR	uvex pheos B-S-WR	uvex pheos E	uvex pheos E-WR	uvex pheos E-S-WR	uvex pheos IES	uvex pheos S-KR	uvex pheos S-KR Mips	uvex pheos alpine
9760000 Conventional suspension harness	■	■	■	■	■	■	■	■	■	-
9760001 Suspension harness with rotating size adjusters	■	■	■	-	-	-	■	■	■	-
9760008 Black sweat band	■	■	■	■	■	■	■	■	■	■
9760011 Suspension harness for pheos alpine	-	-	-	-	-	-	-	-	-	■
9760012 Suspension harness for uvex pheos E-WR	■	■	■	■	■	■	■	■	■	-
9772001 Suspension harness IES	■	■	■	-	-	-	■	■	-	-
9760009 Sweatband uvex pheos alpine and uvex pheos E-WR	■	■	■	■	■	■	■	■	-	■
9760007 Sweatband IES	-	-	-	-	-	-	■	-	-	-
9760005 Sweatband, synthetic leather	■	■	■	■	■	■	-	■	-	-
9760260 Sweatband pheos S-KR Mips	-	-	-	-	-	-	-	-	■	-
9790035 Leather chin straps IES	■	■	■	-	-	-	■	■	-	-
9790005 Leather chin straps	■	■	■	-	-	-	-	■	-	■
9790031 Elastic chin straps	■	■	■	■	■	■	■	■	■	-
9790021 Forked chin straps	■	■	■	■	■	■	■	■	■	-
9790023 Pen holder	■	■	■	■	■	■	■	■	■	-
9772002 Mount	-	-	-	-	-	-	■	-	-	-
9790022 Goggles clip, chin strap clip	■	■	■	■	■	■	■	■	■	■
9790065 Winter cap, hi-viz yellow	■	■	■	■	■	■	■	■	■	■
9790066 Balaclava	■	■	■	■	■	■	■	■	■	■
9790068 Winter cap, hi-viz orange	■	■	■	■	■	■	■	■	■	■
9790075 Neck protection, orange	■	■	■	■	■	■	■	■	■	■
9790076 Neck protection, yellow	■	■	■	■	■	■	■	■	■	■
9790086 uvex cooling neck protection	■	■	■	■	■	■	■	■	■	■
9790166 Business card holder	■	■	■	■	■	■	■	■	■	■
9790018 uvex pheos reflex set M	■	■	■	■	■	■	■	■	■	■
9790151-9790156 uvex pheos helmet sticker	■	■	■	■	■	■	■	■	■	-
9906002 uvex pheos visor	-	-	■	-	-	■	-	■	■	■
9906003 uvex pheos visor SLB1	-	-	-	-	-	■	-	-	-	-
9906005 uvex pheos visor SLB2	-	-	-	-	-	■	-	-	-	-
9906007 uvex pheos visor SLB2	-	-	-	-	-	■	-	-	-	-
2600201 uvex K1H/ uvex K2H	■	■	■	-	-	-	■	■	■	■
2600202 uvex K10H/ uvex K20H/ uvex K30H	■	■	■	■	■	■	■	■	■	■
2630210 uvex K10H/ uvex K20H/ uvex K30H	■	■	■	■	■	■	■	■	■	■
2630220 uvex K10H/ uvex K20H/ uvex K30H	■	■	■	■	■	■	■	■	■	■
2630230 uvex K10H/ uvex K20H/ uvex K30H	■	■	■	■	■	■	■	■	■	■
2600214 uvex K1P/ uvex K2P	■	■	■	■	■	■	■	■	■	■
2600215 uvex K1P/ uvex K2P	■	■	■	■	■	■	■	■	■	■
2600216 uvex K1P/ uvex K2P	■	■	■	■	■	■	■	■	■	■
9790078 Helmet adapter magnet	■	■	■	■	■	■	■	■	■	■
9790062 LED head torch pheos Lights	■	■	■	■	■	■	■	■	■	■
9790063 LED head torch pheos Lights EX	■	■	■	■	■	■	■	■	■	■
9790028 LED head torch KS-7630MCII	■	■	■	■	■	■	■	■	■	■
9790029 LED head torch KS-6003 DUO	■	■	■	■	■	■	■	■	■	■
9790064 LED head torch u-cap sport	■	■	■	■	■	■	■	■	■	■
9790069 uvex pheos helmet adapter	■	■	■	■	■	■	■	■	■	■

■ supplied as standard

■ compatible

- not compatible



Visors and Face Protection

Visor lenses, certification and norms

The right solution for every requirement



Polycarbonate lenses with uvex supravision excellence coating

Polycarbonate has a high mechanical impact strength. Coated lenses are anti-fog on the inside, and scratch- and chemical-resistant on the outside. The anti-fogging properties are permanent even after repeated cleaning. The lenses are especially easy to clean and less susceptible to dirt due to the non-stick nanotechnology.

Cellulose acetate lenses

Face protection visors made of cellulose acetate are ideally suited for protection against chemicals.

Stainless steel mesh

is robust and has excellent stability and long life. Stainless steel mesh visors offer a higher light transmission than nylon mesh visors and are used for more rugged work in agriculture and forestry.


Standards at a glance

EN 166 – Personal eye protection


The European standard EN166 applies to all types of eye protection. EN 166 visors are made of frames and lenses.

Certification according to DIN EN 166

Marking on frame



Marking on lenses



A detailed description of frame and lens markings can be found on page 23.

Labelling and norms

EN 170 – Ultraviolet protection filters

In the standards for special product requirements, the standard EN 170 sets out levels of protection and transmission requirements for ultraviolet protection filters. Excessive exposure to ultraviolet light can cause the lens of the eye to lose its transparency, which may cause

visual impairment or loss of vision. Visor lenses in accordance with EN 170 therefore meet performance requirements to protect the eye from ultraviolet radiation during hazardous work.

EN 1731 – Mesh face protection

The European standard EN 1731 describes all requirements for personal eye and face protection made of mesh material. EN 1731 visors consist of frames and lenses.

Technical information on the frame and the lens are specified according to EN 1731 in the following order:

- Identification of the manufacturer
- Number of European standard
- Symbol for mechanical strength


Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45 m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)
T	tested at extreme temperatures (-5°C and +55°C)

GS-ET 29

When working on energised electrical systems and equipment, the risk of a short circuit electric arc must be assessed. Short circuit electric arcs are usually caused by a short circuit between the electrical lines. The GS-ET 29 test principle is an additional requirement for the testing and certification of electrician face protection. These visors are a category 3 product, which means there is a risk of physical injury and

death. With regards to different intensities of short circuit electric arcs, the certified products must be assessed for their suitability for the respective application. Here, there are distinctions between two classes, Class 1 – up to 4 kA – and Class 2, up to 7 kA.

Certification according to GS-ET 29



Previously



According to 7 kA short circuit electric arc

*It is obligatory to use an additional illumination, to reach a minimum illuminance of 30 lux behind the faceshield.

Visors and face protection

uvex pronamic visor system

The first sustainable visor system - uvex pronamic. For this visor we rely on a mass-balanced polycarbonate for our visor lens and a recycled plastic made of high-quality post-industrial and post-consumer materials for the visor arms. The result: reduction in CO₂ emissions by over 50% for 100% protection.

Unique uvex click & pull system

The visor can be pulled off the connection system at any time and reattached with a click - perfect for making the helmet a little easier to use when the visor is not needed.

The anti-fog and scratch-resistant visor is made of high-quality, mass-balanced polycarbonate that meets the highest optical quality class. The anti-fogging properties are permanent, even after repeated cleaning. Easy to clean thanks to non-stick nanotechnology. All lenses offer UV 400 protection. The visor fits the helmet seamlessly, leaving no gaps. The injection-moulded transparent peak provides protection against any particles penetrating the inside of the visor.

Suitable for areas of application 3 (liquids) and 9 (molten metal and hot solids). SLB 1 and SLB 2 visors for protection from electrical arcs certified in accordance with GS-ET 29.

Change of lens is possible for an even more sustainable and durable product

uvex earmuffs can be attached to the helmet and removed at any time via a bayonet connection.

The visor can be locked above the helmet shell when not required and the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced over the body's centre of gravity. This means the neck muscles are not placed under strain by any unnecessary weight, ensuring excellent wearer comfort and maximum freedom of movement.

All visors come pre-assembled with a helmet adapter. This is clicked into the side helmet slot and remains attached there. The visor and visor arm can be removed from the helmet at any time.

9916000



9916001



9916002



9916003



9916100



2600236



uvex pronamic

	uvex pronamic	uvex pronamic with chin guard	uvex pronamic SLB 1	uvex pronamic SLB 2	uvex pronamic mesh visor	uvex pronamic adapter pull bayonet
Art. no.	9916000	9916001	9916002	9916003	9916100	2600236
Version	uvex supervision excellence coating	uvex supervision excellence coating	uvex supervision excellence coating	uvex supervision excellence coating	uvex supervision excellence coating	helmet adapter for use on the pronamic full visor and the uvex earmuffs with bayonet connection
	click & pull system for removable visor arms	click & pull system for removable visor arms	click & pull system for removable visor arms	click & pull system for removable visor arms	click & pull system for removable visor arms	
	bayonet connection for hearing protection	bayonet connection for hearing protection	bayonet connection for hearing protection	bayonet connection for hearing protection	bayonet connection for hearing protection	
Standard Frame	EN 166, EN 170 black	EN 166, EN 170 black	EN 166, EN 170, GS-ET 29 black	EN 166, EN 170, GS-ET 29 black	EN 1731 black	
	W 166 3 9 8-2 B CE 0196	W 166 3 9 8-2 B CE 0196	W 166 3 9 8-2 B CE 0196	W 166 3 9 8-2 B CE 0196	W EN 1731:2006 F CE	
Lens	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400	PC blue, UV 400	stainless steel mesh	
	2C - 1.2 W 1 B 9 KN CE	2C - 1.2 W 1 B 9 KN CE	2C - 1.2 W 1 B 8-1-0 9 KN CE 0196	2C - 1.2 W 1 B 8-2-0 9 KN CE 0196	W EN 1731:2006 F CE	
Order unit	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	BG, packed in pairs in polythene bags
Outer packaging	24 PC per CT	24 PC per CT	24 PC per CT	14 PC per CT	24 PC per CT	
Replacement lens	9906013, individually packed in polythene bags	9906014, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags	9790210, individually packed in polythene bags	

Visors and face protection

uvex pronamic visor system

The uvex pronamic half visor completes the pronamic visor family.

With two different lens tints, it offers optimum protection and, because of its design, it allows prescription spectacles to be worn at the same time.

If the visor is not needed, it can be locked above the helmet shell, ensuring excellent wearer comfort and maximum freedom of movement.

The polycarbonate half visor has an anti-fog and scratch-resistant coating. Thanks to its design, it offers enough room to wear prescription spectacles as well. The injection-moulded transparent peak fits the helmet seamlessly and provides protection against any particles penetrating the inside of the visor.

Visor is anti-fog on the inside and scratch-resistant on the outside. It also offers UV 400 protection.

Comes pre-assembled with helmet adapter, visor can be removed from the helmet via push button. Suitable for area of application 3

The Euroslot remains free for the use of earmuffs or other accessories.

All visors are pre-assembled with a helmet adapter. This is clicked into the front side helmet slot and remains attached there. The visor can be removed from the helmet at any time thanks to a push button.

9916200



9916201



2600237



uvex pronamic half visor

Art. no.	uvex pronamic half visor 9916200	uvex pronamic half visor 9916201	uvex pronamic adapter push bayonet 2600237
Version	anti-fog and scratch-resistant coating removable visor via push button	anti-fog and scratch-resistant coating removable visor via push button sun protection	helmet adapter for use with the half visor and the uvex earmuffs with bayonet connection
Standard Frame	EN 166, EN 170 black W 166 3 F CE	EN 166, EN 172 black W 166 3 F CE	
Lens	PC clear, UV 400 2C - 1.2 W 1 F KN CE	PC grey 23%, UV 400 5-2.5 W 1 F KN CE	
Order unit	PC, individually packed in polythene bags	PC, individually packed in polythene bags	BG, packed in pairs in polythene bags
Outer packaging	50 PC per CT	50 PC per CT	

Combination options



pronamic
visor
9916000



pronamic visor
with chin guard
9916001



pronamic
visor SLB 1
9916002



pronamic
visor SLB 2
9916003



pronamic
mesh visor
9916100



pronamic
half visor clear
9916200



pronamic
half visor grey
9916201

	pronamic visor 9916000	pronamic visor with chin guard 9916001	pronamic visor SLB 1 9916002	pronamic visor SLB 2 9916003	pronamic mesh visor 9916100	pronamic half visor clear 9916200	pronamic half visor grey 9916201
uvex pronamic B-WR	■	■	-	-	■	-	-
uvex pronamic B-S-WR	■	■	-	-	■	■	■
uvex pronamic S-KR	■	■	-	-	■	■	■
uvex pronamic alpine	■	■	-	-	■	■	■
uvex pronamic alpine Mips	■	■	-	-	■	-	-
uvex pronamic alpine E	-	-	■	■	-	-	-
uvex pronamic alpine E Mips	-	-	■	■	-	-	-

■ compatible

- not compatible

Visors and face protection

uvex vimox visor system

One for all - uvex comfort for a wide variety of helmet models

Don't use a uvex helmet, but still want our unique lens technology? Then uvex vimox is the solution for you. Because we're bringing the most popular features of our visors to (almost) all common helmet models on the market.

Outstanding ergonomics are at the heart of every single product we develop. A comfortable fit should provide the wearer with relief. That's why we integrated a key feature of our pheos visor range into the uvex vimox visor system - the resting position.

If the visor is not actively in use, it can either be removed completely using the uvex click & pull system or alterna-

tively pushed into the resting position - no matter which helmet the vimox is used with. The optimal centre of gravity is located in the middle of the head to support the natural posture of the neck and significantly reduce strain.



Unique uvex click & pull system

The visor can be pulled off the connection system at any time and reattached with a click.

Intelligent connection system

The uvex vimox's unique connection system optimally adapts to a wide range of helmets and is easy to fit. Simply snap it onto the front brim of your helmet, secure it and you're on your way.

Extra clarity

Our extra-large visor lens offers maximum all-round visibility and is even scratch-resistant on the outside and anti-fog on the inside thanks to the uvex supravision excellence coating. UV 400 protection and the highest optical class are included as standard.

Additional protection

Every helmet is different. The additional soft sealing lip means that the vimox always seals completely on a variety of helmets - so nothing can come between the helmet and visor.

Secure hold

The durable non-slip elastic strap provides a secure fit on any helmet and can be easily adjusted in size.



Ready to try one for all?

Over 20 helmets are compatible with the uvex vimox. Find out here if your current helmet is among them.

Visors and face protection

uvex vimox visor system



Click & pull system

The visor arm and the visor lens can be detached from the connection system via a lateral pull movement. Ideal for making the helmet a little easier to use when the visor is not needed.



Ergonomic relief

If the visor is not needed, it can be pushed out of the field of vision into a resting position. The visor then rests in a well-balanced and ergonomically secure position on the helmet.



Smart lens changing system

If the visor is damaged or has been in use for too long, it can be removed from the connection system by means of a screw and replaced.



9920001

uvex vimox	
Art. no.	9920001
Version	universal visor system for a wide range of helmets
	uvex supravision excellence coating
	click & pull system for visor arms
Standard Frame	EN 166, EN 170
	black
Lens	W 166 3 9 B CE
	PC clear, UV 400
	2C - 1.2 W 1 B 9 KN CE
Order unit	PC, individually packed in polythene bags
Outer packaging	16 PC per CT
Replacement lens	9921001, individually packed in polythene bags

Visors and face protection

uvex pheos visor system

uvex pheos visor

- polycarbonate visors with uvex supravision excellence coating technology
- visor is anti-fog on the inside and exceptionally scratch- and chemical-resistant on the outside. The anti-fogging properties are permanent, even after repeated cleaning
- easy to clean thanks to non-stick nanotechnology
- available with two mounting options: mechanical levers or automatic magnetic locks


- visors 9906002, 9906003 and 9906009 can be combined with the industrial protection helmets:
 - uvex pheos B-S-WR
 - Helmet for working at height uvex pheos alpine (visor adapter art. no. 9790067 required)
- visors uvex pheos SLB 1 (9906005 and 9906006) and uvex pheos SLB 2 (9906007 and 9906008) can be combined with the uvex pheos E-S-WR industrial safety helmet

- lenses can be changed
- fulfils standards EN 166 and EN 170
- certified for areas of application 3 (liquids) and 9 (molten metal and hot solids)
- uvex pheos SLB 1 visors are certified in accordance with GS-ET 29 as Class 1 visors for protection from electrical arcs (4kA)
- uvex pheos SLB 2 visors are certified in accordance with GS-ET 29 as Class 2 visors for protection from electrical arcs (7kA)
- you can find the combination options on the next page (on page 148)

Perfect 'resting position' for the visor and hearing protection

The visor can be locked above the helmet shell when not required and the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced over the body's centre of gravity. This

means the neck muscles are not placed under strain by any unnecessary weight, ensuring excellent wearer comfort and maximum freedom of movement.



Reliable face protection

The anti-fog and scratch-resistant visor is made of high-quality polycarbonate that meets the highest optical quality class. The visor fits the helmet seamlessly, leaving no gaps.

The injection-moulded transparent peak provides protection against any particles penetrating the inside of the visor.



Magnetic and mechanical locking system

All visors are pre-assembled with a helmet adapter. This is clicked into the side helmet slot and remains permanently attached there.

With the magnetic locking system, the attachment parts, visor and earmuffs can be removed easily at any time without having to remove the helmet. The visor is released with a click of the lateral locking system. When re-assembled, the parts automatically snap back

into place. This allows the helmet to remain comfortably on your head.

If the product is equipped with a mechanical locking system, the earmuffs can be removed at any time via a bayonet connection. The mechanical visor remains permanently attached to the helmet.



Magnetic
locking system for visors and earmuffs with a magnetic connection



Mechanical
locking system for visors and earmuffs with a bayonet connection



Visors and face protection

uvex pheos visor system



9906002
9906005



9906007



9906003
9906006



9906008



9906009



Art. no.	uvex pheos 9906002	uvex pheos SLB 1 9906005	uvex pheos SLB 2 9906007
Version	uvex supravision excellence with mechanical levers and bayonet connection for hearing protection	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with mechanical levers and bayonet connection for hearing protection	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with mechanical levers and chin protection and bayonet connection for hearing protection
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black	black	black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 9 KN CE 0196	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 8-1-0 9 KN CE 0196	W 166 3 8-2 9 B CE 0196 PC blue UV 400 2C-1.2 W 1 B 8-2-0 9 KN CE 0196
Order unit	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags
Outer packaging	24 PC per CT	24 PC per CT	14 PC per CT
Replacement lens	9906013, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags

Art. no.	uvex pheos magnetic 9906003	uvex pheos SLB 1 magnetic 9906006	uvex pheos SLB 2 magnetic 9906008	uvex pheos magnetic with chin guard 9906009
Version	uvex supravision excellence with magnetic levers	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with magnetic levers	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with magnetic levers and chin protection	uvex supravision excellence with small chin guard and magnetic lever arms
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black	black	black	black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 9 KN CE 0196	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 8-1-0 9 KN CE 0196	W 166 3 8-2 9 B CE 0196 PC blue UV 400 2C-1.2 W 1 B 8-2-0 9 KN CE 0196	W 166 3 9 8-2 B CE 0196 PC clear UV 400 2C - 1.2 W 1 B 9 KN CE
Order unit	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags
Outer packaging	20 PC per CT	20 PC per CT	14 PC per CT	20 PC per CT
Replacement lens	9906013, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags	9906014, individually packed in polythene bags

Visors and face protection

Combination options and accessories

Combination options uvex pheos visors

	Art. no.	Visor frame	Visor	Protection	Suitable helmets	Earmuffs
	9906002	mechanical	polycarbonate, clear	against mechanical influences (e.g. sparks, splinters)	all uvex pheos helmets with short brim uvex pheos alpine (with visor adapter 9790067)	2600214 
	9906003	magnetic	polycarbonate, clear			2600215 
	9906009	magnetic	polycarbonate, clear with chin guard			
	9906005	mechanical	polycarbonate, clear with UV absorber	against electrical arcs up to 4 kA (kilo- amperes)	uvex pheos E-S-WR	2600214
	9906006	magnetic	polycarbonate, clear with UV absorber			2600215
	9906007	mechanical	polycarbonate, blue with UV absorber and chin section	against electrical arcs up to 7 kA (kilo- amperes)		2600214
	9906008	magnetic	polycarbonate, blue with UV absorber and chin section			2600215

uvex pheos visor system accessories



	Visor adapter
Art. no.	9790067
Version	for combining with the helmet for working at height uvex pheos alpine for inserting on the inside of the visor's face cover (visor not included)
Order unit	PC, individually packed in polythene bags

	Helmet adapter
Art. no.	9790078
Version	helmet adapter for use with uvex pheos K2P magnet earmuffs (2600215) without visor, is only required if no visor is used
Order unit	PR, individually packed in polythene bags

	Sunglare filter/rain cover
Art. no.	9790074
Version	to protect against sun and rain, for insertion on the inside of the face cover of the visor, cannot be combined with the visors uvex pheos SLB 1 and uvex pheos SLB 2
Order unit	PC, individually packed in polythene bags

	Microfibre case
Art. no.	9954362
Version	cloth bag to store and transport uvex visors and uvex helmets, black
Order unit	PC, loose

	uvex pheos Adapter Magnet-Bajonett
Art. no.	2600235
Version	helmet adapter for use with uvex earmuffs with bayonet connection and magnetic pheos visor
Order unit	PR, packed in pairs in polythene bags

Visors and face protection

9790 · 9725 · 9726 · Forestry worker visor

uvex pheos forestry worker visor

- metal mesh visor for forestry work
- suitable for helmet uvex pheos ABS
- lens certification: W EN 1731:2006-F

Further information can be found on page 127.

uvex 9790

- robust polycarbonate visor for uvex industrial safety helmets and uvex helmet earmuffs 3200H, K1H and K2H
- for use during electrical work, a suitable electrician's helmet and dielectric helmet earmuffs must be used
- visor lens, helmet bracket and adapter must be ordered as individual parts
- additional adapters (art. no. 9924010) are required for the helmet and visor combination (without helmet earmuffs)

► helmet, helmet bracket and earmuffs are not included.

Lens	
Art. no.	9790048
Version	uncoated
	Short circuit electric arc classification Class 1
	Fixed on helmet bracket 9790047
Standard	EN 166, EN 170, GS-ET 29
Lens	PC clear, UV 400
	2C-1,2 W 1 B 8-1-0 9 CE 0196
Order unit	PC, individually packed in polythene bags
Outer packaging	100 PC per CT

	Helmet bracket	Adapter
Art. no.	9790047	9924010
Version	Helmet bracket for visor 9790 (9790048)	Adapter for attaching without earmuffs
Frame	black	
	W 166 3 8-1 9 B CE 0196	
Order unit	PC, individually packed in polythene bags	PR, individually packed in polythene bags
Outer packaging	90 PC per CT	500 PR per CT



9790048



9790047



9924010



9725514
9726014

uvex 9725 · uvex 9726

- polycarbonate and cellulose acetate visors with adapters for attaching on the side helmet slots
- easy to change lenses
- not combinable with earmuffs
- suitable for helmets uvex airwing and uvex superboss

► Helmet not included!

	9725	9726
Art. no.	9725514	9726014
Replacement lens	9050517	9723017
Version	anti-fog on the inside	uncoated
	Material thickness: 1 mm	Material thickness: 1 mm
Standard	EN 166, EN 170	EN 166, EN 170
Frame	black	black
	W 166 3-F CE	W 166 3-B CE
Lens	CA clear, UV 380	PC clear, UV 400
	2C-1,2 W 1 FN CE	2C-1,2 W 1 B CE
Order unit	PC, individually packed in polythene bags	
Outer packaging	20 PC per CT	20 PC per CT

uvex pheos faceguard

Face protection system

This innovative face protection system consists of a height- and width-adjustable head strap and a choice of two different visor lenses. The high-quality polycarbonate visor features uvex coating technology to ensure that the wearer's field of vision remains fog-free for a long period of time and that the outside of the visor is scratch-resistant. The mesh visor is made of robust stainless steel and provides reliable protection when working outdoors. The earmuffs can be attached and removed quickly using a rotating mechanism. The system can be expanded with a wide range of accessories and adapted to suit the application.

The uvex multi-system in detail



The benefits of the uvex pheos faceguard at a glance:

- fully pre-assembled face protection system — ready to use at any time
- wide field of vision with the highest optical quality
- robust polycarbonate visor with anti-fog and scratch-resistant uvex supravision excellence coating or stainless steel mesh visor
- low weight and balanced centre of gravity to relieve the spine
- expandable system with high modularity
- unique combination: visor and bump cap
- replaceable individual parts
- comfortable fit even with glasses and respirators



Further information can be found at uvex-safety.com/en/pheosfaceguard (or scan the QR code).

uvex pheos faceguard

Face protection system

Designed to protect the face and neck

The uvex pheos faceguard has been ergonomically designed. The face protection system has been designed to evenly distribute the weight across the body's centre of gravity. The low weight and ergonomic centre of gravity supports a natural head posture, minimising strain on the neck and back. The narrow design and wide field of vision help to support the natural posture of the head and neck.



9790211



9790212



9790215

Art. no.	uvex pheos faceguard 9790211	uvex pheos faceguard with hearing protection 9790212	uvex pheos faceguard mesh visor with hearing protection 9790215
Version	Pre-assembled system for head sizes 52–64 cm, Polycarbonate lens, uvex supravision excellence coating, Without hearing protection	Pre-assembled system for head sizes 52–64 cm, Polycarbonate lens, uvex supravision excellence coating, With earmuffs K1P (SNR: 28 dB), further information can be found on page 108	Pre-assembled system for head sizes 52–64 cm stainless steel mesh visor with high light transmission with hearing protectors K1P (SNR: 28 dB), further information can be found on page 108
Standard	EN 166, EN 170	EN 166, EN 170, EN 352	EN 1731, EN 352
Frame	W 166 39B CE	W 166 39B CE	W EN 1731:2006 F CE
Lens	PC, clear, UV 400 2C-1.2 W 1 B 9 KN CE 0196	PC, clear, UV 400 2C-1.2 W 1 B 9 KN CE 0196	Stainless steel mesh visor, light transmission > 60% W EN 1731:2006 F CE
Order unit	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT

Accessories



9760107



9760108



9906013



9790074



2600216



9790159



9790160



9790170

Art. no.	replacement suspension harness 9760107	replacement sweatband 9760108	replacement lens visor 9906013	sun protection 9790074	hearing protection earplugs K1P 2600216	uvex pheos faceguard bump cap 9790159	Replacement lens 9790160	Sun/Neck protection 9790170
Version	Plastic suspension harness for head sizes 52–64 cm	Textile	Polycarbonate lens uvex supravision excellence coating	Protects against sun and rain is inserted on the visor	Earmuffs for uvex pheos faceguard SNR 28 dB	Bump cap for the uvex pheos faceguard system, hard shell ABS, black, 52–64 cm EN 812	stainless steel mesh visor for uvex pheos faceguard	Textile with cooling function to protect against sunlight
Order unit	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PR, in pairs in CT	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags

Safety Helmets

uvex Visors · safety Goggles



9705014



9706514



9707014



9708514

uvex 9705 · uvex 9706

- cellulose acetate visor with integrated forehead cover
- easy to change lenses
- cannot be combined with safety helmets
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

uvex 9707 · uvex 9708

- cellulose acetate visor with integrated fore-head cover and additional protective cap made from impact-resistant polystyrene
- easy to change lenses
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

	visor 9705	visor 9706	visor 9707	visor 9708
Art. no.	9705014	9706514	9707014	9708514
Version	uncoated	anti-fog on the inside	uncoated	anti-fog on the inside
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black	black	black	black
	W166 3-F DIN CE 0196	W166 3-F DIN CE 0196	W166 3 F DIN CE 0196	W166 3 F DIN CE 0196
Lens	CA clear, UV 380	CA clear, UV 380	CA clear, UV 380	CA clear, UV 380
	W 1 F DIN CE	W 1 FN DIN CE	W 1 F DIN CE	W 1 F DIN CE
Order unit	PC, individually packed in polythene bags			
Outer packaging	15 PC per CT	15 PC per CT	10 PC per CT	10 PC per CT
Replacement lens	9060017	9050517	9060017	9050517
Ersatzscheibe	9060017	9050517	9060017	9050517
Preis	€ 8,90 pro ST	€ 20,10 pro ST	€ 8,90 pro ST	€ 20,10 pro ST



Bump Caps

uvex u-cap sport

A wide range for many applications



LED lamp uvex u-cap sport,
suitable for all u-cap sport
variants available on page 135.

uvex u-cap sport

uvex u-cap sport						
Art. no.	9794409	9794403	9794404	9794442	9794422	9794424
Version	with short brim (4 cm), hard case made of ABS, textile cap made of cotton			with short brim (4 cm) and mesh webbing suspension harness, hard case made of ABS, textile cap made of cotton		
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	black	black	black	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT
Art. no.	9794400	9794401	9794402	9794443	9794423	9794425
Version	with long brim (7 cm), hard case made of ABS, textile cap made of cotton			with long brim (7 cm) and mesh webbing suspension harness, hard case made of ABS, textile cap made of cotton		
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	black	black	black	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT

uvex u-cap sport suspension harness

uvex u-cap sport suspension harness	
Art. no.	9794415
Version	soft, comfortable mesh webbing suspension harness increased wearer comfort in uvex u-cap sport bump caps
Standard	EN 812
Colour	black
Sizes	unisize
Order unit	PC
Outer packaging	60 PC per CT

Baseball cap

Baseball cap		
Art. no.	9794110	9794111
Version	with long brim (7 cm) without hard shell element	with short brim (4 cm) without hard shell element
Colour	black	black
Sizes	55 to 63 cm	55 to 63 cm
Order unit	PC	PC
Outer packaging	60 PC per CT	60 PC per CT

uvex u-cap

uvex u-cap sport · uvex u-cap sport vent · uvex u-cap sport hi-viz


9794407
9794408

9794430
9794420
9794421

9794480
9794481
9794482

9794490
9794491
9794492


LED lamp uvex u-cap sport,
suitable for all u-cap sport
variants available on page 135.

uvex u-cap sport

uvex u-cap sport		
Art. no.	9794407	9794408
Version	with long brim (7 cm), hard case made of ABS, textile cap made of cotton	
Standard	EN 812	EN 812
Colour	navy blue	navy blue
Sizes	55 to 59 cm	60 to 63 cm
Order unit	PC	PC
Outer packaging	60 PC per CT	60 PC per CT

uvex u-cap sport vent

uvex u-cap sport vent			
Art. no.	9794430	9794420	9794421
Version	with short brim (4 cm), hard case made of ABS, textile cap made of cotton and mesh fibre		
Standard	EN 812	EN 812	EN 812
Colour	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT

Art. no.	9794444	9794416	9794417
Version	with short brim (4 cm) and mesh webbing and mesh webbing interior, ABS hard shell, textile cap made of cotton and mesh fibre		
Standard	EN 812	EN 812	EN 812
Colour	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT

uvex u-cap sport hi-viz

uvex u-cap sport hi-viz						
Art. no.	9794482	9794480	9794481	9794492	9794490	9794491
Version	with short brim (4 cm), ABS hard shell, textile cap made of cotton in fluorescent colours, according to requirements with EN 471 – increased visibility and security for the user					
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	hi-viz yellow	hi-viz yellow	hi-viz yellow	hi-viz orange	hi-viz orange	hi-viz orange
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT


Safety helmets to match your corporate identity

Individual safety helmets


uvex gives you the option to customise all uvex helmets and bump caps so that your employees' equipment matches your corporate identity specifications.

Please contact the uvex service centre with your requests at any time.

Tel. +65 6562 8138 • Email: sales@uvex-safety.com.sg



Pad printing on the helmet
(1 to 5 colours)
Printable areas based on uvex pheos.



Embroidery
Areas that can be embroidered based on uvex u-cap sport.

Customisation on the helmet		
	uvex pheos, uvex airwing, uvex superboss, uvex thermoboss	uvex pheos alpine
Special colour	from 300 units with supplemental charge from 600 units no additional cost	from 600 units no additional cost
new variant:		
– existing colour as a variant, electrician or chemist	from 300 units	
– existing colour with shortened brim	from 100 units	
– existing helmet, other interior, with chin strap	from 25 units	
Finish: Printed, sticker, reflex set	from 25 units	
	reorder quantity: 25 units	

Customisation of bump caps	
Special colour	from 1,000 units
new variant:	
– with existing colour	from 600 units
Finish: Embroidered, printed	from 25 units

- Please note the following conditions:
- minimum order value 25 caps
- reorder quantity: 25 units
- number of colours to be embroidered: up to 14
- textile cap in special colour: from 1000 units
- vector file (.eps, .ai) and image file (.jpg, .pdf) required as template

How individual can you be?

We will be happy to advise you on the technical options for customising our safety helmets.

Safety Helmets

Overview



Art. no.	Name	Description	Colour	Page
2600235	Accessories	uvex pheos Adapter Magnet-Bajonett	black	148
2600236	Accessories	uvex pronamic Adapter Pull-Bajonett	clear	142
2600237	Accessories	uvex pronamic Adapter Push-Bajonett	clear	143
9050517	Accessories	Replacement lens, CA, non-fogging	clear	149/152
9060017	Accessories	Replacement lens, CA	clear	152
9705014	Accessories	Cellulose acetate protective visor	clear	152
9706514	Accessories	Antifog cellulose acetate protective visor, clear	clear	152
9707014	Accessories	Cellulose acetate protective visor	clear	152
9708514	Accessories	Antifog cellulose acetate protective visor, clear	clear	152
9720040	uvex perfixxion	Safety helmet	white	128
9720050	uvex perfixxion	Safety helmet	white	128
9720940	uvex perfixxion	Safety helmet	black	128
9720950	uvex perfixxion	Safety helmet	black	128
9723017	Accessories	Replacement lens, PC	clear	149
9725514	Accessories	Antifog cellulose acetate visor	clear	149
9726014	Accessories	Polycarbonate visor	clear	149
9731030	uvex pronamic B-WR	Safety helmet	white	123
9731130	uvex pronamic B-WR	Safety helmet	yellow	123
9731330	uvex pronamic B-WR	Safety helmet	red	123
9731530	uvex pronamic B-WR	Safety helmet	blue	123
9731031	uvex pronamic B-S-WR	Safety helmet	white	123
9731131	uvex pronamic B-S-WR	Safety helmet	yellow	123
9731331	uvex pronamic B-S-WR	Safety helmet	red	123
9731531	uvex pronamic B-S-WR	Safety helmet	blue	123
9731033	uvex pronamic S-KR	Safety helmet	white	123
9731133	uvex pronamic S-KR	Safety helmet	yellow	123
9731333	uvex pronamic S-KR	Safety helmet	red	123
9731533	uvex pronamic S-KR	Safety helmet	blue	123
9735030	uvex pronamic alpine	Safety helmet	white	125
9735031	uvex pronamic alpine	Safety helmet	white	125
9735130	uvex pronamic alpine	Safety helmet	hi-viz yellow	125
9735131	uvex pronamic alpine	Safety helmet	hi-viz yellow	125
9735230	uvex pronamic alpine	Safety helmet	hi-viz orange	125
9735231	uvex pronamic alpine	Safety helmet	hi-viz orange	125
9736030	uvex pronamic alpine E	Safety helmet	white	125
9736031	uvex pronamic alpine E	Safety helmet	hi-viz yellow	125
9736130	uvex pronamic alpine E	Safety helmet	hi-viz orange	125
9736131	uvex pronamic alpine E	Safety helmet	white	125
9736230	uvex pronamic alpine E	Safety helmet	hi-viz yellow	125
9736231	uvex pronamic alpine E	Safety helmet	hi-viz orange	125
9760000	Accessories	Conventional suspension harness		135
9760001	Accessories	Suspension harness with rotating size adjusters		135
9760005	Accessories	Sweatband, synthetic leather		135
9760007	Accessories	Sweatband, textile/foam material		135
9760009	Accessories	Sweatband pheos alpine and pheos E-WR		135
9760011	Accessories	Suspension harness		135
9760012	Accessories	Suspension harness		135
9760014	Accessories	Wheel ratchet padding		135
9760106	Accessories	Replacement suspension harness pheos ABS		135
9760107	Accessories	Suspension harness pheos faceguard		135
9760108	Accessories	Sweatband for suspension harness		135
9770020	uvex pheos E	Safety helmet	white	132
9770026	uvex pheos E	Safety helmet with reflective sticker	white	132
9770030	uvex pheos E-WR	Safety helmet	white	132
9770031	uvex pheos E-S-WR	Safety helmet	white	132
9770036	uvex pheos E-WR	Safety helmet with reflective sticker	white	132
9770120	uvex pheos E	Safety helmet	yellow	132
9770126	uvex pheos E	Safety helmet with reflective sticker	yellow	132
9770130	uvex pheos E-WR	Safety helmet	yellow	132
9770131	uvex pheos E-S-WR	Safety helmet	yellow	132
9770136	uvex pheos E-WR	Safety helmet with reflective sticker	yellow	132
9770230	uvex pheos E-WR	Safety helmet	orange	132
9770231	uvex pheos E-S-WR	Safety helmet	orange	132
9770330	uvex pheos E-WR	Safety helmet	red	132
9770331	uvex pheos E-S-WR	Safety helmet	red	132

Art. no.	Name	Description	Colour	Page
9770430	uvex pheos E-WR	Safety helmet	green	132
9770431	uvex pheos E-S-WR	Safety helmet	green	132
9770530	uvex pheos E-WR	Safety helmet	blue	132
9770531	uvex pheos E-S-WR	Safety helmet	blue	132
9770536	uvex pheos E-WR	Safety helmet with reflective sticker	blue	132
9770830	uvex pheos E-WR	Safety helmet	dark grey	132
9770832	uvex pheos E-S-WR	Safety helmet	dark grey	132
9770931	uvex pheos E-S-WR	Safety helmet	black	132
9772001	Accessories	Suspension harness IES		135
9772002	Accessories	Mount		135
9772020	uvex pheos B	Safety helmet	white	130
9772026	uvex pheos B	Safety helmet with reflective sticker	white	130
9772030	uvex pheos B-WR	Safety helmet	white	130
9772031	uvex pheos B-S-WR	Safety helmet	white	130
9772034	uvex pheos S-KR	Safety helmet	white	130
9772035	uvex pheos B-WR	Safety helmet with reflective sticker	white	133
9772038	uvex pheos B-S-WR	Safety helmet with reflective sticker	white	133
9772040	uvex pheos IES	Safety helmet	white	133
9772042	uvex pheos planet B-WR	Safety helmet	white	131
9772043	uvex pheos planet B-S-WR	Safety helmet	white	131
9772071	uvex pheos ABS B-S-WR	Safety helmet	white	129
9772090	uvex pheos S-KR Mips	Safety helmet	white	127
9772092	uvex pheos planet S-KR Mips	Safety helmet	white	131
9772120	uvex pheos B	Safety helmet	yellow	130
9772126	uvex pheos B	Safety helmet with reflective sticker	yellow	133
9772130	uvex pheos B-WR	Safety helmet	yellow	130
9772131	uvex pheos B-S-WR	Safety helmet	yellow	130
9772134	uvex pheos S-KR	Safety helmet	yellow	133
9772137	uvex pheos B-S-WR	Safety helmet with reflective sticker	yellow	133
9772138	uvex pheos B-WR	Safety helmet with reflective sticker	yellow	133
9772140	uvex pheos IES	Safety helmet	yellow	133
9772171	uvex pheos ABS B-S-WR	Safety helmet	yellow	129
9772190	uvex pheos S-KR Mips	Safety helmet	yellow	127
9772220	uvex pheos B	Safety helmet	orange	130
9772226	uvex pheos B	Safety helmet with reflective sticker	orange	133
9772230	uvex pheos B-WR	Safety helmet	orange	130
9772231	uvex pheos B-S-WR	Safety helmet	orange	130
9772234	uvex pheos S-KR	Safety helmet	orange	133
9772236	uvex pheos B-WR	Safety helmet with reflective sticker	orange	133
9772240	uvex pheos IES	Safety helmet	orange	134
9772260	uvex pheos S-KR Mips	Safety helmet	hi-viz orange	127
9772271	uvex pheos ABS B-S-WR	Safety helmet	orange	129
9772320	uvex pheos B	Safety helmet	red	130
9772326	uvex pheos B	Safety helmet with reflective sticker	red	133
9772330	uvex pheos B-WR	Safety helmet	red	130
9772332	uvex pheos B-S-WR	Safety helmet	red	130
9772334	uvex pheos B-S-WR	Safety helmet with reflective sticker	red	133
9772335	uvex pheos S-KR	Safety helmet	red	133
9772340	uvex pheos IES	Safety helmet	red	133
9772371	uvex pheos ABS B-S-WR	Safety helmet	red	129
9772430	uvex pheos B-WR	Safety helmet	green	130
9772437	uvex pheos B-WR	Safety helmet with reflective sticker	green	133
9772520	uvex pheos B	Safety helmet	blue	130
9772526	uvex pheos B	Safety helmet with reflective sticker	red	133
9772530	uvex pheos B-WR	Safety helmet	blue	130
9772531	uvex pheos B-S-WR	Safety helmet	blue	130
9772534	uvex pheos S-KR	Safety helmet	blue	133
9772537	uvex pheos B-S-WR	Safety helmet with reflective sticker	blue	133
9772538	uvex pheos B-WR	Safety helmet with reflective sticker	blue	133
9772540	uvex pheos IES	Safety helmet	blue	133
9772832	uvex pheos B-S-WR	Safety helmet	dark grey	130
9772920	uvex pheos B	Safety helmet	black	130
9772930	uvex pheos B-WR	Safety helmet	black	130
9772932	uvex pheos B-S-WR	Safety helmet	black	130
9772936	uvex pheos B-WR	Safety helmet with reflective sticker	black	133

Safety Helmets

Overview

Art. no.	Name	Description	Colour	Page	Art. no.	Name	Description	Colour	Page
9773050	uvex pheos alpine	Safety helmet	white	128	9794401	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	154
9773150	uvex pheos alpine	Safety helmet	yellow	128	9794402	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	154
9773250	uvex pheos alpine	Safety helmet	orange	128	9794403	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	154
9773350	uvex pheos alpine	Safety helmet	red	128	9794404	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	154
9773450	uvex pheos alpine	Safety helmet	green	128	9794407	uvex u-cap sport	Impact cap, size 55 – 59 cm	navy blue	155
9773550	uvex pheos alpine	Safety helmet	blue	128	9794408	uvex u-cap sport	Impact cap, size 60 – 63 cm	navy blue	155
9773950	uvex pheos alpine	Safety helmet	black	128	9794409	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	154
9774236	uvex pheos	Forestry	yellow	129	9794415	uvex u-cap sport	Suspension harness	black	154
9774237	uvex pheos	Forestry	orange	129	9794416	uvex u-cap sport vent	Impact cap, size 55 – 59 cm	black	155
9774238	uvex pheos	Forestry	red	129	9794417	uvex u-cap sport vent	Impact cap, size 60 – 63 cm	black	155
9790005	Accessories	Leather chin straps		134	9794420	uvex u-cap sport vent	Impact cap, size 55 – 59 cm	black	155
9790007	Accessories	Forked chin straps		134	9794421	uvex u-cap sport vent	Impact cap, size 60 – 63 cm	black	155
9790018	uvex pheos reflex set M	Reflective set		135	9794422	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	154
9790021	Accessories	Four-point chin strap		134	9794423	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	154
9790022	Accessories	Goggles clip/chin strap clip		134	9794424	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	154
9790023	Accessories	Pen holder		134	9794425	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	154
9790028	Accessories	LED head torch KS-7630-MCII		136	9794430	uvex u-cap sport vent	Impact cap, size 52 – 54 cm	black	155
9790029	Accessories	LED head torch KS-6003-DUO		136	9794442	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	154
9790035	Accessories	Leather chin straps		134	9794443	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	154
9790047	Accessories	Helmet bracket	black	149	9794444	uvex u-cap sport vent	Impact cap, size 52 – 54 cm	black	155
9790048	Accessories	Visor lens, PC	clear	149	9794480	uvex u-cap sport hi-viz	Impact cap, size 55 – 59 cm	hi-viz yellow	155
9790062	Accessories	LED head torch pheos Lights		135	9794481	uvex u-cap sport hi-viz	Impact cap, size 60 – 63 cm	hi-viz yellow	155
9790063	Accessories	LED head torch pheos Lights EX		135	9794482	uvex u-cap sport hi-viz	Impact cap, size 52 – 54 cm	hi-viz yellow	155
9790064	Accessories	LED head torch u-cap sport		135	9794490	uvex u-cap sport hi-viz	Impact cap, size 55 – 59 cm	hi-viz orange	155
9790067	Accessories	Visor adapter	black	148	9794491	uvex u-cap sport hi-viz	Impact cap, size 60 – 63 cm	hi-viz orange	155
9790069	Accessories	Helmet adapter for LED head torch u-cap sport		136	9794492	uvex u-cap sport hi-viz	Impact cap, size 52 – 54 cm	hi-viz orange	155
9790071	Accessories	Helmet bag		134	9906002	Accessories	uvex pheos Visor	clear	147
9790074	Accessories	Sunglare filter/train cover		148/151	9906003	Accessories	uvex pheos magnetic Visor	clear	147
9790077	Accessories	Helmet slot sealing plug set		134	9906005	Accessories	uvex pheos SLB 1 Visor	clear	147
9790078	Accessories	Helmet adapter		148	9906006	Accessories	uvex pheos SLB 1 magnetic Visor	clear	147
9790146	Accessories	Signal whistle		129	9906007	Accessories	uvex pheos SLB 2 Visor	blue	147
9790149	Accessories	Neck support		134	9906008	Accessories	uvex pheos SLB 2 magnetic Visor	blue	147
9790150	Accessories	uvex pheos helmet sticker	silver	134	9906009	Accessories	uvex pheos magnetic with chin guard	black	147
9790151	Accessories	uvex pheos helmet sticker	yellow	134	9906012	Accessories	Replacement lens pheos Visor	clear	142/147
9790152	Accessories	uvex pheos helmet sticker	orange	134	9906013	Accessories	Replacement lens pheos SLB 1 Visor	clear	142/147
9790153	Accessories	uvex pheos helmet sticker	red	134	9906014	Accessories	Replacement lens pheos Visor with chin guard	clear	142/147
9790154	Accessories	uvex pheos helmet sticker	green	134	9916000	Accessories	uvex pronamic	clear	142/147
9790155	Accessories	uvex pheos helmet sticker	blue	134	9916001	Accessories	uvex pronamic with chin guard	clear	142
9790156	Accessories	uvex pheos helmet sticker	black	134	9916002	Accessories	uvex pronamic SLB 1	clear	142
9790159	Accessories	uvex pheos faceguard bump cap	black	151	9916003	Accessories	uvex pronamic SLB 2	blue	142
9790160	Accessories	Replacement lens mesh visor		142/151	9916100	Accessories	uvex pronamic mesh visor	black	142
9790166	Accessories	Business card holder		134	9916200	Accessories	uvex pronamic half visor	clear	142
9790170	Accessories	Sun/Neck protection		151	9916201	Accessories	uvex pronamic half visor	grey	143
9790210	Accessories	Replacement visor (metal)		129	9906017	Accessories	Replacement lens pheos SLB 2 Visor	blue	143
9790211	uvex pheos faceguard	uvex pheos faceguard face protection system		151	9924010	Accessories	Adapter	black	149
9790212	uvex pheos faceguard	uvex pheos faceguard face protection system with hearing protection		151	9954362	Accessories	Cloth bag for uvex visors	black	148
9790215	uvex pheos faceguard	uvex pheos faceguard mesh visor with hearing protection		151					
9794110	Baseball cap	with long brim, size 55 – 63 cm	black	154					
9794111	Baseball cap	with short brim, size 55 – 63 cm	black	154					
9794400	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	154					