



uvex

uvex
Wörzburger Str. 181-189
DE-90766 Fürth
Silo-Air 2210
CE 2797
FRI

Breathing Protection

EN149:2001+A1:2009

Respiratory protective devices – filtering half-masks for protection against particles

All uvex respirators are tested and approved in accordance with the **European standard 149**. This standard sets out a wide range of requirements for respirators, with the aim of providing the user with the highest level of protection and comfort.

The key tests defined in EN149 are:

- measuring inhalation and exhalation resistance
- testing the exhalation valve
- visual inspection (marking, instructions for use)
- determining the filtering efficiency (protection class)
- optional: carrying out the dolomite dust test

The standard divides respirators into three protection classes according to their filtering efficiency and leakage:

FFP 1

FFP1 respirators have a filtering capacity of at least 80% and filter up to four times the respective occupational exposure limit (OEL*). These masks are suitable for particles that are neither toxic nor fibrogenic.

FFP 2

FFP2 respirators are suitable for smoke, particles and dust that are noxious or harmful to health. They filter at least 94% of particles and can be used up to ten times the respective occupational exposure limit (OEL*).

FFP 3

With a filtering efficiency of at least 99%, FFP3 masks constitute the highest protection class. They filter up to 30 times the respective occupational exposure limit (OEL*) and are suitable for protecting against toxic particles, dust and smoke.



So that you can see the protection class at a glance, the marking is **blue** on FFP1 masks, **orange** on FFP2 masks and **black** on FFP3 masks.



In addition to the standard tests, all uvex masks fulfil the additional requirement of the dolomite dust test and are therefore marked with the letter D. Therefore the uvex respiratory protection products ensure excellent breathability, even in extremely dusty environments and during prolonged use.

All uvex respirators are in line with current EU legislation. All respiratory protective devices fall into PPE category III (high risks).

* OELs = The occupational exposure limit values (OELs) are the average concentration of a substance in the air in the workplace, up to which no damage (chronic or acute) is to be expected if employees work there for eight hours a day for five days a week. The OELs replace the maximum workplace concentration (MWC) and the technical reference concentration (TRC) – however, as long as both of these values are not yet fully taken into account in the OELs, they can still be used on an interim basis for assessing risks in the workplace.

The uvex breathing protection navigator

The fast route to finding the right respirator for your needs

Choosing the right respiratory protective devices is essential for ensuring the safety of the respective wearer and is a process that requires the utmost care. In order to choose the filtering respirator that meets your requirements, please observe the following points:



- the type, composition and concentration of the hazardous substances must be provided/known (note the CAS number and OEL). The measurement can be carried out by the employers' liability insurance association, for example. The minimum requirements for selected areas of application can be found on the next page.
- after determining the protection class required (FFP1, FFP2 or FFP3), the following table can be used to select a respirator model that meets the requirements of the respective work conditions.
- there must be a sufficient volume of oxygen in the environment. Please observe the statutory regulations in this regard. A minimum of 17 vol% is required in Germany.
- if further PPE is required, this must be compatible. uvex respirators are ideal for use in combination with uvex safety spectacles – see the compatibility table on next page.
- respiratory protective devices are not suitable for people with beards, sideburns or deep scars near the respirator sealing lines as these prevent a secure fit. Please contact your safety officer for a custom solution.
- Masks marked "NR" should not be used for more than eight hours. Masks marked "R" may be used for up to 24 hours but must be cleaned after each period of use. Masks should be replaced without delay if the breathing resistance becomes noticeably higher.
- if a half-mask with gas filters is required for the work-space, please note that the uvex respirator models do not offer adequate protection.



Selection

Brief periods of use or lighter activities at normal ambient temperatures		
Protection class	Folding mask (with or without valve)	Cup-style mask (without or without valve)
FFP1	3100, 3110, 8103, 8113, 5100, 5100+, 5110, 5110+	2100, 2110, 7100, 7110
FFP2	3200, 3210, 8203, 8213, 5200, 5200+, 5210, 5210+	2200, 2210, 7200, 7210, 7212
FFP3	3310, 8313, 5310, 5310+	2310, 2312, 7310
Long periods of wear or hard, strenuous activities at increased ambient temperatures		
Protection class	Folding mask (with valve)	Cup-style mask (with valve)
FFP1	3110, 8113, 5110, 5110+	2110, 7110
FFP2	3210, 8213, 5210, 5210+	2210, 7210, 7212, 7233, 7232
FFP3	3310, 8313, 5310, 5310+	2310, 2312, 7310, 7333, 7330, 7312, 7317
With activated carbon layer to protect against unpleasant odours		
Protection class	Folding mask (with valve)	Cup-style mask (with valve)
FFP1	–	–
FFP2	3220, 5220+	2220, 7220
FFP3	5320+	7320

uvex silv-Air

Areas of application




Activity	Harmful substances	Protection class		
		FFP1	FFP2	FFP3
Wood processing				
Softwood: cutting and sanding	Fine particles, wood dust		➤➤	
Hard wood (oak, beech, tropical woods, etc.): cutting and sanding	Fine particles, wood dust			➤➤
Brushing/sanding paint	Fine colour particles		➤➤	
Brushing/sanding paint (paints containing chrome)	Fine colour particles			➤➤
Soluble paints containing copper/chrome/arsenic	Fine paint mist			➤➤
Construction and ancillary building industry				
Cement work, plastering, tiling, roofing	Cement, plaster, tile or brick dust		➤➤	
Masonry: cutting, drilling, demolition			➤➤	
Asbestos: short periods of work	Fibres			➤➤
Roof insulation: glass and mineral fibres	Dust and fibres		➤➤	
Bodyfillers/stopper: Grinding	Dust		➤➤	
Welding				
Welding aluminium and stainless steel	Metal and aluminium oxide fumes			➤➤
Brazing	Fumes			➤➤
Metalwork				
Metal: drilling, grinding, milling, angle grinding	Metal dust		➤➤	
High-alloy steels and stainless steels: drilling, grinding, milling, angle grinding	Metal dust			➤➤
Waste disposal and cleaning				
Refuse separation and disposal	Dust, fungi		➤➤	
Medical waste disposal	Bacteria, spores			➤➤
Sweeping floors	Dust (non-toxic)	➤➤		
Radioactively contaminated particles	Dust			➤➤
Agriculture				
Animal epidemics and treatment of animals with diseases	Bacteria, viruses			➤➤
Work with fungal spores	Spores			➤➤
Work with hay, grain and flour	Dust	➤➤		
Medicine/care/health				
Allergies, pollen, household dust, animal fur	Dust, particles, spores		➤➤	
Bacteria, viruses, infections, legionella bacteria	Bacteria, viruses			➤➤

► These filter classes are minimum requirements and simply serve as a guide. It is the wearers' responsibility to make sure the breathing apparatus conforms to the requirements in terms of hazardous materials and concentration before use!

Perfect Match

Combination options of uvex silv-Air respirators with uvex safety eyewear



uvex silv-Air premium

5100, 5100+, 5110,
5110+, 5200, 5200+,
5210, 5210+, 5220+,
5310, 5310+, 5320+

uvex silv-Air e

7212, 7233, 7312,
7317, 7333

7232, 7330

uvex silv-Air p

8103, 8113, 8203,
8213, 8313

7100, 7110, 7200,
7210, 7220

7310, 7320

uvex silv-Air c

3100, 3110, 3200,
3210, 3220, 3310

2310, 2312

2100, 2110, 2200,
2210, 2220

uvex i-3 uvex i-5	■	□	□	□	■
uvex pheos uvex sportstyle	■	■	□	■	■
uvex super fit uvex super g	■	■	□	□	■
uvex x-fit uvex x-fit pro	■	■	■	■	■
uvex i-vo	■	■	□	■	■
uvex i-works	■	□	□	□	■
uvex pheos cx2	■	□	□	□	■
uvex pheos cx2 sonic	■	■	■	■	■
uvex super OTG uvex super f OTG	■	■	■	■	■
uvex astrospec 2.0 uvex skyguard NT	■	□	□	■	■
uvex carbonvision	■	■	□	□	■
uvex ultrasonic uvex ultravision	■	■	■	■	■
uvex megasonic	■	□	□	■	■

These recommendations are based on experience. We recommend always carrying out wearability tests.

■ Perfect combination

□ Suitable to a limited extent

uvex silv-Air premium

Respirators



- contour-optimised design for maximum wearer comfort and a secure fit
- available in two sizes for improved fit
- sealing lip (in the nose area for FFP1 and FFP2, in the nose and chin area for FFP3) and nose clip provide greater comfort and a very secure fit
- the masks are packaged individually to meet the highest hygiene requirements
- adjustable textile headband for greater protection and comfort
- optional: exhalation valve for reducing heat and humidity
- models in FFP2 and FFP3 against unpleasant odours available (5220+, 5320+)



The nose clip is easy to adjust, ensuring a particularly good fit.



The comfortable sealing lip offers maximum comfort and a reliable fit.



The masks are packaged individually and therefore meet the highest hygiene requirements.



The extra-wide textile headband ensures that the mask fits comfortably and securely.



Exhalation valve for reducing heat and humidity.

uvex silv-Air premium

FFP 1		FFP 2		FFP 3	
flat fold		flat fold		flat fold	
Small version	Large version	Small version	Large version	Small version	Large version
 5100 NR D	 5100+ NR D	 5200 NR D	 5200+ NR D		
 5110 NR D	 5110+ NR D	 5210 NR D	 5210+ NR D	 5310 NR D	 5310+ NR D
			 5220+ NR D with carbon		 5320+ NR D with carbon

uvex silv-Air premium

Respirators, class FFP1 and FFP2


8765100
8775100

8765110
8775110

uvex silv-Air 5100 // 5110

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit
- 5110: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5100		uvex silv-Air 5110	
Art. no.	8765100	8775100	8765110 8775110
Version	FFP1 NR D folding mask without valve – small version		FFP1 NR D folding mask with valve – small version
Colour	white		white
Order quantity	30 PC	BG	15 PC BG
multiple/ Order unit			
Content	30 PC, individually packed in BOX	3 PC, individually packed in BG	15 PC, individually packed in BOX 3 PC, individually packed in BG

uvex silv-Air 5100+ // 5110+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose area for a reliable fit
- incorporated nose clip that is easy to adjust
- 5110+: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5100+		uvex silv-Air 5110+	
Art. no.	8765101	8775101	8765111 8775111
Version	FFP1 NR D folding mask without valve – large version		FFP1 NR D folding mask with valve – large version
Colour	white		white
Order quantity	30 PC	BG	15 PC BG
multiple/ Order unit			
Content	30 PC, individually packed in BOX	3 PC, individually packed in BG	15 PC, individually packed in BOX 3 PC, individually packed in BG


8765200
8775200

8765210
8775210

uvex silv-Air 5200 // 5210

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit
- 5210: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5200		uvex silv-Air 5210	
Art. no.	8765200	8775200	8765210 8775210
Version	FFP2 NR D folding mask without valve – small version		FFP2 NR D folding mask with valve – small version
Colour	white		white
Order quantity	30 PC	BG	15 PC BG
multiple/ Order unit			
Content	30 PC, individually packed in BOX	3 PC, individually packed in BG	15 PC, individually packed in BOX 3 PC, individually packed in BG


8765201
8775201

8765211
8775211

8765221
8775221

uvex silv-Air 5200+ // 5210+ // 5220+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit
- 5210+/ 5220+: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance
- 5220+: additional activated carbon filter for protection against odours, gases and vapours under the respective limit values

uvex silv-Air 5200+		uvex silv-Air 5210+	
Art. no.	8765201	8775201	8765211 8775211
Version	FFP2 NR D folding mask without valve – large version		FFP2 NR D folding mask with valve – large version
Colour	white		white
Order quantity	30 PC	BG	15 PC BG
multiple/ Order unit			
Content	30 PC, individually packed in BOX	3 PC, individually packed in BG	15 PC, individually packed in BOX 3 PC, individually packed in BG

uvex silv-Air 5220+	
Art. no.	8765221 8775221
Version	FFP2 NR D folding mask with valve and carbon – large version
Colour	grey
Order quantity multiple/ Order unit	15 PC BG
Content	15 PC, individually packed in BOX 3 PC, individually packed in BG

uvex silv-Air premium

Respirators in protection class FFP3



8765310
8775310

uvex silv-Air 5310

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose and chin area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5310		
Art. no.	8765310	8775310
Version	FFP3 NR D folding mask with valve – small version	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, individually packed in BOX 3 PC, individually packed in BG	



8765311
8775311

uvex silv-Air 5310+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose and chin area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5310+		
Art. no.	8765311	8775311
Version	FFP3 NR D folding mask with valve – large version	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, individually packed in BOX 3 PC, individually packed in BG	



8765321
8775321

uvex silv-Air 5320+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose and chin area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance
- additional activated carbon filter for protection against odours, gases and vapours under the respective limit values

uvex silv-Air 5320+		
Art. no.	8765321	8775321
Version	FFP3 NR D folding mask with valve and carbon – large version	
Colour	grey	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, individually packed in BOX 3 PC, individually packed in BG	

uvex silv-Air c

Respirators in protection class FFP1, FFP2 and FFP3



- soft material edges for greater comfort and wearer acceptance
- continuous textile headband ensures that the mask fits comfortably and securely
- optional: exhalation valve to reduce heat and humidity in the mask
- sealing lip (in the nose area for FFP1 and FFP2, all-round for FFP3) and nose clip provide maximum protection and comfort
- FFP2 models against unpleasant odours available (2220, 3220)
- FFP3 preformed masks are available in two sizes and also have a four-point headband attachment



The adjustable nose clip ensures an excellent individual fit and secure positioning.



The soft material edges prevent uncomfortable pressure points.



The seamless headband can be adjusted for an optimum fit.



The exhalation valve with a 360° opening ensures very low breathing resistance and a cooling effect climate inside the mask.



The upper face seal offers both a more secure positioning of the mask and increased wearer comfort.

uvex silv-Air c								
	FFP 1		FFP 2			FFP 3		
Faltmasken								
	3100 NR D	3110 NR D	3200 NR D	3210 NR D	3220 NR D mit Carbon	3310 NR D		
Formmasken								
	2100 NR D	2110 NR D	2200 NR D	2210 NR D	2220 NR D mit Carbon	2310 NR D	2312 NR D	

uvex silv-Air c

Filtering face masks, protection class FFP1 and FFP2



8733100
8753100



8733110
8753110

uvex silv-Air 3100 // 3110

- particle-filtering folding mask
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- 3100: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 3100		
Art. no.	8733100	8753100
Version	FFP1 NR D folding mask without valve	
Colour	white	
Order quantity multiple/	30 PC	BG
Order unit		
Content	30 PC, individually packed in BOX 3 PC, individually packed in BG	

uvex silv-Air 3110		
Art. no.	8733110	8753110
Version	FFP1 NR D folding mask with valve	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, individually packed in BOX 3 PC, individually packed in BG	



8732100
8752100



8732110
8752110

uvex silv-Air 2100 // 2110

- particle-filtering preformed mask
- seamless headband and nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- 2110: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 2100		
Art. no.	8732100	8752100
Version	FFP1 NR D preformed mask without valve	
Colour	white	
Order quantity multiple/	20 PC	BG
Order unit		
Content	20 PC, packed in BOX 3 PC, packed in BG	

uvex silv-Air 2110		
Art. no.	8732110	8752110
Version	FFP1 NR D preformed mask with valve	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, packed in BOX 3 PC, packed in BG	



8733200

How-to-use video



uvex silv-Air 3200 // 3210

- particle-filtering folding mask
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- 3210: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 3200		
Art. no.	8733200	8753200
Version	FFP2 NR D folding mask without valve	
Colour	white	
Order quantity multiple/	30 PC	BG
Order unit		
Content	30 PC, individually packed in BOX 3 PC, individually packed in BG	

uvex silv-Air 3210		
Art. no.	8733210	8753210
Version	FFP2 NR D folding mask with valve	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, individually packed in BOX 3 PC, individually packed in BG	

uvex silv-Air 3220

- particle-filtering folding mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 3220		
Art. no.	8733220	
Version	FFP2 NR D folding mask with valve and carbon	
Colour	silver	
Order quantity multiple/	15 PC	
Order unit		
Content	15 PC, individually packed in BOX	

uvex silv-Air c

Filtering face masks, protection class FFP2 and FFP3



How-to-use video


8732200
8752200

8732210
8752210


8732220

uvex silv-Air 2200 // 2210

- particle-filtering preformed mask
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- 2210: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 2200

Art. no.	8732200	8752200
Version	FFP2 NR D preformed mask without valve	
Colour	white	
Order quantity multiple/	20 PC	BG
Order unit		
Content	20 PC, packed in BOX	3 PC, packed in BG

uvex silv-Air 2210

Art. no.	8732210	8752210
Version	FFP2 NR D preformed mask with valve	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, packed in BOX	3 PC, packed in BG

uvex silv-Air 2220

- particle-filtering preformed mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- Seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 2220

Art. no.	8732220
Version	FFP2 NR D preformed mask with valve and carbon
Colour	silver
Order quantity multiple/	15 PC
Order unit	
Content	15 PC, packed in BOX



How-to-use video


8732310
8752311

8732312
8752312

8733310
8753311

uvex silv-Air 2310 // 2312

- 2310: particle-filtering preformed mask with exhalation valve for **larger face shapes**
- 2312: particle-filtering preformed mask with exhalation valve – ergonomically adapted for **smaller to medium-sized face shapes**
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 2310

Art. no.	8732310	8752311
Version	FFP3 NR D preformed mask with valve – large version	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, packed in BOX	2 PC, packed in BG

uvex silv-Air 2312

Art. no.	8732312	8752312
Version	FFP3 NR D preformed mask with valve – small version	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, packed in BOX	2 PC, packed in BG

uvex silv-Air 3310

- particle-filtering folding mask with exhalation valve
- adjustable headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable, all-around sealing lip for secure fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 3310

Art. no.	8733310	8753311
Version	FFP3 NR D folding mask with valve	
Colour	white	
Order quantity multiple/	15 PC	BG
Order unit		
Content	15 PC, individually packed in BOX	2 PC, individually packed in BG

uvex silv-Air Breathing protection

Quick overview of product features



The **360° exhalation valve** considerably reduces breathing resistance and build-up of heat and moisture in the mask.



The masks are **individually** packed and meet the highest standards of hygiene.



Comfortable all-round sealing lip
The soft sealing lip guarantees a secure, comfortable sealed positioning of the mask.



Carbon inside
The additional activated carbon layer incorporated in the filter material reduces unpleasant odours.



Soft sealing lip in the nose and chin area
for a secure and comfortable fit.



The **3D nose area** ensures a comfortable fit, low leakage and prevents misting of uncoated eyewear.



Comfortable sealing lip in the nose area
The soft sealing lip in the nose area guarantees a secure, pressure-free fit.



High-performance climate management
The mask offers extremely low breathing resistance due to the filter chambers connected with the inhalation valve. The climate management of the high performance mask guarantees optimum wearer comfort.



Comfort nose clip
The mask is fitted with a high-quality nose clip making it individually adjustable.



R labelling
The mask has been tested for reusability and has the required performance features for wearing during a second work shift.



Metal-free
The mask is completely metal-free and is manufactured entirely of skin-tolerant materials.



"NR" designation
The masks are not reusable and must therefore be disposed of after a work shift.



The **4-point headband attachment** allows an individual and secure fit, which can be perfectly adapted to meet the wearer's requirements.



D labelling
The mask has undergone additional dolomite dust testing and therefore affords excellent breathability, even in extremely dusty environments and during longer periods of use.



8701011


























uvex clear

• cleaning spray for cleaning respirators marked with "R"

uvex clear cleaning spray	
Art. no.	8701011
Order quantity multiples	1 PC
Content	360 ml

uvex silv-Air























































































Overview

Art. no.	Name	Type	Features	Retail unit	Outer packaging Quantity in PC	Page
8701011	uvex clear	Cleaning spray		1 can (360 ml)	100	150
8732100	uvex silv-Air 2100	FFP1 folding mask without valve		20 per box	240	148
8732110	uvex silv-Air 2110	FFP1 preformed mask with valve		15 per box	180	148
8732200	uvex silv-Air 2200	FFP2 preformed mask without valve		20 per box	240	149
8732210	uvex silv-Air 2210	FFP2 preformed mask with valve		15 per box	180	149
8732220	uvex silv-Air 2220 with carbon	FFP2 preformed mask with valve		15 per box	180	149
8732310	uvex silv-Air 2310	FFP3 preformed mask with valve		15 per box	180	149
8732312	uvex silv-Air 2312	FFP3 preformed mask with valve		15 per box	180	149
8733100	uvex silv-Air 3100	FFP1 folding mask without valve		30 per box	360	148
8733110	uvex silv-Air 3110	FFP1 folding mask with valve		15 per box	180	148
8733200	uvex silv-Air 3200	FFP2 folding mask without valve		30 per box	360	148
8733210	uvex silv-Air 3210	FFP2 folding mask with valve		15 per box	180	148
8733220	uvex silv-Air 3220 with carbon	FFP2 folding mask with valve		15 per box	180	148
8752100	uvex silv-Air 2100	FFP1 preformed mask without valve		3 per box	60	148
8752110	uvex silv-Air 2110	FFP1 preformed mask with valve		3 per box	60	148
8752200	uvex silv-Air 2200	FFP2 preformed mask without valve		3 per box	60	149
8752210	uvex silv-Air 2210	FFP2 preformed mask with valve		3 per box	60	149
8752311	uvex silv-Air 2310	FFP3 preformed mask with valve		2 per box	20	149
8752312	uvex silv-Air 2312	FFP3 preformed mask with valve		2 per box	20	149
8753100	uvex silv-Air 3100	FFP1 folding mask without valve		3 per box	60	148
8753110	uvex silv-Air 3110	FFP1 folding mask with valve		3 per box	60	148
8753200	uvex silv-Air 3200	FFP2 folding mask without valve		3 per box	60	148
8753210	uvex silv-Air 3210	FFP2 folding mask with valve		3 per box	60	148
8753311	uvex silv-Air 3310	FFP3 folding mask with valve		2 per box	60	149
8765100	uvex silv-Air 5100	FFP1 folding mask without valve		30 per box	480	145
8765101	uvex silv-Air 5100+	FFP1 folding mask without valve		30 per box	480	145



uvex silv-Air

Overview

Art. no.	Name	Type	Features	Retail unit	Outer packaging Quantity in PC	Page
8765110	uvex silv-Air 5110	FFP1 folding mask with valve	   	15 per box	240	145
8765111	uvex silv-Air 5110+	FFP1 folding mask with valve	   	15 per box	240	145
8765200	uvex silv-Air 5200	FFP2 folding mask without valve	  	30 per box	480	145
8765201	uvex silv-Air 5200+	FFP2 folding mask without valve	  	30 per box	480	145
8765210	uvex silv-Air 5210	FFP2 folding mask with valve	   	15 per box	240	145
8765211	uvex silv-Air 5210+	FFP2 folding mask with valve	   	15 per box	240	145
8765221	uvex silv-Air 5220+ with carbon	FFP2 folding mask with valve	    	15 per box	240	146
8765310	uvex silv-Air 5310	FFP3 folding mask with valve	   	15 per box	240	146
8765311	uvex silv-Air 5310+	FFP3 folding mask with valve	   	15 per box	240	146
8765321	uvex silv-Air 5320+ with carbon	FFP3 folding mask with valve	    	15 per box	240	146
8775100	uvex silv-Air 5100	FFP1 folding mask without valve	  	3 per box	60	145
8775101	uvex silv-Air 5100+	FFP1 folding mask without valve	  	3 per box	60	145
8775110	uvex silv-Air 5110	FFP1 folding mask with valve	   	3 per box	60	145
8775111	uvex silv-Air 5110+	FFP1 folding mask with valve	   	3 per box	60	145
8775200	uvex silv-Air 5200	FFP2 folding mask without valve	  	3 per box	60	145
8775201	uvex silv-Air 5200+	FFP2 folding mask without valve	  	3 per box	60	145
8775210	uvex silv-Air 5210	FFP2 folding mask with valve	   	3 per box	60	145
8775211	uvex silv-Air 5210+	FFP2 folding mask with valve	   	3 per box	60	145
8775221	uvex silv-Air 5220+ with carbon	FFP2 folding mask with valve	    	3 per box	60	145
8775310	uvex silv-Air 5310	FFP3 folding mask with valve	   	3 per box	60	146
8775311	uvex silv-Air 5310+	FFP3 folding mask with valve	   	3 per box	60	146
8775321	uvex silv-Air 5320+ with carbon	FFP3 folding mask with valve	    	3 per box	60	146