

A male worker in a blue and yellow work suit is operating a large industrial machine in a factory. He is wearing a white UVEX hard hat, safety glasses, and large black UVEX earmuffs. He is also wearing blue UVEX gloves and black UVEX safety shoes with blue soles. The machine is blue and has a large hand crank. The floor is covered with metal shavings and parts.

uvex

uvex 2 xenova[®]
Safety Footwear

protecting people

uvex

Trend-setting all-rounder

uvex 2 xenova safety shoe series – exceptional, robust and comfortable shoes, whatever you're doing. Whether indoors or outdoors, the uvex 2 xenova are the right choice for applications such as mechanical and plant engineering, metal processing, energy (generation, supply & grid operation), municipal operations, motorway maintenance, railways, transport & logistics, airports, trades, ancillary construction work, horticulture and landscaping. uvex 2 xenova – the trend-setting all-rounders for a wide range of applications.

Metal-free safety

The uvex xenova® system offers high levels of safety thanks to its metal-free toe cap and optional metal-free, penetration-resistant flexible midsole that keeps out the cold, and is light-weight and flexible for lasting wearer comfort.



Comfortable, lightweight shoes

The uvex 2 xenova safety shoes do not compromise when it comes to comfort: shock-absorbing, extremely breathable, lightweight and a perfect fit thanks to the unique combination of uvex technologies:

- uvex climazone standard: breathable upper materials and comfortable insole with a moisture-transport system
- uvex multiple widths system with 3 widths and a newly developed last
- lightweight, sturdy uvex dual-density polyurethane sole with excellent slip resistance (SRC)

Impressively diverse

Made from high-quality black micro velour or smooth leather, the uvex 2 xenova series offers an impressively wide variety of styles in accent colours blue, green and red in protection classes S1, S1 P, S2 and S3.

uvex 2 xenova® sandal S1 SRC



95597
95598
95599

95047
95048
95049

95537
95538
95539



climazone

General features:

- lightweight, fashionable S1 safety sandal
- made from synthetic materials, so suitable for people allergic to chrome
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- double, individually adjustable counter-traction hook and loop straps

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padded collar

uvex 2 xenova®	sandal S1 SRC								
Colour	black/blue			black/green			black/red		
Art. no.	95537	95538	95539	95597	95598	95599	95047	95048	95049
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S1 SRC								
Upper material	mikrovelour								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® sandal S1 P SRC



95531
95532
95533

95591
95592
95593



95041
95042
95043



General features:




- lightweight, fashionable S1 P safety sandal
- made from synthetic materials, so suitable for people allergic to chrome
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- double, individually adjustable counter-traction hook and loop straps

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- non-metallic, penetration-resistant midsole in accordance with the latest safety standards, does not restrict flexibility of the shoe
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padded collar

uvex 2 xenova®	sandal S1 P SRC								
Colour	black/blue			black/green			black/red		
Art. no.	95531	95532	95533	95591	95592	95593	95041	95042	95043
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S1 P SRC								
Upper material	mikrovelour								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® perforated shoe S1 SRC



95547
95548
95549



95607
95608
95609

95057
95058
95059



climazone

General features:

- lightweight, fashionable perforated S1 safety shoe
- made from synthetic materials, so suitable for people allergic to chrome
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials as well as the perforated upper material
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padded collar

uvex 2 xenova®	perforated shoe S1 SRC								
Colour	black/blue			black/green			black/red		
Art. no.	95547	95548	95549	95607	95608	95609	95057	95058	95059
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S1 SRC								
Upper material	mikrovelour								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® shoe S2 SRC



95577
95578
95579



95687
95688
95689



95087
95088
95089



climazone

General features:




- lightweight, fashionable S2 safety shoe
- made from synthetic materials, so suitable for people allergic to chrome
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture-wicking system and additional shock absorption around the heel and forefoot
- soft padded collar

uvex 2 xenova®	shoe S2 SRC								
Colour	black/blue 			black/green 			black/red 		
Art. no.	95577	95578	95579	95687	95688	95689	95087	95088	95089
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S2 SRC								
Upper material	mikrovelour								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® shoe S2 SRC



95557
95558
95559



95647
95648
95649



95067
95068
95069



climazone

General features:




- extremely lightweight, versatile S2 safety shoe
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- heat-resistant loop lacing system

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padding on collar and dust tongue

uvex 2 xenova®	shoe S2 SRC								
Colour	black/blue 			black/green 			black/red 		
Art. no.	95557	95558	95559	95647	95648	95649	95067	95068	95069
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S2 SRC								
Upper material	water-repellent, full-grain leather								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® lace-up boot S2 SRC



95567
95568
95569

95667 95077
95668 95078
95669 95079



climazone

General features:




- extremely lightweight, versatile S2 lace-up safety boot
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- heat-resistant loop lacing system and 2 pairs of lacing hooks

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padding on collar and dust tongue

uvex 2 xenova®	lace-up boot S2 SRC								
Colour	black/blue			black/green			black/red		
Art. no.	95567	95568	95569	95667	95668	95669	95077	95078	95079
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S2 SRC								
Upper material	water-repellent, full-grain leather								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® shoe S3 SRC



95551
95552
95553



95641
95642
95643



95061
95062
95063



climazone

General features:




- extremely lightweight, versatile S3 safety shoe
- upper material over the toe cap lasts longer thanks to PU-coated leather scuffcap
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- heat-resistant loop lacing system

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- non-metallic, penetration-resistant midsole in accordance with the latest safety standards, does not restrict flexibility of the shoe
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padding on collar and dust tongue

uvex 2 xenova®	shoe S3 SRC								
Colour	black/blue			black/green			black/red		
Art. no.	95551	95552	95553	95641	95642	95643	95061	95062	95063
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S3 SRC								
Upper material	water-repellent, full-grain leather								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex 2 xenova® lace-up boot S3 SRC



95561
95562
95563



95661
95662
95663

95071
95072
95073



climazone

General features:

- extremely lightweight, versatile S3 lace-up safety boot
- upper material over the toe cap lasts longer thanks to PU-coated leather scuffcap
- all sole materials are free of silicones, plasticisers and other paint-wetting impairment substances
- heat-resistant loop lacing system and 2 pairs of lacing hooks

Protection features:

- meets the ESD specifications with volume resistance under 35 megaohms
- 100% metal-free uvex xenova® toe cap – compact design, anatomical shape, good lateral stability, no thermal conductivity
- non-metallic, penetration-resistant midsole in accordance with the latest safety standards, does not restrict flexibility of the shoe
- ergonomically designed outsole made from dual-density polyurethane with excellent slip resistance

Comfort features:

- lightweight and shock-absorbing
- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padding on collar and dust tongue

uvex 2 xenova®	lace-up boot S3 SRC								
Colour	black/blue			black/green			black/red		
Art. no.	95561	95562	95563	95661	95662	95663	95071	95072	95073
Width	10	11	12	10	11	12	10	11	12
Standard	EN ISO 20345:2011 S3 SRC								
Upper material	water-repellent, full-grain leather								
Lining	distance mesh lining								
Size	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52	38 to 52

uvex



UVEX ARBEITSSCHUTZ GMBH
Wuerzburger Straße 181-189
90766 Fürth
GERMANY

T: +49 911 9736 6387
E: info@uvex-safety.be
I: uvex-safety.be
uvex-safety.nl

protecting people

1001374/02.19/2/15 Printed in Germany. Rights of technical changes reserved. © 2019 - UVEX ARBEITSSCHUTZ GmbH

