



Hearing Protection

uvex ultimate line

Our motto **made 2 perform** drives us: We develop and manufacture products for maximum performance — without compromising on safety, comfort, quality and sustainability.

Our products perform impressively — whether it's at work, in sport or during leisure. **made 2 perform** is more than just a promise — it is our motivation for users, athletes, employees and everyone who wants to achieve their best.

uvex xact-fit multi

Hearing protection with resting position

Resting position

The handles can be hooked into each other to allow the earplugs to be worn safely around the neck.

Always to hand — ideal for environments with changing noise levels.

Attenuation

Provides effective protection with a noise reduction performance of 26 dB (SNR) — H: 26 dB, M: 24 dB, L: 22 dB

Cleaning

Smooth, dirt-repellent surface can be easily cleaned using mild soap and water

Storage


Hearing protection case for hygienic storage of the earplugs

Wearer comfort

Available in three sizes (S, M/L and XL)

Fit

The oval earplug design fits optimally into the shape and size of the ear canal



made 2 perform

Not just any protection – effective protection that is always at hand.

uvex xact-fit multi feature an impressive and innovative oval earplug design that fits optimally into the anatomy of the ear canal. The angled pin – which is based on the shape of the ear canal – significantly reduces pressure in the ear for high wearer comfort, even during prolonged periods of use.

A real highlight: The pins can be hooked into each other so that the earplugs can be comfortably "rested" around the neck – so they are always at hand when they are needed.



MADE IN SWEDEN 



CO2footprint:
0.032 kg CO₂e 07/2024
(2124018), calculation
method see page 84

The **made 2 perform** motto represents clear goals: maximum performance, uncompromising safety – measurable, tangible and designed for everyone who wants to achieve more.

Further information can be found at:



www.uvex-safety.com/en/ultimate-line



uvex xact-fit multi

Sustainability at uvex safety

protecting planet



In 2025, half of our development projects focused on improving the sustainability of our products. These projects included exploring reuse options for disposable products and investigating the use of recycled and bio-based materials in our components.

This stance is also reflected in our product design – such as with the **uvex xact-fit multi**. This innovative reusable hearing protection is distinguished by both durability and sophisticated ergonomics: The oval-shaped earplugs provide an optimal fit in the ear canal, while the angled stems adapt to the natural shape of the ear. The result: perceptibly less pressure, even when worn over long periods of time. Thanks to the practical thumb indentations, the earplugs can also be used quickly, hygienically and repeatedly.

4 hexagons
increased
transparency
about the product



Material

Products featuring this symbol contain bio-based materials, materials that can be composted at home or recycled materials. Recycled materials covers both post-consumer recycling materials (PCR) and post-industrial recycling materials (PIR).



Packaging

Product packaging featuring this symbol is made of, for example, 100% recycled materials or materials that can be composted at home.



Circular economy

Products featuring this symbol are, for example, designed to last for a particularly long time, recyclable, intended to be used a second time or able to be repaired.



Carbon footprint

We calculate the product-specific greenhouse gas emissions using the methods set out in the ISO 14067 standard.

Calculation method: IPCC 2021 GWP100 (based on ISO 14067); SimaPro with ecoinvent database; Scope: Cradle-to-Customer; The CO₂ values provided were valid at the time of calculation and may be subject to change due to database or methodology updates.



See here for more detailed information:
uvex-safety.com/en/uvex-safety-group/sustainability/goals/



Sustainability worth hearing about

SwedSafe, a company in the uvex group, is synonymous with responsible production and the highest environmental standards. At our site in Tyringe, Sweden, we manufacture high-quality earplugs for industrial use and for consumers around the world. At SwedSafe, we focus on environmentally friendly production without the use of fossil fuels. Our power comes entirely from renewable energies – supported by solar modules on our office building. What's more, the majority of our raw materials are sourced from a radius of just 100 kilometres from the site. This reduces emissions and strengthens the local supply chain.

uvex hearing protection

regranulation of all production moulds for manufacturing foam plugs, and reuse in the plug box



100% recyclable packaging material



promotes biodiversity beehives and insect hotel on site



local raw materials from a radius of just 100 km around the site



no wastewater thanks to complete evaporation during the production process



ISO 9001, ISO 14001 and ISO 45001 certified



power sourced from 100% renewable energies



Hearing Protection

All ears when it comes to safety

Noise-induced hearing loss is still one of the most common occupational hazards of all.

It develops painlessly, is progressive and generally goes unnoticed. It is the fact that it's irreversible which makes it so serious. The risk to hearing and the importance of hearing protection are often recognised too late.

Only those who suffer from hearing loss really understand just how essential a good sense of hearing is and that protecting it should be a top priority.

What is noise?

Loud sounds which comprise noise not only pose a risk to hearing but can also be distracting and debilitating.

Persistent low-grade sounds such as a clock ticking or a dripping tap can also affect concentration levels.

What are the consequences of noise?

We use our hearing continuously, it never gets a break and cannot be "switched off". We are exposed to noise every day, all day, from multiple sources so our hearing is under constant stress.

These daily demands on our ears can lead to irreversible noise-induced hearing loss. But, it's not just our hearing that is affected; noise means stress for the entire body. Noise affects us subconsciously and can lead to difficulty concentrating, gastrointestinal illness, elevated blood pressure and increased risk of a heart attack.

Adverse health effects caused by harmful noise levels

Listed below are the maximum periods of time a person should be exposed to harmful noise per day without wearing hearing protection.

85 dB	8 hours	103 dB	7.5 minutes
88 dB	4 hours	106 dB	4 minutes
91 dB	2 hours	109 dB	2 minutes
94 dB	1 hour	112 dB	1 minute
97 dB	30 minutes	115 dB	30 seconds
100 dB	15 minutes		





Tests and standards

All uvex hearing protection products comply with the requirements of current EU legislation, including the PPE regulation (EU) 2016/425, which ensures CE conformity. The products have been tested in accordance with the applicable European standards and additional international standards. As category III products, they are subject to Module D inspections by a notified body, as indicated by the code printed on the product after the CE mark.

Continuous quality assurance with ISO 9001:2015, I ISO 14001:2015 ISO 45001.

Applicable DIN EN norms are:

- EN 352: Part 1 Earmuffs
- EN 352: Part 2 Ear plugs
- EN 352: Part 3 Earmuffs attached to a safety helmet
- EN 352: Part 4 Level-dependent hearing protection earmuffs
- EN 352: Part 6 Earmuffs with communication equipment
- EN 352: Part 8 Audio earmuffs for entertainment

Abbreviations for protection values with explanations

SNR	Single Number Rating/average protection capacity
f/Hz	Frequency given as a unit of Hertz
(MA) Mean Attenuation	Mean attenuation
(SD)	Standard Deviation
(APV) Assumed Protection Value	Assumed protection value
HML value	H: Attenuation value at high frequencies
	M: Attenuation value at medium frequencies
	L: Attenuation value at low frequencies

Hearing Protection

Selection and fit

It's about making the right choice

Hearing protection solutions from uvex are precisely tailored to different noise levels – from protracted exposure to high noise levels in industrial environments to occasional background noise in the office. The optimal attenuation reduces dangerous noise without compromising the user's perception of important alarm signals or speech. This ensures clear communication while protecting the user's hearing.



Further information can be found at the **uvex hearing protection advisor**



uvex disposable earplugs

Extremely safe for one-off use: uvex disposable earplugs offer a high level of wearer comfort, even over longer periods.

Please throw away disposable earplugs after each use.




uvex reusable earplugs

Always to hand and easy to clean: uvex reusable earplugs with a hygiene box are reliable companions for the working day.

The right care for reusable hearing protection and otoplastics

Clean your hearing protection with **uvex cleaning towelettes** or alternatively with mild soap and water – the **uvex hygiene box** is recommended for hygienic storage.



uvex hearing protection otoplastics

Excellent wearer comfort and fitting accuracy due to individual adjustment to the ear shape.



uvex hygiene box

The uvex hygiene box made from recycled production waste allows you to store your earplugs safely – meaning that they are always to hand when it gets loud.

2111404

As individual as a fingerprint

No ear canal is the same as any other. That's why the right size and fit is crucial when it comes to hearing protection. Not only can earplugs that are too small or too large significantly reduce the attenuation value – they can also impair wearer comfort.

Our recommendation:

The uvex com4-fit and uvex x-fit models offer protection for the majority of ear canal shapes.



Top tip: Always try out at least two sizes.

Hearing Protection

Different situations, different ears



Individual fit for maximum protection.

uvex hearing protection earplugs are available in sizes S, M/L and XL and can be individually adapted to the ear canal. This ensures a high level of wearer comfort, a secure seal and maximum protection – even when worn for longer periods of time. Whether you're working in industrial applications, on construction sites or in hot environments, having the right earplugs is crucial.

Only hearing protection that fits properly provides real protection.

Try out different earplug sizes – your hearing will thank you.

Not every hearing protection solution is right for every person – and certainly not for every situation.

To ensure that the hearing protection earplugs offer effective protection and are accepted by users, several factors should be taken into account.

These criteria will help you to make the right selection:


- Wearing time
- Noise levels
- Ear canal size
- Hot workplaces (no earmuffs if possible)
- Fitting accuracy (e.g. relevant for spectacles wearers)
- Handling (e.g. dirty hands, gloves, physical disabilities)
- Compatibility with other personal protective equipment (e.g. helmet, safety spectacles, respiratory protection)

Hearing protection for every situation

There are many types of uvex hearing protection which are suitable for different situations and if you work in or are passing through high noise level areas you need the right level of protection.

It is important to strike the right balance between the need to adequately protect your hearing from dangerous noise while not compromising your ability to hear and communicate.

The below chart gives you an overview of which uvex hearing protection may be suitable based on the noise level.



uvex xact-fit test system

Looking for effective hearing protection? It's easy to check.

High-quality hearing protection


Thanks to the innovative uvex xact-fit test system, the fit and effectiveness of hearing protection earplugs can be checked easily and precisely – ensuring improved safety in the workplace.

Precise measurement of the protective effect

How well does your hearing protection fit and protect you? With its advanced technology and user-friendly operation, uvex xact-fit test provides the answer quickly and reliably: The REAT (Real Ear Attenuation at Threshold) measurement method precisely determines the individual protection factor for the wearer, which allows for better adjustment of the protection.

Fast and flexible use

The mobile system with Bluetooth headphones and tablet makes usage particularly simple and flexible: This enables the earplugs to be tested directly in the working environment itself – on any make or model of hearing protection. All of the test results are automatically saved and can be accessed from anywhere, at any time.



Benefits

Never before has it been so easy to check that your hearing is safe

- Precise test results using the REAT (Real Ear Attenuation at Threshold) measurement method
- Quick testing (2–5 minutes per person)
- Flexible use thanks to the mobile system
- Suitable for almost all hearing protection earplugs

Prevention

Improved protection of health

- The uvex xact-fit test helps to ensure that the hearing protection earplugs fit well, which can reduce the risk of hearing damage due to noise.
- Can help reduce the risk of tinnitus, stress and hearing loss
 - Increased wearer acceptance and longer service life
 - Increased awareness about hearing protection

Added value

Increased cost-effectiveness

- The uvex xact-fit test system combines occupational safety and cost-effectiveness in a meaningful way – because protecting health always pays off.
- Reduced costs arising from noise-related health issues
 - Increased productivity due to lower noise in the workplace
 - Efficient processes (combine tests with user training)


Documentation

Increased legal security

- The uvex xact-fit test system offers companies a professional solution for safely fulfilling their duty of care with regard to occupational safety.
- Test methods comply with occupational health and safety regulations
 - Test results that can be used for legal inspections
 - Audit-proof documentation for compliance purposes

uvex hearing protection


Not just any protection – effective protection



Not every hearing protection solution is right for every person

That's why the right size and fit is crucial when it comes to hearing protection. uvex hearing protection earplugs are available in sizes S, M/L and XL and can be individually adapted to the wearer's ear canal.

This ensures a high level of wearer comfort, a secure seal and maximum protection – even when worn for longer periods of time.



Tip:
Try out different earplug sizes – your hearing will thank you.

The uvex com4-fit, uvex x-fit and uvex xact-fit multi models offer protection for the majority of ear canal shapes.



2124019
uvex xact-fit multi
Size S

2124020
uvex xact-fit multi
Size M/L

2224033
uvex xact-fit multi
Size XL

...and certainly not for every situation.

To ensure that the hearing protection earplugs offer effective protection and are accepted by users, several factors – such as wearing time, noise levels and compatibility – should be taken into account.

Whether you're working in industrial applications, on construction sites or in hot environments: Having the right hearing protection is crucial.

We are happy to advise you.

uvex xact-fit test system

- Bluetooth headphones enable mobile, wireless testing
- Compatible with all standard hearing protection earplugs, no matter the manufacturer, all thanks to the open system
- Complete test report for selecting the appropriate hearing protection earplugs
- Portable tablet for straightforward, wireless operation
- Pre-installed software for immediate use
- Fast and easy set-up compared to other systems
- Automatically upload test results
- Cloud storage enables data to be accessed on any device

2124099 uvex xact-fit test Basic

- Functions:**
- Chirp test: PAR (200–800 Hz)
 - Offline function
 - Cloud storage
 - 1x PC manager licence
 - Database:
Complete uvex hearing protection earplugs range + your choice of five hearing protection earplugs from competitors
 - Onboarding and support

2124100 uvex xact-fit test Premium

- In addition to the basic functions:**
- Multiple frequencies:
PAR 3, PAR 7, single frequencies (125–8000 Hz)
 - Unlimited PC manager licences
 - Database:
Complete uvex hearing protection earplugs range + all hearing protection earplugs from competitors
 - Support and maintenance agreement



2124098
hygiene kit
for xact-fit test
earmuffs

2124097
travel suitcase
for xact-fit test
earmuff

uvex xact-fit test		
Art. no.	2124099	2124100
Type	uvex xact-fit test Basic	uvex xact-fit test Premium
Order unit	PC	PC

uvex hygiene kit for xact-fit test earmuffs		
Art. no.	2124098	uvex xact-fit test travel suitcase for xact-fit test earmuff
Type	accessories for uvex xact-fit test earmuffs	2124097
Colour	black	accessories for uvex xact-fit test
Order unit	PC	black
		PC

Hearing Protection

Disposable ear plugs



uvex com4-fit

- disposable earplugs with a compact, ergonomic design
- perfect for narrow and smaller ear canals
- suitable for use in high noise environments
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- increased wearing comfort, when worn for extended periods

uvex com4-fit				
Art. no.	2112004	2112096	2112131	2112012
Design	without cord	without cord	without cord	with cord
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
Colour	light orange	light orange	light orange	light orange
Order unit	CT	CT	CT	CT
Content	200 PR, packed in pairs in CT	100 PR, packed in pairs in CT	15 PR, loose in CT	100 PR, packed in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	33 dB H	34 dB M	31 dB L	29 dB
MA dB	28.9	31.0	33.6	33.8	33.6	36.2	40.6	44.3	SNRm	36.3 dB Hm	36.6 dB Mm	33.9 dB Lm	33.1 dB
SD dB	3.4	5.2	5.4	5.4	4.0	4.2	3.7	2.9	SNRs	2.9 dB Hs	2.8 dB Ms	3.3 dB Ls	4.2 dB
APV dB	25.5	25.8	28.2	28.4	29.6	32.0	36.9	41.4					



uvex x-fit

- tapered plug shape ensures natural, pressure free fit – maximising comfort and protection levels
- suitable for use in high noise environments
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal

uvex x-fit						
Art. no.	2112001	2112094	2112013	2112133	2112010	2112087
Design	without cord	without cord	without cord	without cord	with cord	without cord
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
Colour	lime	lime	lime	lime	lime	lime
Order unit	CT	CT	CT	CT	CT	CT
Content	200 PR, packed in pairs in CT	100 PR, packed in pairs in CT	50 PR, loose in CT	15 PR, loose in CT	100 PR, packed in pairs in CT	100 PR, packed in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	37 dB H	36 dB M	35 dB L	34 dB
MA dB	35.3	38.4	39.3	40.8	38.9	37.8	45.9	45.1	SNRm	40.0 dB Hm	39.1 dB Mm	38.1 dB Lm	38.0 dB
SD dB	4.2	6.3	5.3	5.5	5.5	4.3	3.9	4.6	SNRs	2.8 dB Hs	3.1 dB Ms	3.2 dB Ls	3.6 dB
APV dB	31.1	32.1	34.0	35.3	33.4	33.5	42.0	40.5					



uvex x-fit XL

- ergonomically pre-shaped disposable earplugs
- extremely high sound absorption levels
- suitable for use in high-noise environments
- closed skin to prevent the ingress of foreign bodies into the surface
- high level of comfort, even when worn for very long periods
- preferred for use in very noisy conditions

uvex x-fit XL			
Art. no.	2212140	2212144	2212141
Design	without cord	without cord	with cord
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
Colour	orange	orange	orange
Order unit	CT	BG	CT
Content	200 PR, packed in pairs in CT	150 PR, loose in BG	100 PR, packed in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	38 dB H	37 dB M	36 dB L	33 dB
MA dB	36.8	34.3	39.3	39.3	39.0	44.2	45.7	SNRm	40.5 dB Hm	40.0 dB Mm	38.7 dB Lm	37.0 dB
SD dB	5.0	3.6	5.0	3.7	3.5	4.0	4.5	SNRs	2.8 dB Hs	2.7 dB Ms	3.1 dB Ls	3.5 dB
APV dB	31.8	30.7	34.3	35.6	35.5	40.2	41.2					

Refill boxes for uvex "one2click" dispenser on page 106

MADE IN SWEDEN

Hearing Protection

Detectable ear plugs



2212073

uvex com4-fit detec

- the com4-fit detec is a machine-detectable, disposable hearing protection earplug for the food industry
- the com4-fit detec is economical, safe, comfortable, sound-absorbing and machine-detectable
- the striking blue colour makes the earplugs easier to detect during production
- comfortable fit and cord for additional safety

uvex com4-fit detec	
Art. no.	2212073
Design	with cord, detectable
Standard	EN 352-2:2020
Colour	blue
Order unit	CT
Content	100 PR, packed in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	33 dB H	34 dB M	31 dB L	29 dB
MA dB	28.9	31.0	33.6	33.8	33.6	36.2	40.6	44.3	SNRm	36.3 dB Hm	36.6 dB Mm	33.9 dB Lm	33.1 dB
SD dB	3.4	5.2	5.4	5.4	4.0	4.2	3.7	2.9	SNRs	2.9 dB Hs	2.8 dB Ms	3.3 dB Ls	4.2 dB
APV dB	25.5	25.8	28.2	28.4	29.6	32.0	36.9	41.4					



2112011

uvex x-fit detec

- disposable earplugs coloured blue with metal component for easy detection
- suitable for use in high noise environments
- tapered shape matches the ear canal anatomy for comfortable and secure fit
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- sealed PU foam reduces the potential for contamination

uvex x-fit detec	
Art. no.	2112011
Design	with cord, detectable
Standard	EN 352-2:2020
Colour	blue
Order unit	CT
Content	100 PR, in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	37 dB H	36 dB M	35 dB L	34 dB
MA dB	35.3	38.4	39.3	40.8	38.9	37.8	45.9	45.1	SNRm	40.0 dB Hm	39.1 dB Mm	38.1 dB Lm	38.0 dB
SD dB	4.2	6.3	5.3	5.5	5.5	4.3	3.9	4.6	SNRs	2.8 dB Hs	3.1 dB Ms	3.2 dB Ls	3.6 dB
APV dB	31.1	32.1	34.0	35.3	33.4	33.5	42.0	40.5					



2212142

uvex x-fit XL detec

- disposable earplugs coloured blue with metal component for easy detection
- suitable for use in high noise environments
- tapered shape matches the ear canal anatomy for comfortable and secure fit
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- sealed PU foam reduces the potential for contamination

uvex x-fit XL detec	
Art. no.	2212142
Design	with cord, detectable
Standard	EN 352-2:2020
Colour	blue
Order unit	CT
Content	100 PR, in pairs in CT

f/Hz	-	125	250	500	1000	2000	4000	8000	SNR	38 dB H	37 dB M	36 dB L	33 dB
MA dB	-	36.8	34.3	39.3	39.3	39.0	44.2	45.7	SNRm	40.5 dB Hm	40.0 dB Mm	38.7 dB Lm	37.0 dB
SD dB	-	5.0	3.6	5.0	3.7	3.5	4.0	4.5	SNRs	2.8 dB Hs	2.7 dB Ms	3.1 dB Ls	3.5 dB
APV dB	-	31.8	30.7	34.3	35.6	35.5	40.2	41.2					

MADE IN SWEDEN

Hearing Protection

Reusable earplugs · uvex xact-fit



uvex xact-fit multi reusable

- reusable earplugs with thumb indentations
- oval-shaped earplugs mimics the natural shape of the ear canal for optimum fit and comfort
- interchangeable replacement earplugs
- can be handled with dirty hands or while wearing gloves
- available in three sizes

uvex xact-fit multi reusable S		
Art. no.	2124019	2124017
Design	with oval-shaped reusable earplugs, in minibox	with oval-shaped reusable earplugs, in earplug box
Standard	EN 352-2:2020	EN 352-2:2020
Colour	grey, transparent	grey, transparent
Size	S	S
Order unit	CT	CT
Content	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT



uvex xact-fit multi reusable M/L		
Art. no.	2124020	2124018
Design	with oval-shaped reusable earplugs, in minibox	with oval-shaped reusable earplugs, in earplug box
Standard	EN 352-2:2020	EN 352-2:2020
Colour	grey, transparent	grey, transparent
Size	M/L	M/L
Order unit	CT	CT
Content	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	26 dB H	26 dB M	24 dB L	22 dB
MA, dB	26.9	25.4	26.1	28.3	31.9	32.8	37.2	SNRm	29.6 dB Hm	30.6 dB Mm	27.5 dB Lm	26.3 dB
SD, dB	4.4	4.5	5.4	5.5	4	6.9	6.7	SNRs	3.7 dB Hs	4.4 dB Ms	3.8 dB Ls	3.9 dB
APV, dB	22.5	20.9	20.7	22.8	27.9	25.9	30.5					



uvex xact-fit multi reusable XL

- reusable earplugs with thumb indentations
- oval-shaped earplugs mimics the natural shape of the ear canal for optimum fit and comfort
- interchangeable replacement earplugs
- can be handled with dirty hands or while wearing gloves
- available in three sizes

uvex xact-fit multi reusable XL		
Art. no.	2224033	2224034
Design	with oval-shaped reusable earplugs, in minibox	with oval-shaped reusable earplugs, in earplug box
Standard	EN 352-2:2020	EN 352-2:2020
Colour	grey, transparent	grey, transparent
Size	XL	XL
Order unit	CT	CT
Content	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	26 dB H	26 dB M	24 dB L	22 dB
MA, dB	26.9	25.4	26.1	28.3	31.9	32.8	37.2	SNRm	29.6 dB Hm	30.6 dB Mm	27.5 dB Lm	26.3 dB
SD, dB	4.4	4.5	5.4	5.5	4	6.9	6.7	SNRs	3.7 dB Hs	4.4 dB Ms	3.8 dB Ls	3.9 dB
APV, dB	22.5	20.9	20.7	22.8	27.9	25.9	30.5					

Hearing Protection

Detectable ear plugs



minibox
2224029



2224027

uvex xact-fit multi reusable detec

- detectable reusable earplugs with thumb indentations
- metal clip and the blue colour ensure the earplugs can be detected in a production environment
- oval-shaped earplugs mimics the natural shape of the ear canal for optimum fit and comfort
- interchangeable replacement earplugs
- can be handled with dirty hands or while wearing gloves
- available in three sizes

uvex xact-fit multi reusable S	
Art. no.	2224029 2224027
Design	with oval-shaped reusable earplugs, in minibox with oval-shaped reusable earplugs, in earplug box
Standard	EN 352-2:2020 EN 352-2:2020
Colour	blue blue
Size	S S
Order unit	CT CT
Content	50 PR, packed in pairs in CT 50 PR, packed in pairs in CT



minibox
2224030



2224028

uvex xact-fit multi reusable M/L	
Art. no.	2224030 2224028
Design	with oval-shaped reusable earplugs, in minibox with oval-shaped reusable earplugs, in earplug box
Standard	EN 352-2:2020 EN 352-2:2020
Colour	blue blue
Size	M/L M/L
Order unit	CT CT
Content	50 PR, packed in pairs in CT 50 PR, packed in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	26 dB H	26 dB M	24 dB L	22 dB
MA, dB	26.9	25.4	26.1	28.3	31.9	32.8	37.2	SNRm	29.6 dB Hm	30.6 dB Mm	27.5 dB Lm	26.3 dB
SD dB	4.4	4.5	5.4	5.5	4	6.9	6.7	SNRs	3.7 dB Hs	4.4 dB Ms	3.8 dB Ls	3.9 dB
APV dB	22.5	20.9	20.7	22.8	27.9	25.9	30.5					



minibox
2224031



2224032

uvex xact-fit multi reusable XL detec

- detectable reusable earplugs with thumb indentations
- metal clip and the blue colour ensure the earplugs can be detected in a production environment
- oval-shaped earplugs mimics the natural shape of the ear canal for optimum fit and comfort
- interchangeable replacement earplugs
- can be handled with dirty hands or while wearing gloves
- available in three sizes

uvex xact-fit multi reusable XL	
Art. no.	2224031 2224032
Design	with oval-shaped reusable earplugs, in minibox with oval-shaped reusable earplugs, in earplug box
Standard	EN 352-2:2020 EN 352-2:2020
Colour	blue blue
Size	XL XL
Order unit	CT CT
Content	50 PR, packed in pairs in CT 50 PR, packed in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	26 dB H	26 dB M	24 dB L	22 dB
MA, dB	26.9	25.4	26.1	28.3	31.9	32.8	37.2	SNRm	29.6 dB Hm	30.6 dB Mm	27.5 dB Lm	26.3 dB
SD dB	4.4	4.5	5.4	5.5	4	6.9	6.7	SNRs	3.7 dB Hs	4.4 dB Ms	3.8 dB Ls	3.9 dB
APV dB	22.5	20.9	20.7	22.8	27.9	25.9	30.5					

Hearing Protection

Reusable ear plugs



uvex whisper

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using soap and water
- earplug box for hygienic storage when not in use
- with the cord, the earplugs are conveniently to hand – in low-noise areas, the earplugs can be worn comfortably around the neck

uvex whisper	
Art. no.	2111201 2111237
Design	with cord, in minibox with cord, in earplug box
Standard	EN 352-2:2020 EN 352-2:2020
Colour	orange orange
Order unit	CT CT
Content	50 PR, in pairs in CT 50 PR, in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	22 dB H	23 dB M	19 dB L	17 dB
MA dB	23.7	23.2	21.1	22.6	24.8	31.7	33.4	39.4	SNRm	27.1 dB Hm	29.6 dB Mm	24.3 dB Lm	22.4 dB
SD dB	5.6	5.8	6.8	5.2	5.7	6.0	9.5	8.2	SNRs	5.6 dB Hs	6.3 dB Ms	5.2 dB Ls	5.7 dB
APV dB	18.1	17.4	14.3	17.4	19.1	25.7	23.9	31.2					



uvex whisper +

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using soap and water
- earplug box for hygienic storage when not in use
- with the cord, the earplugs are conveniently to hand – in low-noise areas, the earplugs can be worn comfortably around the neck

uvex whisper +	
Art. no.	2111212 2111238
Design	with cord, in minibox with cord, in earplug box
Standard	EN 352-2:2020 EN 352-2:2020
Colour	lime lime
Order unit	CT CT
Content	50 PR, in pairs in CT 50 PR, in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	27 dB H	27 dB M	24 dB L	22 dB
MA dB	26.6	26.9	24.3	26.1	28.8	32.8	32.6	38.1	SNRm	30.3 dB Hm	31.4 dB Mm	28.0 dB Lm	26.0 dB
SD dB	6.1	6.1	4.1	5.1	5.1	5.0	6.5	5.3	SNRs	3.8 dB Hs	4.0 dB Ms	4.1 dB Ls	4.0 dB
APV dB	20.5	20.8	20.2	21.0	23.7	27.8	26.1	32.8					



uvex whisper supreme

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using soap and water
- earplug box for hygienic storage when not in use
- with the cord, the earplugs are conveniently to hand – in low-noise areas, the earplugs can be worn comfortably around the neck

uvex whisper supreme	
Art. no.	2111235
Design	with cord, in earplug box
Standard	EN 352-2:2020
Colour	yellow
Order unit	CT
Content	50 PR, in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	30 dB H	31 dB M	27 dB L	27 dB
MA dB	33.8	29.2	32.7	30.0	36.0	34.3	41.0	SNRm	33.4 dB Hm	33.9 dB Mm	31.0 dB Lm	30.4 dB
SD dB	5.1	4.6	4.9	5.0	4.0	3.6	4.4	SNRs	2.9 dB Hs	2.7 dB Ms	3.6 dB Ls	3.6 dB
APV dB	28.7	24.5	27.8	25.0	32.0	30.6	36.6					

Hearing Protection

Detectable ear plugs



uvex xact-fit detec

- disposable plugs with integrated metal elements makes both earplugs and cord detectable
- tapered plug shape ensures natural, pressure free fit – maximising comfort and protection levels
- left / right pod carriers simplify fitting and ensure accurate fit every-time
- adjustable neck cord can be altered to wearers requirements
- sealed PU foam reduces the potential for contamination for increased hygiene
- replacement pods prolong the life of the product

uvex hi-com detec

- metal powder in cord allows full detection even if the cord is shredded, coloured blue for easy recognition
- oval pods match the shape of the outer ear ensuring pressure free, comfortable fit
- delivers low, flat attenuation allowing for excellent speech and sound recognition
- large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas

uvex xact-fit detec									
Art. no.	2124011	2124013							
Design	with reusable pin, detectable	replacement earplugs							
Standard	EN 352-2:2020	EN 352-2:2020							
Colour	blue	blue							
Order unit	CT	CT							
Content	50 PR, in pairs in CT	400 PR, loose in CT							

uvex hi-com detec									
Art. no.	2112114								
Design	with cord, detectable								
Standard	EN 352-2:2020								
Colour	blue								
Order unit	CT								
Content	100 PR, in pairs in CT								

f/Hz	63	125	250	500	1000	2000	4000	8000
MA dB	16.6	19.4	22.0	25.6	27.5	31.8	34.4	36.9
SD dB	5.4	4.9	4.2	4.9	4.7	3.8	4.4	6.0
APV dB	11.2	14.5	17.8	20.7	22.8	28.0	30.0	30.9
SNR	26 dB	H	28 dB	M	23 dB	L	20 dB	
SNRm	29.7 dB	Hm	31.3 dB	Mm	27.2 dB	Lm	23.9 dB	
SNRs	3.6 dB	Hs	3.2 dB	Ms	3.9 dB	Ls	4.0 dB	

f/Hz	63	125	250	500	1000	2000	4000	8000
MA dB	28.9	31.0	33.6	33.8	33.6	36.2	40.6	44.3
SD dB	3.4	5.2	5.4	5.4	4.0	4.2	3.7	2.9
APV dB	25.5	25.8	28.2	28.4	29.6	32.0	36.9	41.4
SNR	33 dB	H	34 dB	M	31 dB	L	29 dB	
SNRm	36.3 dB	Hm	36.6 dB	Mm	33.9 dB	Lm	33.1 dB	
SNRs	2.9 dB	Hs	2.8 dB	Ms	3.3 dB	Ls	4.2 dB	



uvex whisper detec

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using mild soap and water
- earplug box for hygienic storage when not in use
- integrated metal parts and the blue colour ensure the earplugs can be detected in a production environment
- thanks to the cord, the earplugs are always conveniently to hand – in low-noise areas, the earplugs can be worn around the neck

uvex whisper+ detec

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using mild soap and water
- earplug box for hygienic storage when not in use
- integrated metal parts and the blue colour ensure the earplugs can be detected in a production environment
- thanks to the cord, the earplugs are always conveniently to hand – in low-noise areas, the earplugs can be worn around the neck

uvex whisper detec									
Art. no.	2111261	2111262							
Design	with cord detectable, in minibox	with cord detectable, in earplug box							
Standard	EN 352-2:2020	EN 352-2:2020							
Colour	blue	blue							
Order unit	CT	CT							
Content	50 PR, in pairs in CT	50 PR, in pairs in CT							

uvex whisper+ detec									
Art. no.	2111260	2111239							
Design	with cord detectable, in minibox	with cord detectable, in earplug box							
Standard	EN 352-2:2020	EN 352-2:2020							
Colour	blue	blue							
Order unit	CT	CT							
Content	50 PR, in pairs in CT	50 PR, in pairs in CT							

f/Hz	63	125	250	500	1000	2000	4000	8000
MA dB	23.7	23.2	21.1	22.6	24.8	31.7	33.4	39.4
SD dB	5.6	5.8	6.8	5.2	5.7	6.0	9.5	8.2
APV dB	18.1	17.4	14.3	17.4	19.1	25.7	23.9	31.2
SNR	22 dB	H	23 dB	M	19 dB	L	17 dB	
SNRm	27.1 dB	Hm	29.6 dB	Mm	24.3 dB	Lm	22.4 dB	
SNRs	5.6 dB	Hs	6.3 dB	Ms	5.2 dB	Ls	5.7 dB	

f/Hz	63	125	250	500	1000	2000	4000	8000
MA dB	26.6	26.9	24.3	26.1	28.8	32.8	32.6	38.1
SD dB	6.1	6.1	4.1	5.1	5.1	5.0	6.5	5.3
APV dB	20.5	20.8	20.2	21.0	23.7	27.8	26.1	32.8
SNR	27 dB	H	27 dB	M	24 dB	L	22 dB	
SNRm	30.3 dB	Hm	31.4 dB	Mm	28.0 dB	Lm	26.0 dB	
SNRs	3.8 dB	Hs	4.0 dB	Ms	4.1 dB	Ls	4.0 dB	

Hearing Protection

Disposable earplugs · Reusable earplugs



2112095
Table-top
dispenser box



2112100
2112095



2112106

uvex hi-com

- delivers low, flat attenuation allowing for excellent speech and sound recognition
- large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas
- available in two colours

uvex hi-com				
Art. no.	2112100	2112101	2112095	2112106
Design	without cord	with cord	without cord	without cord
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
Colour	lime	lime	lime	beige
Order unit	CT	CT	CT	CT
Content	200 PR, packed in pairs in CT	100 PR, packed in pairs in CT	100 PR, packed in pairs in CT	200 PR, packed in pairs in CT

f/Hz	125	250	500	1000	2000	4000	8000	SNR	26 dB H	30 dB M	23 dB L	18 dB
MA dB	17.6	19.0	25.4	29.6	34.5	39.0	43.8	SNRm	30.1 dB Hm	34.4 dB Mm	27.3 dB Lm	21.9 dB
SD dB	4.2	3.7	5.0	5.2	3.8	5.5	4.1	SNRs	3.7 dB Hs	3.9 dB Ms	3.9 dB Ls	3.7 dB
APV dB	13.5	15.3	20.3	24.5	30.6	33.5	39.6					



2124001



2124002



2124026

uvex xact-fit planet

- ergonomically shaped pins made from 100% recycled material
- left/right pod carriers simplify fitting and ensure accurate fit everytime
- tapered plug shape ensures natural, pressure free fit – maximizing comfort and protections level
- adjustable neck cord can be altered to wearers for increased safety
- all packaging is made of recycled cardboard

uvex xact-fit planet				uvex xact-fit planet replacement earplugs			
Art. no.	2124001	2124026	2124002	2124001	2124026	2124002	2124002
Design	with reusable pin, in minibox	with reusable pin in earplug box	replacement earplugs, in minibox	with reusable pin, in minibox	with reusable pin in earplug box	replacement earplugs, in minibox	replacement earplugs, in minibox
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
Colour	lime	lime	lime	lime	lime	lime	lime
Order unit	CT	CT	CT	CT	CT	CT	CT
Content	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT	50 PR, packed in pairs in CT	250 PR, CT of 5 pairs	250 PR, CT of 5 pairs

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	26 dB H	28 dB M	23 dB L	20 dB
MA dB	16.6	19.4	22.0	25.6	27.5	31.8	34.4	36.9	SNRm	29.7 dB Hm	31.3 dB Mm	27.2 dB Lm	23.9 dB
SD dB	5.4	4.9	4.2	4.9	4.7	3.8	4.4	6.0	SNRs	3.6 dB Hs	3.2 dB Ms	3.9 dB Ls	4.0 dB
APV dB	11.2	14.5	17.8	20.7	22.8	28.0	30.0	30.9					



2112060

uvex xtra-fit

- disposable earplugs ideal for larger ear canals
- adapts to the shape and size of the ear canal, thereby optimising fit and protection
- very soft and comfortable to wear

uvex xtra-fit	
Art. no.	2112060
Design	without cord
Standard	EN 352-2:2020
Colour	orange
Order unit	BG
Content	200 PR, packed in pairs in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	35 dB H	34 dB M	33 dB L	32 dB
MA dB	32.7	34.8	36.8	38.9	36.9	36.2	44.0	41.5	SNRm	38.1 dB Hm	37.1 dB Mm	36.5 dB Lm	36.4 dB
SD dB	4.6	4.4	5.6	5.2	4.7	3.7	4.0	5.0	SNRs	2.9 dB Hs	2.7 dB Ms	3.2 dB Ls	3.9 dB
APV dB	28.1	30.4	31.2	33.7	32.2	32.5	40.0	36.5					

Hearing Protection

Banded hearing protection



2125361

2125351

uvex x-cap

- ergonomically shaped banded ear protector for optimal positioning in front of the chin
- ergonomically shaped earplugs provide a high level of wearer comfort
- replaceable earplugs
- seal forms at the opening of the ear canal meaning there is no pressure in the ear

uvex x-cap			
Art. no.	2125361	2125351	
Design	with band	replacement earplugs	
Standard	EN 352-2:2020		
Colour	grey, sky blue, lime	sky blue, lime	
Order unit	CT	CT	
Content	15 PC, individually packed in CT	60 PR, CT of 5 pairs	

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	23 dB H	27 dB M	20 dB L	18 dB
MA dB	23.7	22.0	21.6	19.0	23.8	31.9	39.6	39.6	SNRm	26.7 dB Hm	30.4 dB Mm	23.1 dB Lm	21.4 dB
SD dB	4.0	2.9	4.7	4.3	3.6	4.0	2.7	3.7	SNRs	3.4 dB Hs	3.0 dB Ms	3.5 dB Ls	3.8 dB
APV dB	19.7	19.1	16.9	14.7	20.2	27.9	36.9	35.9					



2125344

uvex x-fold

- ergonomically shaped banded ear protector for optimal positioning in front of the chin which eliminates noise transfer on contact
- ergonomically shaped replacement earplugs for optimal wearer comfort
- foldable banded ear protectors make storage easy

uvex x-fold			
Art. no.	2125344	2125351	
Design	with foldable band	replacement earplugs	
Standard	EN 352-2:2020		
Colour	grey, sky blue, lime	sky blue, lime	
Order unit	CT	CT	
Content	5 PC, individually packed in CT	60 PR, CT of 5 pairs	

f/Hz	125	250	500	1000	2000	4000	8000	SNR	26 dB H	30 dB M	23 dB L	21 dB
MA dB	27.1	23.0	24.1	26.2	35.1	39.6	40.4	SNRm	30.1 dB Hm	33.1 dB Mm	26.7 dB Lm	24.7 dB
SD dB	5.1	4.2	4.3	4.2	3.1	3.4	4.4	SNRs	3.6 dB Hs	3.0 dB Ms	3.8 dB Ls	3.8 dB
APV dB	22.0	18.8	19.8	22.0	31.9	36.2	36.0					



2124002
2124003

2125372

uvex xact-band

- extremely low weight – just 4 grams
- seal forms inside the ear canal, just like disposable plugs
- integrated sound absorbers reduce noise transmission through the band
- replacement earplugs can be dispensed through the standard uvex wall mounted dispenser unit
- banded ear protector
- thumb indentations on the stems for quick and easy fitting

uvex xact-band			
Art. no.	2125372	2124002	2124003
Design	with band	replacement earplugs	replacement earplugs
Standard	EN 352-2:2020		
Colour	grey, sky-blue, lime	lime	lime
Order unit	CT	CT	CT
Content	5 PC, individually packed in CT	250 PR, CT of 5 pairs	400 PR, loose in CT

f/Hz	63	125	250	500	1000	2000	4000	8000	SNR	26 dB H	29 dB M	22 dB L	21 dB
MA dB	21.5	23.3	24.7	25.3	27.1	33.0	37.3	38.5	SNRm	30.4 dB Hm	32.4 dB Mm	27.4 dB Lm	25.5 dB
SD dB	3.6	3.6	4.7	6.0	5.5	2.7	4.3	4.9	SNRs	4.5 dB Hs	3.6 dB Ms	5.1 dB Ls	4.6 dB
APV dB	17.9	19.7	20.0	19.3	21.5	30.3	33.0	33.6					

MADE IN SWEDEN

Hearing Protection

Disposable ear plugs · Earplug dispenser · Refill packs



2112000
2111988

2111989

uvex dispenser “one2click”

- easy-to-use and robust hearing protection dispenser with two different mounting options
- earplugs available to hand with just one click
- ensures hygienic dispensing whenever it's needed
- magnetic wall mount requires no drilling
- can be refilled even if the container is not empty
- collecting tray prevents earplugs from falling on the floor
- suitable for all uvex disposable earplugs
- quantities: 600 pairs (xtra-fit 500 pairs)
- magnetic variant for flexible use on all magnetic surfaces (2112988)
- stationary wall mounting using screws (2112000)
- magnetic wall mount can be retrofitted individually (2112989)

uvex dispenser “one2click”		
Art. no.	2112000	2111988
Mounting	empty, screw mounting	empty, magnetic mounting
Order unit	CT	CT

uvex magnetic bracket for dispenser	
Art. no.	2111989
Mounting	retrofit kit for dispenser for magnetic mounting
Material	polished steel
Order unit	CT

uvex dispenser “one2click”			
Art. no.	2111990	2111991	2111992
Type	ready to use (filled), screw mounting	ready to use (filled), screw mounting	ready to use (filled), screw mounting
	600 pairs of x-fit	600 pairs of com4-fit	600 pairs of hi-com
Order unit	CT	CT	CT

► For the ready-to-use magnetic version, the magnetic plate (2112989) must be ordered separately



2111990

2111991

2111992

uvex dispenser “one2click” – Refill packs

	uvex x-fit	uvex x-fit XL	uvex com4-fit	uvex xact-fit
Art. no.	2112022	2212143	2112023	2124003
Design	without cord	without cord	without cord	replacement earplugs
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
SNR	37 dB (see page 92)	38 dB (see page 92)	33 dB (see page 92)	26 dB (see page 98)
Colour	lime	orange	light orange	lime
Size	M	XL	S	M
Order unit	CT	CT	CT	CT
Content	300 PR, loose in CT	250 PR, loose in CT	300 PR, loose in CT	400 PR, loose in CT

	uvex hi-com	uvex hi-com	uvex xtra-fit
Art. no.	2112118	2112119	2112061
Design	without cord	without cord	without cord
Standard	EN 352-2:2020	EN 352-2:2020	EN 352-2:2020
SNR	26 dB (see page 98)	26 dB (see page 98)	35 dB (see page 98)
Colour	lime	beige	orange
Size	M	M	L
Order unit	CT	CT	BG
Content	300 PR, loose in CT	300 PR, loose in CT	250 PR, loose in BG



Hearing Protection

Earplug accessories



617716



211404

uvex clear otoplastics

- silicone-free towelettes for quick and easy cleaning of reusable ear plugs

uvex clear otoplastics

Art. no.	617716
Content	30 towelettes per PC
Order unit	PC

uvex earplug box

- box for hygienic earplug storage
- compact and dirt-resistant design
- for one pair of reusable earplugs with cord
- or two pairs of reusable earplugs without cord

uvex earplug box

Art. no.	211404
Design	earplugs not included
Colour	transparent
Content	50 PC per Box
Order unit	CT



Hearing protection tester box

- Find the perfect hearing protection for you:
- box containing selection of uvex disposable/reusable and detectable hearing protection earplugs plus uvex xact-band banded ear protectors
 - article number: 1000929

Usage poster

- Article numbers
- 1001.166 (English)
 - Size: A2

Hearing protection guide

- 25 pages
- with Euro holes
- includes all essential information about hearing protection
- art. no.: 1001.215 (English)

Hearing Protection

Overview

Art. no.	Name	Product	Colour	Content	Page
1000929		Hearing protection tester box		CT	107
100166	uvex usage poster, English	uvex usage poster DIN A2, English		PC	107
1001215	uvex hearing protection guide English	uvex hearing protection guide English		PC	107
2111201	uvex whisper	Reusable earplugs with cord in a mini box	orange	50 PR, in pairs in CT	102
2111212	uvex whisper+	Reusable earplugs with cord in a mini box	lime	50 PR, in pairs in CT	102
2111235	uvex whisper supreme	Reusable earplugs with cord in earplug box	yellow	50 PR, in pairs in CT	102
2111237	uvex whisper	Reusable earplugs with cord in earplug box	orange	50 PR, in pairs in CT	102
2111238	uvex whisper+	Reusable earplugs with cord in earplug box	lime	50 PR, in pairs in CT	102
2111239	uvex whisper+ detec	Detectable reusable earplugs with cord in earplug box	blue	50 PR, in pairs in CT	103
2111260	uvex whisper+ detec	Detectable reusable earplugs with cord in a mini box	blue	50 PR, in pairs in CT	103
2111261	uvex whisper detec	Detectable reusable earplugs with cord in a mini box	blue	50 PR, in pairs in CT	103
2111262	uvex whisper detec	Detectable reusable earplugs with cord in a mini box	blue	50 PR, in pairs in CT	103
2111404		uvex earplug box	transparent	CT	107
2111988	one 2 click	Dispenser, empty, magnetic		CT	106
2111989		Magnetic wall bracket for dispenser		CT	106
2111990	one 2 click	Dispenser filled with 600 pairs of x-fit earplugs		600 PR, x-fit	106
2111991	one 2 click	Dispenser filled with 600 pairs of com4-fit earplugs		600 PR, xcom4-fit	106
2111992	one 2 click	Dispenser filled with 600 pairs of hi-com earplugs		600 PR, hi-com	106
2122000	one 2 click	Dispenser for 600 pairs of earplugs, empty		CT	106
2122001	uvex x-fit	Disposable earplugs without cord	lime	200 PR, packed in pairs in CT	98
2122004	uvex com4-fit	Disposable earplugs without cord	light orange	200 PR, packed in pairs in CT	98
2122010	uvex x-fit	Disposable earplugs with cord	lime	100 PR, packed in pairs in CT	98
2122011	uvex x-fit detec	Detectable disposable earplugs with cord	blue	100 PR, in pairs in CT	99
2122012	uvex com4-fit	Disposable earplugs with cord	light orange	100 PR, packed in pairs in CT	98
2122013	uvex x-fit	Disposable earplugs without cord	lime	50 PR, loose in CT	98
2122022	uvex x-fit	Refill box	lime	300 PR, loose in CT	106
2122023	uvex com4-fit	Refill box	light orange	300 PR, loose in CT	106
2122060	uvex xtra-fit	Disposable earplugs without cord	orange	200 PR, packed in pairs in CT	104
2122061	uvex xtra-fit	Refill box	orange	250 PR, loose in CT	106
2122087	uvex x-fit	Disposable earplugs without cord	lime	100 PR, packed in pairs in CT	98
2122094	uvex x-fit	Minidispenser Box	lime	100 PR, packed in pairs in CT	98
2122095	uvex hi-com	Minidispenser Box	lime	100 PR, packed in pairs in CT	98
2122096	uvex com4-fit	Minidispenser Box	light orange	100 PR, packed in pairs in CT	98
2122100	uvex hi-com	Disposable earplugs without cord	lime	200 PR, packed in pairs in CT	104
2122101	uvex hi-com	Disposable earplugs with cord	lime	100 PR, packed in pairs in CT	104
2122106	uvex hi-com	Disposable earplugs without cord	beige	200 PR, packed in pairs in CT	104
2122114	uvex hi-com detec	Detectable disposable earplugs with cord	blue	100 PR, in pairs in CT	103
2122118	uvex hi-com	Refill box	lime	300 PR, loose in CT	106
2122119	uvex hi-com	Refill box	beige	300 PR, loose in CT	106
2122131	uvex com4-fit	Disposable earplugs without cord	light orange	15 PR, loose in CT	98
2122133	uvex x-fit	Disposable earplugs without cord	lime	15 PR, loose in CT	98
2124001	uvex xact-fit planet	Earplugs with cord and pin	lime, grey	50 PR, packed in pairs in CT	104
2124002	uvex xact-fit planet	Replacement earplugs	lime	250 PR, CT of 5 pairs	104/105
2124003	uvex xact-fit	Refill box	lime	400 PR, loose in CT	105/106
2124011	uvex xact-fit detec	Detectable earplugs with pin	blue	50 PR, in pairs in CT	103
2124013	uvex xact-fit detec	Replacement earplugs	blue	400 PR, loose in CT	103
2124017	uvex xact-fit multi reusable S	Reusable earplugs with oval-shaped reusable plugs	grey, transparent	50 PR, packed in pairs in CT	100
2124018	uvex xact-fit multi reusable M/L	Reusable earplugs with oval-shaped reusable plugs	grey, transparent	50 PR, packed in pairs in CT	100
2124019	uvex xact-fit multi reusable S	Reusable earplugs with oval-shaped reusable plugs	grey, transparent	50 PR, packed in pairs in CT	100
2124020	uvex xact-fit multi reusable M/L	Reusable earplugs with oval-shaped reusable plugs	grey, transparent	50 PR, packed in pairs in CT	100
2124026	uvex xact-fit planet	Earplugs with pin	lime	50 PR, packed in pairs in CT	104
2124097	uvex xact-fit travel suitcase	Accessories for uvex xact-fit test		PC	97
2124098	uvex hygiene kit for xact-fit test earmuffs	Accessories for uvex xact-fit test earmuffs		PC	97
2124099	uvex xact-fit test Basic	Bluetooth-capable headphones		PC	97
2124100	uvex xact-fit test Premium	Bluetooth-capable headphones		PC	97
2125344	uvex x-fold	Folding banded ear protector	grey, sky blue, lime	5 PC, individually packed in CT	105
2125351		Replacement earplugs for uvex x-cap and uvex x-fold	sky blue, lime	60 PR, CT of 5 pairs	105
2125361	uvex x-cap	Banded ear protector	grey, sky blue, lime	15 PC, individually packed in CT	105
2125372	uvex xact-band	Banded ear protector	grey, sky blue, lime	5 PC, individually packed in CT	105
2212073	uvex com4-fit detec	Detectable disposable earplugs with cord	blue	100 PR, packed in pairs in CT	99
2212140	uvex x-fit XL	Disposable earplugs without cord	orange	200 PR, packed in pairs in CT	98
2212141	uvex x-fit XL	Disposable earplugs with cord	orange	100 PR, packed in pairs in CT	98
2212142	uvex x-fit XL detec	Detectable disposable earplugs with cord	blue	100 PR, packed in pairs in CT	99
2212143	uvex x-fit XL	Refill box	orange	250 PR, loose in CT	106
2212144	uvex x-fit XL	Disposable earplugs without cord	orange	150 PR, loose in BG	98
2224027	uvex xact-fit multi reusable S	Reusable earplugs with oval-shaped reusable plugs	blue	50 PR, packed in pairs in CT	101
2224028	uvex xact-fit multi reusable S	Reusable earplugs with oval-shaped reusable plugs	blue	50 PR, packed in pairs in CT	101
2224029	uvex xact-fit multi reusable M/L	Reusable earplugs with oval-shaped reusable plugs	blue	50 PR, packed in pairs in CT	101
2224030	uvex xact-fit multi reusable M/L	Reusable earplugs with oval-shaped reusable plugs	blue	50 PR, packed in pairs in CT	101
2224031	uvex xact-fit multi reusable XL	Reusable earplugs with oval-shaped reusable plugs	blue	50 PR, packed in pairs in CT	101
2224032	uvex xact-fit multi reusable XL	Reusable earplugs with oval-shaped reusable plugs	blue	50 PR, packed in pairs in CT	101
2224033	uvex xact-fit multi XL	Reusable earplugs with oval-shaped reusable plugs	grey, transparent	50 PR, packed in pairs in CT	90/100
2224034	uvex xact-fit multi XL	Reusable earplugs with oval-shaped reusable plugs	grey, transparent	50 PR, packed in pairs in CT	100
6177116	uvex clear otoplastics	Silicone-free towelettes		30 towelettes, PC	107



Earmuffs

uvex ultimate line

Our motto **made 2 perform** drives us: We develop and manufacture products for maximum performance — without compromising on safety, comfort, quality and sustainability.

Our products perform impressively — whether it's at work, in sport or during leisure. **made 2 perform** is more than just a promise — it is our motivation for users, athletes, employees and everyone who wants to achieve their best.

uvex aXess one

Active Bluetooth helmet earmuffs with RAL (Real Active Listening)

Concealed cable route

Cables can be secured to the inner helmet shell by a clip — preventing damage caused by external cable loops

Dual connection mode

Pair with two Bluetooth devices at the same time

Sound level limiter

Protects hearing from loud noises

Flexible spiral cable

Earmuffs can be moved to the resting position, regardless of the width of the helmet

Microphone

Two surround-sound microphones for reliable transmission of ambient noise, a voice microphone for optimal voice quality

RAL – real active listening

Active listening function with the ability to individually adjust the volume of ambient noise – no over-protection

Bluetooth® 5.2

Good sound quality, fast data transfer and a large range

Battery life 50 h

For long periods of use

Audio assistant

Status updates are sent directly to the earmuffs – no need to remove in hazardous areas

Battery status warning message

Low-battery warning message issued in good time

Hands-free telephony

Make calls at any time without interrupting your work

uvex bayonet helmet connection

Tool-free assembly and disassembly

IP54

Protected from dust and splash water – suitable for dusty and damp working conditions



2640201
uvex aXess one
helmet earmuffs
basic unit
+
2600230
Earmuffs
helmet connection
30 mm slot

made 2 perform

Perceive ambient noise while still being protected

uvex aXess one are active earmuffs with Real Active Listening, which enables natural hearing due to the external microphone. Ambient noise can be adjusted across five levels, warning signals remain audible, and soft noises below 82 dB are amplified while loud voices are reduced to safe levels. This eliminates the risk of over-protection and can therefore be applied to low-noise environments below 80 dB. Calls can be taken directly on the hearing protection using Bluetooth 5.2, on two devices at the same time, without interrupting your work and while keeping your hands free.



The **made 2 perform** motto represents clear goals: maximum performance, uncompromising safety – measurable, tangible and designed for everyone who wants to achieve more.

Further information can be found at:



www.uvex-safety.com/en/ultimate-line



uvex
aXess one

uvex aXess series – Hear what’s important

The smart hearing protection for greater occupational safety

Outdoor microphones for secure communication



uvex aXess one are active electronic earmuffs with RAL function (real active listening). This function gives the user the feeling of not wearing hearing protection and of actively participating in the environment with hearing protection. This makes communication possible and warning signals can be perceived better. The volume of the ambient sounds can be set individually.

For safe hearing protection, the maximum output level is limited. The level gain below the sound level limiter is very helpful, for example when adjusting machines or performing diagnostic work.

Conveniently answer calls via Bluetooth®

uvex aXess one connects to your smartphone via Bluetooth 5.2, meaning you no longer miss important calls and can make them without interrupting your work. Dual mode allows you to add another device if needed.

Calls can be answered quickly and easily using the function keys on the earmuffs, so both hands are free when you make calls. The large radio range ensures that paired devices can remain in a protected location rather than at the workplace.



uvex aXess RAL · uvex aXess one

uvex aXess RAL

active earmuffs with real active listening function

- real active listening function for complete awareness of ambient noise and communication with those nearby
- a sound level limiter protects your hearing from loud noises
- attenuation of harmful impulse noise
- suitable from 80 dB, using real active listening function, no over-protection
- buttons with a shape that corresponds to their function
- IP54 water- and dust-protected, ideal for outdoor applications
- battery warning message
- continuous length adjustment for perfect positioning
- padded comfort headband for a comfortable fit
- microphone covers can be used to minimise wind noise or provide additional protection against dust

uvex aXess one


active earmuffs with Bluetooth® and real active listening function

- additional Bluetooth® function for communication via telephone connection and audio streaming

	uvex aXess RAL	uvex aXess one
Art. no.	2640002	2640001
Design	active earmuffs with real active listening	active earmuffs with Bluetooth® and real active listening function
SNR protection value	31 dB	31 dB
H-M-L value	H: 37 dB, M: 29 dB, L: 21 dB	H: 37 dB, M: 29 dB, L: 21 dB
Weight	360 g	360 g
Colour	hi-viz orange	black, grey
Content	earmuffs with integrated battery, charging cable, microphone covers and quick start instructions	earmuffs with integrated battery, charging cable, audio cable, microphone covers and quick start instructions
Order unit	PC	PC

uvex aXess one – system combinations

Perceive ambient noise while still being protected



uvex aXess RAL helmet earmuffs uvex aXess one helmet earmuffs

- active earmuffs that can be attached to industrial safety helmets or face protection
- two helmet connections available, uvex bayonet/30 mm helmet slot
- noise insulation thanks to the rubber-cushioned earmuffs
- continuous length adjustment for perfect positioning

	uvex aXess RAL	uvex aXess one	earmuff helmet connection:	Earmuffs Helmet connection bayonet	uvex pheos adapter Magnetic bayonet	uvex pronamic adapter Pull bayonet	uvex pronamic adapter Push bayonet
Art. no.	2640202	2640201	30 mm helmet slot	2600231	2600235	2600236	2600237
Design	active helmet earmuffs basic unit with real active listening function	active helmet earmuffs basic unit with Bluetooth® with real active listening function	30 mm helmet slot helmet connection	uvex bayonet helmet connection	For use with the magnetic pheos visors and the uvex earmuffs with bayonet connection	Helmet connection for use with full visors and the uvex earmuffs with bayonet connection	Helmet connection for use with half visors and the uvex earmuffs with bayonet connection
SNR protection value	27 dB	27 dB					
H-M-L value	H: 29 dB, M: 24 dB, L: 18 dB	H: 29 dB, M: 24 dB, L: 18 dB					
Weight	309 g	309 g	99 g	69 g			
Colour	hi-viz orange	black, grey					
Content	earmuffs with integrated battery, charging cable, microphone covers and quick start instructions, without helmet connection	earmuffs with integrated battery, charging cable, audio cable, microphone covers and quick start instructions, without helmet connection					
Order unit	PC	PC	PR	PR	PR	PR	PR

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



2000002



SNR
dB
30

2630010



SNR
dB
33

2630020



SNR
dB
36

2630030

Note: Order earmuff bag separately



uvex K10 · uvex K20 · uvex K30

- earmuffs with foldable headband
- variable length adjustment for easy positioning
- optimal earmuff shape for pressure-free protection of the outer ear
- padded headband for wearer comfort

- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements

Art. no.	uvex K10 2630010	uvex K20 2630020	uvex K30 2630030	uvex earmuff bag 2000002
Design	with foldable headband	with foldable headband	with foldable headband	with belt loop and hook-and-loop fastener
SNR protection value	30 dB	33 dB	36 dB	
H-M-L value	H: 35 dB, M: 28 dB, L: 19 dB	H: 36 dB, M: 32 dB, L: 22 dB	H: 37 dB, M: 34 dB, L: 26 dB	
Weight	185 g	230 g	385 g	
Colour	black, green	black, yellow	black, red	
Order unit	PC	PC	PC	PC

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



2630011

uvex KX10

- earmuffs with rubberised surface
- increased grip and secure fit, ideal for oily or damp environments
- foldable headband
- variable length adjustment for easy positioning
- optimal earmuff shape for pressure-free protection of the outer ear
- padded headband for wearer comfort
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements

uvex KX10	
Art. no.	2630011
Design	Hearing protection earmuffs with rubberised surface
SNR protection value	30 dB
H-M-L value	H: 35 dB, M: 28 dB, L: 19 dB
Weight	185 g
Colour	matt black, green
Order unit	PC



2630021

uvex K20 hi-viz

- earmuffs in fluorescent colours thanks to the high-visibility design
- foldable headband
- variable length adjustment for easy positioning
- optimal earmuff shape for pressure-free protection of the outer ear
- padded headband for wearer comfort
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements

uvex K20 hi-viz	
Art. no.	2630021
Design	with foldable headband
SNR protection value	33 dB
H-M-L value	H: 36 dB, M: 32 dB, L: 22 dB
Weight	230 g
Colour	hi-viz
Order unit	PC

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



2600001



2600002



2600003



2600004

uvex K1 · uvex K2 · uvex K3 · uvex K4

- earmuffs with length adjustment
- lightweight with a small cup
- easily adjustable for a perfect fit

- padded headband for optimum wearer comfort
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods

	uvex K1	uvex K2	uvex K3	uvex K4
Art. no.	2600001	2600002	2600003	2600004
Design	with headband	with headband	with headband	with headband
SNR protection value	28 dB	32 dB	33 dB	35 dB
H-M-L value	H: 35 dB; M: 24 dB; L: 17 dB	H: 37 dB; M: 29 dB; L: 21 dB	H: 36 dB; M: 30 dB; L: 22 dB	H: 38 dB; M: 33 dB; L: 24 dB
Weight	180 g	217 g	297 g	356 g
Colour	black, green	black, yellow	black, red	neon lime
Order unit	PC	PC	PC	PC



2600012



possible wearing styles



2600200

uvex K2 foldable

- dielectric earmuffs with length adjustment and foldable headband
- lightweight with a small cup
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- hi-vis design for improved wearer visibility
- suitable for use in workplace environments with exposure to electrical voltage

uvex K2 foldable	
Art. no.	2600012
Design	with foldable headband
SNR protection value	31 dB
H-M-L value	H: 35 dB, M: 29 dB, L: 21 dB
Weight	229 g
Colour	neon lime
Order unit	PC

uvex K200

- dielectric ear muffs with length adjustment
- suitable for use in workplace environments with exposure to electrical voltage
- adjustable headband for a perfect fit and optimum protection
- easily adjustable for a customised fit
- range of positions possible with 360° capsule rotation

uvex K200	
Art. no.	2600200
Design	with 360° headband rotatable
SNR protection value	28 dB
H-M-L value	H: 33 dB, M: 25 dB, L: 18 dB
Weight	173 g
Colour	black, ochre
Order unit	PC

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



SNR
dB
28

2600000

2600010

2600011

2600013

uvex K Junior

- earmuffs with shorter headband
- suitable for head widths up to 145 mm, equivalent to sizes S/M
- padded headband and soft cushions for optimum wearer comfort
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements
- continuous length adjustment for optimal fit

uvex K Junior				
Art. no.	2600000	2600010	2600011	2600013
Design	with shorter headband	with shorter headband	with shorter headband	with shorter headband
SNR protection value	28 dB	28 dB	28 dB	28 dB
H-M-L value	H: 34 dB, M: 26 dB, L: 18 dB	H: 34 dB, M: 26 dB, L: 18 dB	H: 34 dB, M: 26 dB, L: 18 dB	H: 34 dB, M: 26 dB, L: 18 dB
Weight	167 g	167 g	167 g	167 g
Colour	yellow	blue	lime	pink
Order unit	PC	PC	PC	PC

Hearing Protection

Helmet earmuffs for 30 mm helmet slot – Tested in accordance with DIN EN 352-3



uvex K10H · uvex K20H · uvex K30H

- earmuffs for attachment to a safety helmet using the 30 mm helmet slot
- dielectric design
- soft, variable length adjustment
- sound isolation thanks to the rubber-cushioned earmuffs
- length is easily adjustable for a perfect fit on the helmet
- 360° rotation for standby and resting positions
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- not compatible with the uvex pheos visor system

	uvex K10H	uvex K20H	uvex K30H
Art. no.	2630210	2630220	2630230
Design	dielectric helmet earmuffs for 30 mm helmet slot	dielectric helmet earmuffs for 30 mm helmet slot	dielectric helmet earmuffs for 30 mm helmet slot
SNR protection value	28 dB	30 dB	34 dB
H-M-L value	H: 34 dB; M: 26 dB; L: 18 dB	H: 34 dB; M: 28 dB; L: 20 dB	H: 36 dB; M: 32 dB; L: 24 dB
Weight	216 g	263 g	420 g
Colour	black, green	black, yellow	black, red
Order unit	PR	PR	PR

Hearing Protection

Helmet earmuffs for 30 mm helmet slot - Tested in accordance with DIN EN 352-3



SNR
dB
27

2600201



SNR
dB
30

2600202



uvex K1H · uvex K2H

- not compatible with the uvex pheos visor system
- length is easily adjustable for a perfect fit on the helmet
- 360° rotation for standby and resting positions

- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- earmuffs for attachment to a safety helmet using the 30 mm helmet slot

	uvex K1H	uvex K2H
Art. no.	2600201	2600202
Design	earmuffs for 30 mm helmet slot	earmuffs for 30 mm helmet slot
SNR protection value	27 dB	30 dB
H-M-L value	H: 32 dB; M: 24 dB; L: 17 dB	H: 35 dB; M: 27 dB; L: 20 dB
Weight	210 g	251 g
Colour	black, green	black, yellow
Order unit	PR	PR

Customisation

All uvex earmuffs can be printed with your company logo and can also be colour-coded to suit your needs. Minimum order quantities apply.



uvex pheos alpine

Hearing Protection

uvex helmet earmuffs for uvex system combinations – Tested in accordance with DIN EN 352-3



2600216

SNR
dB
27



2600214
2600215

SNR
dB
30

uvex K1P · uvex K2P

- for use only with uvex helmets in combination with uvex helmet adapters or a pre-mounted visor system
- comfortable fit thanks to extra-soft earmuff cushions, even when worn for long periods
- 360° rotation for standby and resting positions

- both variants are available in a bayonet version and can be attached and removed quickly and easily without tools
- K2P available as a magnetic variant so the earmuffs can be quickly and easily attached and removed without having to take off the helmet
- easy, convenient height adjustment of earmuffs
- dielectric

	uvex K1P bayonet	uvex K2P bayonet	uvex K2P magnetic
Art. no.	2600216	2600214	2600215
Design	bayonet connection	bayonet connection	magnetic connection
SNR protection value	27 dB	30 dB	30 dB
H-M-L value	H: 33 dB, M: 25 dB, L: 18 dB	H: 35 dB, M: 27 dB, L: 20 dB	H: 35 dB, M: 27 dB, L: 20 dB
Weight	191 g	235 g	240 g
Colour	black, grey	black, yellow	black, yellow
Order unit	PR	PR	PR



Magnetic locking system
for visor and earmuffs

uvex magnetic connection system

The unique magnetic locking system allows the earmuffs and visor to be attached or removed without tools. This allows the helmet to conveniently stay on your head and means you remain protected. Easily and quickly adjust your system to your requirements.

uvex bayonet connection system

The bayonet connection allows the earmuffs to be attached or removed without tools. Easily and quickly adjust your system to your requirements.

Hearing Protection

Helmet earmuffs – Assembly matrix



	uvex pronamic	uvex pronamic alpine	uvex pronamic alpine E	uvex pheos	uvex pheos E	uvex pheos alpine	uvex perfixion	uvex pronamic visor system	uvex pheos visor magnetic	uvex pheos visor mechanical	uvex faceguard	
 uvex K1H (2600201)	■	■	–*(1)	■	–*(1)	■	■	–	–	–	–	
 uvex K2H (2600202)	■	■	–*(1)	■	–*(1)	■	■	–	–	–	–	
 uvex K10H (2630210)	■	■	■	■	■	■	■	–	–	–	–	
 uvex K20H (2630220)	■	■	■	■	■	■	■	–	–	–	–	
 uvex K30H (2630230)	■	■	■	■	■	■	■	–	–	–	–	
 uvex K1P bayonet (2600216)	■	■ With pronamic adapter pull bayonet 2600236 or pronamic visor	■	■	■ With pheos adapter magnetic bayonet 2600235 or mechanical visor	■	■	–	■	–	■	■
 uvex K2P bayonet (2600214)	■	■ With pronamic adapter pull bayonet 2600236 or pronamic visor	■	■	■ With pheos adapter magnetic bayonet 2600235 or mechanical visor	■	■	–	■	–	■	■
 uvex K2P magnet (2600215)	–	–	–	■	■ With pheos helmet adapter magnetic 9790078	■	■	–	–	■	–	–
Helmet earmuffs  uvex aXess one (2640201)  uvex aXess RAL (2640202)	■	■ With helmet connection 30 mm slot 2600230	■	■	■ With helmet connection 30 mm slot 2600230	■	■ With helmet connection 30 mm slot 2600230	■ With helmet connection bayonet 2600231 and pronamic adapter pull bayonet 2600236 or pronamic visor	■ With helmet connection bayonet 2600231 and pheos adapter magnetic bayonet 2600235	■	■ With helmet connection bayonet 2600231	■

*1) non-dielectric

Example:

uvex pronamic-B-WR (9731030)  + uvex K2P bayonet (2600214)  + uvex pronamic mesh visor (9916100)  = uvex pronamic system 

Hearing protection

Earmuff accessories

Helmet adapter for attaching removable uvex earmuffs series with magnetic or bayonet connection



9790078

uvex pheos adapter magnetic-magnetic

uvex pheos adapter magnetic-magnetic	
Art. no.	9790078
Design	Adapter for attaching uvex earmuffs with magnetic connection to the uvex pheos helmet. Also in combination with pheos magnetic visor
Order unit	PR



2600235

uvex pheos adapter magnetic bayonet

uvex pheos adapter magnetic-bayonet	
Art. no.	2600235
Design	Adapter for attaching uvex earmuffs with bayonet connection to the uvex pheos helmet. Also in combination with pheos magnetic visor
Order unit	PR



2600236

uvex pronamic adapter Pull bayonet

uvex pronamic adapter pull bayonet	
Art. no.	2600236
Design	Adapter for attaching uvex earmuffs with bayonet connection to the uvex pronamic helmet. Also in combination with pronamic full visor
Order unit	PR



2600237

uvex pronamic adapter Push bayonet

uvex pronamic adapter push bayonet	
Art. no.	2600237
Design	Adapter for attaching uvex earmuffs with bayonet connection to the uvex pronamic helmet. Also in combination with pronamic half visor
Order unit	PR



2600230

2600231

Earmuffs helmet connection: 30 mm helmet slot · Earmuffs helmet connection: uvex bayonet system

	Earmuffs helmet connection	Earmuffs helmet connection
	30 mm helmet slot	bayonet system
Art. no.	2600230	2600231
Design	Supporting arm for earmuffs in the uvex K series and uvex aXess series. For direct attachment to the helmet	Supporting arm for earmuffs in the uvex K series and uvex aXess series. For attaching in combination with a helmet adapter for the uvex pheos and uvex pronamic helmet family
Order unit	PR	PR



2000002

2599966

uvex earmuff bag · Sample case for earmuffs

	uvex earmuff bag	sample case for earmuffs
Art. no.	2000002	2599966
Design	with belt loop and hook-and-loop	empty, with 6 compartments for earmuffs
Size	150x120x120 mm	
Order unit	PC	PC

Hearing protection

Earmuff accessories



2599978

uvex K series comfort pads “uvex dry pads”

- accessories for all models in the uvex K series
- the comfort pads can be attached to the sealing cushions to absorb moisture and sweat

uvex K series comfort pads “uvex dry pads”	
Art. no.	2599978
Design	self-adhesive, suitable for all models in the uvex K series
Order unit	BG
Content	10 Pads in BG



2599971
2599972

uvex K series · Hygiene kit size 1 · Hygiene kit size 2

	uvex K series · hygiene kit size 1	uvex K series · hygiene kit size 2
Art. no.	2599971	2599972
Design	suitable for all earmuffs with insulation class I : uvex K1, uvex K10, uvex KX10, uvex K1H, uvex K10H, uvex K1P, uvex K200, uvex K Junior	suitable for all earmuffs with insulation classes II and III : uvex K2, uvex K3, uvex K4, uvex K20, uvex K30, uvex K2H, uvex K20H, uvex K30H, uvex K2P
Order unit	BG	BG
Content	2 ear pads and 2 muffling pads in BG	2 ear pads and 2 muffling pads in BG



2592642



2592640

uvex gel sealing cushion · uvex microphone cover

uvex gel sealing cushion for earmuffs	
Art. no.	2592642
Design	Gel-filled ear pads for earmuffs in the uvex K series and uvex aXess series. With adhesive surface on the back for easy attachment. Highly comfortable fit, particularly in combination with spectacles
Order unit	BG
Content	2 earmuff sealing cushions

uvex microphone cover	
Art. no.	2592640
Design	Set of nine, self-adhesive, suitable for the uvex aXess series
Order unit	BG



2592641
2592643

uvex aXess series · Hygiene kit · Hygiene kit with gel sealing cushions

	uvex aXess series	uvex aXess series
Hygiene kit		
Art. no.	2592641	2592643
Design	for uvex aXess earmuff series	for uvex aXess earmuff series
Order unit	BG	BG
Content	2 earmuff cushions, 2 absorber cushions, 2 inner cushions, 3 microphone covers	2 gel earmuff cushions, 2 absorber cushions, 2 inner cushions, 3 microphone covers



1001215

Hearing protection fit guide

- 25 pages
- with Euro holes
- includes all essential information about hearing protection
- art. no.: 1001.215 (English)



2000000

Storage box for earmuffs

Storage box for earmuffs	
Art. no.	2000000
Design	Plastic storage box
Size	236 x 225 x 125 mm
Order unit	PC

Hearing Protection

Overview

Art. no.	Name	Product	Colour	Content	Page
1001215	uvex hearing protection guide English	uvex hearing protection guide English		PC	123
2000000		Storage box	blue	PC	123
2000002		Earmuff bag		PC	114/122
2592640		Microphone cover	black	BG	123
2592641		Hygiene kit uvex aXess series		2 earmuff cushions, 2 absorber cushions, 2 inner cushions, 3 microphone covers	123
2592642		uvex gel sealing cushion for earmuffs		1 pair of earmuff sealing cushions in BG	123
2592643		uvex aXess series hygiene kit with gel sealing cushions		2 gel earmuff cushions, 2 absorber cushions, 2 inner cushions, 3 microphone covers	123
2599966		sample case for earmuffs		empty, with 6 compartments for earmuffs	122
2599971		Hygiene kit uvex K series size 1		2 ear pads and 2 muffling pads in BG	123
2599972		Hygiene kit uvex K series size 2		2 ear pads and 2 muffling pads in BG	123
2599978		Comfort pads		10 Pads in BG	123
2600000	uvex K Junior	Passive earmuffs	yellow, black	PC	117
2600001	uvex K1	Passive earmuffs	black, green	PC	116
2600002	uvex K2	Passive earmuffs	black, yellow	PC	116
2600003	uvex K3	Passive earmuffs	black, red	PC	116
2600004	uvex K4	Passive earmuffs	neon lime	PC	116
2600010	uvex K Junior	Passive earmuffs	blue	PC	117
2600011	uvex K Junior	Passive earmuffs	lime	PC	117
2600012	uvex K2 foldable	Passive earmuffs	neon lime	PC	116
2600013	uvex K Junior	Passive earmuffs	pink	PC	117
2600200	uvex K200	Passive earmuffs	black, ochre	PC	116
2600201	uvex K1H	Earmuffs with helmet attachment	black, green	PR	119
2600202	uvex K2H	Earmuffs with helmet attachment	black, yellow	PR	119
2600214	uvex K2P bayonet	Earmuffs with helmet attachment	black, yellow	PR	120
2600215	uvex K2P magnet	Earmuffs with helmet attachment	black, yellow	PR	120
2600216	uvex K1P bayonet	Earmuffs with helmet attachment	black, grey	PR	120
2600230	Helmet connection 30 mm slot	30 mm helmet slot helmet connection		PR	122
2600231	Helmet connection bayonet	uvex bayonet helmet connection		PR	122
2600235	uvex pheos adapter magnetic bayonet	uvex adapter magnetic bayonet		PR	122
2600236	uvex pronamic adapter pull bayonet	uvex adapter pull bayonet		PR	122
2600237	uvex pronamic adapter push bayonet	uvex adapter push bayonet		PR	122
2630010	uvex K10	Earmuffs with helmet attachment	black, green	PC	114
2630011	uvex KX10	Earmuffs with helmet attachment	matt black, green	PC	115
2630020	uvex K20	Earmuffs with helmet attachment	black, yellow	PC	114
2630021	uvex K20 hi-viz	Earmuffs with helmet attachment	hi-viz	PC	115
2630030	uvex K30	Earmuffs with helmet attachment	black, red	PC	114
2630210	uvex K10H	Earmuffs with helmet attachment	black, green	PC	118
2630220	uvex K20H	Earmuffs with helmet attachment	black, yellow	PC	118
2630230	uvex K30H	Earmuffs with helmet attachment	black, red	PC	118
2640001	uvex aXess one	Active earmuffs	black, grey	PC	112
2640002	uvex aXess RAL	Active earmuffs	hi-viz orange	PC	112
2640201	uvex aXess one helmet earmuffs	Active helmet earmuffs basic unit	black, grey	PC	113
2640202	uvex aXess RAL helmet earmuffs	Active helmet earmuffs basic unit	hi-viz orange	PC	113
9790078	uvex pheos adapter magnetic magnetic	Helmet adapter	black	PR	122

