

uvex

uvex tactical

Professional protection
for special forces

protecting people



uvex

Reliable eye protection for professional use

Special forces rely on first-class equipment for their operations all around the world, which gives them a crucial advantage. In particular, this includes effective eye protection that guarantees distortion-free vision and can adapt to many situations.

MADE IN GERMANY 



9112265



9112561

Automatic tinting 

uvex apache safety spectacles boast maximum robustness, a modern, sporty design and the best wearer comfort.

- Robust and lightweight safety spectacles with slim side arm geometry
- The soft non-slip nose piece ensures a perfect fit
- Suitable for prescription spectacle wearers due to the RX insert
- Mechanical strength FT tested in accordance with EN 166 and STANAG 2920/4296
- Tested in accordance with MIL-PRF-32432A



Soft nose piece

RX insert

9112901

9112807

Dust frame (optional)

Headband (optional)

uvex apache spec set



Set includes uvex eyewear case, uvex microfibre cloth, uvex hang cord and replacement lenses in orange and 14% sun-protection in grey.

uvex apache spec set

| | |
|-------------|-----------------------------|
| Art. no. | 9112265 |
| Coating | uvex supravision excellence |
| Standard | EN 166, EN 170, EN 172 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Clear lens | UV400, 2C-1.2 W1 FTKN CE |
| Grey lens | UV400, 5-3.1 W1 FTKN CE |
| Orange lens | UV400, 2-1.4 W1 FTKN CE |
| Weight | 30 g |

uvex apache spec variomatic



Set includes uvex eyewear case, uvex microfibre cloth and uvex hang cord.

uvex apache spec variomatic

| | |
|----------|---|
| Art. no. | 9112561 |
| Coating | uvex supravision variomatic |
| Standard | EN 166, EN 170 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Lens | UV400, 2-1.2 W1 FTKN CE, PC light green |
| Weight | 30 g |



uvex apache spec with laser protection

The easy availability of increasingly powerful and inexpensive laser pointers with a wide variety of wavelengths is increasingly endangering the safety of civilian and military pilots, and emergency services.



9112365



9112562




9112565

uvex apache spec P1P19

Protective effect P1P19

| Wavelengths in nm | Protection levels | OD |
|-------------------|-------------------|----|
| 785-800 | DIRM LB2 | 2+ |
| 800-900 | DIRM LB3 | 3+ |
| 1064 | D LB6 + IR LB7 | 7+ |

Transmission*



- High infrared protection in accordance with EN 207
- Good colour vision and 50% daylight transmission

uvex apache spec P1P19


| | |
|----------|-----------------------------|
| Art. no. | 9112365 |
| Coating | uvex supervision excellence |
| Standard | EN 166, EN 207 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Lens | W1 FTKN CE, PC green |
| Weight | 30 g |

uvex apache spec P1E21

Protective effect P1E21

| Wavelengths in nm (extract) | Protection levels | OD |
|-----------------------------|-------------------|----|
| >315-440 | DIRM LB3 | 3+ |
| >440-446 | DIRM LB2 | 2+ |
| 522-534 | DIRM LB1 | 1+ |
| 636-660 | DIRM LB1 | 1+ |

Transmission*



- RGB filter in accordance with EN 207 with OD1+
- Good colour vision and 40% daylight transmission

uvex apache spec P1E21


| | |
|----------|------------------------------|
| Art. no. | 9112562 |
| Coating | uvex supervision excellence |
| Standard | EN 166, EN 207 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Lens | W1 FKN CE, PC green-brown |
| Weight | 30 g |

uvex apache spec P1E24

Protective effect P1E24

| Wavelengths in nm (extract) | Protection levels | OD |
|-----------------------------|-------------------|----|
| >315-438 | DIRM LB4 | 4+ |
| >438-453 | DIRM LB3 | 3+ |
| 522-533 | DIRM LB4 | 4+ |
| 637-640 | DIRM LB3 | 3+ |

Transmission*



- RGB filter in accordance with EN 207 with OD4+
- Good colour vision and 12% daylight transmission

uvex apache spec P1E24

| | |
|----------|-------------------------------|
| Art. no. | 9112565 |
| Coating | uvex supervision excellence |
| Standard | EN 166, EN 207 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Lens | W1 FKN CE, PC, green-brown |
| Weight | 30 g |

* Transmission of signal colours in accordance with DIN EN 172

Effective eye protection with distortion-free view



9310265



9310265

uvex apache goggle set includes

- uvex eyewear bag
- uvex microfibre cloth
- Replacement lenses in orange and 14% sun-protection in grey



9320110

uvex megasonic tactical set including high-quality uvex eyewear case and uvex microfibre cloth

uvex apache goggle set



Can be combined with helmets



Extra-wide headband



RX insert

uvex apache goggle set

| | |
|--------------------|-----------------------------|
| Art. no. | 9310265 |
| Coating | uvex supravision excellence |
| Standard | EN 166, EN 170, EN 172 |
| STANAG | 2920/4296 |
| Frame | black, W 166 34 BT CE |
| Clear lens | UV400, 2C-1.2 W1 BTKN CE |
| Grey lens | UV400, 5-3.1 W1 BTKN CE |
| Orange lens | UV400, 2-1.4 W1 BTKN CE |
| Weight | 120 g |

- Robust goggles with flame-retardant headband
- Can be combined with conventional combat helmets and earmuffs
- Mechanical strength BT tested in accordance with EN 166 and STANAG 2920/4296.
- Also suitable for prescription spectacle wearers due to the RX insert
- Completely distortion-free lenses
- Proven uvex supravision coating technology

uvex megasonic tactical



30mm wide headband



Frameless design



Face seal foam

uvex megasonic tactical

| | |
|-----------------|------------------------------------|
| Art. no. | 9320110 |
| Coating | uvex supravision excellence |
| Standard | EN 166, EN 170 |
| STANAG | 2920/4296 |
| Frame | black, W 166 34 BT CE |
| Lens | PC clear, UV400, 2C-1.2 W1 BTKN CE |
| Weight | 95 g |

- Revolutionary goggles with maximum field of vision
- Unique frameless lens design
- OTG compatible with frame recess for side arms
- Flexible frame with face seal foam for maximum wearer comfort
- 30mm wide headband with silicone coating on the inside of the band for non-slip grip, can also be used in combination with helmets, for example
- Can easily be combined with other items of PPE
- Tested in accordance with STANAG 2920/4296
- Proven uvex supravision coating technology

uvex i-3 tactical set

- Adjustable, multi-feature premium-quality safety spectacles
- The combination of padding around the forehead and ergonomically shaped side arms with soft ear-pieces ensures a comfortable and secure fit without creating pressure points
- Multi-stage adjustable side arms allow for a high degree of customisation
- Soft, adjustable nose piece for a non-slip and pressure-free fit
- Robust polycarbonate lenses with uvex's proven supravision coating technology
- UV400 – 100% protection against dangerous UVA and UVB radiation up to 400 nm
- Tested in accordance with STANAG 2920/4296
- Optional extra frame provides greater protection against particles, dust and dirt

uvex pheos cx2 tactical

- Sporty-looking safety spectacles with high wearer acceptance
- x-tended eyeshield: soft-seal frame technology wraps around the forehead providing protection from particle ingress
- Ergonomically shaped side arms with soft ear-pieces provide a comfortable, secure fit without pressure points
- Soft, flexible nose piece for a non-slip and pressure-free fit
- Robust polycarbonate lens with uvex's proven supravision coating technology
- UV400 – 100% protection against dangerous UVA and UVB radiation up to 400nm
- Tested in accordance with STANAG 2920/4296
- Tested in accordance with MIL-PRF-32432A

uvex super f OTG tactical

- Classic overspecs for prescription spectacle wearers with a flat lens design for a wide field of vision, designed for maximum wearer acceptance
- Soft ear-pieces for a comfortable, secure fit without creating pressure points
- Anatomically shaped nose piece designed for all-day wearer comfort
- Robust polycarbonate lens with uvex's proven supravision coating technology
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- Tested in accordance with STANAG 2920/4296



9190027



9198268



9269110



uvex i-3 tactical set includes

- uvex eyewear case
- uvex microfibre cloth
- uvex hang cord
- Replacement lenses in orange and 14% sun-protection in grey

uvex i-3 tactical set

| | |
|--------------------|--------------------------------|
| Art. no. | 9190027 |
| Coating | uvex supravision excellence |
| Standard | EN 166, EN 170, EN 172 |
| STANAG | 2920/4296 |
| Frame | black, anthracite, W 166 FT CE |
| Clear lens | UV400, 2C-1.2 W1 FTKN CE |
| Grey lens | UV400, 5-3.1 W1 FTKN CE |
| Orange lens | UV400, 5-1.4 W1 FTKN CE |
| Weight | 30 g |

uvex pheos cx2 tactical

| | |
|-----------------|------------------------------------|
| Art. no. | 9198268 |
| Coating | uvex supravision extreme |
| Standard | EN 166, EN 170 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Lens | PC clear, UV400, 2C-1.2 W1 FTKN CE |
| Weight | 28 g |

uvex super f OTG tactical

| | |
|-----------------|------------------------------------|
| Art. no. | 9269110 |
| Coating | uvex supravision excellence |
| Standard | EN 166, EN 170 |
| STANAG | 2920/4296 |
| Frame | black, W 166 FT CE |
| Lens | PC clear, UV400, 2C-1.2 W1 FTKN CE |
| Weight | 38 g |



HexArmor® PointGuard® Ultra 4045



60005




HexArmor® Helix® 3003



60665




SuperFabric® protection*



- SuperFabric® brand material* offers industry-leading needlestick resistance (in the reinforced areas)
- Back-of-hand knuckle padding for lightweight protection against impacts
- Silicone pattern palm grip for enhanced grip
- Neoprene cuff with hook-and-loop fastening

IR-X® Impact Exoskeleton



- Outer layer (13 gauge) made of HPPE and steel
- Flexible, roughened nitrile coating on the palm
- IR-X® Impact Exoskeleton™ for the back of the hand in high-flex design
- Reinforced thumb crotch
- Elasticated cuff with hook-and-loop fastening
- Index finger without shock protection for increased dexterity (e.g. handling a weapon)

ANSI/ISEA
Cut protection
level
A7

Puncture
protection in
accordance
with ANSI/
ISEA
3

Needlestick
protection
CLASS 2

5.284
SuperFabric®
CLASS 3
2 layers
SuperFabric®

Newton
5.284
SuperFabric®
6.9
2 layers
SuperFabric®




Puncture protection
in accordance
with
ANSI/ISEA
3



HexArmor® PointGuard® Ultra 4045

| | |
|----------|--------------------------|
| Art. no. | 60005 |
| Standard | EN 388: 2016 (4 X 2 2 F) |
| Colour | black |
| Sizes | 6/XS to 12/3XL |



HexArmor® Helix® 3003

| | |
|----------|--|
| Art. no. | 60665 |
| Standard | EN 388: 2016 (4 X 4 2 D P) EN 407 (X 1 X X X X) |
| Colour | black |
| Sizes | 7/S to 11/XXL |





Reduce injuries to a minimum

HexArmor® puncture-resistant products use several layers of SuperFabric® brand material that do not restrict mobility or breathability.

HexArmor® 2132

- Synthetic leather palm provides abrasion resistance and strong grip in dry or slightly oily situations
- Comfortable, breathable back of the hand with a neutral colouring for better camouflage
- Adjustable TPR hook-and-loop fastening for a secure fit
- Pull strap
- Touchscreen capability
- Very snug fit thanks to form-fitting, high-quality materials
- Washable/easily decontaminated



Breathable



Strong grip




Snug fit

| | HexArmor® 2132 | HexArmor® 2132 |
|----------|--------------------------|--------------------------|
| Art. no. | 60701 | 60702 |
| Standard | EN 388: 2016 (2 1 2 1 X) | EN 388: 2016 (2 1 2 1 X) |
| Colour | stealth | coyote |
| Sizes | 7/S to 12/XXL | 7/S to 12/XXL |

HexArmor® Hercules® 400R6EU

- SuperFabric®** brand materials for industry-leading cut protection
- Silicone gripping surface on the palm for improved grip
- Pre-curved shape for maximum comfort and dexterity
- Gauntlet
- Puncture protection from wires, metal, wood and glass
- Suitable for handling animals
- Washable



SuperFabric® protection*



Non-slip silicone

| | HexArmor® Hercules® 400R6EU |
|----------|-----------------------------|
| Art. no. | 60548 |
| Standard | EN 388: 2016 (4 X 3 4 F) |
| Colour | black |
| Sizes | 8/M to 12/XXL |



Stealth
60701

Coyote
60702

60548

EN 388:2016



2121X

Puncture protection in accordance with ANSI/ISEA

2

EN 388:2016



4 X 3 4 F

ANSI/ISEA Cut protection level

A9

Puncture protection in accordance with ANSI/ISEA

5

* SuperFabric® is a registered trademark of HDM, Inc.

uvex

uvex tactical

Always ready for action

uvex tactical eyewear



uvex apache spec set
9112265



uvex apache spec variomatic
9112561




uvex apache spec P1P19
9112365



uvex apache spec P1E21
9112562



uvex apache spec P1E24
9112565



uvex apache goggle set
9310265



uvex megasonic tactical
9320110



uvex i-3 tactical set
9190027



uvex pheos cx2 tactical
9198268



uvex super f OTG tactical
9269110

HexArmor® tactical gloves



HexArmor® PointGuard® Ultra
4045
60005



HexArmor® Helix® 3003
60665



HexArmor® 2132
60701



HexArmor® 2132
60702



HexArmor® Hercules®
400R6EU
60548




Protect your emergency services.
We are happy to advise you.


UVEX ARBEITSSCHUTZ GMBH


Wuerzburger Str. 181-189
90766 Fuerth
GERMANY


T: +49 911 9736 360
F: +49 911 9736 460

E: safety@uvex.de
I: uvex-safety.com

 [uvexsafetygroup](https://www.facebook.com/uvexsafetygroup)

 [uvexsafetygroup](https://twitter.com/uvexsafetygroup)

 [uvexsafety](https://www.instagram.com/uvexsafety)

 [uvexsafetygroup](https://www.youtube.com/uvexsafetygroup)

More information:



protecting people

uvex-safety.com