



protecting people

uvex-safety.co.uk

# uvex 2 Pushing the limits

#### Superior performance across all disciplines

The innovative uvex 2 safety footwear range in protection class S3 is up for the challenge: delivering optimum shock absorption, ergonomic fit, low weight and excellent climate characteristics, ensuring maximum performance and redefining the limits for safety footwear.









Highly flexible and ultra lightweight Enjoy unlimited freedom of movement, especially when kneeling, thanks to the flexible penetration resistant, metal-free midsole. The uvex 2 range is one of the lightest safety footwear ranges for robust applications in its field.



The directly moulded PU scuffcap reliably protects the upper and prevents wear and tear. The externally visible heel basket system integrated into the sole ensures sure-footedness and additional ankle protection without impairing comfort.

# uvex 2 PU/PU Sole

### Optimum Grip with every Step

- Effective ankle protection to ensure safety when working on ladders.
- Resistant to oil and petrol. Resistant to temperatures for short periods up to +120 °C.



1

Free from harmful substances that interfere with wetting agents.



Abrasion-resistant TPU sections for secure foot placement to help prevent accidents.



Rugged, self-cleaning sole ensures maximum grip for demanding applications, uneven or dirty floors (SRC labelling).

Meets ESD requirements: bleed resistance < 35 megaohm.



uvex multiple fit system allows footwear to be adapted by changing the insole creating a different fit for enhanced comfort.

uvex tune-up arch support insoles designed to increase wearer comfort by providing optimum support for the arches of the feet.

For more information contact your local uvex representative.

UVe

----

#### uvex 2 · Shoe S3L · Lace-up boot S3L

Shoe

- Hydrophobic, black leather upper
  Shock-absorbing PU sole
  Foamed polyurethane scuffcap and heel basket
  100% metal-free protective toe cap and flexible penetration resistance midsole
  Describe to the protective to a cap and flexible penetration resistance midsole

,00

100

- Breathable distance mesh lining
- ESD certified

- Sizes 35 to 40 produced using a womens' last
- Removable antistatic comfortable insole made partly from recycled materials
- · Free from harmful substances in accordance with the uvex restricted substances list

uvex 2 Art. no. Width 11 Art. no. Width 12 Art. no. Width 14 Standard EN ISO 20345:2011 Standard EN ISO 20345:2022 Upper Lining Fastening Sizes Order unit

65022 65023 65024 S3 SRC S3L FO SC SR water-repellent, full-grain smooth leather distance mesh lining elastic laces 35 to 52 (3 to 16) PR

65032 65033 65034 S3 SRC S3L FO SC SR water-repellent, full-grain smooth leather distance mesh lining shoe laces 35 to 52 (3 to 16) PR

Lace-up boot











# Arch support insoles

## uvex tune-up

Designed to increase wearer comfort by providing optimum support for the arches of the feet, helping to reduce foot fatigue. Certified for use in uvex 1 and uvex 2 safety footwear.

- Very good cushioning for comfort underfoot
- Prevents pressure points
- Breathable fabric that absorbs moisture
- Antibacterial and antistatic
- Suitable for ESD footwear
- Machine washable at 30°C (delicate wash cycle)



# Customised width fitting uvex multiple fit system

The insole changes the dimensions inside the footwear. Width10 is a thicker insole, reducing space inside the footwear for a narrower fit. Width 12 is a thinner insole increasing space inside the shoe for a wider fit.

- Full surface shock absorption
- Helps minimise potential back, knee and joint problems
- Draws sweat away from the foot
- Dries quickly



Art. no. 95347

Sizes: 3 to 15


Width fitting 11 for a standard fit

Art. no. 95348

Sizes: 3 to 15



Art. no. 95349 Sizes: 3 to 15



**Replacement insole for** 



Art. no. 95340 Sizes: 3 to 15

UVEX SAFETY (UK) LTD uvex House Farnham Trading Estate Farnham Surrey England GU9 9NW

Tel: 01252 731200 safety@uvex.co.uk uvex-safety.co.uk

### protecting people