

uvex



uvex pheos visor system

Adapts perfectly to your requirements


protecting people

uvex

uvex pheos visor system

Perfect ergonomics. Maximum functionality.

Every detail of the new pheos helmet system has been carefully thought through to deliver an advanced head protection solution. The magnetic locking system makes it even easier to attach the visor, while the ergonomic joint system makes it extremely comfortable to wear, even for long periods



Perfect “resting position” for the visor and hearing protection

The visor can be locked above the helmet shell when not required, while the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced – ensuring maximum comfort and freedom of movement. There is no unnecessary weight to strain the muscles of the neck.



Magnetic lock system
for visor and earmuffs



Comfortable to wear in every position

The joint system designed to improve the helmets ergonomics, evenly distributes the weight of all attachments across the body's centre of gravity – ensuring it can be worn without causing fatigue.

One click visor attachment system

The unique magnetic lock system means parts click together easily – the helmet does not need to be removed when attaching or changing the visor.

Adapts perfectly to your requirements due to the flexible modular system.

Whether to protect against splinters or sparks, when working with noisy machinery or at height: the uvex pheos modular system can be quickly and easily adapted to your workplace environment – interchangeable components fit perfectly into the ergonomic structure.

MADE IN GERMANY 



Extra-soft earmuffs

Extra soft memory foam ear cushions ensure ultimate wearer comfort – the uvex pheos K2H can be fitted quickly and easily using the magnetic locking system when required.



Optimal vision

The anti-fog, scratch resistant, high quality polycarbonate visor complies with the specifications of the top optical grade – and is available as a clear or tinted shade option.

Reliable face protection

The visor fits the helmet seamlessly, leaving no gaps: the injection moulded, transparent peak provides optimum protection in preventing particles penetrating the inside of the visor.



uvex pheos alpine safety helmet



The uvex pheos alpine multifunctional helmet combines the features of an industrial protection helmet with the requirements for a climbing helmet with chin straps for use in accordance with EN 12492 and EN 397.



Regardless of whether you wish to apply your company logo or require the helmets for a specific event, with the latest printing technology, we can individualise helmets with your logo. Please note a minimum order of 24 helmets required and logo supplied as an eps or ai image file.

Safety Helmets

uvex pheos



Adapter 9790.067 is required when using with uvex pheos visors

uvex pheos alpine

- Multifunctional helmet for working at heights and rescue operations
- Combination of features from the industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Options for attaching head torches, goggles and face protection
- Meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- Firmly riveted four-point chin strap for use in accordance with EN 12492
- Chin strap included for use in accordance with EN 397
- Light ABS helmet shell offers high level of protection and durability
- Six-point textile band attachment ensures optimal fit and great comfort
- Suspension harness with wheel ratchet for variable width adjustment
- Shorter brim for a wider field of upward vision
- Delivered as standard with a black PU sweatband

uvex pheos alpine							
Art. no.	9773050	9773150	9773250	9773350	9773450	9773550	9773950
Colour	White	Yellow	Orange	Red	Green	Blue	Black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	EN 12492	EN 12492	EN 12492	EN 12492	EN 12492	EN 12492	EN 12492
	-30 °C	-30 °C	-30 °C	-30 °C	-30 °C	-30 °C	-30 °C
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm

uvex pheos B-S-WR

- Safety helmet with slots for uvex visors, earmuffs and lamps
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- Three variable air vents for maximum ventilation
- Suspension harness with wheel ratchet for variable width adjustment
- Shorter brim for a wider field of upward vision
- Six-point textile band attachment ensures optimal fit and comfort



uvex pheos B-S-WR						
Art. no.	9772031	9772131	9772332	9772531	9772832	9772932
Colour	White	Yellow	Red	Blue	Dark grey	Black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm

uvex pheos E-S-WR

- Safety helmet with slots for uvex visors, earmuffs and lamps
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Suitable for use by electricians as helmet shell is fully enclosed
- Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- Suspension harness with wheel ratchet for variable width adjustment
- Shorter brim for a wider field of upward vision
- Six-point textile band attachment ensures optimal fit and comfort



uvex pheos E-S-WR							
Art. no.	9770031	9770131	9770231	9770331	9770531	9770832	9770931
Colour	White	Yellow	Orange	Red	Blue	Dark grey	Black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	EN 50365 (100 V AC)	EN 50365 (100 V AC)	EN 50365 (100 V AC)	EN 50365 (100 V AC)	EN 50365 (100 V AC)	EN 50365 (100 V AC)	EN 50365 (100 V AC)
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm

* Please note a minimum order quantity may apply on some colour options

Face Protection

uvex pheos visor system



Fog-free vision even under extreme conditions



uvex pheos visor

- Polycarbonate visors with uvex supravision excellence coating technology
- Available with two alternative mountings: mechanical levers or automatic magnetic locks
- Visors 9906002 and 9906003 are compatible with the uvex pheos E-S-WR and uvex pheos B-S-WR safety helmets, as well as with the uvex pheos alpine safety helmet for working at heights (the visor adapter art. no. 9790067 is required for combination with the uvex pheos alpine safety helmet)
- Visors uvex pheos SLB 1 and uvex pheos SLB 2 can be combined with the uvex pheos E-S-WR safety helmet
- Visor 9906002 can be combined with earmuffs uvex pheos K2H (mechanical), art. no. 2600204
- Visor 9906003 can be combined with earmuffs uvex pheos K2H magnet, art.no. 2600205
- Lenses can be changed
- Meets standards EN 166 and EN 170, and also certified for areas of application 3 (liquids) and 9 (molten metal and hot solids)
- uvex pheos SLB 1 (art. no. 9906005 and art. no. 9906006) visors are certified in accordance with GS-ET 29 as Class 1 visors for protection from electrical arcs (4 kA)
- uvex pheos SLB 2 (art. no. 9906007 and art. no. 9906008) visors are certified in accordance with GS-ET 29 as Class 2 visors for protection from electrical arcs (7 kA)

	uvex pheos	uvex pheos magnetic
Art. no.	9906002	9906003
Version	uvex supravision excellence with mechanical levers	uvex supravision excellence with magnetic levers
Standard	EN 166, EN 170	EN 166, EN 170
Frame	Black	Black
	W 166 3 8-2 9 B CE 0196	W 166 3 8-2 9 B CE 0196
Lens	PC clear	PC clear
	UV 400	UV 400
	2C-1.2 W 1 B 9 KN CE 0196	2C-1.2 W 1 B 9 KN CE 0196
Retail unit	1	1

	uvex pheos SLB 1	uvex pheos SLB 1 magnetic
Art. no.	9906005	9906006
Version	uvex supravision excellence Certified as Class 1 visor for protection from electrical arcs, with mechanical levers	uvex supravision excellence Certified as Class 1 visor for protection from electrical arcs, with magnetic levers
Standard	EN 166, EN 170	EN 166, EN 170
Frame	Black	Black
	W 166 3 8-2 9 B CE 0196	W 166 3 8-2 9 B CE 0196
Lens	PC clear	PC clear
	UV 400	UV 400
	2C-1.2 W 1 B 8-1-0 9 KN CE 0196	2C-1.2 W 1 B 8-1-0 9 KN CE 0196
Retail unit	1	1

	uvex pheos SLB 2	uvex pheos SLB 2 magnetic
Art. no.	9906007	9906008
Version	uvex supravision excellence Certified as Class 2 visor for protection from electrical arcs with mechanical levers and chin protection	uvex supravision excellence Certified as Class 2 visor for protection from electrical arcs with magnetic levers and chin protection
Standard	EN 166, EN 170	EN 166, EN 170
Frame	Black	Black
	W 166 3 8-2 9 B CE 0196	W 166 3 8-2 9 B CE 0196
Lens	PC blue	PC blue
	UV 400	UV 400
	2C-1.2 W 1 B 8-2-0 9 KN CE 0196	2C-1.2 W 1 B 8-2-0 9 KN CE 0196
Retail unit	1	1



uvex visor system at a glance

The following uvex helmet and pheos visor combinations are possible:

Visor		Helmet		Earmuff
<p>uvex pheos visor 9906002 (mechanical)</p>	<p>uvex pheos B-S-WR in all available colours</p>	<p>uvex pheos E-S-WR in all available colours</p>	<p>uvex pheos alpine in all available colours (plus adapter 9790.067)</p>	<p>uvex pheos K2P 2600214</p>
<p>uvex pheos visor 9906003 (magnetic)</p>	<p>uvex pheos B-S-WR in all available colours</p>	<p>uvex pheos E-S-WR in all available colours</p>	<p>uvex pheos alpine in all available colours (plus adapter 9790.067)</p>	<p>uvex pheos K2P magnet 2600215</p>
<p>Class 1 protection from electrical arcs (4 kA)</p> <p>uvex pheos visor 9906005 (mechanical)</p>		<p>uvex pheos E-S-WR in all available colours</p>		<p>uvex pheos K2P 2600214</p>
<p>Class 1 protection from electrical arcs (4 kA)</p> <p>uvex pheos visor 9906006 (magnetic)</p>		<p>uvex pheos E-S-WR in all available colours</p>		<p>uvex pheos K2P magnet 2600215</p>
<p>Class 2 protection from electrical arcs (7 kA)</p> <p>uvex pheos visor 9906007 (mechanical)</p>		<p>uvex pheos E-S-WR in all available colours</p>		<p>uvex pheos K2P 2600214</p>
<p>Class 2 protection from electrical arcs (7 kA)</p> <p>uvex pheos visor 9906008 (magnetic)</p>		<p>uvex pheos E-S-WR in all available colours</p>		<p>uvex pheos K2P magnet 2600215</p>



uvex pheos K2P

- Manual helmet connection for combining with uvex pheos helmet system
- Dielectric
- Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods
- 360° rotation for standby and resting positions
- Compatible only with uvex pheos visor 9906002, 9906005, 9906007

uvex pheos K2P

Art. no.	2600214
Design	Helmet visor system ear muff - mechanical connection
SNR	30 dB
Colour	Black/yellow
Packaging	1 pair



uvex pheos K2P magnet

- Magnetic helmet connection for combining with uvex pheos helmet system
- Dielectric
- Wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods
- 360° rotation for standby and resting positions
- Compatible only with uvex pheos visor 9906003, 9906006, 9906008

uvex pheos K2P

Art. no.	2600215
Design	Helmet visor system ear muff - magnetic connection
SNR	30 dB
Colour	Black/yellow
Packaging	1 pair



UVEX SAFETY (UK) Ltd
uvex House
Farnham Trading Estate
Farnham
Surrey
GU9 9NW

T: 01252 731200
F: 01252 733968
E: safety@uvex.co.uk
I: uvex-safety.co.uk