

uvex

uvex prescription
safety eyewear
2026

protecting people

Working together for a safer future

Ordering and dispensing prescription safety eyewear is simple with uvex.



Our in-house experts collaborate with your organisation, the optician and the distribution partner to ensure every pair of glasses meets both safety standards and the unique vision requirements of each wearer. The outcome is comfortable, compliant eyewear that not only protects your workforce but also supports overall productivity.



Why partner with uvex?

- ✓ 100 years of expertise in safety eyewear
- ✓ Suitable for businesses of any size
- ✓ Produced by uvex and trusted partners, ensuring consistent quality and faster lead times
- ✓ Streamlined process – simple, efficient, and hassle-free
- ✓ Lenses powered by Essilor, a world-leading lens technology provider
- ✓ Simplified administration – orders stored in a secure database for easy access and full traceability
- ✓ Smart online ordering – fast, paperless, and fully trackable
- ✓ No prepaid vouchers required – invoicing through your existing PPE supplier
- ✓ Faster turnaround, especially when working with an optician also active on the portal
- ✓ Rapid delivery – 86% of jobs delivered within 5 working days




Table of contents

| | |
|---|----|
| uvex prescription online ordering: process overview | 4 |
| Safety prescription eyewear and VDU glasses | 5 |
| The importance of safety prescription eyewear | 6 |
| Why choosing the right lens matters for impact protection | 7 |
| Selecting the ideal lens for your work | 8 |
| Finding the best progressive lens | 9 |
| Lens coatings and their benefits | 10 |
| What's the difference between a tint and a photochromic lens? | 12 |
| Understanding eyewear standards and their markings | 14 |
| Information for wearers | 18 |
| Information for Authorising Officers | 20 |
| uvex RX bc metal frames | 22 |
| uvex RX bc plastic frames | 25 |
| uvex RX cd frames | 27 |
| uvex RX sp frames | 32 |
| Prescription safety inserts uvex RX cf | 33 |
| Self-contained Breathing Apparatus inserts | 34 |
| uvex i-3 add - safety spectacles with integrated dioptr | 35 |
| uvex VDU spectacles | 36 |
| Sustainability at uvex safety | 39 |

uvex prescription online ordering:

process overview



Protect vision at work

with prescription safety eyewear and VDU glasses

Our eyes are invaluable, yet in 2024, there were more than **57,000 emergency hospital visits** due to workplace-related eye injuries, based on NHS FOI data*. Whether in industrial settings or working long hours at a computer, our specialist eyewear solutions are designed to safeguard your vision and promote long-term eye health.



Legal obligations for employers

Employers are required to protect employee eye health under The Health and Safety at Work Act 1974, section 2.1 "It shall be the duty of every employer to ensure, so far as is reasonably practicable, the health, safety and welfare at work of all his employees.". This includes providing appropriate personal protective equipment, such as prescription safety glasses when necessary, and offering sufficient information, instruction, and training on PPE use.

For employees using Visual Display Units (VDU's), employers must cover the cost of eye tests and provide glasses if they are needed exclusively for screen work. [Source: hse.gov.uk].



*Source: Revealed: The growing crisis of workplace-related eye injuries | Eye News

**UK workplace eye health neglected, new survey finds uvex provides both safety prescription glasses and Visual Display Unit (VDU) glasses.

Are you protected?

Standard high street prescription glasses are not suitable as safety glasses because they lack the necessary impact resistance and coverage. This shortfall is due to differences in both lens material and frame design:

Lens material



Most high street glasses use CR39 plastic lenses, offering good clarity but limited impact resistance. Safety eyewear typically uses polycarbonate lenses, which are more impact-resistant and shatterproof.

Protective features



Safety prescription glasses are built with side shields, wraparound frames, and additional coverage from multiple angles to protect against hazards like splashes, dust, flying debris, gas, vapour, and radiation.

Compliance



Safety eyewear must meet standards such as EN 166 or EN ISO 16321-1, certifying them for use in industrial and hazardous environments. **High street glasses are not tested to these standards.**

Safety prescription glasses

Built for protection. Tailored for you.

- ✓ **Impact-resistant** lenses to shield against flying debris and hazardous materials
- ✓ **Durable frames** for industrial settings
- ✓ **Compliant** with UK safety standards (EN 166 and EN ISO 12312-1)
- ✓ **Comfort-fit designs** for extended wear
- ✓ **Anti-reflective coatings** to reduce glare and eye strain
- ✓ **Prescription options** to suit individual vision needs.

VDU glasses

Support for your eyes during screen time.

- ✓ **Lightweight frames** for comfort during long hours
- ✓ **Custom prescriptions** for optimal screen viewing
- ✓ **Anti-reflective coatings** to reduce glare and eye strain.

“65% of office workers suffer from digital eye strain symptoms*”

“Eye injuries cost the UK economy an estimated **£25 billion** annually”

[source: eyenews.uk.com]

*UK nationwide survey commissioned by NuVision Biotherapies and conducted by Leadership Factor Research

Impact protection

starts with choosing the appropriate lens material



Why CR39 is suitable for everyday eyewear and low risk settings

Outstanding optical clarity

CR39 delivers superior visual quality, making it a popular choice for high street eyewear and prescriptions that require precision.

Lightweight comfort

Its organic composition ensures a light, comfortable fit for all-day wear, ideal for office work or VDU users.

Cost-effective and versatile

CR39 offers excellent value without compromising on quality, making it a go-to material for non-industrial environments. If you require impact protection of a minimum of 45 m/s CR39 will not be a suitable solution.

! Some lenses may show an “S” marking under EN 166, indicating only a basic drop-ball test. This test is removed under the updated EN ISO 16321-1 standard.

Why choose polycarbonate lenses for safety prescription eyewear?

Exceptional impact protection

Polycarbonate is an advanced organic material with outstanding breaking strength, delivering superior impact resistance to keep eyes safe in demanding environments.

Lightweight and comfortable

Up to 25% thinner and lighter than traditional plastic or glass lenses, reducing weight for all-day comfort without compromising durability.

Enhanced durability

When paired with a scratch-resistant coating, polycarbonate lenses maintain clarity and longevity, even in tough working conditions.

Compliance and future-ready

Meets current EN 166 safety standards and aligns with the EN ISO 16321-1 update (November 2025), ensuring your eyewear remains compliant and future-proof.

Transition from EN 166 to EN ISO 16321-1

Safety eyewear markings are evolving. Impact strength is still assessed under EN 166, but the updated EN ISO 16321-1 standard is now in effect. This new standard introduces changes to impact speed thresholds, letter designations, and coverage requirements.

What does this mean for you?

- ✓ EN 166-certified products remain valid until their certificate expires, up to a maximum of five years.
- ✓ Any products certified or recertified to EN 166 by 11 November 2025 can continue to be sold legally until 11 November 2030.
- ✓ Prescription safety glasses and goggles will still display their tested impact resistance markings.

For more information about the new standard including impact tests and orbital protection zones visit www.uvex-safety.co.uk/en-iso-16321-1-2022

Find your perfect lens type

Choosing the right lens makes all the difference to comfort, clarity, productivity and wellbeing. uvex offers solutions for all needs, including single vision, bifocal, varifocal, and specialised VDU lenses.



Single vision lenses

- ✓ Provide a consistent prescription across the lens. Suitable for distance or near vision.
- ✓ Are ideal for first-time prescription eyewear users.
- ✓ Offer clear and sharp focus.
- ✓ Are suitable for reading or general tasks.




Bifocal lenses

- ✓ Combine two prescriptions in one lens – distance at the top, near vision at the bottom.
- ✓ Allow seamless switching between tasks requiring different focal lengths.
- ✓ This means there is no need to change glasses between activities.
- ✓ Are practical for industrial and office.



Varifocal (progressive) lenses

- ✓ Offer a smooth transition between distance, intermediate, and near vision zones without visible lines.
- ✓ Are suitable for those needing an all-in-one solution for various vision needs.
- ✓ Provide uninterrupted clarity at every distance, especially in dynamic work settings.



Occupational (VDU) lenses

- ✓ Designed for screen work, offering a wide intermediate zone for computer use and a comfortable near zone for reading.
- ✓ Reduce eye strain from extended screen use.
- ✓ Enhance posture and ergonomic comfort.
- ✓ Boost productivity for those working long hours at a VDU.

Which progressive lens is right for you?

Progressive lenses (also called varifocals) provide a seamless transition between near, intermediate, and distance vision – without any visible lines like bifocals.

GOOD

Quadro Progressive
Lens

Affordable, precise and comfortable.

- ✓ Wide fields of vision for everyday tasks.
- ✓ Smooth reading transition through presbyopia stages (near, intermediate, and distance).
- ✓ Comfortable reading zone for quick adaptation.
- ✓ Digital surfacing technology for sharper vision and personalised fit.
- ✓ Custom fit based on eye curvature, frame shape, and prescription.
- ✓ Improved peripheral vision with reduced distortion.

Ideal for: Cost-conscious users who want advanced technology and reliable comfort.

BETTER

Varilux®
Comfort Max

Enhanced comfort and flexibility.

- ✓ Sharp vision at all distances (near, intermediate, and distance).
- ✓ Wider reading and peripheral zones for less distortion.
- ✓ Improved posture flexibility for all-day comfort.
- ✓ Extra visual sharpness and contrast for detail clarity.
- ✓ Easy adaptation for new varifocal wearers.

Ideal for: Users seeking superior comfort and wider vision zones for daily activities.

BEST

Varilux® Physio®
Extensee™

Premium personalisation for ultimate clarity.

- ✓ High visual quality in all light conditions.
- ✓ Extra visual sharpness and contrast - even in low light.
- ✓ Wide field of vision with seamless transitions through presbyopia stages (near, intermediate, and distance).
- ✓ Tailored to your eye anatomy, posture and visual behaviour making long tasks more comfortable.
- ✓ High quality of vision and comfort for near vision tasks.

Ideal for: Users who demand the highest level of clarity, comfort and customisation.

| Feature | Good ★ | Better ★★ | Best ★★★ |
|-------------------------------------|-----------|--------------|-------------|
| Wide fields of vision | ✓ | ✓ | ✓ |
| Comfortable reading zone | ✓ | ✓ | ✓ |
| Digital surfacing precision | ✓ | ✓ | ✓ |
| Wider reading and peripheral zones | | ✓ | ✓ |
| Improved posture flexibility | | ✓ | ✓ |
| Extra sharpness and contrast | | ✓ | ✓ |
| Low-light visual performance | | | ✓ |
| Tailored to eye anatomy and posture | | | ✓ |
| Premium customisation | | | ✓ |

Tip for managers:

Choose based on task demands, budget, and wearer comfort needs.

For high-precision work or extended near-vision tasks, Best is recommended.

Lens coatings and their benefits

uvex provides three advanced coatings to enhance your prescription eyewear:

- ✓ Hard scratch-resistant coating - comes as standard
- ✓ Optional extras that come with a charge:
 - Hard anti-reflective coating
 - Optifog: anti-fog coating



Hard scratch-resistant coating – built to last

All uvex prescription eyewear is equipped with a durable, scratch-resistant coating as a standard feature.

Daily use exposes lenses to dust, cleaning cloths, and hard surfaces, which can cause scratches. Even minor abrasions reduce clarity and increase eye strain.

The scratch-resistant coating provides a robust protective layer, helping to preserve lens transparency and maintain its appearance over time.

Benefits to the wearer:

- ✓ **Longer lens life:** reducing the frequency of replacements.
- ✓ **Consistent optical clarity:** minimising visual interference from scratches.
- ✓ **Better value:** protects your investment in high-quality eyewear.



Anti-reflective coating – clear vision, no distractions


Over 80% of spectacle wearers experience reflections indoors and outdoors, reducing clarity and causing eye fatigue. To prevent this, multiple metal oxide layers are applied to both lens surfaces, minimising reflections and improving comfort.

Why upgrade to anti-reflective lenses?

This coating is especially beneficial for individuals working with visual display units (VDUs), as it enhances visual performance and alleviates eye.

Benefits to the wearer:

- ✓ **Better visual clarity:** sharper, more accurate vision.
- ✓ **Improved contrast:** colours and details appear more defined.
- ✓ **Better visual comfort:** less glare and distraction.
- ✓ **Reduced eye strain:** especially during long screen use or reading.
- ✓ **Reduced glare at night:** clearer vision in poorly lit environments and when driving.





OPTIFOGL®

The long-lasting anti-fog solution



The Optifog system uses two advanced technologies that help keep your lenses fog-free, even in challenging conditions.

How does Optifog work?

Optifog lens treatment

- ✓ A unique anti-fog layer is applied to both the front and back of the lens.
- ✓ This treatment not only repels fog, it also offers protection against scratches and reflections for lasting visual comfort.

Optifog cloth

- ✓ The specially engineered cloth contains anti-fog molecules that activate the lens treatment.
- ✓ Wiping your lenses with this cloth distributes moisture evenly, forming an invisible, fog-resistant layer.
- ✓ The cloth also serves as a daily maintenance tool to keep your lenses in good condition.

Who can benefit?

- ✓ **At work:** Professionals moving between hot and cold environments or wearing masks and helmets, such as healthcare workers, cooks, delivery drivers, and construction workers.
- ✓ **During leisure:** Runners, cyclists, hikers, skiers, and anyone active outdoors.
- ✓ **In daily life:** Anyone wearing a mask or facing fog issues when cooking, drinking hot beverages, or moving between temperature changes.

Additional benefits:



- ✓ **Fog resistance:** fog-free, clear vision in demanding conditions.



- ✓ **Scratch resistant coating:** durable lenses to maintain clear vision.



- ✓ **UV protection:** shields from UVA and UVB rays to 385 nm.



- ✓ **Reduced glare:** fewer reflections for better clarity and aesthetics.



- ✓ **Dust repellence:** keeps lenses cleaner for longer.




What's the difference between a tint and a photochromic lens?

Lens performance can vary under different lighting conditions. Understanding the differences helps you choose the right solution for your environment and tasks.

Tinted lenses

Tinted lenses feature a fixed colour and shade that provide reliable glare reduction in environments with intense light, such as bright sunlight or reflective surfaces.



Tint levels from dark to light: LTF 15%, LTF 25%, LFT 38%, LFT 82%*

- ✓ Maintain a consistent level of shading or colour, regardless of changing light conditions.
- ✓ Ideal for reducing glare and enhancing contrast in specific settings (commonly grey or brown tints).
- ✓ Do not adapt when moving between indoor and outdoor environments.
- ✓ Available in brown and grey, with tint levels offered by uvex.

Photochromic lenses


Photochromic lenses automatically adjust to changing light levels.

Often referred to as brand names Reactalight or Transitions®, these lenses darken when exposed to UV light and return to a clear or lighter state indoors.

- ✓ React to UV light, darkening outdoors and clearing indoors
- ✓ Provide adaptive protection in varying light conditions
- ✓ Available from uvex with tinting between approximately 8% and 80%, in colour brown and polycarbonate lens material only

Why choose Transitions® lenses

- ✓ **Convenience:** one pair for indoor and outdoor use
- ✓ **Comfort:** reduces glare and eye strain
- ✓ **Protection:** blocks 100% UVA and UVB rays



*LTF - light transition factor a measurement indicating how much light passes through the tinted lens.

Transitions® Gen:S

uvex offers Transitions® Generation S lenses for both safety and VDU frames, engineered to adapt quickly to changing light levels for maximum comfort and protection.



What are Transitions® lenses?

Transitions lenses automatically adjust their tint according to the light. Indoors, they remain clear; outdoors, they darken to protect against bright sunlight. This eliminates the need for separate sunglasses - one pair does both jobs.



How fast do they change?



From light to dark:



- ✓ Begins to darken in 2 seconds
- ✓ Medium tint in 7 seconds
- ✓ Fully dark (sun lens level) in 25 seconds

From dark to light



- ✓ Back to medium tint in 7 seconds
- ✓ Almost clear in under 45 seconds
- ✓ Fully clear in about 2 minutes



Effortless vision



Fully clear indoors



Blocks 100% UVA and UVB rays



Darkens in seconds



Fast activation and fadeback

New standard for safety eyewear

EN ISO 16321

EN ISO 16321 – understanding the new standard and what it means for prescription safety spectacles

For more than 20 years, the EN 166 standard has defined all of the requirements and standards for safety eyewear within the European Union and the United Kingdom. EN 166 is now being replaced by EN ISO 16321. The new standard contains a range of international standards that will entail some significant changes to product requirements and test methods. **As a result, new certificates will be required for all prescription safety spectacles in accordance with EN ISO 16321. Existing EN 166 certificates will remain valid until their stated expiry date, after which replacement certificates must be issued under the EN ISO 16321 standard.**

The most important changes at a glance:

- ✓ New test heads and coverage areas have been defined, and certification of different head sizes (S, M, L) is now also permitted.
- ✓ EN ISO 16321 includes EN ISO 16321-1 (general requirements; optical clarity, frame integrity, UV, sunglare and IR filters), EN ISO 16321-2 (welding protection filters).
- ✓ The certification of all prescription safety spectacles (frames/lenses) will be updated. Revised impact speed categories and markings have also been introduced. These updated impact thresholds are detailed opposite.

Markings on lenses in accordance with EN ISO 16321



Mechanical strength

| | |
|-------------|--|
| None | Drop ball test in accordance with EN ISO 16321 (basic requirement) |
| C | Low-energy impact (45 m/s or 162 km/h) |
| D | Medium-energy impact (80 m/s or 288 km/h) |
| T* | Tested under extreme temperatures (-5°C/+55°C) |

Filter

| | |
|-----------|--|
| U | UV protection filter |
| UL | UV protection filter with colour recognition |
| G | Sunglare filter (variomatic) |

Tinting level Marking

| Tinting level Marking | Light transmittance | Tints |
|--------------------------|------------------------|---------------------------|
| UL1.2 | 74.4–100% | Clear |
| G1-3 | | Self-tinting (variomatic) |



If protection is needed against high-speed particles at extreme temperatures (-5°C to $+55^{\circ}\text{C}$), safety eyewear must carry the letter 'T' following the mechanical strength rating (e.g. CT or DT). This marking confirms that the product has been tested for such conditions. If the 'T' marking is absent, the eyewear is only suitable for high-speed particle protection at normal ambient temperatures.

Additionally, if the **lens and frame carry different mechanical strength ratings** (such as C or D), the **lower rating applies to the entire eyewear**. This ensures that the weakest component does not compromise overall protection.

Markings on frames in accordance with EN ISO 16321



16321 W 34 CT 1-M CE MM/JJJJ

- Production date
- Conformity mark
- Head size
- Mechanical strength
- Additional marking
- Manufacturer identification mark
- Standard

Additional markings*

| | |
|---|--|
| 3 | Protection against liquids (drops and splashes) |
| 4 | Protection against large dust particles with a grain size of $> 5 \mu\text{m}$ |

Mechanical strength

| | |
|-------------|--|
| None | Drop ball test in accordance with EN ISO 16321 (basic requirement) |
| C | Low-energy impact (45 m/s or 162 km/h) |
| D | Medium-energy impact (80 m/s or 288 km/h) |
| T* | Tested under extreme temperatures ($-5^{\circ}\text{C}/+55^{\circ}\text{C}$) |

Head sizes

| | |
|------------|---------------------------------------|
| 1-S | Small, European test head |
| 1-M | Medium, European test head (standard) |
| 1-L | Large, European test head |
| 2-S | Small, Asian test head |
| 2-M | Medium, Asian test head |
| 2-L | Large, Asian test head |

Where no head size is stated, the head form will be Medium.

Certifications and markings in accordance with EN 166

Individually manufactured uvex prescription safety spectacles are tested and certified by independent testing institutes at regular intervals according to the requirements of the current standard.


Frame and lenses are permanently marked and if the markings on the lens and frame are different, the lower mechanical strength applies to the entire eye protection device. According to the PPE regulation, uvex prescription safety spectacles must be marked with the factory symbol and production date.



Markings on lenses in accordance with EN 166



Markings on frames in accordance with EN 166



Mechanical strength

| | |
|-----------|--|
| S | Increased strength - drop ball test |
| F | Low-energy impact (45 m/s or 162 km/h) |
| B | Medium-energy impact (120 m/s or 432 km/h) |
| T* | Tested under extreme temperatures (-5°C/+55°C) |

| Filter Marking | Light transmittance | Tint |
|---------------------|---------------------|---------------------------|
| 1.2 | 74.4-100% | Clear |
| 1.1 < 3.1 | | Self-tinting (variomatic) |

| Filter | |
|-----------|---|
| 2 | UV protection filter (EN 170) |
| 2C | UV protection filter with colour recognition (EN 170) |
| 5 | Sunglare filter for industrial use (EN 172) |

Mechanical strength


| | |
|-----------|--|
| S | Increased strength - drop ball test |
| F | Low-energy impact (45 m/s or 162 km/h) |
| B | Medium-energy impact (120 m/s or 432 km/h) |
| T* | Tested under extreme temperatures (-5°C/+55°C) |

Additional markings*

| | |
|-------------|---|
| None | General use |
| 3 | Protection against liquids (drops and splashes) |
| 4 | Protection against large dust particles with a grain size of > 5 µm |

* optional

How safety eyewear should fit for maximum comfort and protection



Information for wearers

Together with your manager or health and safety representative, you have confirmed that either safety prescription eyewear or standard prescription eyewear is necessary for your wellbeing at work. If safety prescription eyewear is required, refer to page 6 for details on why everyday high-street glasses are unsuitable for industrial environments. Having safety prescription glasses for work ensures your own prescription glasses remain in good condition for private use while providing the necessary protection for your eyesight in the workplace.



Step 1.

After consulting with your authorising officer, ensure you have a copy of the order form before visiting the optician.



Step 3.

At the optician's, you will either have an eye examination or provide a recent prescription.



Step 5.

The frames available for selection will be pre-chosen based on your company's hazards, risk assessment or budget.



Step 7.

Production typically takes up to 7 to 10 working days. When your glasses are ready, you will return for a dispensing appointment, during which the optician will:

- ✓ Check the glasses/lenses meet your specifications
- ✓ Adjust them for comfort and fit
- ✓ Provide care and maintenance instructions
- ✓ Answer any questions you may have

The process

Step 2.

Confirm with your authorising officer which opticians are approved for you to visit. You should make an appointment with the optician before you visit.



Step 4.

Choose a frame that fits your facial features and size, ensuring minimal gaps for comfort, protection and appearance.



Step 6.

Once your frame is selected, the optician will coordinate with uvex to manufacture your glasses.



Frequently asked questions:

How do I get my spectacles?

Go to your authorising officer or line manager, who will generate an online order via the portal. Take this form to your approved optician, who will carry out an eye test if required, or you can provide a prescription from within the last two years. The optician will then place the order for your spectacles.

Which optician do I go to?

Your company may assign a specific optician, which will be listed on the form under "Optician Name". Please check with your authorising officer if you are unsure. If no designated optician is specified, you can use the uvex optician locator at www.uvex-safety.co.uk/en/buy/optician-locator/ to find an approved optician local to you.

How do I choose a frame?

Your company may have specified certain frame options. These will be listed on the form under "pre-approved frames".

What happens if the frame isn't at the opticians to try on?

If your nominated optician does not have the required frame in store, uvex can arrange for a sample frame to be delivered to them for fitting purposes.



What if I have recently had an eye test?

You can take this prescription to the optician along with the uvex form. The optician will complete the form with your details and order the new spectacles as normal. Please note that an eye test is valid for two years.

Do I have to pay for my eye test and claim it back from my company?

If your company covers the cost of your eye test, uvex can arrange payment to the optician on your behalf and then invoice your company. This ensures no payment is required at the optician.

Information for Authorising officers



Prescription ordering system

Your company has decided to use uvex for its prescription eyewear.

uvex has streamlined the ordering process for safety prescription eyewear through its dedicated online platform. The intuitive system displays pre-approved frame and lens options, supports straightforward order placement, and enables employees to arrange eye examinations with the chosen optician.

The digital platform is suitable for organisations of all sizes, including those operating across multiple locations. Each person responsible for managing prescription eyewear, including authorising officers, can maintain an individual account with secure password protection.

What are the benefits?

- ✓ Suitable for organisations of any size.
- ✓ The spectacles are produced by uvex, helping to reduce costs and speed up delivery.
- ✓ No prepaid vouchers required. Each frame is invoiced individually through your existing uvex distribution partner, removing the need to open a new account or manage voucher purchases.
- ✓ Lead times may be shorter, particularly when working with opticians who also use the portal.
- ✓ Reduced administration. Orders are stored in a secure, central database that you can access at any time for convenient tracking and traceability.
- ✓ uvex also offers personalised training to ensure authorising officers are comfortable with the portal.

How to order online

Step 1.

The system is preconfigured with lens and frame selections agreed during the meeting with your uvex PPE Solutions Specialist.



Step 3.

Orders can be submitted quickly and efficiently through a streamlined process.



Step 5.

User reports can be generated to support tracking and monitoring, or to serve as documentation for H&S or ISO 9001 compliance.



Step 2.

A secure login and password will be emailed to you, providing immediate access to place orders.



Step 4.

Order statuses are available at any time, allowing you to track progress with ease.



Process for employees

Once you create an order in the system, you have two options:

1. Print the form and give it to the employee to take to their optician.
2. Email the form to an off-site employee, who can print it and take it to their appointment.

The employee then visits the optician for a sight test and/or to choose a frame. If the optician does not have the required frames in stock, they can request a sample from uvex, which will be shipped to them. This typically takes a few days.

After collecting all necessary details, the optician enters the information into their version of the portal and submits it directly to uvex.

uvex then manufactures the spectacles and sends them back to the optician for dispensing. The optician will call the employee directly to arrange collection and final fitting.



Frequently asked questions:

How does my company's preferred optician access the portal?

The opticians' portal is a free optional service that any optician can register for quickly. We work closely with opticians to help them use the system, providing a more efficient and streamlined ordering process.

What is the benefit of a designated optician?

uvex will provide your designated optician with the appropriate frames, as agreed with your uvex PPE Solutions Specialist. This enables employees to try on frames for style and fit. Each frame must be measured on the individual's face to ensure ocular precision and accurate lens positioning.

How can my company set up a designated optician?

In many cases, the company Safety Officer or Occupational Health Nurse will arrange appointments with a local optician. If this is not in place, uvex provides an optician locator on its website to help you find approved opticians near you or your business. www.uvex-safety.co.uk/en/buy/optician-locator/

Prescription safety spectacles

uvex RX bc metal frames



Coming soon

uvex RX bc
5114



- ✓ Metal frame in a timeless design
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose pads and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|-------------------------|
| 6109121 | Anthracite | 51 mm | 20 mm | W U1,2 G0 CT 1-S/1-M CE |

Coming soon

uvex RX bc
5113



- ✓ Classic, square metal frame
- ✓ Striking side arm design
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose pads and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|-------------------------|
| 6109119 | Dark blue | 54 mm | 19 mm | W U1,2 G0 CT 1-S/1-M CE |
| 6109120 | Anthracite | 56 mm | 19 mm | W U1,2 G0 CT 1-M/1-L CE |

Coming
soonuvex RX bc
5112

- ✓ Metal frame with double bridge
- ✓ Striking side arm design
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose pads and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|-------------------------|
| 6109117 | Dark green | 53 mm | 17 mm | W U1,2 G0 CT 1-S/1-M CE |
| 6109118 | Dark brown | 55 mm | 17 mm | W U1,2 G0 CT 1-M/1-L CE |

uvex RX bc
5111

- ✓ Large metal frame in a retro design featuring a double bridge
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose pads and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109116 | Silver | 57 mm | 19 mm | W 166 FT CE |

uvex RX bc
5110

- ✓ Classic, square metal frame
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose pads and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|-------------------|---------------|--------------|----------------|
| 6109115 | Grey, translucent | 55 mm | 17 mm | W 166 FT CE |

uvex RX bc
5109

- ✓ Modern, rounded metal frame
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose pads and ear-pieces ensure an exceptional fit
- ✓ Designed for smaller facial features

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109114 | Gold | 50 mm | 19 mm | W 166 FT CE |

**uvex RX bc
5108**

- ✓ Slim, expressive metal frame
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose bridge and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109113 | Steel blue | 56 mm | 19 mm | W 166 FT CE |

**uvex RX bc
5102**

- ✓ Fashionable, aviator-style metal frame
- ✓ Transparent side shields
- ✓ Anatomically adjustable nose bridge and ear-pieces ensure an exceptional fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|----------------|---------------|--------------|----------------|
| 6109101 | Gunmetal, matt | 53 mm | 20 mm | W 166 FT CE |

Did you know**Prescription eyewear is often referred to as RX.**

RX comes from the Latin word *recipe*, meaning “take” or “take thou”. Early physicians wrote *recipe* at the top of a prescription to instruct the apothecary to take certain ingredients and prepare the medicine.

Over time, the word was shortened to an R with a line through it, which evolved into the symbol we now write as RX.



Prescription safety spectacles

uvex RX bc plastic frames



Coming
soon

uvex RX bc
5527



- ✓ Plastic frame in a retro design
- ✓ Transparent frame with accent colour for an unrestricted field of vision
- ✓ Good fit thanks to anatomically shaped nose area
- ✓ Completely metal-free
- ✓ Visit uvex-safety.co.uk for CO₂ footprint calculation



| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|------------------------|
| 6109262 | Aubergine | 53 mm | 18 mm | W U1,2 G0 C 1-S/1-M CE |
| 6109263 | Graphite | 53 mm | 18 mm | W U1,2 G0 C 1-M/1-L CE |
| 6109264 | Grey | 57 mm | 18 mm | W U1,2 G0 C 1-S/1-M CE |
| 6109265 | Graphite | 57 mm | 18 mm | W U1,2 G0 C 1-M/1-L CE |

Coming
soonuvex RX bc
5523

- ✓ Round plastic frame with metal arms
- ✓ Transparent side shields
- ✓ Good fit with anatomically shaped nose bridge and easily adjustable earpieces

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|-------------------|---------------|--------------|-------------------------|
| 6109252 | Grey, translucent | 49 mm | 20 mm | W U1,2 G0 CT 1-S/1-M CE |
| 6109253 | Green, grey | 49 mm | 20 mm | W U1,2 G0 CT 1-M/1-L CE |

While
stocks lastuvex RX bc
5506

- ✓ Comfortable plastic frame
- ✓ Side shields and integrated brow guard frame design
- ✓ Good fit with anatomically shaped nose bridge

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109210 | Light grey | 56 mm | 18 mm | W 166 F CE |

uvex RX bc
5502

- ✓ Close-fitting plastic frames
- ✓ Side shields and integrated brow guard frame design
- ✓ Specially shaped frames provide protection against particles from below
- ✓ Good fit with anatomically shaped nose bridge
- ✓ Individually adjustable side arms with four different lengths and adjustable soft-form comfort ear pieces

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6108215 | Grey | 56 mm | 15 mm | W 166 F CE |

Prescription safety spectacles

uvex RX cd frames



uvex RX cd
5521
planet



- ✓ Stylish plastic frame with reflective uvex logo
- ✓ Transparent lens frame for an unrestricted field of view
- ✓ Anatomically shaped nose bridge
- ✓ Sporty arms made from a combination of soft and hard components to ensure increased comfort and non-slip fit
- ✓ The hard components of the frame consist of 38% bio-based plastic
- ✓ Visit uvex-safety.co.uk for CO₂ footprint calculation



| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|------------------|---------------|--------------|----------------|
| 6109257 | Anthracite, jade | 54 mm | 22 mm | W 166 F CE |

uvex RX cd
5521



- ✓ Stylish plastic frame with reflective uvex logo
- ✓ Transparent lens frame for an unrestricted field of view
- ✓ Anatomically shaped nose bridge
- ✓ Sporty arms made from a combination of soft and hard components to ensure increased comfort and non-slip fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|--------------------|---------------|--------------|----------------|
| 6109249 | Silver, anthracite | 54 mm | 22 mm | W 166 F CE |

uvex RX cd

5525 and 5526



Coming soon

uvex RX cd
5525

uvex RX cd
5526



- ✓ Plastic frame in a sporty design
- ✓ Transparent lens carrier for an unrestricted field of vision
- ✓ Good fit thanks to anatomically shaped nose area
- ✓ Ear-pieces with hard and soft components ensure a non-slip fit
- ✓ Completely **metal-free**
- ✓ Visit uvex-safety.co.uk for CO₂ footprint calculation



- ✓ Plastic frame in a sporty design
- ✓ Translucent lens carrier for an unrestricted field of vision
- ✓ Good fit thanks to anatomically shaped nose area
- ✓ Soft, easily adjustable ear-pieces with **metal core**
- ✓ Visit uvex-safety.co.uk for CO₂ footprint calculation



| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|------------------|---------------|--------------|--------------------|
| 6109258 | Black, grey | 53 mm | 22 mm | W U1.2 G0 C 1-M CE |
| 6109259 | Black, dark blue | 53 mm | 22 mm | W U1.2 G0 C 1-M CE |

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|-----------------|---------------|--------------|----------------|
| 6109260 | Black, grey | 54 mm | 18 mm | W 166 F CE |
| 6109261 | Anthracite, red | 54 mm | 18 mm | W 166 F CE |

uvex RX cd
5524



- ✓ Modern, close-fitting plastic frame
- ✓ Translucent frame colour for an unobstructed field of vision
- ✓ Frame design with integrated side shields and upper eye coverage
- ✓ Soft, adjustable nose bridge
- ✓ Easily adjustable soft-form comfort ear pieces
- ✓ Visit uvex-safety.co.uk for CO₂ footprint calculation



| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109254 | Anthracite | 53 mm | 16 mm | W 166 F CE |
| 6109255 | Anthracite | 57 mm | 16 mm | W 166 F CE |

uvex RX cd
5514



- ✓ Close-fitting plastic frame
- ✓ Transparent side shields and integrated brow guard frame design
- ✓ Soft, adjustable nose bridge
- ✓ Easily adjustable soft-form comfort ear pieces

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109225 | Black, blue | 53 mm | 18 mm | W 166 F CE |
| 6109226 | Black, red | 55 mm | 18 mm | W 166 F CE |

While stocks last

uvex RX bc
5505



- ✓ Close-fitting plastic frames
- ✓ Integrated side shields and brow guard
- ✓ Good fit with anatomically shaped nose bridge
- ✓ Individually adjustable side arm length and angle for a customised fit and adjustable soft-form comfort ear pieces
- ✓ Foam seal for use when working with dust, chips or fluids
- ✓ Complies with EN 166 "Protection against liquid droplets and splashes" (category "3")

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109208 | Transparent | 55 mm | 19 mm | W 166 F CE |
| 6109209 | Transparent | 57 mm | 19 mm | W 166 F CE |

Perfect fit

Many frames can be anatomically adapted to different head shapes to ensure a perfect fit, e.g. for



high
cheek bones



flat
nose bridge



wide
temples

Our RX cd collections meet the standard requirements for the field of view and coverage for both the European test head and the Asian test head.





uvex RX cd

5528 and 5528 tight-fit

Coming Soon


- ✓ Plastic frame in a sporty design with stylish colour gradient
- ✓ Translucent side protection for an unrestricted field of vision
- ✓ Air vents at the top help maintain comfort in the eye area
- ✓ Soft, adjustable nose bridge
- ✓ Sporty side arms made from a combination of soft and hard components to ensure increased comfort and non-slip fit
- ✓ Soft, adjustable ear-pieces with metal core
- ✓ Tight-fit-kit consisting of seal and headband
- ✓ Headband can be fitted straight onto the side arms

 CO₂ footprint:
0.43 kg CO₂e 07/2025
(6109266, 6109267),


 Bio-based content (6109266, 6109267): Hard components of the frame consist of 31% bio-based plastic (biogenic origin: castor oil plant), certified in accordance with EN ISO 16321



Individually adjustable



Non-slip, pressure-free fit



Large lens height



Unrestricted field of vision

Headband
Fitted quickly – for a firm, secure fit

Seal

Simply clip into the air vents of the frame

uvex RX cd 5528 with
tight-fit-kit

6109266 + 6118018

Coming soon

uvex RX cd 5528



uvex RX cd 5528 tight-fit-kit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings | Compatible with ► | uvex code: | Kit colour: | Frame markings |
|------------|--------------------|---------------|--------------|----------------------------|-------------------|------------|-------------|----------------------------|
| 6109266 | Translucent, black | 53 mm | 18 mm | 16321 W U2,5 G2 C 1-M CE | | 6118018 | Black | 16321 W U2,5 G2 C 1-M CE |
| 6109267 | | 56 mm | 18 mm | 16321 W U2,5 G2 1-M/1-L CE | | 6118019 | Black | 16321 W U2,5 G2 1-M/1-L CE |



uvex RX cd

5522 and 5522 tight-fit-kit

- ✓ Modern plastic frame in a robust design
- ✓ Translucent frame colour for an unobstructed field of vision
- ✓ Air vents at the top and side
- ✓ Soft, adjustable nose bridge
- ✓ Sporty arms made from a combination of soft and hard components to ensure increased comfort and non-slip fit
- ✓ Soft, adjustable ear-pieces with metal core
- ✓ Tight-fit-kit consisting of seal and headband
- ✓ Seal provides protection against liquids (droplets) – marking 3, in accordance with EN 166
- ✓ Headband can be fitted straight onto the side arms



Side arm design
with hard and soft components



Soft, adjustable
nose bridge

Side arms
with metal cores
for an optimal fit



Headband
Fitted quickly – for a
firm, secure fit



Seal

Simply clip into the upper and side air vents of the frame to close them and fix the seal



**uvex RX cd 5522 with
tight-fit-kit**
6109250 + 6118012

uvex RX cd
5522



uvex RX cd 5522
tight-fit-kit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings | Compatible with ► | uvex code: | Kit colour: | Face seal markings |
|------------|---------------|---------------|--------------|----------------|-------------------|------------|-------------|--------------------|
|------------|---------------|---------------|--------------|----------------|-------------------|------------|-------------|--------------------|

6109250 Translucent-grey, blue 58 mm 15 mm W 166 F CE 6118012 Black, anthracite W 166 3F CE

Prescription safety spectacles **uvex RX sp frames**



- ✓ Sporty, plastic "wraparound" design with curved lenses and anatomic sport glazing
- ✓ Side shield and integrated brow guard frame design
- ✓ Good fit with anatomically shaped soft nose bridge
- ✓ Sporty arms with a combination of soft and hard components ensure increased comfort and non-slip fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|-------------------|---------------|--------------|----------------|
| 6109216 | Black, light grey | 62 mm | 17 mm | W 166 F CE |



- ✓ Sporty, plastic "wraparound" design with curved lenses and anatomic sport glazing
- ✓ Side shield and integrated brow guard frame design
- ✓ Good fit with anatomically shaped soft nose bridge
- ✓ Sporty arms with a combination of soft and hard components ensure increased comfort and non-slip fit

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6109217 | Black, orange | 62 mm | 22 mm | W 166 F CE |

Prescription safety inserts

uvex RX cf

uvex RX cf
5500
(uvex skyguard NT)



- ✓ Spectacles with all-round protection
- ✓ Fixed RX insert for your individual prescription
- ✓ Meets the requirements for additional markings 3 (liquids, droplets) and 4 (coarse dust)
- ✓ The side arms can be adjusted to a variety of different lengths, allowing the glasses to be adapted to suit all facial shapes
- ✓ Flexible soft components adapt to the wearer's face contours

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6108200 | Blue, grey | 48 mm | 20 mm | W 166 34 F CE |

uvex RX cf
5501
(uvex carbonvision)



- ✓ Small goggles with fixed RX insert to suit your individual prescription
- ✓ Meets the requirements for additional markings 3 (liquids, droplets) and 4 (coarse dust)
- ✓ Highly compatible with other PPE
- ✓ Low-volume frame design
- ✓ Indirect ventilation

| uvex code: | Frame colour: | Lens diameter | Bridge width | Frame markings |
|------------|---------------|---------------|--------------|----------------|
| 6108201 | Black, grey | 48 mm | 20 mm | W 166 34 B CE |

uvex prescription inserts for use with

Self-contained Breathing Apparatus

Prescription range for uvex BA (Self-contained Breathing Apparatus) inserts are only available with CR39.

uvex
9000



uvex
9100



- ✓ For use with Sabre and Kemira respirator mask
- ✓ With short side arms this frame clips into slots moulded into the respirator

- ✓ Suitable for all respirators
- ✓ Thin metal side arms to fit close to the head to ensure little or no leakage when wearing a full face respirator

| uvex code: | Frame colour: | Lens diameter | Bridge width | Lens Material |
|------------|---------------|---------------|--------------|---------------|
| 9000 | Silver | 53 mm | 18 mm | CR39 |

| uvex code: | Frame colour: | Lens diameter | Bridge width | Lens Material |
|------------|---------------|---------------|--------------|---------------|
| 9100 | Silver | 44 mm | 22 mm | CR39 |

uvex
9250



uvex
9255



- ✓ For use with Kemira, Interspiro respirator mask
- ✓ Designed to fit inside a full face respirator which can be easily adjusted


- ✓ For use with Draeger Panorama respirator mask
- ✓ Fits in to mask with vertical adjustment
- ✓ Insert for Draeger Futura also available

| uvex code: | Frame colour: | Lens diameter | Bridge width | Lens Material |
|------------|---------------|---------------|--------------|---------------|
| 9250 | Silver | 50 mm | 20 mm | CR39 |

| uvex code: | Frame colour: | Lens diameter | Bridge width | Lens Material |
|------------|---------------|---------------|--------------|---------------|
| 9255 | Silver | 59 mm | 18 mm | CR39 |

Safety spectacles with integrated dioptre correction

uvex i-3 add



Progression zones

The patented lens technology integrates two progression zones for near vision on the inside of the duospherical lens. The correction strength at the bottom of the lenses is +1.0 or +2.0, depending on the model.



Variable side arm inclination

The 5-position side arm inclination allows individual adjustment and optimum coverage of the eyes.



Addition

Two models are available for individualised correction of near vision. (+1.0 dpt. and +2.0 dpt.)



Flexible nose loops

The extremely soft adjustable Softflex nose loops ensure a secure fit and can be individually adapted to sit comfortably on the nose.

uvex supravision excellence

The coating guarantees extreme scratch resistance on the outside and permanent anti-fogging properties on the inside.

Including soft spectacles case



MADE IN GERMANY

A ready-to-wear safety spectacle with integrated optical correction (+1.0 or +2.0 dioptre) – no optician visit required. Featuring patented lens technology for seamless vision enhancement and uvex coatings for lasting clarity and durability.



- ✓ Safety spectacles with patented lens technology - integrated optical correction strength of +1.0 or +2.0 dioptre
- ✓ Completely invisible dioptre correction starts in the middle of the lens and increases gradually towards the lower edge
- ✓ uvex permanent lens coating technology: anti-fog coating on the inside of the lens, scratch-resistant on the outside – increased durability and safety
- ✓ Variable side arm inclination allows wearer to achieve a secure, comfortable fit for optimum protection
- ✓ Extremely soft nose bridge pads ensure non-slip, comfortable fit
- ✓ Metal free for reduced weight and robustness
- ✓ 100% UVA and UVB up to 400nm

uvex
i-3 add

| uvex code: | Strength | Lens | Frame colour: | Frame markings | Lens coating |
|------------|----------|---|------------------|----------------|-----------------------------|
| 6108210 | 1.0 dpt. | PC clear, UV 400, 2C-1.2 W 1 FTKN CE | Anthracite, lime | W 166 FT CE | uvex supravision excellence |
| 6108211 | 2.0 dpt. | PC clear, UV 400, 2C-1.2 W 1 FTKN CE | Anthracite, lime | W 166 FT CE | uvex supravision excellence |

uvex VDU spectacles

Designed for screen work



uvex VDU spectacles are specially developed for comfortable, clear vision at **computer workstations**. Unlike standard reading glasses, which are optimised for a short viewing distance (around 30 cm), VDU / occupational lenses are designed for the typical screen distances of 50 – 80 cm. This allows natural focus without straining the eyes or adopting awkward postures.

Without the correct lens type, wearers often adjust their posture, tilting their heads or leaning forward, to see clearly. This can lead to neck and shoulder strain and headaches.

For those who use reading glasses or varifocals and spend most of the day at a computer, VDU spectacles are the ideal choice when safety eyewear isn't required.

uvex offers a wide range of focus types and frame designs to suit individual needs.

Every pair meets the uvex quality standard, delivering precision optics, advanced processing technology, and materials free from harmful substances – all rigorously tested for your safety.

uvex recommends applying an anti-reflective coating to further enhance optical clarity and comfort.

**Protect your vision.
Boost your focus.**

uvex VDU spectacles

Plastic frames



| | uvex RX 3517 | uvex RX 3518 | uvex RX 3520 | uvex RX 3521 | uvex RX 3524 | uvex RX 3525 |
|----------------------|-----------------|-------------------|-----------------|-----------------|------------------|--------------------|
| uvex code | 6110074 | 6110075 | 6110077 | 6110078 | 6110081 | 6110082 |
| Ref. no. | 3517 5400 55/20 | 3518 1525 49/21 | 3520 5500 52/18 | 3521 4364 54/15 | 3524 1510 56/16 | 3525 1029 59/17 |
| Lens diameter | 55 mm | 49 mm | 52 mm | 54 mm | 56 mm | 59 mm |
| Bridge width | 20 mm | 21 mm | 18 mm | 15 mm | 16 mm | 17 mm |
| Colour | Havanna | Grey, translucent | Brown | Violet, rosé | Translucent-grey | Black, transparent |
| Hinge | | | Spring hinge | Spring hinge | Spring hinge | Spring hinge |

uvex VDU spectacles
Metal frames



6110050



6110056



6110067

uvex VDU spectacles
Titanium frames



6110071



6110072



6110072

| | uvex RX 3112 | uvex RX 3118 | uvex RX 3122 | uvex RX ti 3902 | uvex RX ti 3903 | uvex RX ti 3904 |
|----------------------|---------------------|---------------------|---------------------|------------------------|------------------------|------------------------|
| uvex code | 6110050 | 6110056 | 6110067 | 6110070 | 6110071 | 6110072 |
| Ref. no. | 3112 1233 54/17 | 3118 7190 55/17 | 3122 7014 59/18 | 3902 1830 55/18 | 3903 3035 49/21 | 3904 1900 53/17 |
| Lens diameter | 54 mm | 55 mm | 59 mm | 55 mm | 49 mm | 53 mm |
| Bridge width | 17 mm | 17 mm | 18 mm | 18 mm | 21 mm | 17 mm |
| Colour | Black, blue | Petrol, vintage | Dark green, gun | Silver, dark blue | Dark blue | Silver, matt |
| Hinge | Spring hinge | Spring hinge | Spring hinge | Spring hinge | | |

Sustainability at uvex safety protecting planet

Sustainable protection for people and the planet

Our custom protective products are used for much longer than standard products – this saves resources and reduces CO₂ emissions.

Prescription safety spectacles and prescription VDU spectacles are supplied in reusable cases.



Material

Products featuring this symbol contain bio-based materials, materials that can be composted at home or recycled materials. Recycled materials covers both post-consumer recycling materials (PCR) and post-industrial recycling materials (PIR).



Carbon footprint

We calculate the product-specific greenhouse gas emissions using the methods set out in the ISO 14067 standard.

Calculation method: IPCC 2021 GWP100 (based on ISO 14067); SimaPro with ecoinvent database; Scope: Cradle-to-Customer; The CO₂ values provided were valid at the time of calculation and may be subject to change due to database or methodology updates.

reusable cases
that last even longer than the products themselves

sustainable packaging
made from recycled cardboard boxes

no single-use packaging
used in shipping

30% of our plastic frames for prescription safety spectacles are **made from sustainable, bio-based plastic**

approx. 2.3 t less
plastic in 3 years due to the avoidance of demo lenses

our goal:
almost all the hard components of our plastic frames for prescription safety spectacles are made from **bio-based materials**



approx. 1.5 years
of use for prescription safety spectacles



uvex



To get your company set up on the uvex prescription portal, speak to your uvex solutions specialist.
To find their details visit: uvex-safety.co.uk/contact

UVEX SAFETY (UK) LTD
uvex House
Farnham Trading Estate
Farnham
Surrey
England
GU9 9NW

Tel: 01252 731200 - Option 1
Email: prescription@uvex.co.uk
Website: uvex-safety.co.uk
Website: uvex-safety.ie