

B



Safety Eyewear

**uvex**

## **uvex i-gonomics**

Innovative eye protection. Measurably enhanced wearer comfort.

uvex i-gonomics stands for maximum functionality with first-class comfort: The innovative product system is perfectly adapted to the human physiognomy and is characterised by its low weight and optimal climate control. The protective eyewear is comfortable to wear even for long periods of time – and ensures clear vision in every situation.

# uvex pheos cx2 sonic



### **Compact design. Comfortable fit.**

uvex pheos cx2 sonic compact wide-vision goggles impress thanks to their lightweight design and first-class wearer comfort – the uvex duo component technology guarantees a customised, comfortable fit. Their anti-fog coating allows for clear vision in every situation, even in extreme climates.

## Relief-Index

# 4.70

The relief index is calculated using the mean value of the three index values (IV) for force, weight and temperature – ranging from 0 (= poor) to 5 (= perfect).

## force 4.6

**Optimal fit, reliable protection**

- Test method: Sealing at defined pressing force
- Test result: Open remaining circumference = 2.0 cm



## weight 4.8

**A high comfort factor reduces the onset of fatigue**

- Test method: Weighing of the goggles, including headband
- Test result: Weight = 34.0 g




4.8

## clima 4.7

**Anti-fog vision even in extreme climates**

- Test method: Anti-fog test (UHN\*) and ventilation area
- Test result: Anti-fog performance = 5 points and ventilation area = 130 mm<sup>2</sup>




AntiFog-Performance



Ventilation area



## dry 0% RH



## cold -20 °C



## uvex supravision plus

### Core Coatings



#### uvex supravision sapphire

Coated lenses are extremely scratch resistant on both sides and offer excellent resistance to chemicals. The coating system, which has been enhanced using nanotechnology, offers significantly increased non-stick properties and subsequently are easier to clean. Aqueous and oily dirt can be removed effortlessly.




#### uvex supravision excellence

Coated lenses are anti-fog on the inside, while the outside offers extreme scratch and chemical resistance. The anti-fogging properties are permanent even after repeated cleaning. The lenses are also easy to clean and less susceptible to dirt due to the non-stick nanotechnology.



#### uvex supravision plus

Coated lenses have advanced anti-fog performance on both sides, scratch-resistant and antistatic. The anti-fogging properties are permanent, even after being repeatedly cleaned. This lens coating is suitable for areas with high humidity.

**dirty****Coating technology**

## Special coatings



### **uvex supravision extreme**

Coated lenses are scratch-resistant on the outside and permanently anti-fog on the inside. Lenses will not fog up as the coating never reaches the point of saturation. Ideally suited for workplace environments with long-lasting exposure to condensation and a high degree of dirt.



### **uvex supravision variomatic**

Coated lenses are self-tinting filters, which automatically become darker when exposed to UV (within 10 seconds) and become lighter when exposure is reduced (after 30 seconds). Now available with the tried and tested uvex supravision excellence technology (permanently anti-fog on the inside and extremely scratch-resistant on the outside). Particularly suitable for workplaces where you frequently move between indoor and outdoor environments, from light to dark.



### **uvex supravision clean**

Coated lenses are autoclavable and resistant to chemicals. Anti-fog on the inside, extremely scratch-resistant on the outside. The anti-fog properties last for at least 10 autoclave cycles. The coating ensures complete fog protection and maximum vision.



### **uvex infradur**


Coated lenses are scratch-resistant on both sides and minimise damage from welding sparks.

### **uvex infradur plus**


Coated lenses are anti-fog on the inside, extremely scratch-resistant on the outside and minimise damage from welding sparks.

# Labelling and norms

## Marking on frame



## Marking on lens



# Lens tinting

A lens solution for every light environment



## CLEAR

Protection: UV 400  
UV/markings: 2(C)-1.2  
Transmission: approx. 91%  
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection



## AMBER

Protection: UV 400  
UV/markings: 2(C)-1.2  
Transmission: approx. 88%  
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection with enhanced contrast effect



## CBR 65

Protection: UV 400  
Marking: 5-1.4  
Transmission: 65%  
Standards: EN 166, EN 172

Protection offering relaxing, focused vision  
uvex sportstyle (page 22)  
uvex pheos cx2 (page 24)



## AR (anti-reflective)

Protection: UV 400  
UV/markings: 2(C)-1.2  
Transmission: approx. 96.5%  
Standards: EN 166, EN 170

Optimum anti-reflective protection with high degree of light transmission  
uvex sportstyle (page 22)  
uvex i-3, uvex i-3 s (page 26/27)

tint with glare protection not necessary



74–100% transmission



58–80% transmission

# Lens tinting



## BROWN

Protection: UV 400  
Marking: 5-2.5  
Transmission: 20%  
Standards: EN 166, EN 172

uvex i-vo (p. 34), uvex ultrasonic (p. 43)

Protection against **natural glare** with **signal colour recognition** and **increased contrast effect**



## POLAVISION

Protection: UV 400  
Marking: 5-3.1  
Transmission: 14%  
Standards: EN 166, EN 172

**Reduction** of irritating surface reflection by **filtering scattered light**  
uvex polavision (p. 36)



## SILVER MIRROR 53%

Protection: UV 400  
Marking: 5-1.7  
Transmission: 53%  
Standards: EN 166, EN 172

Protection in **changing light conditions**  
uvex pheos/uvex pheos s (p.30),  
uvex i-works (p. 28),  
uvex skybrite sx2 (p. 36)



## SILVER MIRROR 12%

Protection: UV 400  
Marking: 5-3.1  
Transmission: 12%  
Standards: EN 166, EN 172

Protection from both highly **artificial light and natural glare conditions**  
uvex i-3 (p. 26)



## GREY 23%

Protection: UV 400  
Marking: 5-2.5  
Transmission: 23%  
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**



## GREY 14%

Protection: UV 400  
Marking: 5-3.1  
Transmission: 14%  
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**  
uvex astrospec 2.0 (p. 29),  
uvex u-sonic (p. 42)

tint with contrast adjustment recommended

tint with contrast adjustment not necessary

→ tint with glare protection recommended



43–58% transmission



18–29% transmission



8–18% transmission

## uvex x-fit

### Stability through x design

The uvex x-fit weighs just 23 gram. This sporty safety spectacle cannot fail to impress with its optimum coverage of the eyes and high level of wearer acceptance.

The x design of the lens and the translucent side arms make the uvex x-fit a real highlight.



**Perfect fit and coverage of the whole eye area**  
suits all head sizes



**Innovative hinged side arm design**  
metal-free

**Lightweight safety spectacles**  
weighing just 23 grams



**x design**  
for stability

**uvex supravision coating technology**

**UV 400 protection**  
also available in an amber lens  
or as a sunglare filter lens



# Safety Spectacles

## uvex x-fit



9199. 265



9199. 085



9199. 280



9199. 286

### uvex x-fit

- classic safety spectacles with good coverage of the whole eye area
- lightweight at just 23 grams
- uvex supravision coating technology
- innovative hinged side arm design
- metal-free

uvex x-fit				
Art. no.	9199.265	9199.085	9199.280	9199.286
Version	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	blue translucent	grey translucent	grey translucent	grey translucent
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC grey 23%	PC amber
	UV 400	UV 400	sunglare filter UV 400	UV 400
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTK CE	5-2.5 W1 FTKN CE	2C-1.2 W1 FTKN CE
Retail unit	5	5	5	5

## uvex sportstyle 23 g, 100% performance

Whatever your industrial workplace environment the uvex sportstyle delivers the perfect combination of performance, safety and style. The distinct close fitting athletic design, unrivalled uvex scratch resistant and anti-fog lens coating technology provides a wide field of vision. The ergonomic fit and extra soft, adjustable nose piece enables wearers to achieve a comfortable customised fit, throughout the day.



Also available with sun protection in a sporty design (UV 400).

**Outstanding wearer comfort**  
due to uvex duo component technology which combines hard and soft materials.

A genuine lightweight at only 23 g.



**uvex supravision coating technology**  
for ultimate clear vision.

**Perfect fit**  
for all head shapes and sizes.

**Optimal vision**  
with innovative lenses.



# Safety Spectacles

uvex sportstyle



## uvex sportstyle

- featherlight safety spectacles with a sporty design
- optimum vision thanks to uvex lens geometry
- uvex supravision coating technology
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit

### Areas of application:

- uvex supravision AR: working conditions with strong lighting or mixed lighting
- uvex supravision variomatic: offshoring, maritim

uvex sportstyle							
Art. no.	9193.376	9193.265	9193.280	9193.838	9193.880	9193.080	9193.064
Design	uvex supravision extreme	uvex supravision excellence	uvex supravision extreme	uvex supravision super anti-reflective	uvex supravision variomatic	uvex supravision plus	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	black, petrol	black, lime	white, black	black, blue	black, anthracite	black, grey	white, black
Lens	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
PC clear	PC clear	PC grey 23%	PC clear	PC light green	PC clear	PC CBR 65	
UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FT CE	5-1.1<2 W 1 FTN CE	2C-1.2 W 1 FT KN CE	5-1.4 W 1 FT KN CE	
Retail unit	5	5	5	5	5	5	5

**uvex**

## uvex pheos cx2

Comfort that fits



"X" brand  
modern, sporty design



Also available with amber or  
as sunglare filter lens  
with UV 400 protection



reddot design award  
winner 2016

# Safety Spectacles

## uvex pheos cx2



9198. 256  




9198. 275  
9198. 257  




9198. 237  




9198. 258



9198. 285  




9198. 064

### uvex pheos cx2

- "X"-branded safety spectacles with a modern, sporty design
- comfortable protection with the X-tended eye shield
- X-twist side arm technology delivers non-slip fit for optimum protection
- duo-spherical lens delivers excellent field of vision
- large field of vision
- innovative uvex duo component technology for maximum wearer comfort

- excellent ventilation around the eye area
- can easily be combined with other PPE

► Also available as wide-vision goggles (see page 38)

uvex pheos cx2							
Art. no.	9198.256	9198.237	9198.285	9198.257	9198.258	9198.064	9198.275
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, light blue W 166 FT CE	white, black W 166 FT CE	black, yellow W 166 FT CE	blue, grey W 166 FT CE	red, grey W 166 FT CE	white, black W 166 FT CE	blue, grey W 166 FT CE
Lens	PC clear UV 400	PC grey 23% UV 400	PC amber UV 400	PC clear UV 400	PC clear UV 400	PC CBR 65 UV 400	PC clear UV 400
Retail unit	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-1.4 W 1 FTKN CE	2C-1.2 W 1 FTKN CE
	5	5	5	5	5	5	5

# Safety Spectacles

## uvex i-3



9190. 275



9190. 220



9190. 885



9190. 070



9190. 281




9190. 838  
 9190. 839



9190. 280



9190. 880



### uvex i-3 · uvex i-3 s

- fashionable, 3-component safety spectacles with innovative features
- metal-free
- available in standard size or a narrow version
- reliable protection provided by the customised fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- soft, adjustable nose loops, soft, anti-slip sidearm pieces and metal-free hinged side arms (3-component technology) for high wearer comfort without pressure points

#### Areas of application:

- uvex supravision AR: Working conditions with strong lighting or mixed lighting
- uvex supravision variomatic: Offshore, maritime



#### uvex i-3

<b>Art. no.</b>	9190.275	9190.070	9190.280	9190.220	9190.281	9190.880
<b>Design</b>	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter	uvex supravision variomatic self-tinting lenses
<b>Standard</b>	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
<b>Frame</b>	anthracite, blue W 166 FT CE	graphite, olive W 166 FT CE	black, light grey W 166 FT CE	anthracite, yellow W 166 FT CE	black, light grey W 166 FT CE	black, anthracite W 166 FT CE
<b>Lens</b>	PC clear UV 400	PC clear UV 400	PC clear UV 400	PC amber UV 400	PC grey 23% UV 400	PC light green UV 400
<b>Retail unit</b>	2C-1.2 W 1 FTKN CE 5	2C-1.2 W 1 FTK CE 5	2C-1.2 W 1 FTKN CE 5	2C-1.2 W 1 FTKN CE 5	5-2.5 W 1 FTKN CE 5	5-1.1<2 W 1 FKN 5

#### uvex i-3

<b>Art. no.</b>	9190.885	9190.175	9190.838	9190. 839	Replacement lens
<b>Design</b>	AF on the inside sunglare filter, silver mirror	uvex supravision plus Oil & gas	uvex supravision AR super anti-reflective lenses	uvex supravision AR super anti-reflective lenses	9190.258 uvex supravision excellence
<b>Standard</b>	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
<b>Frame</b>	black, light grey W 166 FT CE	black, light grey W 166 FT CE	black, blue W 166 FT CE	black, blue W 166 FT CE	-
<b>Lens</b>	PC silver mirror grey UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400
<b>Retail unit</b>	5-3.1 W 1 FT CE 1	2C-1.2 W 1 FTKN CE 5	2C-1.2 W 1 FT CE 1	2C-1.2 W 1 FT CE 5	2C-1.2 W 1 FTKN CE 5

# Safety Spectacles

## uvex i-3 s



9190. 075



9190. 086



9190. 065




9190. 039




9190. 080



Extra frame for uvex i-3, standard size

Accessories:  
Headband for uvex i-3 and uvex i-3 s**Coating**

The anti-reflective coating on both sides provides 100% protection against UV 400 and a transmission factor of more than 96.5%, which means distracting reflections are effectively prevented.

**Transmission (transparency)**

With the anti-reflective coating, the uvex i-3 AR reaches a higher transmission factor than safety spectacles with regular coating technology – ensuring perfect vision without reflections.

uvex i-3 s			
<b>Art.no.</b>	9190.075	9190.065	9190.080
<b>Design</b>	uvex supravision excellence narrow version	uvex supravision sapphire narrow version	uvex supravision plus Oil & gas narrow version
<b>Standard Frame</b>	EN 166, EN 170 anthracite, lime W 166 FT CE	EN 166, EN 170 blue, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE
<b>Lens</b>	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTK CE	PC clear UV 400 2C-1.2 W 1 FTKN CE
<b>Retail unit</b>	5	5	5

uvex i-3 s			
<b>Art.no.</b>	9190.086	9190.039	Extra frame
<b>Design</b>	uvex supravision excellence sunglare filter narrow version	uvex supravision AR super anti-reflective lenses narrow version	9190.001
<b>Standard Frame</b>	EN 166, EN 172 blue, grey W 166 FT CE	EN 166, EN 170 black, blue W 166 FT CE	Extra frame for uvex i-3 standard size
<b>Lens</b>	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FT CE	Accessories 9958.009 Headband for uvex i-3 and uvex i-3 s
<b>Retail unit</b>	5	5	5

# Safety Spectacles

## uvex i-works



9194. 171



9194. 175



9194. 270



9194. 365



9194. 885



### uvex i-works

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- uvex supravision coating technology

- duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System) see page 93

uvex i-works					
Art. no.	9194.171	9194.175	9194.270	9194.365	9194.885
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	AF on the inside
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue	anthracite, green	anthracite, grey	black, yellow	black, grey
Lens	W 166 FT CE	W 166 FT CE			
Lens	PC clear	PC clear	PC grey 23%	PC amber	PC silver mirror grey
	UV 400	UV 400	UV 400	UV 400	UV 400
2C-1.2 W 1 FTKN CE		2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-1.7 W 1 FTKN CE
Retail unit	5	5	5	5	5



9164. 065



9164. 220



9164. 187



9164. 275



9164. 285



9164. 387



9164. 246

reddot award 2014  
winner

## uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec spectacles
- panoramic lens with integrated side protectors for optimum protection of the whole eye area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, non-slip sidearm pieces (uvex duo component technology) prevent pressure points
- fits easily into breast pocket due to flat-fold design

uvex astrospec 2.0				
Art. no.	9164.065	9164.275	9164.285	9164.220
Design	uvex supravision sapphire	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence contrast-enhancing
Standard, Frame	EN 166, EN 170 blue, light blue	EN 166, EN 170 anthracite, petrol	EN 166, EN 170 black, lime	EN 166, EN 170 black, yellow
Lens	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400	PC amber, UV 400
	2C-1.2 W 1 FTK CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE
Retail unit	5	5	5	5

Art. no.	9164.387	9164.246	9164.187
Design	uvex supravision excellence	uvex supravision plus	uvex supravision plus
Standard, Frame	sunglare filter	sunglare filter	Oil & gas
EN 166, EN 172	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
black, grey	neon orange, black	black, grey	black, grey
W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
PC grey 14%, UV 400	PC grey 23%, UV 400	PC clear, UV 400	PC clear, UV 400
5-3.1 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE
Retail unit	5	5	5



9168. 017



9168. 035



9168. 265



9168. 465

## uvex astrospec

- one of the world's best-selling safety spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- integrated side protection
- panoramic polycarbonate lens with a flat lens shape for unrestricted vision
- soft, duo-flex ear pieces

uvex astrospec				
Art. no.	9168.035	9168.017	9168.465	9168.265
Design	uvex supravision sapphire	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence
Standard, Frame	EN 166, EN 170 yellow, black	EN 166, EN 172 yellow, black	EN 166, EN 170 blue	EN 166, EN 170 blue
Lens	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
	PC clear, UV 400	PC grey 23%, UV 400	PC clear, UV 400	PC clear, UV 400
	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	2-1.2 W 1 F DIN CE	2-1.2 W 1 F DIN CE
Retail unit	5	5	5	5

# Safety Spectacles

## uvex pheos



### uvex pheos

- modern safety spectacles with a fashionable design and duo-spherical lens technology
- metal-free
- available in standard size or a narrow version
- set consisting of fitted extra frame with soft padding and adapted headband (uvex pheos guard)

- additional eyebrow protection with Eye plus Protection: a bevelled edge in upper area
- soft, non-slip ear pieces (uvex duo component technology) prevent pressure points
- very large field of vision
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System) see page 91



2012

WINNER 2013

<b>Art.no.</b>	uvex pheos 9192225	9192385	9192285	9192881	9192215	9192245
<b>Design</b>	uvex supravision excellence standard size	uvex supravision excellence standard size, contrast-enhancing	uvex supravision excellence standard size, sunglare filter	AF on the inside standard size, sunglare filter, silver mirror	uvex supravision excellence standard size	uvex supravision excellence standard size, sunglare filter
<b>Standard Frame</b>	EN 166, EN 170 black, green	EN 166, EN 170 black, yellow	EN 166, EN 172 black, grey	EN 166, EN 172 light grey, grey	EN 166, EN 170 light grey, grey	EN 166, EN 172 black, orange
<b>Lens</b>	W 166 F CE PC clear UV 400	W 166 F CE PC amber UV 400	PC grey 23%	PC silver mirror grey UV 400	W 166 F CE PC clear UV 400	W 166 F CE PC grey 23% UV 400
<b>Retail unit</b>	2C-1.2 W 1 FKN CE	2C-1.2 W 1 FKN CE	5-2.5 W 1 FKN CE	5-1.7 W 1 F CE	2C-1.2 W 1 FKN CE	5-2.5 W 1 FKN CE
	5	5	5	5	5	5

<b>Art.no.</b>	uvex pheos 9192280	9192281	9192080
<b>Design</b>	uvex supravision extreme standard size	uvex supravision extreme standard size, sunglare filter	uvex supravision plus standard size, Oil & gas
<b>Standard Frame</b>	EN 166, EN 170 black, grey	EN 166, EN 172 black, grey	EN 166, EN 170 black, grey
<b>Lens</b>	W 166 F CE PC clear UV 400	W 166 F CE PC grey 23% UV 400	W 166 F CE PC clear UV 400
<b>Retail unit</b>	2C-1.2 W 1 FKN CE	5-2.5 W 1 FKN CE	2C-1.2 W 1 FKN CE
	5	5	5

# Safety Spectacles

uvex pheos cb · uvex pheos guard



9192. 445



9192. 425



9192. 485

9192.180  
narrow version9192.181  
narrow version

## uvex pheos CB- 9192

The uvex pheos CB is customized to fit Asian face profile, and offers the same properties as the standard uvex pheos.

<b>Art.no.</b>	9192.445
<b>Design</b>	uvex supravision excellence Asian bridge
<b>Standard</b>	EN 166, EN 170
<b>Frame</b>	black-orange W 166 F CE
<b>Lens</b>	PC grey 23% UV 400 UV 5-2.5 W 1 FKN CE
<b>Retail unit</b>	5

<b>Art.no.</b>	9192.425
<b>Design</b>	uvex supravision excellence Asian bridge
<b>Standard</b>	EN 166, EN 170
<b>Frame</b>	black-green W 166 F CE
<b>Lens</b>	PC clear UV 400 2C-1.2 W 1 FKN CE
<b>Retail unit</b>	5

<b>Art.no.</b>	9192.485
<b>Design</b>	uvex supravision excellence Asian bridge
<b>Standard</b>	EN 166, EN 170
<b>Frame</b>	black-grey W 166 F CE
<b>Lens</b>	PC clear UV 400 2C-1.2 W 1 FKN CE
<b>Retail unit</b>	5

uvex pheos guard		
<b>Art.no.</b>	9192.180	9192.181
<b>Design</b>	uvex supravision extreme standard size incl. extra frame and headband	uvex supravision extreme standard size, sunglare filter incl. extra frame and headband
<b>Standard</b>	EN 166, EN 170	EN 166, EN 172
<b>Frame</b>	black, grey W 166 F CE	black, grey W 166 F CE
<b>Lens</b>	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE
<b>Retail unit</b>	4	4

Accessories: 9192.001  
Extra frame / extra frame in narrow versionAccessories: 9958.020  
Headband

Accessories		
<b>Art.no.</b>	9192.001	9958.020
<b>Design</b>	extra frame for uvex pheos standard size	headband for uvex pheos and uvex pheos s
<b>Colour</b>	black	grey, black
<b>Retail unit</b>	5	5

# Safety Spectacles

## uvex super g



9172. 210  
9172. 110



9172. 086



9172. 220



9172. 085



9172. 265



9172. 281



9172. 185



### uvex super g

- extremely light protective spectacles with a sporty design and hingeless side arms
- soft nose piece
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- maximum wear comfort is guaranteed by the lightweight design: just 18 grams
- metal-free

Art no.	uvex super g	9172.110	9172.085	9172.185	9172.086
Replacement lens	9172.210 9172.255				
Design	uvex supravision excellence	uvex supravision plus	uvex supravision sapphire	uvex supravision plus Oil & gas	uvex supravision sapphire sunglare filter
Standard Frame	EN 166, EN 170 crystal W 166 FT DIN CE	EN 166, EN 170 crystal W 166 FT DIN CE	EN 166, EN 170 titanium W 166 FT DIN CE	EN 166, EN 170 black, grey W 166 FT DIN CE	EN 166, EN 172 titanium W 166 FT DIN CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC clear UV 400 2C-1.2 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC grey 23% UV 400 5-2.5 W 1 FT DIN CE
Retail unit	5	5	5	5	5

Art no.	9172.265	9172.220	9172.281
Replacement lens			
Design	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 navy blue W 166 FT DIN CE	EN 166, EN 170 titanium W 166 FT DIN CE	EN 166, EN 172 anthracite, lime W 166 FT DIN CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC amber UV 400 2C-1.2 W 1 FT DIN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN DIN CE
Retail unit	5	5	5

# Safety Spectacles

## uvex super fit · uvex super fit ETC

9178. 065  
9178. 265

9178. 385



9178. 500



9178. 286



9178. 315



9178. 415



9178. 185


### uvex super fit

- lightweight safety spectacles with hinged side arms, a sporty design
- soft, adjustable nose piece
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wearer comfort guaranteed by the lightweight design weighing just 21 grams
- permanent anti-fog coating on both sides – eliminating risk of fogging (uvex super fit ETC)

#### Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, clean rooms, food production)
- ETC on both sides: high humidity and alternating temperatures (cold stores, tunnel construction, catering and food industry)

uvex ETC-coated lenses do not fog up. Instead of droplets, a film of water forms on the lens.



Anti-fog coating after 8 sec. uvex ETC

	uvex super fit			
Art.no.	9178.065	9178.265	9178.286	9178.185
Design	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	navy blue, white W 166 FT CE	navy blue, white W 166 FT CE	black, white W 166 FT CE	black, white W 166 FT CE
Lens	PC clear UV 400	PC clear UV 400	PC grey 23% UV 400	PC clear UV 400
	2C-1.2 W 1 FT DIN CE	2C-1.2 W 1 FTKN DIN CE	5-2.5 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE
Retail unit	5	5	5	5

	uvex super fit CR			
Art.no.	9178.385	9178.315	9178.500	uvex super fit ETC
Design	uvex supravision excellence	uvex supravision excellence	uvex supravision clean	ETC on both sides
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, white W 166 FT CE	white, lime W 166 FT CE	white, light blue W 166 FT CE	white, grey W 166 FT CE
Lens	PC amber UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400
	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTN DIN CE
Retail unit	5	5	5	5

# Safety Spectacles

uvex i-vo



## uvex i-vo

- fashionable safety spectacles with adjustable side arms
- reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision

uvex i-vo					
Art.no.	9160.520	9160.065	9160.068	9160.076	9160.085
Replacement lens	9160.052	9160.055		9160.318	9160.055
Design	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire sunglare filter	uvex supravision sapphire
Standard Frame	EN 166, EN 170 blue, orange W 166 FT CE	EN 166, EN 170 blue, orange W 166 FT CE	EN 166, EN 172 blue, orange W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 170 blue, grey W 166 FT CE
Lens	PC amber UV 400 2C-1.2 W 1 FT CE	PC clear UV 400 2C-1.2 W 1 FT CE	PC brown UV 400 5-2.5 W 1 FT CE	PC grey 23% UV 400 5-2.5 W 1 FT CE	PC clear UV 400 2C-1.2 W 1 FT CE
Retail unit	5	5	5	5	5

uvex i-vo					
Art.no.	9160.120	9160.265	9160.275	9160.285	9160.268
Replacement lens	9160.255	9160.255	9160.255	9160.255	
Design	uvex supravision excellence with headband	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 blue, grey -	EN 166, EN 170 blue, orange W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 blue, grey W 166 FT CE	EN 166, EN 172 blue, orange W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN 166 F DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC brown UV 400 5-2.5 W 1 FTKN CE
Retail unit	5	5	5	5	5

# uvex CR

Autoclave safety eyewear that goes further

Innovative coating technology –  
the first autoclavable  
safety eyewear with  
anti-fog performance

uvex has developed the first autoclavable safety eyewear with anti-fog coating for specialist requirements in laboratories, clinics, cleanrooms and food manufacturing. From ultra-light safety spectacles and goggles with a panoramic lens, the uvex CR is the ideal safety eyewear for all areas of application and specifically have been designed for repeated autoclave sterilisation (at least 10 to 20 times for 20 minutes each at a minimum of 121°C).

**uvex CR – professional safety eyewear  
that complements hygiene standards.**



## uvex super fit CR

- lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wear comfort guaranteed by the lightweight design

uvex super fit CR	
Art.no.	9178.500
Design	uvex supravision clean autoclavable
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE
Retail unit	5

## uvex super f OTG CR

- overspecs for wearers of prescription lenses with arm-hinge concept
- unrestricted peripheral vision
- soft arm ends for added comfort

uvex super f OTG CR	
Art.no.	9169.500
Design	uvex supravision clean autoclavable
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN
Retail unit	5

## uvex ultrasonic CR

- goggles in sporty design, also suitable as overspecs
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- no pressure problems with long-term wear thanks to the combination of hard and soft components

uvex ultrasonic CR	
Art.no.	9302500
Replacement lens	9302259
Design	uvex supravision clean, autoclavable
Standard	EN 166, EN 170
Frame	transparent, white W 166 349 B CE
Lens	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE
Retail unit	4

# Safety Spectacles

uvex skyper sx2 · uvex skybrite sx2 · uvex polavision



## uvex skyper sx2

- safety spectacles with special lens shape for prominent cheekbones
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skyper sx2					
Art. no.	9197.020	9197.265	9197.065 9197.055	9197.266	9197.465
Replacement lens					
Design	uvex supravision sapphire contrast-enhancing	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence sunglare filter	uvex supravision excellence Asian bridge
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	blue	blue	blue	blue	blue
Lens	W 166 F CE PC amber UV 400 2-1.2 W 1 F DIN CE	W 166 F CE PC clear UV 400 2-1.2 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey 23% UV 400 5-2.5 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5	5	5



## uvex polavision

- comfortable safety spectacles with polarisation filter
- polarisation filter to protect against reflections and glare (e.g. water surfaces and highly polished materials)
- eliminates bright, annoying reflected glare allowing the wearer to see more comfortably

### Areas of application:

- workstations with reflective surfaces
- (offshore, maritime, drivers, construction industry)

uvex polavision		
Art. no.	9231.960	
Design	scratch-resistant sunglare filter	
Standard	EN 166, EN 172	
Frame	black, white	
Lens	W 166 F CE PC grey 14% / UV 400 5-3.1 W 1 F CE	
Retail unit	1	

## uvex skybrite sx2

- safety spectacles with special lens shape for prominent cheekbones in translucent colour
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skybrite sx2		
Art. no.	9197.260	9197.880
Design	uvex supravision excellence version of the uvex skyper sx2 in translucent side arm colours	sunglare filter, silver mirror
Standard	EN 166, EN 170	EN 166, EN 172
Frame	translucent, blue	translucent, silver
Lens	W 166 F CE PC clear UV 400 2-1.2 W 1 FKN DIN CE	W 166 F CE PC silver mirror grey UV 400 5-1.7 W 1 F DIN CE
Retail unit	5	5

# Safety Spectacles

## uvex skyguard NT · uvex skylite · uvex meteor



### uvex meteor

- classic, twin-lens spectacles
- reliable protection provided by its perfect fit: adjustable side arms allow the wearer to adjust the spectacles to suit their own face shape
- flat design allows it to easily fit into a breast pocket

uvex meteor	
Art.no.	9134.005
Design	uvex supravision sapphire lens diameter 56 mm bridge width 15 mm
Standard	EN 166, EN 170
Frame	grey, transparent W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 FK DIN CE
Retail unit	5



### uvex skyguard NT

- spectacles with all-round protection
- Injection-moulded, soft TPU seal protects against flying particles, dust and splash (protection class 3 – liquids and 4 – coarse dust particles)

- reliable protection provided by its customised fit: multi-level side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- flexible soft component adapts to the wearer's face contours

uvex skyguard NT				
Art.no.	9175.260	9175.261	9175.160	9175.275
Design	uvex supravision excellence adjustable side arm length	uvex supravision excellence sunglare filter, adjustable side arm length	uvex supravision extreme adjustable side arm length	uvex supravision excellence particularly well-suited for use in combination with helmets
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
Frame	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE	grey, orange W 166 34 F CE
Lens	PC clear UV 400	PC grey 23% UV 400	PC clear UV 400	PC clear UV 400
	2-1.2 W 1 FKN DIN CE	5-2.5 W 1 FKN DIN CE	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5	5



### uvex skylite

- spectacles with excellent eye area protection
- integrated, frosted side protection

uvex skylite			
Art.no.	9174.065	9174.066	9174.465
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision excellence Asian bridge
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	blue	blue	blue
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear UV 400	PC grey 23% UV 400	PC clear UV 400
	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5

# Overspecs

uvex 9161 · uvex super OTG



9161. 005  
9161. 305



9161. 014

## uvex 9161

- overspecs for prescription spectacle wearers
- panoramic lens with integrated side protection for optimum eye coverage
- adjustable side arms adapt to any facial shape for customised fit and optimum protection
- unrestricted peripheral vision
- uvex duoflex side arms for a pressure free fit

uvex 9161			
Art. no.	9161.005	9161.305	9161.014
Version	uvex supravision sapphire	uvex supravision plus	without coating and with polycarbonate arms
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, black	blue, black	clear
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400
	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE
Retail unit	5	5	5



9169. 065  
9169. 260



9169. 080



9169. 081

## uvex super OTG

- overspecs for prescription spectacle wearers
- panoramic lens with integrated side protection for optimum coverage of the eye area
- metal-free
- highly flexible, hinge-less side arms for added comfort and non-slip fit

uvex super OTG			
Art. no.	9169.065	9169.080	9169.081
Version	uvex supravision sapphire	uvex supravision sapphire	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	navy blue	black	black
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC grey 23%
	UV 400	UV 400	UV 400
	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE	5-2.5 W 1 F CE
Retail unit	5	5	5
			2C-1.2 W 1 FKN CE

# Overspecs

## uvex super f OTG



9169. 585



9169. 580



9169. 586



9169. 615



9169. 500



9169. 850

### uvex super f OTG

- overspecs for prescription wearers
- panoramic lens with integrated side protection for optimum eye coverage
- side arms graduate to soft, flexible material for added comfort and grip

#### Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex super f OTG						
Art. no.	9169.585	9169.586	9169.500	9169.580	9169.615	9169.850
Version	uvex supravision sapphire	uvex supravision sapphire	uvex supravision clean	uvex supravision sapphire	uvex supravision sapphire	uvex supravision variomatic
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, white	black, white	white, light blue	black, white	black, white	black, white
Lens	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
	PC clear	PC grey 23%	PC clear	PC amber	PC orange	PC light green
	UV 400	UV 400	UV 400	UV 400	UV 525	UV 400
Retail unit	2C-1.2 W 1 FCE	5-2.5 W 1 FCE	2C-1.2 W 1 FKN CE	2C-1.2 W 1 FT CE	2-1.4 W FT CE	5-1.1<2 W 1 FKN CE
	5	5	5	5	5	5

# uvex pheos cx2 sonic

Compact design. First-class comfort.



**Outstanding protection**  
thanks to flexibly adaptable  
soft components

**Very lightweight wide-vision  
goggles**  
Weighs just 34 grams



**X-tended eyeshield**  
for perfect coverage of the  
whole eye area



High mechanical  
strength (120 m/s)

**Scratch-resistant outside,  
anti-fog inside**  
thanks to uvex supravision  
extreme coating

**Compact design**  
Can be easily combined with  
other PPE

**Perfect fit**  
thanks to uvex duo com-  
ponent technology and  
forehead and nose piece  
moulded directly onto  
the lens



# Safety Goggles

uvex pheos cx2 sonic



9309.275



9309.286

## uvex pheos cx2 sonic

- uvex's lightest compact wide-vision goggles (34 grams)
- high mechanical strength B (120 m/s)
- designation 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
- comfortable protection thanks to soft forehead and nose piece moulded directly onto the lens
- uvex supravision coating technology
- very soft, light textile headband for secure and comfortable fit
- can be easily combined with other PPE

uvex pheos cx2 sonic		
Art. no.	9309.275	9309.286
Version	uvex supravision extreme	uvex supravision extreme sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172
Frame	white, black	white, black
	W 166 3 4 BT CE	W 166 3 4 BT CE
Lens	PC clear, UV 400	PC grey 23%, UV 400
	2C-1.2 W 1 BT KN CE	5-2.5 W 1 BT KN CE
Retail unit	5	5

# Safety Goggles

uvex u-sonic



9308.245



9308.147



9308.240



9308.123



9308.246



9308.248



9308.048 add-on lens

## uvex u-sonic

- small, compact low weight goggle
- highly compatible with other PPE
- ergonomic design with soft flexible components – adapts to any facial shape
- high mechanical strength (B: 120 m/s)

- low pressure, wide fully adjustable head strap for excellent wearer comfort
- low weight – just 69 g
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex u-sonic						
Art.no.	9308.245	9308.240	9308.246	9308.247	9308.147	9308.123
Replacement lens	9308.242	9308.241		9308.242		9308.242
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence	uvex supravision plus	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 172	reduced ventilation	reduced ventilation	Oil & gas	
Frame	grey, lime	grey, lime	grey, yellow	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	black, red	black, grey	anthracite, pink	
Lens	PC clear	PC grey 23%	PC clear	PC clear	PC clear	PC clear
UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
2C-1.2 W 1 BKN CE	5-2.5 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE
Retail unit	5	5	5	5	5	5

Add-on lens						
Art.no.	9308.248	9308.048				
Replacement lens	9308.242	uvex supravision sapphire				
Version	uvex supravision excellence	sunglare filter				
with add-on lens grey 14% and magnetic headband						
Standard	EN 166, EN 170, EN 172	EN 166, EN 172				
Frame	grey, orange	black, red				
W 166 34 B CE	W 166 34 B CE	W 166 34 B CE				
Lens	PC clear	PC grey 16%				
UV 400	UV 400	UV 400				
2C-1.2 W 1 BKN CE	5-3.1 W 1 CE	5-3.1 W 1 CE				
Additional lens	uvex supravision sapphire					
PC grey 14%						
sunglare filter, UV 400						
5-3.1 W 1 CE						
Retail unit	5					



# Safety Goggles

## uvex ultrasonic



9302.245



9302.600



9302.601



9302.285



9302.247



9302.281



9302.275



9302.286



9302.500

### uvex ultrasonic

- goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- hard and soft components create soft, pressure free seal for comfortable all day wear

#### Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex ultrasonic					
Art.no.	9302245	9302285	9302247	9302286	9302275
Replacement lens	9302255	9302255	9302257	9302256	
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	grey, orange	black, grey	grey, orange	black, grey	anthracite, lime
	W 166 349 B CE	W 166 349 B CE			
Lens	PC clear, UV 400	PC clear, UV 400	PC brown, UV 400	PC grey, UV 400	PC clear, UV 400
	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	5-2.5 W 1 B 9 KN DIN CE	5-2.5 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE
Retail unit	4	4	4	4	4
Art.no.	9302600	9302601	9302281	9302500	
Replacement lens		9302255	9302255		
Version	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence	uvex supravision clean	
	reduced ventilation	with rubber headband	with neoprene headband	autoclavable	
Standard	EN 166, EN 170				
Frame	blue, grey	black, red	black, grey	transparent, white	
	W 166 349 B CE				
Lens	PC clear, UV 400				
	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	
Retail unit	4	4	4	4	

# Safety Goggles

uvex ultravision



9301. 714  
9301. 815



9301. 105



9301. 633



9301. 716



9301. 116



9301. 813



9301. 906



9301. 613



**Please note:**  
CA lenses do not fit the PC models and vice-versa.

## uvex ultravision

- classic goggles with unrestricted field of vision
- can be worn over prescription spectacles
- available with polycarbonate or cellulose acetate lenses
- lenses can be changed

- high mechanical strength of the polycarbonate (B: 120 m/s) or cellulose acetate lens (F: 45 m/s)
- innovative indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision				
Art.no.	9301.714	9301.716	9301.906	9301.105
Replacement lens	9300.517	9300.517	9300.956	9301.255
Version	anti-fog	anti-fog with foam layer	anti-fog wide nose piece, particularly well suited in combination with dust masks	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey	transparent grey	red
Lens	W 166 34 F CE	W 166 34 F CE	W 166 3 F CE	W 166 349 B CE
	CA clear, UV 380	CA clear, UV 380	CA clear, UV 380	PC clear, UV 400
Retail unit	2-1.2 W 1 FN DIN CE	2-1.2 W 1 FN DIN CE	2-1.2 W 1 FN DIN CE	2C-1.2 W 1 B 9 KN CE
Art.no.	9301.116	9301.815	9301.613	9301.813
Replacement lens	9301.255	9301.255	9301.255	9301.255
Version	uvex supravision plus with foam layer	uvex supravision excellence top ventilation closed	uvex supravision excellence gas-proof	uvex supravision excellence with tear-off films, 2 units replacement films: 9300.316
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey	yellow	transparent grey
Lens	W 166 34 B CE	W 166 349 B CE	W 166 3459 B CE	W 166 349 B CE
	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400
Retail unit	2C-1.2 W 1 B 9 KN CE	2C-1.2 W 1 B 9 KN CE	2C-1.2 W 1 B 9 KN DIN CE	2C-1.2 W 1 B 9 KN CE

# Safety Goggles

## uvex ultravision faceguard · helmet mounted safety goggles



9301. 555



9301. 318



9301. 317

### uvex ultravision faceguard

- combines goggles with face guard
- completely seals the eyes and protects the face

	Goggles with face protection	Face protection	Face protection
Art. no.	9301.555	9301.317	9301.318
Version	Goggles with mouth protection uvex supravision excellence	for all models 9301 with PC lens (except 9301.906) not mounted, <b>without spectacles</b> uncoated	for all models 9301 with PC lens (except 9301.906) not mounted, <b>without spectacles</b> uncoated
Standard	EN 166, EN 170	–	–
Frame	transparent grey W 166 349 B CE	–	–
Lens	PC clear UV 400 2C-1.2 W 1 B 9 KN CE	– – –	– – –
Retail unit	1	1	1



9302. 510



9301. 544



9924. 010

### Helmet mounted safety goggles uvex ultrasonic and uvex ultravision

- safety goggles for combining with helmet and ear defenders uvex K1H and uvex K2H (ear defenders are not included)
- for attaching the uvex ultrasonic or uvex ultravision without ear defenders, additional adapters (9924.010) are required!

	uvex ultrasonic	uvex ultravision	Adapter
Art. no.	9302.510	9301.544	Adapter
Version	uvex supravision extreme	anti-fog inside	Adapter for attaching without earmuffs
Standard	EN 166, EN 170	EN 166, EN 170	
Frame	blue, grey W 166 349 B CE	transparent grey W 166 34 F CE	
Lens	PC clear, UV 400 2C-1.2 W 1 B 9 KN DIN CE	CA clear, UV 380 2C-1.2 W 1 FN DIN CE	
Retail unit	4	1	1 pair

# Safety Goggles

uvex carbonvision · uvex 9305 · uvex 9405



9307.375



9307.276



9307.365

## uvex carbonvision

- low profile wraparound style goggle
- lightweight at just 46 g
- highly compatible with other PPE
- close fitting frame and high mechanical strength (B: 120 m/s)

uvex carbonvision			
Art.no.	9307.375	9307.276	9307.365
Version	uvex supravision extreme	uvex supravision extreme sunglare filter	uvex supravision extreme with neoprene headband
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, grey	black, grey	black, grey
	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Lens	PC clear	PC grey	PC clear
	UV 400	UV 400	UV 400
	2-1.2 W 1 B KN DIN CE	5-2.5 W 1 B KN CE	2-1.2 W 1 B KN DIN CE
Retail unit	5	5	5



9405.714

## uvex 9405

- classic goggles with cellulose acetate lens and ventilation system
- mechanical strength F: 45 m/s

uvex 9405	
Art.no.	9405.714
Replacement lens	9400.517
Version	anti-fog inside
Standard	EN 166, EN 170
Frame	transparent grey
	W 166 34 F CE
Lens	CA clear
	UV 380
	W 1 FN DIN CE
Retail unit	4


# Welding Protection

A new generation of welding protection eyewear available with different grey-tint lenses and protection classes. The innovative technology affords protection from UV and infrared light while maintaining perfect colour recognition in line with uvex sunglare filters.

The special uvex infradur plus coating has anti-fog properties which prevents the inside of the lenses misting up and the extreme scratch-resistance on the outside keeps damage from welding sparks to an absolute minimum.

With various welding safety spectacles and goggle solutions, there is something for everyone – enhancing comfort and the wearer experience.

N.B.: Do not use for electric welding.



All welding products have polycarbonate lenses providing protection against impact as well as UV rays, IR rays and visible glare.

For expert advice on safety and in selecting the right laser protection eyewear, talk to our specialists

**The products do not provide protection against laser beams!**

# Welding Protection

uvex i-vo · uvex super fit



## uvex i-vo

- fashionable safety spectacles with adjustable side arms
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- reliable protection provided by customised fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their facial shape
- soft, uvex quattroflex arms and soft components around the nose and forehead for a comfortable, pressure-free fit
- the shape of the lenses offers unrestricted peripheral vision

uvex i-vo			
Art. no.	9160.041	9160.043	9160.045
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus
Standard	welding protection level 1.7	welding protection level 3	welding protection level 5
Frame	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
black, green	black, green	black, green	black, green
W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey	PC grey	PC grey
UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
1.7 W 1 FTKN CE	3 W 1 FTKN CE	5 W 1 FTKN CE	5 W 1 FTKN CE
Retail unit	5	5	5



## uvex super fit

- low weight welding safety spectacles with hinged side arms in a sporty design
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- ultra thin, wraparound lens delivers maximum optical clarity and an excellent field of vision
- soft, adjustable nose piece
- low weight design (21 g) for increased wearer comfort

uvex super fit			
Art. no.	9178.041	9178.043	9178.043
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus
Standard	welding protection level 1.7	welding protection level 3	welding protection level 3
Frame	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
black, green	black, green	black, green	black, green
W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey	PC grey	PC grey
UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
1.7 W 1 FTKN CE	3 W 1 FTKN CE	3 W 1 FTKN CE	3 W 1 FTKN CE
Retail unit	5	5	5

# Welding Protection

## uvex futura



### uvex futura

- classic style spectacles with large field of vision
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks

- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- soft, duo-flex ear pieces for a pressure free fit

uvex futura	9180.141	9180.143	9180.144	9180.145	9180.146
<b>Art.no.</b>	9180.141	9180.143	9180.058	9180.059	9180.060
<b>Replacement lens</b>	9180.056	9180.057	uvex infradur	uvex infradur	uvex infradur
<b>Version</b>	uvex infradur	uvex infradur	welding protection level 3	welding protection level 4	welding protection level 5
welding protection level 1.7	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
<b>Standard</b>	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
<b>Frame</b>	black, green	black, green	black, green	black, green	black, green
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
<b>Lens</b>	PC grey	PC grey	PC grey	PC grey	PC grey
UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
1.7 W 1 FTK CE	3 W 1 FTK CE	4 W 1 FTK CE	5 W 1 FTK CE	6 W 1 FTK CE	
<b>Retail unit</b>	5	5	5	5	5

# Welding Protection

uvex 9116



9116. 041



9116. 043



9116. 045



9116. 044



9116. 046

## uvex 9116

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks

- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9116					
Art. no.	9116.041	9116.043	9116.044	9116.045	9116.046
Version	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
Standard	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Frame	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
	black, green	black, green	black, green	black, green	black, green
W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE
Lens	PC grey	PC grey	PC grey	PC grey	PC grey
	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
	1.7 W 1 FTK CE	3 W 1 FTK CE	4 W 1 FTK CE	5 W 1 FTK CE	6 W 1 FTK CE
Retail unit	5	5	5	5	5

# Welding Protection

## uvex 9104



9104. 041



9104. 043



9104. 044



9104. 045



9104. 046

### uvex 9104

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- with flip-up and easily replaceable filter
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks

- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9104					
Art. no.	9104.041	9104.043	9104.044	9104.045	9104.046
Version	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE
Lens	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE
Additional lens	PC grey, UV 400 + IR 1.7 W 1 FTK CE uvex infradur welding protection level 1.7	PC grey, UV 400 + IR 3 W 1 FTK CE uvex infradur welding protection level 3	PC grey, UV 400 + IR 4 W 1 FTK CE uvex infradur welding protection level 4	PC grey, UV 400 + IR 5 W 1 FTK CE uvex infradur welding protection level 5	PC grey, UV 400 + IR 6 W 1 FTK CE uvex infradur welding protection level 6
Retail unit	5	5	5	5	5
Flip-up replacement part	9104.081	9104.083	9104.084	9104.085	9104.086

# Welding Protection

## uvex astrospec 2.0



### uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec safety spectacles
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- panoramic polycarbonate lens with integrated side shield for optimum protection of the whole eye

- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- uvex ventilation system with integrated brow guard for added comfort
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) for pressure free fit
- fits easily into breast pocket thanks to flat-fold design

uvex astrospec 2.0					
Art.no.	9164.141	9164.143	9164.144	9164.145	9164.146
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 4	uvex infradur plus welding protection level 5	uvex infradur plus welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTKN CE	PC grey UV 400 + IR 3 W 1 FTKN CE	PC grey UV 400 + IR 4 W 1 FTKN CE	PC grey UV 400 + IR 5 W 1 FTKN CE	PC grey UV 400 + IR 6 W 1 FTKN CE
Retail unit	5	5	5	5	5

### Levels of welding protection and recommendations for use according to EN 169

Level of protection	Use	Gas used	Flow rate (l/h)
1.7	Protection against scattered rays for welding assistants	–	–
3	Lightweight oxyacetylene cutting	–	–
4	Welding and braze welding	Acetylene	< 70
5	Welding and braze welding Oxyacetylene cutting	Acetylene Oxygen	70 – 200 900 – 2,000
6	Welding and braze welding Oxyacetylene cutting	Acetylene Oxygen	200 – 800 2,000 – 4,000

# Welding Protection

## uvex 9161 · uvex super f OTG



### uvex 9161

- welding overspecs for wearers of prescription glasses
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- fully adjustable side arms enable wearers to achieve a customised fit:  
multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- unrestricted peripheral vision
- pressure-free fit with soft uvex duoflex arms

uvex 9161

<b>Art. no.</b>	9161.141	9161.143	9161.144	9161.145	9161.146
<b>Version</b>	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
<b>Standard</b>	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
<b>Frame</b>	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
<b>W 166 F CE</b>	black, green	black, green	black, green	black, green	black, green
<b>Lens</b>	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
<b>PC grey</b>	PC grey	PC grey	PC grey	PC grey	PC grey
<b>UV 400 + IR</b>	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
<b>1.7 W 1 FT CE</b>	3 W 1 FT CE	4 W 1 FT CE	5 W 1 FT CE	6 W 1 FT CE	
<b>Retail unit</b>	5	5	5	5	5



9169. 541



9169. 543



9169. 545

### uvex super f OTG

- welding overspecs with arm-hinge concept for wearers of prescription glasses
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- unrestricted peripheral vision
- soft arm ends for increased comfort

uvex super f OTG

<b>Art. no.</b>	9169.541	9169.543	9169.545
<b>Version</b>	uvex infradur plus	uvex infradur plus	uvex infradur plus
<b>Standard</b>	welding protection level 1.7	welding protection level 3	welding protection level 5
<b>Frame</b>	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
<b>W 166 FT CE</b>	black, green	black, green	black, green
<b>Lens</b>	W 166 FT CE	W 166 FT CE	W 166 FT CE
<b>PC grey</b>	PC grey	PC grey	PC grey
<b>UV 400 + IR</b>	UV 400 + IR	UV 400 + IR	UV 400 + IR
<b>1.7 W 1 FT KN CE</b>	3 W 1 FT KN CE	3 W 1 FT KN CE	5 W 1 FT KN CE
<b>Retail unit</b>	5	5	5

# Welding Protection

uvex ultrasonic flip-up · uvex ultravision



## uvex ultrasonic flip-up

- welding goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- a combination of hard and soft components create soft, effect, pressure free seal for comfortable all day wear

uvex ultrasonic		
Art. no.	9302.043	9302.045
Replacement lens flip-up	9302.083	9302.085
Version	uvex supravision excellence with flip-up and easily replaceable filter	uvex supravision excellence with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green	black, green
Lens	W 166 349 B CE PC clear, UV 400 2-1.2 W 1 B9 KN DIN CE	W 166 349 B CE PC clear, UV 400 2-1.2 W 1 B9 KN DIN CE
Additional lens	PC grey, UV 400 + IR uvex infradur 3 W 1 CE	PC grey, UV 400 + IR uvex infradur 5 W 1 CE
Retail unit	4 (uvex ultrasonic flip-up complete) 1 (Replacement lens flip-up)	4 (uvex ultrasonic flip-up complete) 1 (Replacement lens flip-up)



9301. 145



9301. 185

## uvex ultravision

- classic style welding goggle with unrestricted field of vision
- can be worn over prescription spectacles
- with flip-up and easily replaceable filter
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- high mechanical strength of the polycarbonate lens (B: 120 m/s)
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision		
Art. no.	9301145	
Replacement lens	9301185	
Version	uvex infradur plus welding protection level 5	
Standard	EN 166, EN 169	
Frame	black W 166 3 B CE	
Lens	PC grey, UV 400 + IR 5 W 1 BKN CE	
Retail unit	1	

# Accessories

· uvex cleaning accessories · uvex microfibre cloth



9970.002



9972.101



9963.000

## uvex spectacle cleaning station

- including
- 2 x 9971.000
- 1 x 9972.100
- 1 x 9973.100

uvex spectacle cleaning station
Art. no.
9970.002

Art. no. 9970.002

Retail unit 1

### uvex cleaning fluid

- 0.5 l cleaning fluid
- suitable for all viewing lenses

### uvex cleaning fluid

Art. no.	9972.100
Content	500 ml
Retail unit	1

Art. no. 9972.100

Retail unit 1

### Plastic pump

- for uvex cleaning fluid 9972.100

### Plastic pump

Art. no.	9973.100
Retail unit	1

Art. no. 9973.100

Retail unit 1

### Cleaning papers

- replacement silicone-free paper
- approx. 700 sheets
- antistatic
- suitable for all uvex lenses

### Cleaning papers

Art. no.	9971.000
Retail unit	1

Art. no. 9971.000

Retail unit 1

## uvex cleaning fluid

- Note:  
does not fit in the uvex spectacle cleaning station

### uvex cleaning fluid

Art. no.	9963.000
Content	500 ml
Retail unit	5

Art. no. 9963.000

Retail unit 5

- wall mount for individually sealed lens cleaning wipes
- assembly accessories included

### Wall mount

Art. no.	9963.001
Retail unit	1

Art. no. 9963.001

Retail unit 1

## uvex lens cleaning towelettes

- 100 towelettes per box
- silicone-free
- not antistatic
- individually sealed
- for all uvex lenses

### uvex cleaning towelettes

Art. no.	9963.000
Retail unit	5

Art. no. 9963.000

Retail unit 5

- wall mount for individually sealed lens cleaning wipes
- assembly accessories included



6119. 801

## uvex microfibre cloth

- for cleaning spectacle and goggle lenses

### uvex microfibre cloth

Art. no.	6119.801
Retail unit	5

Art. no. 6119.801

Retail unit 5



9972.100



9971. 000



9973. 100



9963. 001

## Accessories

### uvex safety eyewear cases



9954. 600

#### uvex eyewear case

- hard shell case in modern design
- extremely robust design to protect against external damage
- soft interior
- belt loop for ease of carrying
- practical snap hook
- specially for curved spectacles (e.g. uvex i-vo)

uvex eyewear case
Art. no. 9954.600
Retail unit 5



9954. 500

#### uvex eyewear case

- extremely robust case
- reinforced zip for extra strength
- belt loop
- extra space for replacement lens
- suitable for all uvex spectacles (except 9169)

uvex eyewear case
Art. no. 9954.500
Retail unit 5



9954. 501

#### uvex eyewear case

- goggle case with zip and belt loop
- large and very robust
- extra space for replacement lens
- suitable for spectacles and goggles

uvex eyewear case
Art. no. 9954.501
Retail unit 5

# Accessories

## uvex safety eyewear cases



6118. 002



9954. 650

### uvex eyewear case

- flexible case made from robust nylon material
- extendable zip on side to increase space
- individually adjustable hook-and-loop fastener
- comes with belt loop
- suitable for all spectacles

uvex eyewear case  
Art.no. 6118.002  
Retail unit 1

### uvex eyewear case

- flexible case made from robust nylon material
- individually adjustable hook-and-loop fastener
- comes with belt loop
- for goggle models uvex 9308 and uvex 9307

uvex eyewear case  
Art.no. 9954.650  
Retail unit 5



9954. 355

9954. 360

### uvex microfibre case

- elegant microfibre case
- for uvex spectacles models

uvex microfibre case  
Art.no. 9954.355  
Retail unit 5

- elegant microfibre case
- for uvex goggles and overspecs

uvex microfibre case  
Art.no. 9954.360  
Retail unit 5



9957. 502

### uvex SECU box

- storage box for wall assembly
- for spectacles and goggles:  
2 goggles or  
3 spectacles or  
1 goggles and 2 spectacles

uvex SECU box  
Art.no. 9957.502  
Retail unit 1

## Accessories

### uvex eyewear straps



9958. 017



9958. 003

#### uvex eyewear headband

- suitable for all uvex safety spectacles (except for the duoflex side arms)
- adjustment toggle for individual length adjustment

uvex eyewear headband	
Art. no.	9958.017
Retail unit	10



9958. 020

#### uvex eyewear headband

- fully adjustable
- metal-free

uvex eyewear headband	
Art. no.	9958.003
Retail unit	10



9958. 009

#### uvex pheos headband

- for attaching to uvex pheos standard and uvex pheos small
- metal-free
- individual length adjustment

uvex pheos headband	
Art. no.	9958.020
Retail unit	10

see page 30, 31

#### uvex i-3 headband

- Headband for uvex i-3 and uvex i-3 s

uvex i-3 headband	
Art. no.	9958.009
Retail unit	10

see page 26, 27

# Accessories

## uvex hang-cords



### **uvex eyewear cord**

- for all soft arms and duo flex ear pieces  
(uvex skyper models)

uvex eyewear cord	
Art. no.	9959.003
Retail unit	10

### **uvex eyewear cord**

- suitable for all uvex spectacles

uvex eyewear cord	
Art. no.	9959.002
Retail unit	10

### **uvex eyewear cord**

- for uvex models 9192, 9172, 9160, 9195, 9196, 9197, 9175, 9174, 9188, 9194
- metal-free
- individual length adjustment

uvex eyewear cord	
Art. no.	9959.004
Retail unit	10

# Safety Eyewear

## Overview

Model	Name	Product	Retail Unit	Page	uvex supravision excellence	uvex supravision extreme	uvex supravision clean	uvex supravision sapphire	uvex supravision plus	ETC (extreme)	uvex AR (anti-reflective)	uvex supravision varioomatic	silver mirror	blue mirror	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog	scratch-resistant	scratch-resistant + anti-fog	uncoated
9104	uvex 9104	Safety spectacles – welding protection	5	51					■												
9104	uvex 9104	Replacement flip-up part	1	51																	
9116	uvex 9116	Safety spectacles – welding protection	5	50																	
9134	uvex meteor	Plastic temple spectacles	5	37			■													■	
9160	uvex i-vo	Plastic temple spectacles	5	34	■			■													
9160	uvex i-vo	Replacement lenses	5	34	■		■														
9160	uvex i-vo	Safety spectacles – welding protection	5	48												■					
9161	uvex 9161	Plastic temple spectacles	5	38			■	■													
9161	uvex 9161	Safety spectacles – welding protection	5	53											■						
9164	uvex astrospec 2.0	Plastic temple spectacles	5	29	■	■	■	■	■												
9164	uvex astrospec 2.0	Safety spectacles – welding protection	5	52												■					
9168	uvex astrospec	Plastic temple spectacles	5	29	■			■													
9169	uvex super OTG	Plastic temple spectacles	5	38	■			■													
9169	uvex super f OTG	Plastic temple spectacles	5	39			■				■										
9169	uvex super f OTG	Plastic temple spectacles, UV 525	5	39				■													
9169	uvex super f OTG CR	Plastic temple spectacles	5	35/39			■														
9169	uvex super f OTG	Safety spectacles – welding protection	5	53												■					
9172	uvex super g	Plastic temple spectacles	5	32	■			■	■												
9172	uvex super g	Replacement lens	5	32	■																
9174	uvex skylite	Plastic temple spectacles	5	37				■													
9175	uvex skyguard NT	Plastic temple spectacles	5	37	■	■															
9178	uvex super fit	Plastic temple spectacles	5	33	■			■	■												
9178	uvex super fit ETC	Plastic temple spectacles	5	33							■										
9178	uvex super fit CR	Plastic temple spectacles	5	35			■														
9178	uvex super fit	Safety spectacles – welding protection	5	48													■				
9180	uvex futura	Safety spectacles – welding protection	5	49												■					
9180	uvex futura	Replacement lenses – welding protection	5	49												■					
9190	uvex i-3/uvex i-3 s	Plastic temple spectacles	5	26/27	■			■	■	■	■	■	■	■							
9190	uvex i-3	Plastic temple spectacles	1	26							■	■									
9190	uvex i-3	Replacement lens	5	26	■																
9192	uvex pheos	Plastic temple spectacles	5	30/31	■	■				■							■				
9192	uvex pheos blue	Plastic temple spectacles	5	30	■																
9192	uvex pheos guard	uvex pheos headband version	4	31			■														
9192	uvex pheos	Extra frame	5	31																	
9193	uvex sportstyle	Plastic temple spectacles	5	23	■	■				■	■	■									
9194	uvex i-works	Plastic temple spectacles	5	28	■											■					
9197	uvex skyper sx2	Plastic temple spectacles	5	36	■				■												
9197	uvex skyper sx2	Replacement lens	5	36					■												
9197	uvex skyrite sx2	Plastic temple spectacles	5	36	■											■					
9198	uvex pheos cx2	Plastic temple spectacles	5	25	■				■												
9199	uvex x-fit	Plastic temple spectacles	5	21	■				■												
9231	uvex polavision	Plastic temple spectacles	1	36														■			
9301	uvex ultravision	Safety goggles	1	44	■	■			■								■				
9301	uvex ultravision	Replacement lenses	1	44	■												■				
9300	uvex ultravision	Tear-off films	10	44																	
9301	uvex ultravision faceguard	Safety goggles	1	45	■																



Model	Name	Product	Retail unit	Page	uvex supravision excellence	uvex supravision extreme	uvex supravision clean	uvex supravision sapphire	uvex supravision plus	ETC (extreme)	uvex AR (anti-reflective)	uvex supravision varomatic	silver mirror	blue mirror	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog	scratch-resistant	scratch-resistant + anti-fog	uncoated
9301	uvex ultravision	Mouth shield	1	45	■															■	
9301	uvex ultravision	Safety goggles – welding protection	1	54																	
9302	uvex ultrasonic	Safety goggles	4	42/43	■ ■																
9302	uvex ultrasonic	Replacement lenses	4	42/43	■																
9302	uvex ultrasonic CR	Safety goggles	4	35/43		■															
9302	uvex ultrasonic flip-up	Safety goggles – welding protection	4	54	■										■						
9302	uvex ultrasonic flip-up	Replacement lenses – welding protection	1	54										■							
9307	uvex carbonvision	Safety goggles	5	46		■															
9308	uvex u-sonic	Safety goggles	1	42	■ ■				■												
9308	uvex u-sonic	Add-on lens	5	42			■														
9308	uvex u-sonic	Replacement lenses	5	42	■																
9309	uvex pheos cx2 sonic	Safety goggles	4	41		■															
9405	uvex 9405	Safety goggles	5	46													■				
9400	uvex 9405	Replacement lens	1	46												■					
6118		Safety eyewear case	5	57																	
6119		Microfibre cloth	5	55																	
9954		Safety eyewear cases	5	56																	
9954		Microfibre case	1	57																	
9957		SECU box	10	57																	
9958		Headband for uvex temple spectacles	10	58																	
9958		Headband	5	58																	
9958	uvex pheos/uvex pheos s	Headband	5	58																	
9958	uvex i-3/uvex i-3 s	Headband	10	58																	
9959		Neck hang cord for uvex spectacles	5	59																	
9963		Cleaning towelettes	1	55																	
9963		Wall holder	1	55																	
9970		Cleaning station	1	55																	
9971		Replacement cleaning papers	1	55																	
9972		Cleaning fluid	1	55																	
9973		Plastic pump	1	55																	

# Applications

## Always the perfect solution

Mechanical risk	Chemical risk	Optical risk		
<b>Working conditions</b>				
Eyewear model	Lens material	Lens tint	Lens coating	
Light and precision engineering	Spectacles	PC	clear	uvex supravision AR (anti-reflet) uvex supravision excellence
Assembly, maintenance	Spectacles	PC	clear	uvex supravision excellence
Grinding, angle grinding	Spectacles Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Turning, milling	Spectacles	PC	clear	uvex supravision excellence
Dusty environments	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Foundry cleaning	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Forestry and agriculture	Spectacles	PC	clear amber grey 23%	uvex supravision excellence uvex supravision extreme
Laboratory	Spectacles Goggles	PC CA	clear	uvex supravision sapphire uvex supravision excellence
Working with acids and galvanic media	Goggles	PC CA	clear	uvex supravision excellence uvex supravision extreme
Spot welding, soldering oxygene cutting gas welding, braze welding Welders assistant foundries furnaces	Spectacles Goggles	PC	welding shade	uvex infradur uvex infradur plus
Outdoors – sunglare	Spectacles	PC	grey brown silver mirror	uvex supravision excellence uvex supravision extreme
Offshoring / maritime	Spectacles	PC	variomatic polavision	uvex supravision variomatic uvex polavision
Strong lighting, glare	Spectacles	PC	CBR 65 silver mirror 53%	uvex supravision excellence uvex supravision extreme
Mixed lighting	Spectacles	PC	clear	uvex supravision AR (anti-reflet)
Sterile working conditions	Spectacles Overspecs	PC	clear	uvex supravision CR
Oil and gas	Spectacles Overspecs Goggles	PC	clear	uvex supravision plus
Plant visitors	Spectacles Overspecs	PC	clear	uvex supravision excellence uvex supravision sapphire uncoated