




Winners at Work

Outstanding design.

















Sporty design meets sophisticated functionality: The uvex 1 sport range is both youthful and stylish combined with first-class wearer comfort, thanks to its lightweight design, climate optimised high-tech materials and ergonomically shaped outsole.

uvex 1 sport – the ideal companion for daily working life and more.





High breathability.

The breathable mesh upper ensures optimised climate control. The sporty look of the uvex 1 sport range is contributing to the increased acceptance of wearing safety footwear.



Lightweight and ergonomic design.

uvex 1 sport sole

- ergonomically designed outsole comprising dual-density polyurethane for light applications
- extremely comfortable underfoot
- suitable for general use on almost all surfaces
- excellent anti-slip properties (SRC)
- abrasion-resistant
- meets the ESD specification with leakage resistance < 35 megaohms
- free of paint wetting impairment substances





uvex



uvex 1 sport · Shoe S1 SRC/S1 P SRC/S3 SRC uvex 1 sport NC · Shoe O1 FO SRC

General features:

- modern, ultra-lightweight and flexible S1, S1 P and S3 safety shoes, and O1 occupational shoes
- suitable for people allergic to chrome as it's made from synthetic materials
- all sole materials are free of silicones, plasticisers and other paint wetting impairment substances

Protection features:

- Certified for orthopaedic inserts and shoe adjustments in accordance with German Institute for Occupational Health and Safety (DGUV) regulation 112-191 and ÖNORM Z1259.
- meets the ESD specification with leakage resistance less than 35 megaohms
- 100% metal-free uvex xenova® toe cap compact design, anatomical shape, good lateral stability, no thermal conductivity (safety shoes only)
- ergonomically designed outsole comprising dualdensity polyurethane with excellent slip resistance
- penetration-resistant, non-metallic midsole in accordance with the latest safety standards, does not restrict flexibility of the shoe (S1 P and S3 shoes only)

Comfort features:

- outstanding wearer comfort results from a newly developed last and climate-optimised, breathable materials
- virtually seam-free construction made from high-tech materials to eliminate pressure points
- removable anti-static comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- soft padding on collar and tongue
- sizes 35 to 40 have been produced using a women's last

Areas of application:

light applications



											1					
uvex 1 sport	Safety	shoe S1	SRC													
Colour	pink/white				blue/white				black/v	vhite				black/white		
Art. no.	65977	65978	65979	65970	65997	65998	65999	65990	65987	65988	65989	65980	65947	65948	65949	6594
Width	10	11	12	14	10	11	12	14	10	11	12	14	10	11	12	14
Standard	EN ISO 20345:2011 S1 SRC															
Upper	textile															
Lining	distance mesh lining															
Size	35 to 43			35 to 52			35 to 52			35 to 52						
uvex 1 sport	Safety	shoe S1	P SRC													
Colour	pink/white				blue/white			black/black		lack	k /		black/white			
Art. no.	65971	65972	65973	65974	65991	65992	65993	65994	65901	65902	65903	65904	65941	65942	65943	6594
Width	10	11	12	14	10	11	12	14	10	11	12	14	10	11	12	14
Standard	EN ISO 20345:2011 S1 P SRC															
Upper	textile															
Lining	distance mesh lining															
Size	35 to 43				35 to 52				35 to 52			35 to 52				
uvex 1 sport	Safety shoe S3 SRC															
Colour	black/white						black/black									
Art. no.	65961		65962	65962 65963					65921		65922		65923		65924	
Width	10		11		12		14		10		11		12		14	
Standard	EN ISO 20345:2011 S3 SRC															
Upper	microvelour															
Lining	distance mesh lining															
Size	35 to 52							35 to 5	2							
uvex 1 sport NC	Occupational shoe O1 FO SRC															
Colour	black/grey						black/white									
Art. no.	65937 65938		65939				65957		65958		65959					
Width	10 11		12				10		11		12					
Standard	EN ISO 20347:2012 O1 FO SRC															
Upper	textile															
Lining	distance mesh lining															
Size	35 to 52							35 to 52								



uvex













Winners at Work. Designed for Individuals.

UVEX ARBEITSSCHUTZ GMBH Würzburger Straße 181-189 90766 Fürth GERMANY

Phone: +49 911 9736-0 Fax: +49 911 9736-1760 E-Mail: safety@uvex.de Internet: uvex-safety.com

