

uvex



uvex group
Restricted Substances List

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories									
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber	
					synth.	nat.	synth.	nat.	hard	soft				
DMFu [Dimethylfumarate]														
DMFu [Dimethylfumarate]	624-49-7	[ppm]	< 0,1			○		○						
Dyes														
Cleavable cancerogenic arylamines and free cancerogenic arylamines	Various	[ppm]	< Sum: 20,0		●	●	●	●						
Banned azo dyes which can generate carcinogenic amines	Various	[ppm]	< 20,0		●	●	●	●						
Carcinogenic colorants	Various	[ppm]	< 50,0		●		●	○						
Allergenic colorants	Various	[ppm]	< 50,0		●		●	○						
n-Nitrosamines	Various	[ppm]	< 0,5 each	relevant for vulcanized materials (rubber)							●			
Flame retardants														
Boric acid	10043-35-3, 11113-50-1	[ppm]	n.d.	for clothing and garments in textiles „non determinable“ in direct contact with skin										
Diboron trioxide	1303-86-2													
Disodium tetraborate, anhydrous	1303-96-4													
HBCDD [Hexabromocyclododecane]	3194-55-6													
TetraBDE [Tetrabromodiphenylether]	40088-47-9													
PentaBDE [Pentabromodiphenylether]	32534-81-9													
HexaBDE [Hexabromodiphenylether]	36483-60-0													
HeptaBDE [Heptabromodiphenylether]	68928-80-3													
OctaBDE [Octabromodiphenylether]	32536-52-0													
DecaBDE [Dekabromodiphenylether]	1163-19-5													
PBB [Polybromobiphenyls]	59536-65-1, 36355-01-8							○	○	○	○	○	○	○
Tetraboron disodium heptaoxide, hydrate	12267-73-1													
TRIS [Tris(2,3-dibromopropyl)phosphate]	126-72-7													
TCEP [Tris(2-chloroethyl)phosphate]	115-96-8													
TDCPP [Tris(1,3-dichloro-isopropyl)phosphate]	13674-87-8													
TEPA [Tris(1-aziridinyl)phosphine oxide]	545-55-1													
TXP [Trixylyl phosphate]	25155-23-1													
TBBP A [Tetrabromobisphenol A]	79-94-7	[ppm]	< 10,0 each	in direct contact with skin										
BBMP [2,2-bis(bromomethyl)-1,3-propanediol]	3296-90-0													
BDBPP [Bis(2,3-dibromopropyl) phosphate]	5412-25-9													
Formaldehyde														
Formaldehyde	50-00-0	[ppm]	< 75,0			●	○	●						

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories										
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber		
					synth.	nat.	synth.	nat.	hard	soft					
Heavy metals (Extractable)															
Sb [Antimony]	7440-36-0	[ppm]	< 30,0	in direct contact with skin, except textiles with modacrylic	●										
As [Arsenic]	7440-38-2	[ppm]	< 1,0	in direct contact with skin; for textiles and shoes < 1,0 ppm	●	●	○	●	○	○	●	●	○		
Ba [Barium]	7440-39-3	[ppm]	< 1000,0	in direct contact with skin	●	●	●	●	○	○		●	○		
Pb [Lead]	7439-92-1	[ppm]	< 1,0	in direct contact with skin, except optical filters & PSE against ionizing radiation; for textiles and shoes < 1,0 ppm	●	●	●	●					●		
Cd [Cadmium]	7440-43-9	[ppm]	< 0,1	in direct contact with skin; for textiles and shoes < 1,0 ppm	●	●	●	●					●		
Cr (VI) [Chromium VI]	18540-29-9	[ppm]	< 0,5	in direct contact with skin; for leather < 3,0 ppm, for textiles in shoes < 1,0 ppm	●	●	●	●					●		
Co [Cobalt]	7440-48-4	[ppm]	< 4,0	in direct contact with skin	●	●	●	●					●		
Cu [Copper]	7440-50-8	[ppm]	< 50,0	in direct contact with skin	●	●	●	●					●		
Ni [Nickel]	7440-02-0	[ppm]	< 4,0	in direct contact with skin, for textiles	●	●	●	●			●		●		
Hg [Mercury]	7439-97-6	[ppm]	< 0,02	in direct contact with skin	●	●	●	●					●		
Heavy metals in digested sample (Total)															
Pb [Lead]	7439-92-1	[ppm]	< 90,0	except optical filters & PSE against ionizing radiation											
Cd [Cadmium]	7440-43-9	[ppm]	< 40,0	except optical filters & PSE for welding			○		●	●	○	●	●		
As [Arsenic]	7440-38-2	[ppm]	< 100,0												
Hg [Mercury]	7439-97-6	[ppm]	< 0,5												
Nickel release															
Ni [Nickel]	7440-02-0	[µg/cm ² /week]	< 0,5	in direct contact with skin, for metals and metallic coatings on plastics							●	○			
PFC [Perfluorocarbons]															
PFUdA [Henicosfluoroundecanoic acid and salts]	2058-94-8, et. al.	[ppm]	< 0,1	relevance for oil/water proof applications											
PFDaA [Tricosfluorododecanoic acid and salts]	307-55-1, et. al.	[ppm]	< 0,1												
PFTrDA [Pentacosfluorotridecanoic acid and salts]	72629-94-8, et. al.	[ppm]	< 0,1		●	●		●							
PFTeDA [Heptacosfluorotetradecanoic acid and salts]	376-06-7, et. al.	[ppm]	< 0,1												
PFOS [Perfluorooctane sulfonate and related substances]	Various	[µg/m ²]	< 1,0												
PFOA [Perfluorooctanoic acid, its salts and PFOA-related substances]	335-67-1, et. al.	[µg/m ²]	< 1,0												

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories								
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber
					synth.	nat.	synth.	nat.	hard	soft			
Pesticides													
2,4,5-Trichlorophenoxyacetic acid	93-76-5												
2,4-Dichlorophenoxyacetic acid	94-75-7												
Acetamiprid	135410-20-7, 160430-64-8												
Aldicarb	116-06-3												
Aldrine	309-00-2												
Azinophosethyl	2642-71-9												
Azinophosmethyl	86-50-0												
Bromophos-ethyl	4824-78-6												
Captafol	2425-06-1												
Carbaryl	63-25-2												
Chlorbenzilate	510-15-6												
Chlordane	57-74-9												
Chlordimeform	6164-98-3												
Chlorfenvinphos	470-90-6												
Clothianidin	210880-92-5												
Coumaphos	56-72-4												
Cyfluthrin	68359-37-5		n.d.			●		●					
Cyhalothrin	91465-08-6												
Cypermethrin	52315-07-8												
DEF	78-48-8												
Deltamethrin	52918-63-5												
DDD	53-19-0, 72-54-8												
DDE	3424-82-6, 72-55-9												
DDT	50-29-3, 789-02-6												
Diazinon	333-41-5												
Dichlorprop	120-36-5												
Dicrotophos	141-66-2												
Dieldrine	60-57-1												
Dimethoate	60-51-5												
Dinoseb, its salts and acetate	88-85-7, et. al.												
Dinotefuran	165252-70-0												

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories									
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber	
					synth.	nat.	synth.	nat.	hard	soft				
Endosulfan	115-29-7													
Endosulfan, α-	959-98-8													
Endosulfan, β-	33213-65-9													
Endrine	72-20-8													
Esfenvalerate	66230-04-4													
Fenvalerate	51630-58-1													
Heptachlor	76-44-8													
Heptachloroepoxide	1024-57-3, 28044-83-9													
Hexachlorbenzene	118-74-1													
Hexachlorcyclohexanes, including Lindane	319-84-6, 319-85-7, 319-86-8, 608-73-1, 58-89-9													
Imidacloprid	105827-78-9, 138261-41-3													
Isodrine	465-73-6													
Kelevane	4234-79-1													
Kepone	143-50-0		n.d.				●		●					
Malathion	121-75-5													
MCPA	94-74-6													
MCPB	94-81-5													
Mecoprop	93-65-2													
Metamidophos	10265-92-6													
Methoxychlor	72-43-5													
Mirex	2385-85-5													
Monocrotophos	6923-22-4													
Nitenpyram	150824-47-8, 120738-89-8													
Parathion	56-38-2													
Parathion-methyl	298-00-0													
Pentachlorobenzene	608-93-5													
Perthane	72-56-0													
Phosdrin/Mevinphos	7786-34-7													
Phosphamidone	13171-21-6													
Propethamphos	31218-83-4													
Profenophos	41198-08-7													

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories															
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber							
					synth.	nat.	synth.	nat.	hard	soft										
Quinalphos	13593-03-8																			
Strobane	8001-50-1																			
Telodrine	297-78-9																			
Thiacloprid	111988-49-9		n.d.																	
Thiamethoxam	153719-23-4																			
Toxaphene (Chlorocamphene)	8001-35-2																			
Trifluralin	1582-09-8																			
Sum of Pesticides	Various	[ppm]	< Sum: 1,0																	
Phenols, toluenes, benzenes (also chlorinated)																				
PCP [Pentachlorophenol]	87-86-5	[ppm]	< 0,5																	
TeCP [2,3,5,6-Tetrachlorophenol]	935-95-5																			
TeCP [2,3,4,5-Tetrachlorophenol]	4901-51-3	[ppm]	< 0,5 each																	
TeCP [2,3,4,6-Tetrachlorophenol]	58-90-2																			
TrCP [Trichlorophenols]	Various	[ppm]	< Sum: 2,0																	
Chlorinated benzenes and toluenes (without 1,2-Dichlorobenzene)	Various	[ppm]	< Sum: 1,0																	
1,2-Dichlorobenzene	95-50-1	[ppm]	< 10,0																	
α,α,α,4-Tetrachlorotoluene	5216-25-1	[ppm]	< 1,0																	
α,α,α-Trichlorotoluene	98-07-7	[ppm]	< 1,0																	
α-Chlorotoluene	100-44-7	[ppm]	< 1,0																	
OPP [o-Phenylphenol]	90-43-7	[ppm]	< 25,0																	
Toluene	108-88-3	[ppm]	< 2,0	except gloves for special purposes																
Styrene	100-42-5	[ppm]	< 10,0																	
NP [Nonylphenol]	Various																			
OP [Octylphenol]	Various	[ppm]	< Sum: 10,0																	
NPEO [Nonylphenoethoxylates]	Various																			
OPEO [Octylphenoethoxylates]	Various	[ppm]	< Sum: 100,0																	
Benzene	71-43-2	[ppm]	< 5,0	for textiles, shoes and respiratory masks, or parts thereof																

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories								
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber
					synth.	nat.	synth.	nat.	hard	soft			
Phthalates													
DIBP [Diisobutylphthalate]	84-69-5	[ppm]	< Sum: 1000,0										
DBP [Dibutylphthalate]	84-74-2												
BBP [Benzylbutylphthalate]	85-68-7												
DEHP [Bis(2-ethylhexyl)phthalate]	117-81-7	[ppm]	< Sum: 1000,0										
DIHP [1,2-Benzenedicarboxylic acid, Di-C6-8-branched alkyl esters, C7-rich]	71888-89-6												
DMEP [Bis(2-methoxyethyl)phthalate]	117-82-8												
DPP [Dipentylphthalate]	131-18-0	[ppm]	< 1000,0 each										
DIPP [Diisopentylphthalate]	605-50-5												
DnHP [Di-n-hexyl-phthalate]	84-75-3												
DNOP [Di-n-octylphthalate]	117-84-0												
DINP [Diisononylphthalate]	28553-12-0												
DIDP [Diisodecylphthalate]	26761-40-0												
PIPP [n-pentyl-isopentyl phthalate]	776297-69-9												
DHNUP [1,2-Benzenedicarboxylic acid, Di-C7-11-branched and linear alkyl esters]	68515-42-4												
DHxP [1,2-Benzenedicarboxylic acid, Dihexyl ester. Branched and linear]	68515-50-4												
DIOP [Diisooctylphthalate]	27554-26-3												
DCHP [Dicyclohexyl phthalate]	84-61-7												
DEP [Diethylphthalate]	84-66-2												
DMP [Dimethylphthalate]	131-11-3												
DIHxP [Diisoethylphthalate]	71850-09-4												
DPrP [Di-n-propylphthalate]	131-16-8												
DNP [Di-n-nonylphthalate]	84-76-4												
1,2-Benzenedicarboxylic acid, dipentyl ester, branched and linear	84777-06-0												
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters	68515-51-5												
1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters	68648-93-1												
Sum of all Phthalates	Various	[ppm]	< Sum: 1000,0	for clothing and garments in textiles „non determinable“ in direct contact with skin									

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories									
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber	
					synth.	nat.	synth.	nat.	hard	soft				
PAH [Polycyclic aromatic hydrocarbons]														
Benzo(a)pyrene	50-32-8	[ppm]	< 0,5	in direct contact with skin										
Benzo(e)pyrene	192-97-2	[ppm]	< 0,5	in direct contact with skin										
Benzo(a)anthracene	56-55-3	[ppm]	< 0,5	in direct contact with skin										
Benzo(b)fluoranthene	205-99-2	[ppm]	< 0,5	in direct contact with skin										
Benzo(j)fluoranthene	205-82-3	[ppm]	< 0,5	in direct contact with skin										
Benzo(k)fluoranthene	207-08-9	[ppm]	< 0,5	in direct contact with skin										
Chrysene	218-01-9	[ppm]	< 0,5	in direct contact with skin										
Dibenzo(a,h)anthracene	53-70-3	[ppm]	< 0,5	in direct contact with skin										
Benzo(g,h,i)perylene	191-24-2	[ppm]	< 0,5	in direct contact with skin	●		●		●	●		●	●	
Indeno(1,2,3-c,d)pyrene	193-39-5	[ppm]	< 0,5	in direct contact with skin	●		●		●	●		●	●	
Naphthalene	91-20-3	[ppm]	< 1,0 / < 100,0	in direct contact with skin: < 1,0 ppm / without skin contact, provided that neutral in odor: < 100 ppm (e.g. not mobilized, in activated carbon filters)										
Fluoranthene	206-44-0	[ppm]	< 10,0 each / < 100,0 each	in direct contact with skin: < 10,0 ppm each / without skin contact: < 100,0 ppm each										
Phenanthrene	85-01-8													
Pyrene	129-00-0													
Total amount of PAHs (18 PAHs)	Various	[ppm]	< Sum: 10,0	in direct contact with skin, except gloves for special purposes										
Quinoline														
Quinoline	91-22-5	[ppm]	< 50,0		○	○	○		○	○		○	○	
SCCP [Short chain chlorinated paraffines]														
SCCP [Short chain chlorinated paraffines]	85535-84-8	[ppm]	< 100,0				○	●	●	●		○	○	
Solvent residues														
NMP [N-Methyl-2-pyrrolidone]	872-50-4	[ppm]	< 500,0		○			○						○
DMAc [Dimethylacetamide]	127-19-5	[ppm]	< 500,0		○									
DMFa [Dimethylformamide]	68-12-2	[ppm]	< 1000,0	especially for polyurethane coatings of gloves			●		○	○		●	●	
Formamide	75-12-7	[ppm]	< 1000,0				●					●		

Parameter	CAS No.	Unit	uvex limit	Additional information	Material categories								
					Textiles		Leather		Plastics		Metals	Coatings *	Foamed rubber
					synth.	nat.	synth.	nat.	hard	soft			
Tin organic compounds													
TBT [Tributyltin]	Various	[ppm]	< 0,5	in direct contact with skin									
TPhT [Triphenyltin]	Various	[ppm]	< 0,5										
DBT [Dibutyltin]	Various	[ppm]	< 1,0										
DOT [Diocetyl tin]	Various	[ppm]	< 1,0										
MBT [Monobutyltin]	Various	[ppm]	< 1,0				○		○	●		●	●
TCyHT [Tricyclohexyltin]	Various	[ppm]	< 1,0										
TMT [Trimethyltin]	Various	[ppm]	< 1,0										
TOT [Triocetyl tin]	Various	[ppm]	< 1,0										
TPT [Tripropyltin]	Various	[ppm]	< 1,0										
VOC [Volatile organic compounds]													
VOC [Volatile organic compounds]	Various	[ppm]	< Sum: 100,0	relevance for respiratory masks (especially textile filter material)	●		○	○	○	●		○	○

* includes paints, laquers, prints

Rev.05

¹ 18 Polycyclic aromatic hydrocarbons (18 PAHs):	CAS No.
Naphthalene	91-20-3
Acenaphthylene	208-96-8
Acenaphthene	83-32-9
Fluorene	86-73-7
Phenanthrene	85-01-8
Pyrene	129-00-0
Anthracene	120-12-7
Fluoranthene	206-44-0
Benzo(a)pyrene	50-32-8
Benzo(e)pyrene	192-97-2
Benzo(a)anthracene	56-55-3
Benzo(b)fluoranthene	205-99-2
Benzo(j)fluoranthene	205-82-3
Benzo(k)fluoranthene	207-08-9
Chrysene	218-01-9
Dibenzo(a,h)anthracene	53-70-3
Benzo(g,h,i)perylene	191-24-2
Indeno(1,2,3-c,d)pyrene	193-39-5

Abbreviations: n.d. (non determinable)

- High risk of chemical being in use, tests are required frequently
- Low risk of chemical being in use, at least occasional tests should be done
- Unlikely occurrence

In general the updated version of the REACH Regulation (EC) No 1907/2006 and in particular the Candidate List of SVHC (Substances of Very High Concern), Annex XIV (List of substances subject to authorisation) as well as Annex XVII (Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles) have to be complied with! In addition the updated version of the Regulation (EC) No 850/2004 (POP Regulation) has to be complied with!



Valid for all products produced by UVEX SPORTS GROUP GmbH & Co. KG,
UVEX SAFETY GROUP GmbH & Co. KG and subsidiaries from May 1st, 2019.

Imprint

UVEX SAFETY GROUP GmbH & Co. KG

Würzburger Straße 181 - 189

90766 Fürth

T +49 911 9736-0

F +49 911 9736-1760

E safety@uvex.de

I uvex-safety.de

protecting people