uvex

Safety Eyewear

protecting people

uvex

uvex i-gonomics

Innovative eye protection. Measurably enhanced wearer comfort.
uvex i-gonomics stands for maximum functionality with first-class comfort: The innovative product system is perfectly adapted to the human physiognomy and is characterised by its low weight and optimal climate control. The protective eyewear is comfortable to wear even for long periods of time – and ensures clear vision in every situation.

uvex pheos cx2 sonic

Compact design. Comfortable fit.
uvex pheos cx2 sonic compact wide-vision goggles impress thanks to their lightweight design and first-class wearer comfort – the uvex duo component technology guarantees a customised, comfortable fit. Their anti-fog coating allows for clear vision in every situation, even in extreme climates.

Relief-Index

4.70

The relief index is calculated using the mean value of the three index values (IV) for force, weight and temperature – ranging from 0 (= poor) to 5 (= perfect).

force 4.6

Optimal fit, reliable protection

- Test method: Sealing at defined pressing force
- Test result: Open remaining circumference = 2.0 cm

0 — 5
25 cm — 0 cm

weight 4.8

A high comfort factor reduces the onset of fatigue

- Test method: Weighing of the goggles, including headband
- Test result: Weight = 34.0 g

0 — 5
130 g — 30 g

clima 4.7

Anti-fog vision even in extreme climates

- Test method: Anti-fog test (UHN*) and ventilation area
- Test result: Anti-fog performance = 5 points and ventilation area = 130 mm²

AntiFog-Performance
0 — 5
0 pt — 5 pt

Ventilation area
0 — 5
0 mm² — 160 mm²

* uvex internal standard

uvex

dry 0% RH

15% RH

25% RH

35% RH

uvex supravision excellence

cold -20 °C

-10 °C

-5 °C

uvex supravision plus

Core Coatings

uvex supravision sapphire

Coated lenses are extremely scratch resistant on both sides and offer excellent resistance to chemicals. The coating system, which has been enhanced using nanotechnology, offers significantly increased non-stick properties and subsequently are easier to clean. Aqueous and oily dirt can be removed effortlessly.

uvex supravision excellence

Coated lenses are anti-fog on the inside, while the outside offers extreme scratch and chemical resistance. The anti-fogging properties are permanent even after repeated cleaning. The lenses are also easy to clean and less susceptible to dirt due to the non-stick nano-technology.

uvex supravision plus

Coated lenses have advanced anti-fog performance on both sides, scratch-resistant and antistatic. The anti-fogging properties are permanent, even after being repeatedly cleaned. This lens coating is suitable for areas with high humidity.

Find your perfect coating

1. Select the temperature which best represents your working environment on the horizontal temperature axis.
2. Define the air humidity of the surroundings in percentage terms and find the figure on the diagonal axis.
3. Determine the degree of dirt on the vertical axis.
4. Join these three points to form a triangle.

The part of the triangle with the largest area will show you the appropriate coating for your defined area of use.



RH = air humidity

uvex

Special coatings

uvex supravision extreme

Coated lenses are scratch-resistant on the outside and permanently anti-fog on the inside. Lenses will not fog up as the coating never reaches the point of saturation. Ideally suited for workplace environments with long-lasting exposure to condensation and a high degree of dirt.

uvex supravision variomatic

Coated lenses are self-tinting filters, which automatically become darker when exposed to UV (within 10 seconds) and become lighter when exposure is reduced (after 30 seconds). Now available with the tried and tested uvex supravision excellence technology (permanently anti-fog on the inside and extremely scratch-resistant on the outside). Particularly suitable for workplaces where you frequently move between indoor and outdoor environments, from light to dark.

uvex supravision clean

Coated lenses are autoclavable and resistant to chemicals. Anti-fog on the inside, extremely scratch-resistant on the outside. The anti-fog properties last for at least 10 autoclave cycles. The coating ensures complete fog protection and maximum vision.

uvex infradur

Coated lenses are scratch-resistant on both sides and minimise damage from welding sparks.

uvex infradur plus

Coated lenses are anti-fog on the inside, extremely scratch-resistant on the outside and minimise damage from welding sparks.

Labelling and norms

Marking on frame



Identification of the manufacturer

Number of the EN standard

Field(s) of use (where applicable)

Certification mark

Symbol for resistance to high speed particles (where applicable)

	Mechanical strength
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45 m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)
T	tested at extreme temperatures (-5 °C and +55 °C)

	Designation	Description of application areas
none	General use	Non specific mechanical risks, risks due to UV and/or visible IR light
3	Liquids	Liquids (droplets and splashes)
4	Coarse dust particles	Dust with > 5 µm grain size
5	Gas and fine dust particles	Gas, vapour, mist, smoke, and dust with < 5 µm grain size
8	Short circuit electric arc	Electric arc due to short circuit in electrical equipment
9	“Molten metal and hot solids”	Splashes of molten metal and penetration of hot solids

Marking on lens



Scale numbers (filters only)

Identification of the manufacturer

Optical class

Symbol for mechanical strength

	Mechanical strength
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45 m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)
T	tested at extreme temperatures (-5 °C and +55 °C)

Symbol for non adherence of molten metal and resistance to penetration of hot solids (optional)

Symbol for resistance to surface damage by fine particles (optional)

Symbol for resistance to fogging (optional)

Certification mark

uvex

Lens tinting

A lens solution for every light environment

CLEAR

Protection: UV 400
UV/marking: 2(C)-1.2
Transmission: approx. 91%
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection

AMBER

Protection: UV 400
UV/marking: 2(C)-1.2
Transmission: approx. 88%
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection **with enhanced contrast effect**

CBR 65

Protection: UV 400
Marking: 5-1.4
Transmission: 65%
Standards: EN 166, EN 172

Protection **offering relaxing, focused vision**

uvex sportstyle (page 25)
uvex pheos cx2 (page 27)

AR (anti-reflective)

Protection: UV 400
UV/marking: 2(C)-1.2
Transmission: approx. 96.5%
Standards: EN 166, EN 170

Optimum **anti-reflective** protection with high degree of light transmission

uvex sportstyle (page 25)
uvex i-3, uvex i-3 s (page 28, 29)

tint with glare protection not necessary ◄

74–100% transmission

58–80% transmission

Lens tinting

BROWN

Protection: UV 400
Marking: 5-2.5
Transmission: 20%
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition** and **increased contrast effect**

uvex i-vo (p. 36), uvex skyper (p. 38), uvex ultrasonic (p. 49)

POLAVISION

Protection: UV 400
Marking: 5-3.1
Transmission: 14%
Standards: EN 166, EN 172

Reduction of irritating surface reflection by **filtering scattered light**

uvex polavision (p. 42)

tint with contrast adjustment recommended

SILVER MIRROR 53%

Protection: UV 400
Marking: 5-1.7
Transmission: 53%
Standards: EN 166, EN 172

Protection in **changing light conditions**

uvex pheos/uvex pheos s (p.32), uvex i-works (p. 30), uvex skybrite sx2 (p. 39)

SILVER MIRROR 12%

Protection: UV 400
Marking: 5-3.1
Transmission: 12%
Standards: EN 166, EN 172

Protection from both highly **artificial light and natural glare conditions**

uvex i-3 (p. 28)

GREY 23%

Protection: UV 400
Marking: 5-2.5
Transmission: 23%
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**

GREY 14%

Protection: UV 400
Marking: 5-3.1
Transmission: 14%
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**

uvex astrospec 2.0 (p. 31), uvex u-sonic (p. 48)

tint with contrast adjustment not necessary

tint with glare protection recommended

43–58% transmission

18–29% transmission

8–18% transmission

uvex

uvex academy

Industrial protective eyewear

A practical introductory seminar on the selection, use and benefits of protective eyewear

- The basic applications of safety eyewear, including which products protect against mechanical dangers, chemical and radiation risks (e.g. welding protection), and products designed for specialised applications
- Demonstration and assessment of the dangers posed by mechanical risks, infrared and ultraviolet radiation (e.g. encountered during welding applications or during the use of chemicals), illustrated by case studies
- Assessment of the risk of eye injury in the workplace
- Explanation of how these risks can be dealt with efficiently in each workplace
- Comprehensive overview of the requirements of industrial safety eyewear, standards, applications, risk assessment and how to care for protective eyewear
- Information on the classification of protection products based on their labelling and the areas of application of the various types of equipment

Target group
Those responsible for the work-related health and safety of employees within a company, e.g. health and safety officers, occupational nurses and specialist purchasers

For more information or to book a place, please visit **uvex-academy.de**, call **+49 (0)911 9736 1710** or email **academy@uvex.de**

uvex academy

VDSI-PUNKT Arbeitsschutz

Safety spectacles – matching your corporate identity

Eye protection with “personality”

Give your team an unmistakeable image: uvex safety glasses offer various options for individual design – from printing your company’s logo on the side arms to frames in your company’s colours. You can coordinate your protective equipment perfectly with your corporate identity.

Pad printing on the side arms

(1 to 4 colours)

The direct pad printing process is recommended for printing your logo in colour on the side arms.

Insert in the side arms

Adding your company name to the soft components of the side arms is both bespoke and subtle.

Frames in the company colours

“Your” safety spectacles are recognisable at first glance: the frames are designed in your company colours.

How individual can you be?

We are happy to advise you personally on the technical options for customising our safety glasses.
You can also use our online product configuration tool at

www.uvex-safety.com/configurator

(or scan the QR code).
Here you can choose and design the spectacle model online.

Please note that the following minimum quantities must be ordered:

- Pad printing – minimum of 500 pairs
- A combination of either lens and/or frame, with and without pad printing. Minimum 2500 units.
- Insert/customised corporate colouring/individual headband/laser engraving – minimum of 5,000 pairs
- Customised accessories available on request



Headband embroidery

Customise your spectacles by having your corporate logo embroidered on the headband.

Laser engraving on the lens

Safety spectacles will retain 100% of their functionality even with customised laser engraving.

Customised accessories

Have your logo printed on your spectacle case.

uvex

uvex x-fit

Stability through x design

The uvex x-fit weighs just 23 gram. This sporty safety spectacle cannot fail to impress with its optimum coverage of the eyes and high level of wearer acceptance.
The x design of the lens and the translucent side arms make the uvex x-fit a real highlight.

Innovative hinged side arm design
metal-free

Perfect fit and coverage of the whole eye area
suits all head sizes

Lightweight safety spectacles
weighing just 23 grams

x design
for stability

uvex supravision coating technology

UV 400 protection
also available in an amber lens
or as a sunglare filter lens

Safety Spectacles

uvex x-fit

9199.265

9199.085

9199.280

9199.286

uvex x-fit

- classic safety spectacles with good coverage of the whole eye area
- lightweight at just 23 grams
- uvex supravision coating technology
- innovative hinged side arm design
- metal-free

uvex x-fit				
Art. no.	9199.265	9199.085	9199.280	9199.286
Version	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence sunglare filter	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	blue translucent	grey translucent	grey translucent	grey translucent
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC grey 23%	PC amber
	UV 400	UV 400	sunglare filter UV 400	UV 400
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTK CE	5-2.5 W1 FTKN CE	2C-1.2 W1 FTKN CE
Retail unit	5	5	5	5

uvex

uvex sportstyle

23 g, 100% performance

Whatever your industrial workplace environment the uvex sportstyle delivers the perfect combination of performance, safety and style. The distinct close fitting athletic design, unrivalled uvex scratch resistant and anti-fog lens coating technology provides a wide field of vision. The ergonomic fit and extra soft, adjustable noise piece enables wearers to achieve a comfortable customised fit, throughout the day.

Also available with sun protection
in a sporty design (UV 400).

Outstanding wearer comfort
due to uvex duo component technology which combines hard and soft materials.

A genuine lightweight
at only 23 g.

robust outside

soft inside

Optimal vision
with innovative lenses.

Perfect fit
for all head shapes and sizes.

uvex supravision coating technology
for ultimate clear vision.

MADE IN GERMANY

Safety Spectacles

uvex sportstyle

9193.376

9193.265

9193.280

9193.838

9193.080

9193.880

9193.064

uvex sportstyle

- featherlight safety spectacles with a sporty design
- optimum vision thanks to uvex lens geometry
- uvex supravision coating technology
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit

Areas of application:
- uvex supravision AR: working conditions with strong lighting or mixed lighting
- uvex supravision variomatic: offshoring, maritim

uvex sportstyle							
Art. no.	9193.376	9193.265	9193.280	9193.838	9193.880	9193.080	9193.064
Design	uvex supravision extreme	uvex supravision excellence	uvex supravision extreme sunglare filter	uvex supravision AR super anti-reflective lenses	uvex supravision variomatic self-tinting lenses	uvex supravision plus Oil & gas	uvex supravision extreme sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	black, petrol	black, lime	white, black	black, blue	black, anthracite	black, grey	white, black
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC grey 23%	PC clear	PC light green	PC clear	PC CBR 65
	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FT CE	5-1.1<2 W 1 FTN CE	2C-1.2 W 1 FT KN CE	5-1.4 W 1 FT KN CE
Retail unit	5	5	5	5	5	5	5

uvex pheos cx2

Comfort that fits

x-twist technology
for secure fit, comfort and protection, ergonomic adjustment to individual head shapes thanks to the slight spring effect of the specially designed frame

“X” brand
modern, sporty design

X-tended eyeshield
soft component connected directly onto the lens

Robust
hard components

Comfortable
soft components

Perfect fit
for all facial shapes

Excellent ventilation
for healthy eyes

uvex supravision coating technology
for the ultimate clear vision.

Also availbale with amber or as sunglare filter lens
with UV 400 protection

reddot design award
winner 2016

Safety Spectacles

uvex pheos cx2

9198.256

9198.275

9198.257

9198.237

9198.258

9198.285

9198.064

uvex pheos cx2

- "X"-branded safety spectacles with a modern, sporty design
- comfortable protection with the X-tended eye shield
- X-twist side arm technology delivers non-slip fit for optimum protection
- duo-spherical lens delivers excellent field of vision
- large field of vision
- innovative uvex duo component technology for maximum wearer comfort
- excellent ventilation around the eye area
- can easily be combined with other PPE

▶ **Also available as wide-vision goggles (see page 47)**

uvex pheos cx2							
Art. no.	9198.256	9198.237	9198.285	9198.257	9198.258	9198.064	9198.275
Version	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, light blue	white, black	black, yellow	blue, grey	red, grey	white, black	blue, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC grey 23%	PC amber	PC clear	PC clear	PC CBR 65	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-1.4 W 1 FTKN CE	2C-1.2 W 1 FT K CE
Retail unit	5	5	5	5	5	5	5

uvex

Safety Spectacles

uvex i-3

9190.275

9190.220

9190.885

9190.070

9190.281

9190.838
9190.839

9190.280 9190.175

9190.880



uvex i-3 · uvex i-3 s

- fashionable, 3-component safety spectacles with innovative features
- metal-free
- available in standard size or a narrow version
- reliable protection provided by the customised fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- soft, adjustable nose loops, soft, anti-slip sidearm pieces and metal-free hinged side arms (3-component technology) for high wearer comfort without pressure points

Areas of application:
- uvex supravision AR: Working conditions with strong lighting or mixed lighting
- uvex supravision variomatic: Offshore, maritime

German Design Award SPECIAL MENTION 2013

uvex i-3						
Art. no.	9190.275	9190.070	9190.280	9190.220	9190.281	9190.880
Design	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter	uvex supravision variomatic self-tinting lenses
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	anthracite, blue	graphite, olive	black, light grey	anthracite, yellow	black, light grey	black, anthracite
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC amber	PC grey 23%	PC light green
	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTK CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	5-1.1<2 W 1 FKN
Retail unit	5	5	5	5	5	5

uvex i-3					Replacement lens
Art. no.	9190.885	9190.175	9190.838	9190. 839	9190.258
Design	AF on the inside	uvex supravision plus	uvex supravision AR	uvex supravision AR	uvex supravision excellence
	sunglare filter, silver mirror	Oil & gas	super anti-reflective lenses	super anti-reflective lenses	
Standard	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, light grey	black, light grey	black, blue	black, blue	–
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	–
Lens	PC silver mirror grey	PC clear	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400
	5-3.1 W 1 FT CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FT CE	2C-1.2 W 1 FT CE	2C-1.2 W 1 FTKN CE
Retail unit	1	5	1	5	5

Safety Spectacles

uvex i-3 s

9190.075

9190.086

9190.065

9190.039

9190.080

uvex i-3 s
available from May 2018

Extra frame for uvex i-3, standard size

Accessories:
Headband for uvex i-3 and uvex i-3 s



Coating
The anti-reflective coating on both sides provides 100% protection against UV 400 and a transmission factor of more than 96.5%, which means distracting reflections are effectively prevented.



Transmission (transparency)
With the anti-reflective coating, the uvex i-3 AR reaches a higher transmission factor than safety spectacles with regular coating technology – ensuring perfect vision without reflections.

	uvex i-3 s		
Art. no.	9190.075	9190.065	9190.080
Design	uvex supravision excellence narrow version	uvex supravision sapphire narrow version	uvex supravision plus Oil & gas narrow version
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	anthracite, lime W 166 FT CE	blue, grey W 166 FT CE	black, grey W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTK CE	PC clear UV 400 2C-1.2 W 1 FTKN CE
Retail unit	5	5	5

	uvex i-3 s		Extra frame	Accessories
Art. no.	9190.086	9190.039	9190.001	9958.009
Design	uvex supravision excellence sunglare filter narrow version	uvex supravision AR super anti-reflective lenses narrow version	Extra frame for uvex i-3 standard size	Headband for uvex i-3 and uvex i-3 s
Standard	EN 166, EN 172	EN 166, EN 170		
Frame	blue, grey W 166 FT CE	black, blue W 166 FT CE	black	anthracite, grey
Lens	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FT CE		
Retail unit	5	5	5	5

uvex

Safety Spectacles

uvex i-works

9194.171

9194.175

9194.270

9194.365

9194.885

uvex i-works

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- uvex supravision coating technology
- duo component technology which combines hard and soft components, soft grip side arms, deliver non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System) see page 102

uvex i-works					
Art. no.	9194.171	9194.175	9194.270	9194.365	9194.885
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence	AF on the inside silver mirror
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue	anthracite, green	anthracite, grey	black, yellow	black, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC grey 23%	PC amber	PC silver mirror grey
	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-1.7 W 1 FTN CE
Retail unit	5	5	5	5	5

Safety Spectacles

uvex astrospec 2.0 · uvex astrospec

9164.065

9164.220

9164.275

9164.285

9164.187

9164.387

9164.246

reddot award 2014
winner

uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec spectacles
- panoramic lens with integrated side protectors for optimum protection of the whole eye area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, non-slip sidearm pieces (uvex duo component technology) prevent pressure points
- fits easily into breast pocket due to flat-fold design

uvex astrospec 2.0				
Art. no.	9164.065	9164.275	9164.285	9164.220
Design	uvex supravision sapphire	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence contrast-enhancing
Standard,	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, light blue	anthracite, petrol	black, lime	black, yellow
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400	PC amber, UV 400
	2C-1.2 W 1 FTK CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE
Retail unit	5	5	5	5

Art. no.	9164.387	9164.246	9164.187
Design	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision plus Oil & gas
Standard,	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	black, grey	neon orange, black	black, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey 14%, UV 400	PC grey 23%, UV 400	PC clear, UV 400
	5-3.1 W 1 FTKN CE	5-2.5 W 1 FTKN CE	2C-1.2 W 1 FTKN CE
Retail unit	5	5	5

9168.035

9168.017

9168.065
9168.265

uvex astrospec

- one of the world's best-selling safety spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- integrated side protection
- panoramic polycarbonate lens with a flat lens shape for unrestricted vision
- soft, duo-flex ear pieces

uvex astrospec				
Art. no.	9168.035	9168.017	9168.065	9168.265
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
Frame	yellow, black	yellow, black	blue	blue
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear, UV 400	PC grey 23%, UV 400	PC clear, UV 400	PC clear, UV 400
	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	2-1.2 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5	5

uvex

Safety Spectacles

uvex pheos · uvex pheos blue · uvex pheos s blue

9192.225

9192.215

9192.245

9192.385

9192.881

9192.080

9192.285
9192.281

9192.280

9192.765
9192.726
narrow version

uvex pheos

- modern safety spectacles with a fashionable design and duo-spherical lens technology
- metal-free
- available in standard size or a narrow version
- sustainable version using renewable plant raw materials (uvex pheos blue and uvex pheos s blue)
- set consisting of fitted extra frame with soft padding and adapted headband (uvex pheos guard)
- additional eyebrow protection with Eye plus Protection: a bevelled edge in upper area
- soft, non-slip ear pieces (uvex duo component technology) prevent pressure points
- very large field of vision
- can be easily combined with other PPE
- suitable for the uvex helmet IES (Integrated Eyewear System) see page 102

product design award 2012

German Design Award WINNER 2013

	uvex pheos					
Art. no.	9192.225	9192.385	9192.285	9192.881	9192.215	9192.245
Design	uvex supravision excellence standard size	uvex supravision excellence standard size, contrast-enhancing	uvex supravision excellence standard size, sunglare filter	AF on the inside standard size, sunglare filter, silver mirror	uvex supravision excellence standard size	uvex supravision excellence standard size, sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	black, green W 166 F CE	black, yellow W 166 F CE	black, grey W 166 F CE	light grey, grey W 166 F CE	light grey, grey W 166 F CE	black, orange W 166 F CE
Lens	PC clear UV 400	PC amber UV 400	PC grey 23% UV 400	PC silver mirror grey UV 400	PC clear UV 400	PC grey 23% UV 400
	2C-1.2 W 1 FKN CE	2C-1.2 W 1 FKN CE	5-2.5 W 1 FKN CE	5-1.7 W 1 F CE	2C-1.2 W 1 FKN CE	5-2.5 W 1 FKN CE
Retail unit	5	5	5	5	5	5

	uvex pheos			uvex pheos blue	uvex pheos s blue
Art. no.	9192.280	9192.281	9192.080	9192.765	9192.726
Design	uvex supravision extreme standard size	uvex supravision extreme standard size, sunglare filter	uvex supravision plus standard size, Oil & gas	uvex supravision excellence standard size, using renewable plant raw materials	uvex supravision excellence narrow version, using renewable plant raw materials
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, grey W 166 F CE	black, grey W 166 F CE	black, grey W 166 F CE	sand, blue W 166 F CE	sand, blue W 166 F CE
Lens	PC clear UV 400	PC grey 23% UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400
	2C-1.2 W 1 FKN CE	5-2.5 W 1 FKN CE	2C-1.2 W 1 FKN CE	2C-1.2 W 1 FKN CE	2C-1.2 W 1 FKN CE
Retail unit	5	5	5	5	5

Safety Spectacles

uvex pheos s · uvex pheos guard · uvex pheos s guard

9192.725
narrow version

9192.785
narrow version

9192.710
narrow version

9192.745
narrow version

9192.282
narrow version

9192.180
9192.680
narrow version

9192.891
narrow version

9192.283
narrow version

9192.181
9192.681
narrow version



Accessories: 9192.001 / 9192.002
Extra frame / extra frame in narrow version

Accessories: 9958.020
Headband

	uvex pheos s						
Art. no.	9192.725	9192.785	9192.745	9192.891	9192.710	9192.282	9192.283
Design	uvex supravision excellence narrow version	uvex supravision excellence narrow version	uvex supravision excellence narrow version, sunglare filter	AF on the inside narrow version, sunglare filter	uvex supravision excellence narrow version	uvex supravision extreme narrow version	uvex supravision extreme narrow version, sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	white, green W 166 F CE	anthracite, grey W 166 F CE	white, orange W 166 F CE	light grey, grey W 166 F CE	black, lime W 166 F CE	black, grey W 166 F CE	black, grey W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC silver mirror grey UV 400 5-1.7 W 1 F CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE
Retail unit	5	5	5	5	5	5	5

	uvex pheos guard		uvex pheos s guard	
Art. no.	9192.180	9192.181	9192.680	9192.681
Design	uvex supravision extreme standard size incl. extra frame and headband	uvex supravision extreme standard size, sunglare filter incl. extra frame and headband	uvex supravision extreme narrow version incl. extra frame and headband	uvex supravision extreme narrow version, sunglare filter incl. extra frame and headband
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	black, grey W 166 F CE	black, grey W 166 F CE	black, grey W 166 F CE	black, grey W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE
Retail unit	4	4	4	4

Accessories		
Art. no.	9192.001	9192.002
Design	extra frame for uvex pheos standard size	extra frame for uvex pheos s narrow version
Colour	black	black
Retail unit	5	5
Art. no.	9958.020	
Design	headband for uvex pheos and uvex pheos s	
Colour	grey, black	
Retail unit	5	

uvex

Safety Spectacles

uvex super g

9172.210
9172.110

9172.086

9172.220

9172.085

9172.265

9172.281

9172.185

uvex super g

- extremely light protective spectacles with a sporty design and hingeless side arms
- soft nose piece
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- maximum wear comfort is guaranteed by the lightweight design: just 18 grams
- metal-free

	uvex super g				
Art. no.	9172.210	9172.110	9172.085	9172.185	9172.086
Replacement lens	9172.255				
Design	uvex supravision excellence	uvex supravision plus	uvex supravision sapphire	uvex supravision plus Oil & gas	uvex supravision sapphire sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	crystal	crystal	titanium	black, grey	titanium
	W 166 FT DIN CE	W 166 FT DIN CE	W 166 FT DIN CE	W 166 FT DIN CE	W 166 FT DIN CE
Lens	PC clear	PC clear	PC clear	PC clear	PC grey 23%
	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FT DIN CE	2C-1.2 W 1 FT DIN CE	2C-1.2 W 1 FTKN DIN CE	5-2.5 W 1 FT DIN CE
Retail unit	5	5	5	5	5

Art. no.	9172.265	9172.220	9172.281
Replacement lens			
Design	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	navy blue	titanium	anthracite, lime
	W 166 FT DIN CE	W 166 FT DIN CE	W 166 FT DIN CE
Lens	PC clear	PC amber	PC grey 23%
	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE	5-2.5 W 1 FTKN DIN CE
Retail unit	5	5	5

Safety Spectacles

uvex super fit · uvex super fit ETC

9178.065
9178.265

9178.385

9178.500

9178.286

9178.315

9178.415

9178.185

uvex super fit

- lightweight safety spectacles with hinged side arms, a sporty design
- soft, adjustable nose piece
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wearer comfort guaranteed by the lightweight design weighing just 21 grams
- permanent anti-fog coating on both sides – eliminating risk of fogging (uvex super fit ETC)

Areas of application:
- uvex supravision clean: sterile working environments (laboratories, hospitals, clean rooms, food production)
- ETC on both sides: high humidity and alternating temperatures (cold stores, tunnel construction, catering and food industry)

	uvex super fit			
Art. no.	9178.065	9178.265	9178.286	9178.185
Design	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	navy blue, white	navy blue, white	black, white	black, white
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC grey 23%	PC clear
	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FT DIN CE	2C-1.2 W 1 FTKN DIN CE	5-2.5 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE
Retail unit	5	5	5	5

			uvex super fit CR	uvex super fit ETC
Art. no.	9178.385	9178.315	9178.500	9178.415
Design	uvex supravision excellence contrast-enhancing	uvex supravision excellence	uvex supravision clean autoclavable	ETC on both sides
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, white	white, lime	white, light blue	white, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC amber	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTKN DIN CE	2C-1.2 W 1 FTN DIN CE
Retail unit	5	5	5	5

uvex ETC-coated lenses do not fog up. Instead of droplets, a film of water forms on the lens.



Anti-fog coating after 8 sec. uvex ETC

uvex

Safety Spectacles

uvex i-vo

9160.520

9160.068

9160.085
9160.285

9160.265

9160.065

9160.275

9160.268

9160.076

9160.120

uvex i-vo

- fashionable safety spectacles with adjustable side arms
- reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision

uvex i-vo					
Art. no.	9160.520	9160.065	9160.068	9160.076	9160.085
Replacement lens	9160.052	9160.055		9160.318	9160.055
Design	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire sunglare filter	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	blue, orange	blue, orange	blue, orange	black, grey	blue, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC amber	PC clear	PC brown	PC grey 23%	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FT CE	2C-1.2 W 1 FT CE	5-2.5 W 1 FT CE	5-2.5 W 1 FT CE	2C-1.2 W 1 FT CE
Retail unit	5	5	5	5	5

Art. no.	9160.120	9160.265	9160.275	9160.285	9160.268
Replacement lens	9160.255	9160.255	9160.255	9160.255	
Design	uvex supravision excellence with headband	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	blue, grey	blue, orange	black, grey	blue, grey	blue, orange
	–	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC brown
	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN 166 F DIN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE
Retail unit	5	5	5	5	5

uvex CR

Autoclave safety eyewear that goes further

Innovative coating technology – the first autoclavable safety eyewear with anti-fog performance

uvex has developed the first autoclavable safety eyewear with anti-fog coating for specialist requirements in laboratories, clinics, cleanrooms and food manufacturing.
From ultra-light safety spectacles and goggles with a panoramic lens, the uvex CR is the ideal safety eyewear for all areas of application and specifically have been designed for repeated autoclave sterilisation (at least 10 to 20 times for 20 minutes each at a minimum of 121°C).

uvex CR – professional safety eyewear that compliments hygiene standards.

9178.500

9169.500

9302.500

uvex super fit CR

- lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wear comfort guaranteed by the lightweight design

uvex super fit CR	
Art. no.	9178.500
Design	uvex supravision clean autoclavable
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE
Retail unit	5

uvex super f OTG CR

- overspecs for wearers of prescription lenses with arm-hinge concept
- unrestricted peripheral vision
- soft arm ends for added comfort

uvex super f OTG CR	
Art. no.	9169.500
Design	uvex supravision clean autoclavable
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN
Retail unit	5

uvex ultrasonic CR

- goggles in sporty design, also suitable as overspecs
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- no pressure problems with long-term wear thanks to the combination of hard and soft components

uvex ultrasonic CR	
Art. no.	9302.500
Replacement lens	9302.259
Design	uvex supravision clean, autoclavable
Standard	EN 166, EN 170
Frame	transparent, white W 166 349 B CE
Lens	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE
Retail unit	4

uvex

Safety Spectacles

uvex skyper · uvex skyper s

uvex skyper

- individually adjustable safety spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skyper					
Art. no.	9195.265	9195.075	9195.020	9195.078	9195.278
Replacement lens	9195.255	9195.055		9195.118	
Design	uvex supravision excellence	uvex supravision sapphire	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire sunglare filter	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	blue	black	black	black	black
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC amber	PC brown	PC brown
	UV 400	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 F KN DIN CE	2-1.2 W 1 F DIN CE	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	5-2.5 W 1 F KN DIN CE
Retail unit	5	5	5	5	5

uvex skyper s

- individually adjustable safety spectacles, narrow version of uvex skyper
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skyper s		
Art. no.	9196.065	9196.265
Design	uvex supravision sapphire narrow version of uvex skyper	uvex supravision excellence narrow version of uvex skyper
Standard	EN 166, EN 170	EN 166, EN 170
Frame	blue	blue
	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear
	UV 400	UV 400
	2-1.2 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE
Retail unit	5	5

Safety Spectacles

uvex skyper sx2 · uvex skybrite sx2

9197.020

9197.265
9197.065

9197.266

uvex skyper sx2

- safety spectacles with special lens shape for prominent cheekbones
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skyper sx2				
Art. no.	9197.020	9197.265	9197.065	9197.266
Replacement lens			9197.055	
Design	uvex supravision sapphire contrast-enhancing	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	blue	blue	blue	blue
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC amber	PC clear	PC clear	PC grey 23%
	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 F DIN CE	5-2.5 W 1 FKN DIN CE
Retail unit	5	5	5	5

9197.260

9197.880

uvex skybrite sx2

- safety spectacles with special lens shape for prominent cheekbones in translucent colour
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- sides protect against glare

uvex skybrite sx2		
Art. no.	9197.260	9197.880
Design	uvex supravision excellence version of the uvex skyper sx2 in translucent side arm colours	version of the uvex skyper sx2 in translucent side arm colours sunglare filter, silver mirror
Standard	EN 166, EN 170	EN 166, EN 172
Frame	translucent, blue	translucent, silver
	W 166 F CE	W 166 F CE
Lens	PC clear	PC silver mirror grey
	UV 400	UV 400
	2-1.2 W 1 FKN DIN CE	5-1.7 W 1 F DIN CE
Retail unit	5	5

uvex

Safety Spectacles

uvex cybric · uvex cyberguard · uvex meteor

9188.881

9188.076

9188.075
9188.175

9188.121

uvex cybric · uvex cyberguard

- sporty, twin-lens safety spectacles
- large face coverage
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex quattroflex side arms with four comfort cushions to ensure a comfortable, pressure-free fit around the ears
- uvex cyberguard with protection class 3 (liquids) and 4 (coarse dust particles)

	uvex cybric				uvex cyberguard
Art. no.	9188.075	9188.076	9188.175	9188.881	9188.121
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision plus	sunglare filter	uvex supravision plus uvex cybric without side arms, with headband and all-round soft frame
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, orange	black, orange	black, orange	black, orange	black
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F 34 CE
Lens	PC clear	PC grey	PC clear	PC blue mirror	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	2-1.2 W 1 F DIN CE
Retail unit	5	5	5	5	5

9134.005
9134.002

uvex meteor

- classic, twin-lens spectacles
- reliable protection provided by its perfect fit: adjustable side arms allow the wearer to adjust the spectacles to suit their own face shape
- flat design allows it to easily fit into a breast pocket

uvex meteor		
Art. no.	9134.005	9134.002
Design	uvex supravision sapphire	uncoated
	lens diameter 56 mm	lens diameter 56 mm
	bridge width 15 mm	bridge width 15 mm
Standard	EN 166, EN 170	EN 166, EN 170
Frame	grey, transparent	grey transparent
	W 166 F CE	W 166 F CE
Lens	PC clear	HG clear
	UV 400	UV 380
	2-1.2 W 1 FK DIN CE	W1 S DIN CE
Retail unit	5	5

Safety Spectacles

uvex skyguard NT · uvex skylite

9175.260
9175.160

9175.261

9175.275

uvex skyguard NT

- spectacles with all-round protection
- Injection-moulded, soft TPU seal protects against flying particles, dust and splash (protection class 3 – liquids and 4 – coarse dust particles)
- reliable protection provided by its customised fit: multi-level side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- flexible soft component adapts to the wearer's face contours

uvex skyguard NT				
Art. no.	9175.260	9175.261	9175.160	9175.275
Design	uvex supravision excellence adjustable side arm length	uvex supravision excellence sunglare filter, adjustable side arm length	uvex supravision extreme adjustable side arm length	uvex supravision excellence particularly well-suited for use in combination with helmets
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
Frame	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE	grey, orange W 166 34 F CE
Lens	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC grey 23% UV 400 5-2.5 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5	5

9174.095

9174.065

9174.096

9174.066

uvex skylite

- spectacles with excellent eye area protection
- integrated, frosted side protection

uvex skylite				
Art. no.	9174.095	9174.096	9174.065	9174.066
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire	uvex supravision sapphire sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	red, metallic W 166 F CE	red, metallic W 166 F CE	blue W 166 F CE	blue W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey 23% UV 400 5-2.5 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey 23% UV 400 5-2.5 W 1 F DIN CE
Retail unit	5	5	5	5

uvex

Safety Spectacles

uvex polavision · uvex futura · uvex ceramic

9231.960

uvex polavision

- comfortable safety spectacles with polarisation filter
- polarisation filter to protect against reflections and glare (e.g. water surfaces and highly polished materials)
- eliminates bright, annoying reflected glare allowing the wearer to see more comfortably

Areas of application:
- workstations with reflective surfaces (offshore, maritime, drivers, construction industry)

uvex polavision	
Art. no.	9231.960
Design	scratch-resistant
	sunglare filter
Standard	EN 166, EN 172
Frame	black, white
	W 166 F CE
Lens	PC grey 14%
	UV 400
	5-3.1 W 1 F CE
Retail unit	1

9180.015
9180.125
9182.005
narrow version

9137.005

uvex futura

- classic spectacles with large field of vision
- reliable protection provided by its customised fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their facial requirements
- soft, duo-flex ear pieces increase comfort

uvex futura			
Art. no.	9180.015	9180.125	9182.005
Replacement lens	9180.055	9180.155	9182.055
Design	uvex supravision	uvex supravision	uvex supravision
	sapphire	plus	sapphire
	standard size	standard size	narrow version
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	brown	brown	brown
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400
	2-1.2 W 1 FK DIN CE	2-1.2 W 1 FKN DIN CE	2C-1.2 W 1 FK
Retail unit	5	5	5

uvex ceramic

- safety spectacles with in two-lens design
- specifically for narrow faces
- a combination of a plastic side shields with a metal frame

uvex ceramic	
Art. no.	9137.005
Design	uvex supravision sapphire
	lens diameter 49 mm
	bridge width 20 mm
Standard	EN 166, EN 170
Frame	grey, black
	W 166 F DIN CE 0196
Lens	PC clear
	UV 400
	2C-1.2 W 1 FK CE
Retail unit	5

Safety Spectacles

uvex winner MT · uvex mercury

9159.005
9159.105

9159.016
9159.116

9159.118

uvex winner MT

- edgeless, metal-framed spectacles with sprung side arms
- optimum eye coverage
- anatomically adjustable, soft nose pads

uvex winner MT					
Art. no.	9159.005	9159.016	9159.105	9159.116	9159.118
Design	scratch-resistant on both sides	scratch-resistant on both sides	scratch-resistant, anti-fog	scratch-resistant, anti-fog	scratch-resistant, anti-fog sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	gun	gun	gun	gun	gun
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC green	PC clear	PC green	PC grey 23%
	UV 400	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 F CE	2-1.7 W 1 F CE	2-1.2 W 1 FKN CE	2-1.7 W 1 FKN CE	5-2.5 W 1 FKN CE
Retail unit	5	5	5	5	5

9155.005

uvex mercury

- slim metal-framed safety spectacles
- transparent side protection with excellent peripheral vision
- fit easily into breast pocket due to flat design

uvex mercury	
Art. no.	9155.005
Design	uvex supravision sapphire
	lens diameter 54 mm
	bridge width 19 mm
Standard	EN 166, EN 170
Frame	steel blue
	W 166 F CE
Lens	PC clear
	UV 400
	2-1.2 W 1 FK DIN CE
Retail unit	5

uvex

Overspecs

uvex 9161 · uvex super OTG

9161.005
9161.305

9161.014

uvex 9161

- overspecs for prescription spectacle wearers
- panoramic lens with integrated side protection for optimum eye coverage
- adjustable side arms adapt to any facial shape for customised fit and optimum protection
- unrestricted peripheral vision
- uvex duoflex side arms for a pressure free fit

uvex 9161			
Art. no.	9161.005	9161.305	9161.014
Version	uvex supravision sapphire	uvex supravision plus	without coating and with polycarbonate arms
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, black	blue, black	clear
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400
	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE
Retail unit	5	5	5

9169.065
9169.260

9169.080

9169.081

uvex super OTG

- overspecs for prescription spectacle wearers
- panoramic lens with integrated side protection for optimum coverage of the eye area
- metal-free
- highly flexible, hinge-less side arms for added comfort and non-slip fit

uvex super OTG				
Art. no.	9169.065	9169.080	9169.081	9169.260
Version	uvex supravision sapphire	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	navy blue	black	black	navy blue
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC grey 23%	PC clear
	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE	5-2.5 W 1 F CE	2C-1.2 W 1 FKN CE
Retail unit	5	5	5	5

Overspecs
uvex super f OTG

9169.585

9169.580

9169.586

9169.615

9169.500

9169.850

uvex super f OTG

- overspecs for prescription wearers
- panoramic lens with integrated side protection for optimum eye coverage
- side arms graduate to soft, flexible material for added comfort and grip

Areas of application:
- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex super f OTG						
Art. no.	9169.585	9169.586	9169.500	9169.580	9169.615	9169.850
Version	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision clean autoclavable	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire	uvex supravision variomatic
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, white	black, white	white, light blue	black, white	black, white	black, white
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC grey 23%	PC clear	PC amber	PC orange	PC light green
	UV 400	UV 400	UV 400	UV 400	UV 525	UV 400
	2C-1.2 W 1 FCE	5-2.5 W 1 F CE	2C-1.2 W 1 FKN CE	2C-1,2 W 1 FT CE	2-1.4 W FT CE	5-1.1<2 W 1 FKN CE
Retail unit	5	5	5	5	5	5

uvex

uvex pheos cx2 sonic

Compact design. First-class comfort.

With its compact, lightweight design, the uvex pheos cx2 sonic is a welcome companion for any job. These functional wide-vision goggles offer impressive comfort and, thanks to uvex supravision coating technology, provide a clear field of vision even in extreme climates.

MADE IN GERMANY

X-tended eyeshield
for perfect coverage of the whole eye area

Outstanding protection
thanks to flexibly adaptable soft components

Very lightweight wide-vision goggles
Weighs just 34 grams

High mechanical strength (120 m/s)

Perfect fit
thanks to uvex duo component technology and forehead and nose piece moulded directly onto the lens

Compact design
Can be easily combined with other PPE

Scratch-resistant outside, anti-fog inside
thanks to uvex supravision extreme coating

Safety Goggles

uvex pheos cx2 sonic

9309.275

9309.286

uvex pheos cx2 sonic

- uvex's lightest compact wide-vision goggles (34 grams)
- high mechanical strength B (120 m/s)
- designation 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
- comfortable protection thanks to soft forehead and nose piece moulded directly onto the lens
- uvex supravision coating technology
- very soft, light textile headband for secure and comfortable fit
- can be easily combined with other PPE

uvex pheos cx2 sonic		
Art. no.	9309.275	9309.286
Version	uvex supravision extreme	uvex supravision extreme sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172
Frame	white, black	white, black
	W 166 3 4 BT CE	W 166 3 4 BT CE
Lens	PC clear, UV 400	PC grey 23%, UV 400
	2C-1.2 W 1 BT KN CE	5-2.5 W 1 BT KN CE
Retail unit	5	5

uvex

Safety Goggles

uvex u-sonic

9308.245

9308.147

9308.240

9308.123

9308.246

9308.248

9308.247

9308.048 add-on lens

uvex u-sonic

- small, compact low weight goggle
- highly compatible with other PPE
- ergonomic design with soft flexible components – adapts to any facial shape
- high mechanical strength (B: 120 m/s)
- low pressure, wide fully adjustable head strap for excellent wearer comfort
- low weight – just 69 g
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex u-sonic						
Art. no.	9308.245	9308.240	9308.246	9308.247	9308.147	9308.123
Replacement lens	9308.242	9308.241		9308.242		9308.242
Version	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision extreme reduced ventilation	uvex supravision excellence reduced ventilation	uvex supravision plus Oil & gas	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	grey, lime	grey, lime	grey, yellow	black, red	black, grey	anthracite, pink
	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Lens	PC clear	PC grey 23%	PC clear	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 BKN CE	5-2.5 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE	2C-1.2 W 1 BKN CE
Retail unit	5	5	5	5	5	5

		Add-on lens
Art. no.	9308.248	9308.048
Replacement lens	9308.242	uvex supravision sapphire
Version	uvex supravision excellence with add-on lens grey 14% and magnetic headband	sunglare filter
Standard	EN 166, EN 170, EN 172	EN 166, EN 172
Frame	grey, orange	
	W 166 34 B CE	
Lens	PC clear	PC grey 16%
	UV 400	UV 400
	2C-1.2 W 1 BKN CE	5-3.1 W 1 CE
Additional lens	uvex supravision sapphire	
	PC grey 14%	
	sunglare filter, UV 400	
	5-3.1 W 1 CE	
Retail unit	5	1

DESIGN AWARD 2015

Safety Goggles

uvex ultrasonic

9302.245

9302.600

9302.601

9302.285

9302.247

9302.281

9302.275

9302.286

9302.500

uvex ultrasonic

- goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- hard and soft components create soft, pressure free seal for comfortable all day wear

Areas of application:
- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex ultrasonic					
Art. no.	9302.245	9302.285	9302.247	9302.286	9302.275
Replacement lens	9302.255	9302.255	9302.257	9302.256	
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	grey, orange	black, grey	grey, orange	black, grey	anthracite, lime
	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE
Lens	PC clear, UV 400	PC clear, UV 400	PC brown, UV 400	PC grey, UV 400	PC clear, UV 400
	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	5-2.5 W 1 B 9 KN DIN CE	5-2.5 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE
Retail unit	4	4	4	4	4

Art. no.	9302.600	9302.601	9302.281	9302.500
Replacement lens		9302.255	9302.255	
Version	uvex supravision extreme reduced ventilation	uvex supravision excellence with rubber headband	uvex supravision excellence with neoprene headband	uvex supravision clean autoclavable
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, grey	black, red	black, grey	transparent, white
	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE
Lens	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400	PC clear, UV 400
	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE
Retail unit	4	4	4	4

uvex

Safety Goggles

uvex ultravision

9301.714
9301.815

9301.105

9301.633

9301.716

9301.116

9301.813

9301.906

9301.613

Please note:
CA lenses do not fit the PC models and vice-versa.

uvex ultravision

- classic goggles with unrestricted field of vision
- can be worn over prescription spectacles
- available with polycarbonate or cellulose acetate lenses
- lenses can be changed
- high mechanical strength of the polycarbonate (B: 120 m/s) or cellulose acetate lens (F: 45 m/s)
- innovative indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision					
Art. no.	9301.714	9301.716	9301.906	9301.105	9301.633
Replacement lens	9300.517	9300.517	9300.956	9301.255	
Version	anti-fog	anti-fog with foam layer	anti-fog wide nose piece, particularly well suited in combination with dust masks	uvex supravision excellence	uvex supravision excellence closed ventilation
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	transparent grey W 166 34 F CE	transparent grey W 166 3 F CE	transparent grey W 166 349 B CE	red W 166 3459 B CE
Lens	CA clear, UV 380 2-1.2 W 1 FN DIN CE	CA clear, UV 380 2-1.2 W 1 FN DIN CE	CA clear, UV 380 2-1.2 W 1 FN DIN CE	PC clear, UV 400 2C-1.2 W 1 B 9 KN CE	PC clear, UV 400 2C-1.2 W 1 B 9 KN DIN CE
Retail unit	1	1	1	1	1

Art. no.	9301.116	9301.815	9301.613	9301.813
Replacement lens		9301.255	9301.255	9301.255
Version	uvex supravision plus with foam layer Oil & gas	uvex supravision excellence top ventilation closed	uvex supravision excellence gas-proof	uvex supravision excellence with tear-off films, 2 units replacement films: 9300.316
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 B CE	transparent grey W 166 349 B CE	yellow W 166 3459 B CE	transparent grey W 166 349 B CE
Lens	PC clear, UV 400 2C-1.2 W 1 B 9 KN CE	PC clear, UV 400 2C-1.2 W 1 B 9 KN CE	PC clear, UV 400 2C-1.2 W 1 B 9 KN DIN CE	PC clear, UV 400 2C-1.2 W 1 B 9 KN CE
Retail unit	1	1	1	1

Safety Goggles

uvex ultravision faceguard · helmet mounted safety goggles

9301.555

9301.318

9301.317

uvex ultravision faceguard

- combines goggles with face guard
- completely seals the eyes and protects the face

	Goggles with face protection	Face protection	Face protection
Art. no.	9301.555	9301.317	9301.318
Version	Goggles with mouth protection uvex supravision excellence	for all models 9301 with PC lens (except 9301.906) not mounted, **without spectacles** uncoated	for all models 9301 with PC lens (except 9301.906) not mounted, **without spectacles** uncoated
Standard	EN 166, EN 170	–	–
Frame	transparent grey	–	–
	W 166 349 B CE	–	–
Lens	PC clear	–	–
	UV 400	–	–
	2C-1.2 W 1 B 9 KN CE	–	–
Retail unit	1	1	1

9302.510

9301.544

9924.010

Helmet mounted safety goggles uvex ultrasonic and uvex ultravision

- safety goggles for combining with helmet and ear defenders uvex K1H and uvex K2H (ear defenders are not included)
- for attaching the uvex ultrasonic or uvex ultravision without ear defenders, additional adapters (9924.010) are required!

	uvex ultrasonic	uvex ultravision	Adapter
Art. no.	9302.510	9301.544	Adapter for attaching without earmuffs
Version	uvex supravision extreme reduced ventilation	anti-fog inside	
Standard	EN 166, EN 170	EN 166, EN 170	
Frame	blue, grey	transparent grey	
	W 166 349 B CE	W 166 34 F CE	
Lens	PC clear, UV 400	CA clear, UV 380	
	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 FN DIN CE	
Retail unit	4	1	1 pair

uvex

Safety Goggles

uvex carbonvision · uvex 9305 · uvex 9405

9307.375

9307.276

9307.365

uvex carbonvision

- low profile wraparound style goggle
- lightweight at just 46 g
- highly compatible with other PPE
- close fitting frame and high mechanical strength (B: 120 m/s)

uvex carbonvision			
Art. no.	9307.375	9307.276	9307.365
Version	uvex supravision extreme	uvex supravision extreme sunglare filter	uvex supravision extreme with neoprene headband
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, grey	black, grey	black, grey
	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Lens	PC clear	PC grey	PC clear
	UV 400	UV 400	UV 400
	2-1.2 W 1 B KN DIN CE	5-2.5 W 1 B KN CE	2-1.2 W 1 B KN DIN CE
Retail unit	5	5	5

9305.714

9305.514

9405.714

uvex 9305

- classic goggles with cellulose acetate lens and ventilation system
- mechanical strength F: 45 m/s

uvex 9305		
Art. no.	9305.514	9305.714
Version	anti-fog inside	anti-fog inside
	with rubber headband	with textile headband
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey
	W 166 34 F CE	W 166 34 F CE
Lens	CA clear	CA clear
	UV 380	UV 380
	W 1 FN DIN	W 1 FN DIN CE
Retail unit	4	4

uvex 9405

- classic goggles with cellulose acetate lens and ventilation system
- mechanical strength F: 45 m/s

	uvex 9405
Art. no.	9405.714
Replacement lens	9400.517
Version	anti-fog inside
Standard	EN 166, EN 170
Frame	transparent grey
	W 166 34 F CE
Lens	CA clear
	UV 380
	W 1 FN DIN CE
Retail unit	4

Welding Protection

A new generation of welding protection eyewear available with different grey-tint lenses and protection classes. The innovative technology affords protection from UV and infrared light while maintaining perfect colour recognition in line with uvex sunglare filters.

The special uvex infradur plus coating has anti-fog properties which prevents the inside of the lenses misting up and the extreme scratch-resistance on the outside keeps damage from welding sparks to an absolute minimum.

With various welding safety spectacles and goggle solutions, there is something for everyone – enhancing comfort and the wearer experience.

N.B.: Do not use for electric welding.



All welding products have polycarbonate lenses providing protection against impact as well as UV rays, IR rays and visible glare.

The products do not provide protection against laser beams!

For expert advice on safety and in selecting the right laser protection eyewear, talk to our specialists

laservision

Call them on +49 (0)911 9736 8100.

uvex-laservision.com

uvex

Welding Protection

uvex i-vo · uvex super fit

9160.041

9160.043

9160.045

uvex i-vo

- fashionable safety spectacles with adjustable side arms
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- reliable protection provided by customised fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their facial shape
- soft, uvex quattroflex arms and soft components around the nose and forehead for a comfortable, pressure-free fit
- the shape of the lenses offers unrestricted peripheral vision

uvex i-vo			
Art. no.	9160.041	9160.043	9160.045
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTKN CE	PC grey UV 400 + IR 3 W 1 FTKN CE	PC grey UV 400 + IR 5 W 1 FTKN CE
Retail unit	5	5	5

9178.041

9178.043

uvex super fit

- low weight welding safety spectacles with hinged side arms in a sporty design
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- ultra thin, wraparound lens delivers maximum optical clarity and an excellent field of vision
- soft, adjustable nose piece
- low weight design (21 g) for increased wearer comfort

uvex super fit		
Art. no.	9178.041	9178.043
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3
Standard	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTKN CE	PC grey UV 400 + IR 3 W 1 FTKN CE
Retail unit	5	5

Welding Protection

uvex futura

9180.143

9180.141

9180.146

9180.145

9180.144

uvex futura

- classic style spectacles with large field of vision
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- soft, duo-flex ear pieces for a pressure free fit

uvex futura					
Art. no.	9180.141	9180.143	9180.144	9180.145	9180.146
Replacement lens	9180.056	9180.057	9180.058	9180.059	9180.060
Version	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green	black, green	black, green
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC grey	PC grey	PC grey	PC grey	PC grey
	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
	1.7 W 1 FTK CE	3 W 1 FTK CE	4 W 1 FTK CE	5 W 1 FTK CE	6 W 1 FTK CE
Retail unit	5	5	5	5	5

uvex

Welding Protection

uvex 9116

9116.041

9116.043

9116.045

9116.044

9116.046

uvex 9116

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9116					
Art. no.	9116.041	9116.043	9116.044	9116.045	9116.046
Version	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green	black, green	black, green
	W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE
Lens	PC grey	PC grey	PC grey	PC grey	PC grey
	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
	1.7 W 1 FTK CE	3 W 1 FTK CE	4 W 1 FTK CE	5 W 1 FTK CE	6 W 1 FTK CE
Retail unit	5	5	5	5	5

Welding Protection

uvex 9104

9104.041

9104.043

9104.044

9104.045

9104.046

uvex 9104

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- with flip-up and easily replaceable filter
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9104					
Art. no.	9104.041	9104.043	9104.044	9104.045	9104.046
Version	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green	black, green	black, green	black, green	black, green
	W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE	W 166 S CE
Lens	PC clear	PC clear	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 FKN DIN CE
Additional lens	PC grey, UV 400 + IR	PC grey, UV 400 + IR	PC grey, UV 400 + IR	PC grey, UV 400 + IR	PC grey, UV 400 + IR
	1.7 W 1 FTK CE	3 W 1 FTK CE	4 W 1 FTK CE	5 W 1 FTK CE	6 W 1 FTK CE
	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Retail unit	5	5	5	5	5
Flip-up replacement part	9104.081	9104.083	9104.084	9104.085	9104.086

uvex

Welding Protection

uvex astrospec 2.0

9164.141

9164.143

9164.144

9164.145

9164.146

uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec safety spectacles
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- panoramic polycarbonate lens with integrated side shield for optimum protection of the whole eye
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- uvex ventilation system with integrated brow guard for added comfort
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) for pressure free fit
- fits easily into breast pocket thanks to flat-fold design

uvex astrospec 2.0					
Art. no.	9164.141	9164.143	9164.144	9164.145	9164.146
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus	uvex infradur plus	uvex infradur plus
	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green	black, green	black, green
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey	PC grey	PC grey	PC grey	PC grey
	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
	1.7 W 1 FTKN CE	3 W 1 FTKN CE	4 W 1 FTKN CE	5 W 1 FTKN CE	6 W 1 FTKN CE
Retail unit	5	5	5	5	5

Levels of welding protection and recommendations for use according to EN 169

Level of protection	Use	Gas used	Flow rate (l/h)
1.7	Protection against scattered rays for welding assistants	–	–
3	Lightweight oxyacetylene cutting	–	–
4	Welding and braze welding	Acetylene	< 70
5	Welding and braze welding Oxyacetylene cutting	Acetylene Oxygen	70 – 200 900 – 2,000
6	Welding and braze welding Oxyacetylene cutting	Acetylene Oxygen	200 – 800 2,000 – 4,000

Welding Protection

uvex 9161 · uvex super f OTG

9161.141

9161.143

9161.144

9161.145

9161.146

uvex 9161

- welding overspecs for wearers of prescription glasses
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- unrestricted peripheral vision
- pressure-free fit with soft uvex duoflex arms

uvex 9161					
Art. no.	9161.141	9161.143	9161.144	9161.145	9161.146
Version	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
	welding protection level 1.7	welding protection level 3	welding protection level 4	welding protection level 5	welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green	black, green	black, green
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC grey	PC grey	PC grey	PC grey	PC grey
	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR	UV 400 + IR
	1.7 W 1 FT CE	3 W 1 FT CE	4 W 1 FT CE	5 W 1 FT CE	6 W 1 FT CE
Retail unit	5	5	5	5	5

9169.541

9169.543

9169.545

uvex super f OTG

- welding overspecs with arm-hinge concept for wearers of prescription glasses
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- unrestricted peripheral vision
- soft arm ends for increased comfort

uvex super f OTG			
Art. no.	9169.541	9169.543	9169.545
Version	uvex infradur plus	uvex infradur plus	uvex infradur plus
	welding protection level 1.7	welding protection level 3	welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green	black, green	black, green
	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey	PC grey	PC grey
	UV 400 + IR	UV 400 + IR	UV 400 + IR
	1.7 W 1 FT KN CE	3 W 1 FT KN CE	5 W 1 FT KN CE
Retail unit	5	5	5

uvex

Welding Protection

uvex ultrasonic flip-up · uvex ultravision

9302.043

9302.045

uvex ultrasonic flip-up

- welding goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- a combination of hard and soft components create soft, effect, pressure free seal for comfortable all day wear

uvex ultrasonic		
Art. no.	9302.043	9302.045
Replacement lens flip-up	9302.083	9302.085
Version	uvex supravision excellence	uvex supravision excellence
	with flip-up and easily replaceable filter	with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green	black, green
	W 166 349 B CE	W 166 349 B CE
Lens	PC clear, UV 400	PC clear, UV 400
	2-1.2 W 1 B9 KN DIN CE	2-1.2 W 1 B9 KN DIN CE
Additional lens	PC grey, UV 400 + IR	PC grey, UV 400 + IR
	uvex infradur	uvex infradur
	3 W 1 CE	5 W 1 CE
	welding protection level 3	welding protection level 5
Retail unit	4 (uvex ultrasonic flip-up complete)	4 (uvex ultrasonic flip-up complete)
	1 (Replacement lens flip-up)	1 (Replacement lens flip-up)

9301.145

9301.185

uvex ultravision

- classic style welding goggle with unrestricted field of vision
- can be worn over prescription spectacles
- with flip-up and easily replaceable filter
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- high mechanical strength of the poly-carbonate lens (B: 120 m/s)
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision	
Art. no.	9301.145
Replacement lens	9301.185
Version	uvex infradur plus
	welding protection level 5
Standard	EN 166, EN 169
Frame	black
	W 166 3 B CE
Lens	PC grey, UV 400 + IR
	5 W 1 BKN CE
Retail unit	1

uvex

laservision

Innovative laser protection solutions

Laser protection goggles and cabin windows

Due to its physical properties of laser light, such as radiation intensity and focusing coherence, it is potentially hazardous especially for the eyes, particularly for the eyes. In response to these risks, the valid laser protection standards (EN 207 and EN 208) and safety regulations (OStrV and TROS Laser) prescribe the use of laser protection eyewear. With more than 30 years experience of Laser Technology protection goggles with coated or absorbent lenses and plastics are the core focus of laservision. Additionally, we provide an extensive range of glass and plastic filter materials as panes for installation in machine housings, partitions and curtains.

Screens

Alternatively, it is possible to screen out laser radiation by mechanical means to protect potentially endangered change to: at risk personnel during laser operation Screens against laser radiation may take the form of curtains, partitions or even fixed insulating walls. These can be installed in the workplace, or they may be integrated in machinery housing. laservision offers standard and customer-specific solutions for screening in compliance with the applicable standards. Due to the wide range of materials and solutions available, we work with our customers on their sites to determine the best possible solutions for identified laser radiation risks.

Active protection systems

For automated laser processing operations, i.e. operations that are not under constant surveillance, to be classified as test class T1, European standard EN 60825-4 housing must maintain a survival rate of 30,000 seconds. However, as laser output and radiation intensity are constantly on the increase, rates of this order are no longer achievable with passive protection systems, particularly window materials.
The active cabin window system from laservision provides the ideal and simplest solution to this problem, with an integrated LaserSpy sensor in the safety circuitry of the laser system. When laser beams hit the plastic pane with enough output to activate the sensor integrated in the pane, the laser is immediately switched off before hazardous radiation can be transmitted through the pane. The system gives users a complete CE-certified class T1 system in line with the applicable machine construction directive, and is easy to integrate into the frame of the individual machine design. In combination with an active cabin wall system, the result is a complete and certifiable solution for industrial high-performance laser units operating in the 820 to 1100 nm wavelength spectrum.

Training

In cooperation with the uvex academy, laservision offers a programme of modular courses on laser safety. In addition to the compulsory annual laser safety training and courses for laser safety officers, the programme offers advanced seminars, an internship in laser safety and courses on measuring techniques.
As a competent laser protection provider, laservision is an active partner for various national and international standards committees and collaborates with domestic and international research institutes on projects relating to laser safety.

laservision

LASERVISION GmbH & Co. KG
Phone: +49 911 973681-00
E-Mail: info@lvg.com · uvex-laservision.de

Accessories

uvex cleaning accessories

9970.002

9972.101

9963.000

uvex spectacle cleaning station

- including
  2 x 9971.000
  1 x 9972.100
  1 x 9973.100

uvex spectacle cleaning station	
Art. no.	9970.002
Retail unit	1

uvex cleaning fluid
- 0.5 l cleaning fluid
- suitable for all viewing lenses

uvex cleaning fluid	
Art. no.	9972.100
Content	500 ml
Retail unit	1

Plastic pump
- for uvex cleaning fluid 9972.100

Plastic pump	
Art. no.	9973.100
Retail unit	1

Cleaning papers
- replacement silicone-free paper
- approx. 700 sheets
- antistatic
- suitable for all uvex lenses

Cleaning papers	
Art. no.	9971.000
Retail unit	1

uvex cleaning fluid

- Note:
  does not fit in the uvex spectacle cleaning station

uvex cleaning fluid	
Art. no.	9963.000
Content	500 ml
Retail unit	5

- wall mount for individually sealed lens cleaning wipes
- assembly accessories included

Wall mount	
Art. no.	9963.001
Retail unit	1

uvex lens cleaning towelettes

- 100 towelettes per box
- silicone-free
- not antistatic
- individually sealed
- for all uvex lenses

uvex cleaning towelettes	
Art. no.	9963.000
Retail unit	5

- wall mount for individually sealed lens cleaning wipes
- assembly accessories included

Wall mount	
Art. no.	9963.001
Retail unit	1

9972.100

9973.100

9971.000

9963.001

Acessories

uvex display · uvex microfibre cloth

9957.503

6119.801

uvex display

- with integrated mirror
- for four safety spectacles and one pair of wide-vision goggles

uvex Display	
Art. no.	9957.503
Retail unit	1

uvex microfibre cloth

- for cleaning spectacle and goggle lenses

uvex microfibre cloth	
Art. no.	6119.801
Retail unit	5

Accessories

uvex safety eyewear cases

9954.600

uvex eyewear case

- hard shell case in modern design
- extremely robust design to protect against external damage
- soft interior
- belt loop for ease of carrying
- practical snap hook
- specially for curved spectacles (e.g. uvex i-vo)

uvex eyewear case	
Art. no.	9954.600
Retail unit	5

9954.500

uvex eyewear case

- extremely robust case
- reinforced zip for extra strength
- belt loop
- extra space for replacement lens
- suitable for all uvex spectacles (except 9169)

uvex eyewear case	
Art. no.	9954.500
Retail unit	5

9954.501

uvex eyewear case

- goggle case with zip and belt loop
- large and very robust
- extra space for replacement lens
- suitable for spectacles and goggles

uvex eyewear case	
Art. no.	9954.501
Retail unit	5

Accessories

uvex safety eyewear cases

6118.002

9954.650

uvex eyewear case

- flexible case made from robust nylon material
- extendable zip on side to increase space
- individually adjustable hook-and-loop fastener
- comes with belt loop
- suitable for all spectacles

uvex eyewear case	
Art. no.	6118.002
Retail unit	1

uvex eyewear case

- flexible case made from robust nylon material
- individually adjustable hook-and-loop fastener
- comes with belt loop
- for goggle models uvex 9308 and uvex 9307

uvex eyewear case	
Art. no.	9954.650
Retail unit	5

9954.355

9954.360

uvex microfibre case

- elegant microfibre case
- for uvex spectacles models

uvex microfibre case	
Art. no.	9954.355
Retail unit	5

- elegant microfibre case
- for uvex goggles and overspecs

uvex microfibre case	
Art. no.	9954.360
Retail unit	5

9957.502

uvex SECU box

- storage box for wall assembly
- for spectacles and goggles:
  2 goggles or
  3 spectacles or
  1 goggles and 2 spectacles

uvex SECU box	
Art. no.	9957.502
Retail unit	1

Accessories

uvex eyewear straps

9958.017

9958.003

uvex eyewear headband

- suitable for all uvex safety spectacles (except for the duoflex side arms)
- djustment toggle for individual length adjustment

uvex eyewear headband	
Art. no.	9958.017
Retail unit	10

uvex eyewear headband

- fully adjustable
- metal-free

uvex eyewear headband	
Art. no.	9958.003
Retail unit	10

9958.020

9958.009

uvex pheos headband

- for attaching to uvex pheos standard and uvex pheos small
- metal-free
- individual length adjustment

uvex pheos headband	
Art. no.	9958.020
Retail unit	10

see page 32, 33

uvex i-3 headband

- Headband for uvex i-3 and uvex i-3 s

uvex i-3 headband	
Art. no.	9958.009
Retail unit	10

see page 28, 29

Accessories

uvex hang-cords



9959.003

9959.004

9959.002

uvex eyewear cord

• for all soft arms and duo flex ear pieces (uvex skyper models)

uvex eyewear cord	
Art. no.	9959.003
Retail unit	10

uvex eyewear cord

• suitable for all uvex spectacles

uvex eyewear cord	
Art. no.	9959.002
Retail unit	10

uvex eyewear cord

• for uvex models 9192, 9172, 9160, 9195, 9196, 9197, 9175, 9174, 9188, 9194
• metal-free
• individual length adjustment

uvex eyewear cord	
Art. no.	9959.004
Retail unit	10

uvex

Safety Eyewear

Overview

Model	Name	Product	Retail unit	Page	uvex supravision excellence	uvex supravision extreme	uvex supravision clean	uvex supravision sapphire	uvex supravision plus	ETC (extreme)	uvex AR (anti-reflective)	uvex supravision variomatic	silver mirror	blue mirror	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog	scratch-resistant	scratch-resistant + anti-fog	uncoated
9104	uvex 9104	Safety spectacles – welding protection	5	57					■						■						
9104	uvex 9104	Replacement flip-up part	1	57											■						
9116	uvex 9116	Safety spectacles – welding protection	5	56											■						
9134	uvex meteor	Plastic temple spectacles	5	40				■													■
9137	uvex ceramic	Metal temple spectacles	5	42				■													
9155	uvex mercury	Metal temple spectacles	5	43				■													
9159	uvex winner MT	Metal temple spectacles	5	43															■	■	
9160	uvex i-vo	Plastic temple spectacles	5	36	■			■													
9160	uvex i-vo	Replacement lenses	5	36	■			■													
9160	uvex i-vo	Safety spectacles – welding protection	5	54												■					
9161	uvex 9161	Plastic temple spectacles	5	44				■	■												
9161	uvex 9161	Safety spectacles – welding protection	5	59											■						
9164	uvex astrospec 2.0	Plastic temple spectacles	5	31	■	■		■	■												
9164	uvex astrospec 2.0	Safety spectacles – welding protection	5	58												■					
9168	uvex astrospec	Plastic temple spectacles	5	31	■			■													
9169	uvex super OTG	Plastic temple spectacles	5	44	■			■													
9169	uvex super f OTG	Plastic temple spectacles	5	45				■				■									
9169	uvex super f OTG	Plastic temple spectacles, UV 525	5	45				■													
9169	uvex super f OTG CR	Plastic temple spectacles	5	37/45			■														
9169	uvex super f OTG	Safety spectacles – welding protection	5	59												■					
9172	uvex super g	Plastic temple spectacles	5	34	■			■	■												
9172	uvex super g	Replacement lens	5	34	■																
9174	uvex skylite	Plastic temple spectacles	5	41				■													
9175	uvex skyguard NT	Plastic temple spectacles	5	41	■	■															
9178	uvex super fit	Plastic temple spectacles	5	35	■			■	■												
9178	uvex super fit ETC	Plastic temple spectacles	5	35						■											
9178	uvex super fit CR	Plastic temple spectacles	5	35/37			■														
9178	uvex super fit	Safety spectacles – welding protection	5	54												■					
9180	uvex futura	Plastic temple spectacles	5	42				■	■												
9180	uvex futura	Replacement lenses	5	42				■	■												
9180	uvex futura	Safety spectacles – welding protection	5	55											■						
9180	uvex futura	Replacement lenses – welding protection	5	55											■						
9182	uvex futura	Plastic temple spectacles	5	42				■													
9182	uvex futura	Replacement lenses	5	42				■													
9188	uvex cybric	Plastic temple spectacles	5	40				■	■					■							
9188	uvex cyberguard	Plastic temple spectacles	5	40					■												
9190	uvex i-3/uvex i-3 s	Plastic temple spectacles	5	28/29	■			■	■		■		■								
9190	uvex i-3	Plastic temple spectacles	1	28							■	■									
9190	uvex i-3	Replacement lens	5	28	■																
9192	uvex pheos/uvex pheos s	Plastic temple spectacles	5	32/33	■	■			■				■								
9192	uvex pheos blue/uvex pheos s blue	Plastic temple spectacles	5	32	■																
9192	uvex pheos guard/uvex pheos s guard	uvex pheos headband version	4	33		■															
9192	uvex pheos/uvex pheos s	Extra frame	5	33																	
9193	uvex sportstyle	Plastic temple spectacles	5	25	■	■			■		■	■									
9194	uvex i-works	Plastic temple spectacles	5	30	■								■								
9195	uvex skyper	Plastic temple spectacles	5	38	■			■													

Model	Name	Product	Retail unit	Page	uvex supravision excellence	uvex supravision extreme	uvex supravision clean	uvex supravision sapphire	uvex supravision plus	ETC (extreme)	uvex AR (anti-reflective)	uvex supravision variomatic	silver mirror	blue mirror	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog	scratch-resistant	scratch-resistant + anti-fog	uncoated
9195	uvex skyper	Replacement lenses	5	38	■			■													
9196	uvex skyper s	Plastic temple spectacles	5	39	■			■													
9197	uvex skyper sx2	Plastic temple spectacles	5	39	■			■													
9197	uvex skyper sx2	Replacement lens	5	39				■													
9197	uvex skybrite sx2	Plastic temple spectacles	5	39	■								■								
9198	uvex pheos cx2	Plastic temple spectacles	5	27	■			■													
9199	uvex x-fit	Plastic temple stectacles	5	23	■			■													
9231	uvex polavision	Plastic temple spectacles	1	42															■		
9301	uvex ultravision	Safety goggles	1	50	■	■			■									■			
9301	uvex ultravision	Replacement lenses	1	50	■													■			
9300	uvex ultravision	Tear-off films	10	50																	
9301	uvex ultravision faceguard	Safety goggles	1	51	■																
9301	uvex ultravision	Mouth shield	1	51	■																■
9301	uvex ultravision	Safety goggles – welding protection	1	60												■					
9302	uvex ultrasonic	Safety goggles	4	48/49	■	■															
9302	uvex ultrasonic	Replacement lenses	4	48/49	■																
9302	uvex ultrasonic CR	Safety goggles	4	37/49			■														
9302	uvex ultrasonic flip-up	Safety goggles – welding protection	4	60	■										■						
9302	uvex ultrasonic flip-up	Replacement lenses – welding protection	1	60											■						
9305	uvex 9305	Safety goggles	4	52														■			
9307	uvex carbonvision	Safety goggles	5	52		■															
9308	uvex u-sonic	Safety goggles	1	48	■	■			■												
9308	uvex u-sonic	Add-on lens	5	48				■													
9308	uvex u-sonic	Replacement lenses	5	48	■																
9309	uvex pheos cx2 sonic	Safety goggles	4	47		■															
9405	uvex 9405	Safety goggles	5	52														■			
9400	uvex 9405	Replacement lens	1	52														■			
6118		Safety eyewear case	5	65																	
6119		Microfibre cloth	5	63																	
9954		Safety eyewear cases	5	64																	
9954		Microfibre case	1	65																	
9957		Display	1	63																	
9957		SECU box	10	65																	
9958		Headband for uvex temple spectacles	10	66																	
9958		Headband	5	66																	
9958	uvex pheos/uvex pheos s	Headband	5	66																	
9958	uvex i-3/uvex i-3 s	Headband	10	66																	
9959		Neck hang cord for uvex spectacles	5	67																	
9963		Cleaning towelettes	1	62																	
9963		Wall holder	1	62																	
9970		Cleaning station	1	62																	
9971		Replacement cleaning papers	1	62																	
9972		Cleaning fluid	1	62																	
9973		Plastic pump	1	62																	

uvex

Applications

Always the perfect solution

Mechanical risk Chemical risk Optical risk

Working conditions	Eyewear model	Lens material	Lens tint	Lens coating
Light and precision engineering	Spectacles	PC	clear	uvex supravision AR (anti-reflet) uvex supravision excellence
Assembly, maintenance	Spectacles	PC	clear	uvex supravision excellence
Grinding, angle grinding	Spectacles Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Turning, milling	Spectacles	PC	clear	uvex supravision excellence
Dusty environments	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Foundry cleaning	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Forestry and agriculture	Spectacles	PC	clear amber grey 23%	uvex supravision excellence uvex supravision extreme
Laboratory	Spectacles Goggles	PC CA	clear	uvex supravision sapphire uvex supravision excellence
Working with acids and galvanic media	Goggles	PC CA	clear	uvex supravision excellence uvex supravision extreme
Spot welding, soldering oxygene cutting gas welding, braze welding Welders assistant foundries furnaces	Spectacles Goggles	PC	welding shade	uvex infradur uvex infradur plus
Outdoors – sunglare	Spectacles	PC	grey brown silver mirror	uvex supravision excellence uvex supravision extreme
Offshoring / maritime	Spectacles	PC	variomatic polavision	uvex supravision variomatic uvex polavision
Strong lighting, glare	Spectacles	PC	CBR 65 silver mirror 53%	uvex supravision excellence uvex supravision extreme
Mixed lighting	Spectacles	PC	clear	uvex supravision AR (anti-reflet)
Sterile working conditions	Spectacles Overspecs	PC	clear	uvex supravision CR
Oil and gas	Spectacles Overspecs Goggles	PC	clear	uvex supravision plus
Plant visitors	Spectacles Overspecs	PC	clear	uvex supravision excellence uvex supravision sapphire uncoated