



Breathing Protection

uvex silv-Air

Respirator advisor · Cleaning · Functions



uvex Respiratory Expert System

Your respiratory protection advisor will help you choose the right respirator and provide detailed information.

As a leader of innovation, we set the highest standards in products and service. The uvex Respiratory Expert System (uRES) will help you choose the appropriate respirator and will give you detailed information about products, technologies, standards and guidelines.

You can choose the correct mask from the uvex portfolio based on the work due to be carried out or based on the hazardous substance used. You will find useful detailed pictures of the products in use for all products and the relevant data sheets.

The uvex Respiratory Expert System gives you a quick overview of the correct respirator choice and provides clear and concise answers to fundamental questions relating to this topic.

Experience your breathing protection in a new dimension:

<https://ures.uvex.de>



8701011

uvex clear

- antimicrobial cleaning spray for cleaning respirators marked with "R"

uvex clear	
Art. no.	8701011
Content	360 ml
Retail unit	1 can

The uvex breathing protection navigator

The fast route to finding the right respirator for your needs

Choosing the right respiratory protective devices is essential for ensuring the safety of the respective wearer and is a process that requires the utmost care. In order to choose the filtering respirator that meets your requirements, please observe the following points:



- The type, composition and concentration of the respective hazardous substances must be provided and known (note the CAS number). The measurement can be carried out by the employers' liability insurance association, for example. In addition, the respective work conditions with due regard to occupational exposure limit values must be known.
- There must be a sufficient volume of oxygen in the environment. Please observe the legal provisions regarding this; in Germany, 17 vol. % is required as a minimum.
- If further PPE is required, this must be compatible. uvex respirators are particularly ideal for use in combination with uvex safety spectacles (page 129).
- Respiratory protective devices are not suitable for persons with beards, sideburns or deep scars in the area of the respirator sealing lines.
- Masks designated with "NR" can be used for up to eight hours. Masks designated with "R" may be used for up to 24 hours but must be cleaned after each period of use. As a general rule, a mask with a noticeably increasing level of breathing resistance must be replaced.
- After determining/being advised on the protection class required (FFP1, FFP2 or FFP3) – through the respective employers' liability insurance association, for example – the following table can be used to select a respirator model that meets the requirements of the respective work conditions. Please note that we only offer our FFP3 masks with an exhalation valve in order to give you the highest possible level of wearer comfort.

If a gas mask is required for the workspace, please note that the uvex respirator models do not offer adequate protection.



Selection

Brief periods of use or lighter activities at normal ambient temperatures		
Protection class	Folding mask (with or without valve)	Cup-style mask (without or without valve)
FFP1	3100, 3110, 8103, 8113, 5100, 5100+, 5110, 5110+	2100, 2110, 7100, 7110
FFP2	3200, 3210, 8203, 8213, 5200, 5200+, 5210, 5210+	2200, 2210, 7200, 7210, 7212
FFP3	3310, 8313, 5310, 5310+	2310, 2312, 7310
Long periods of wear or hard, strenuous activities at increased ambient temperatures		
Protection class	Folding mask (with valve)	Cup-style mask (with valve)
FFP1	3110, 8113, 5110, 5110+	2110, 7110
FFP2	3210, 8213, 5210, 5210+	2210, 7210, 7212, 7233, 7232
FFP3	3310, 8313, 5310, 5310+	2310, 2312, 7310, 7333, 7330, 7312, 7315
With activated carbon layer to protect against unpleasant odours		
Protection class	Folding mask (with valve)	Cup-style mask (with valve)
FFP1	–	–
FFP2	3220, 5220+	2220, 7220
FFP3	5320+	7320

► The minimum requirements for selected areas of application can be found on page 130.

Perfect Match

Protection from a single source



For many years, has been a global leader in industrial safety eyewear. uvex has built on this expertise in the development of its highly functional uvex silv-Air respirators.

With the aim of creating two products that can be worn together perfectly, eyewear and breathing protection product development was carried out in close consultation. Safety eyewear and breathing protection were regarded as one, uniting to provide the best possible protection.

The result of this combined expertise is the three dimensional shape of uvex silv-Air respirators. They ensure an optimum, close fit of safety eyewear, without slipping and wobbling. As the equipment remains firmly in place, optimum eye protection is guaranteed. uvex preformed and folding masks are therefore particularly suitable for combination with uvex safety eyewear.

Trust protection from a single source.



Three dimensional optimised nose shape for optimum combination of respirator with safety eyewear.

Combination options of uvex silv-Air respirators with uvex safety eyewear


	Page	Folding masks FFP 1, FFP 2, FFP 3	Performed masks FFP 1, FFP 2, FFP 3	Performed masks FFP 2, FFP 3	Folding masks FFP 1, FFP 2, FFP 3	Folding masks FFP 1, FFP 2, FFP 3
uvex silv-Air e	138 - 139		7112, 7212, 7233, 7312, 7333	7232, 7330		
uvex silv-Air p	141 - 143	8103, 8113, 8203, 8213, 8313	7100, 7110, 7120, 7200, 7210, 7220	7310, 7320		
uvex silv-Air c	146 - 148	3100, 3110, 3200, 3210, 3220, 3310		2310, 2312	2100, 2110, 2200, 2210, 2220	
uvex silv-Air premium	134 - 136					5100, 5100+, 5110, 5110+, 5200, 5200+, 5210, 5210+, 5220+, 5310, 5310+, 5320+
uvex i-3	30/31	■	□	□	□	■
uvex pheos uvex sportstyle	34/35 27	■	■	■	■	■
uvex x-fit	25	■	■	□	□	■
uvex i-vo	37	■	■	□	■	■
uvex i-works	32	■	□	□	□	■
uvex pheos cx2	29	■	□	□	□	■
uvex pheos cx2 goggle	49	■	■	■	■	■
uvex super OTG uvex super f OTG	46 47	■	■	■	■	■
uvex astrospec 2.0 uvex skyguard NT	33 43	■	□	■	■	■
uvex carbonvision uvex u-sonic	54 50	■	■	□	□	■
uvex ultrasonic uvex ultravision	51 52	■	■	■	■	■

■ Perfect combination

□ Suitable to a limited extent

uvex silv-Air

Areas of application



Activity	Harmful substances	Protection class		
		FFP 1	FFP 2	FFP 3
Wood processing				
Softwood: cutting and sanding	Fine particles, wood dust		■	
Hard wood (oak, beech, tropical woods, etc.): cutting and sanding	Fine particles, wood dust			■
Brushing/sanding paint	Fine colour particles		■	
Brushing/sanding paint (paints containing chrome)	Fine colour particles			■
Soluble paints containing copper/chrome/arsenic	Fine paint mist			■
Construction and ancillary building industry				
Cement work, plastering, tiling, roofing	Cement, plaster, tile or brick dust		■	
Masonry: cutting, drilling, demolition			■	
Asbestos: short periods of work	Fibres			■
Roof insulation: glass and mineral fibres	Dust and fibres		■	
Bodyfillers/stopper: Grinding	Dust		■	
Welding				
Welding aluminium and stainless steel	Metal and aluminium oxide fumes			■
Brazing	Fumes			■
Metalwork				
Metal: drilling, grinding, milling, angle grinding	Metal dust		■	
High-alloy steels and stainless steels: drilling, grinding, milling, angle grinding	Metal dust			■
Waste disposal and cleaning				
Refuse separation and disposal	Dust, fungi		■	
Medical waste disposal	Bacteria, spores			■
Sweeping floors	Dust (non-toxic)	■		
Radioactively contaminated particles	Dust			■
Agriculture				
Animal epidemics and treatment of animals with diseases	Bacteria, viruses			■
Work with fungal spores	Spores			■
Work with hay, grain and flour	Dust	■		
Medicine/care/health				
Allergies, pollen, household dust, animal fur	Dust, particles, spores		■	
Bacteria, viruses, infections, legionella bacteria	Bacteria, viruses			■

► These filter classes are minimum requirements and simply serve as a guide. It is the wearers' responsibility to make sure the breathing apparatus conforms to the requirements in terms of hazardous materials and concentration before use!

Particle filters are divided into three classes:

- FFP1** For particles that are neither toxic nor associated with fibrosis. For protection up to 4 times the corresponding threshold limit value (OELs*).
- FFP2** For hazardous or harmful particles, vapour and smoke; filters for solid and liquid particles with a medium filtering level. For protection up to 10 times the corresponding threshold value (OELs*).
- FFP3** For poisonous particles, vapour and smoke; filters for solid and liquid aerosols with a high filtering classification. For protection up to 30 times the corresponding threshold limit value (OELs*).

* OELs = The occupational exposure limit values (OELs) are the average concentration of a substance in the air in the workplace, up to which no damage (chronic or acute) is to be expected if employees work there for eight hours a day for five days a week. The OELs replace the maximum workplace concentration (MWC) and the technical reference concentration (TRC) – however, as long as both of these values are not yet fully taken into account in the OELs, they can still be used on an interim basis for assessing risks in the workplace.

uvex silv-Air premium

Respirators

uvex silv-Air premium					
FFP 1		FFP 2		FFP 3	
flat fold		flat fold		flat fold	
					
5100 NR D	5100+ NR D	5200 NR D	5200+ NR D		
					
5110 NR D	5110+ NR D	5210 NR D	5210+ NR D	5310 NR D	5310+ NR D
					
		5220+ NR D with carbone			5320+ NR D with carbone

FFP 1

All FFP 1 respirators provide reliable protection against harmful substances up to **4 times** the threshold limit value (OELs*) and are available with or without a valve.

FFP 2

All FFP 2 respirators provide reliable protection against harmful substances up to **10 times** the threshold limit value (OELs*) and are available with or without a valve.

FFP 3

All FFP 3 respirators provide reliable protection against harmful substances up to **30 times** the threshold limit value (OELs*) and are only available with a valve.

uvex respirators are suitable for protection against solid and liquid aerosols, dust particles, fog and smoke. They do not provide an adequate level of protection against gases and vapours exceeding the limit value.

All respirators have been tested and certified in accordance with European standard 149 "Respiratory protective devices – filtering half masks for protection against particles". They are in line with current EU legislation. Depending on the filter performance and leakages, the respirators are categorised into protection classes P1 (blue), P2 (orange) or P3 (black). All respiratory protective devices fall into PPE category III (high risks).

* OELs = The occupational exposure limit values (OELs) are the average concentration of a substance in the air in the workplace, up to which no damage (chronic or acute) is to be expected if employees work there for eight hours a day for five days a week. The OELs replace the maximum workplace concentration (MWC) and the technical reference concentration (TRC) – however, as long as both of these values are not yet fully taken into account in the OELs, they can still be used on an interim basis for assessing risks in the workplace.

uvex silv-Air premium Respirators



uvex silv-Air c							
	FFP 1		FFP 2			FFP 3	
Flat-fold masks small to medium size	 5100 NR D	 5110 NR D	 5200 NR D	 5210 NR D		 5310 NR D	
Flat-fold masks large version	 5100+ NR D	 5110+ NR D	 5200+ NR D	 5210+ NR D	 5220+ NR D with carbon	 5310+ NR D	 5320+ NR D with carbon


uvex silv-Air premium

Respirators, class FFP1, FFP2 and FFP 3



uvex silv-Air premium respirators

- The shape of the design is optimised so that the mask fits more comfortably and offers maximum protection
- The integrated nose clip can easily be adjusted to each individual face, guaranteeing a particularly good fit
- The comfortable sealing lip (in the nose area for FFP1 and FFP2 and in the nose and chin area for FFP3) provides maximum comfort and a reliable fit
- The masks are packaged individually and therefore meet the highest hygiene requirements
- The masks can be perfectly combined with all uvex safety spectacles; selection guidance is available on page 133
- Seamless, extra-wide textile headband that can be adjusted to ensure the mask fits comfortably and securely
- The mask fulfils the requirements regarding a high dust concentration (dolomite dust test [D])
- Masks available with an exhalation valve to reduce heat and humidity in the mask
- Two additional models with activated carbon are available for working with unpleasant odours



The nose clip is easy to adjust, ensuring a particularly good fit.



The comfortable sealing lip offers maximum comfort and a reliable fit.



The masks are packaged individually and therefore meet the highest hygiene requirements.



The extra-wide textile headband ensures that the mask fits comfortably and securely.



Exhalation valve for reducing heat and humidity.

uvex silv-Air premium
Respirators in protection class FFP1



8765100



8765110

uvex silv-Air 5100

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit

uvex silv-Air 5110

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5100	uvex silv-Air 5110
Art. no.	8765100	8765110
Version	FFP 1 NR D folding mask without valve	FFP 1 NR D folding mask with valve
Colour	white	white
Retail unit	30 units, individually packaged	15 units, individually packaged



8765101



8765111

uvex silv-Air 5100+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5110+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5100+	uvex silv-Air 5110+
Art. no.	8765101	8765111
Version	FFP 1 NR D folding mask without valve	FFP 1 NR D folding mask with valve
Colour	white	white
Retail unit	30 units, individually packaged	15 units, individually packaged

uvex silv-Air premium

Respirators in protection class FFP2



8765200



8765210

uvex silv-Air 5200

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit

uvex silv-Air 5210

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5200	uvex silv-Air 5210
Art. no.	8765200	8765210
Version	FFP2 NR D folding mask without valve	FFP2 NR D folding mask with valve
Colour	white	white
Retail unit	30 units, individually packaged	15 units, individually packaged



8765201



8765211



8765221

uvex silv-Air 5200+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- incorporated nose clip that is easy to adjust
- comfortable sealing lip in the nose area for a reliable fit

uvex silv-Air 5210+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

uvex silv-Air 5220+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- additional activated carbon filter for protection against odours, gases and vapours under the respective limit values
- comfortable sealing lip in the nose area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5200+	uvex silv-Air 5210+	uvex silv-Air 5220+
Art. no.	8765201	8765211	8765221
Version	FFP2 NR D folding mask without valve	FFP2 NR D folding mask with valve	FFP2 NR D folding mask with valve and carbon
Colour	white	white	grey
Retail unit	30 units, individually packaged	15 units, individually packaged	15 units, individually packaged

uvex silv-Air premium

Respirators in protection class FFP3



8765310

uvex silv-Air 5310

- particle-filtering flat-fold mask for **small to medium face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose and chin area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5310
Art. no.	8765310
Version	FFP3 NR D folding mask with valve
Colour	white
Retail unit	15 units



8765311

uvex silv-Air 5310+

- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- comfortable sealing lip in the nose and chin area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5310+
Art. no.	8765311
Version	FFP3 NR D folding mask with valve
Colour	white
Retail unit	15 units



8765321

uvex silv-Air 5320+













- particle-filtering flat-fold mask for **larger face shapes**
- wide, seamless headband for ensuring a comfortable and secure fit
- additional activated carbon filter for protection against odours, gases and vapours under the respective limit values
- comfortable sealing lip in the nose and chin area for a reliable fit
- incorporated nose clip that is easy to adjust
- exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5320+
Art. no.	8765320
Version	FFP3 NR D folding mask with valve and carbon
Colour	grey
Retail unit	15 units

uvex silv-Air e+p Respirators

uvex silv-Air e					
FFP 1		FFP 2		FFP 3	
		cup style		cup style	
					
		7212 NR D		7312 R D	7315 R D
					
		7232 R D	7233 R D	7333 R D	7330 R D



uvex silv-Air p					
FFP 1		FFP 2		FFP 3	
flat fold	cup style	flat fold	cup style	flat fold	cup style
					
8103 NR D	7100 NR D	8203 NR D	7200 NR D		
					
8113 NR D	7110 NR D	8213 NR D	7210 NR D	8313 NR D	7310 R D
					
			with carbon 7220 NR D		with carbon 7320 R D

uvex silv-Air High Performance FFP2 and FFP3

Lowest breathing resistance. Integrated ventilation.



uvex silv-Air High-Performance – A new dimension in breathing protection

- particle-filtering preformed mask with exhalation valve and inhalation valves
- High-performance climazone system with three compartments for a comfortable, cool climate inside the mask
- flexible textile headband with neck clip for individual adjustment
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask
- two extra filters with inhalation valves for lower breathing resistance and increased comfort due to easier air exchange
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- combination of 3D nose area and sealing lip ensures ideal fit for almost any nose shape

	uvex silv-Air 7233	uvex silv-Air 7333
Art. no.	8707233	8707333
Version	FFP2 R D preformed mask with valves	FFP3 R D preformed mask with valves
Colour	white	white
Retail unit	3 units	3 units

uvex silv-Air High-Performance – Perfect protection combined with maximum wearer comfort

- particle-filtering preformed mask with exhalation valve and inhalation valves
- High-performance climazone system with three compartments for a comfortable, cool climate inside the mask
- four-point headband attachment for a comfortable, individual and secure fit
- flexible, adjustable integrated nose clip
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask
- two extra filters with inhalation valves for lower breathing resistance and increased comfort due to easier air exchange
- high-quality silv-Air outer material for optimal breathability
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- nasal recess on the sealing lip ensures ideal fit for almost any nose shape

	uvex silv-Air 7232	uvex silv-Air 7330
Art. no.	8707232	8707330
Version	FFP2 R D preformed mask with valves	FFP3 R D preformed mask with valve
Colour	silver grey	silver grey
Retail unit	3 units	3 units



Adjustable headband for optimum fit



Perfectly shaped around the nose for secure positioning



Large inhalation valves ensure extremely low breathing resistance.



Nasal recess ensures a perfect fit for almost any nose shape.



High-quality uvex silv-Air outer material for best possible breathability.



Flexible 4-point headband attachment for a comfortable fit.

uvex silv-Air e

Respirators in protection class FFP2 and FFP3



8707212


8707312
8707311
8707315


uvex silv-Air 7212

- particle-filtering preformed mask with exhalation valve
- soft material edges for increased comfort
- seamless headband for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7312

- particle-filtering preformed mask with exhalation valve
- soft material edges for increased comfort
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7315

- particle-filtering preformed mask with exhalation valve
- soft material edges for increased comfort
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- without nose clip (metal-free)
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7212


Art. no.	8707212
Version	FFP2 NR D preformed mask with valve
Colour	white
Retail unit	15 units

uvex silv-Air 7312

Art. no.	8707312
Version	FFP3 R D preformed mask with valve
Colour	white
Retail unit	5 units

uvex silv-Air 7315

Art. no.	8707311	8707315
Version	FFP3 R D preformed mask with valve	FFP3 R D preformed mask with valve
Colour	white	white
Retail unit	120 units, individually packed	5 units



Anatomically preformed nose area and integrated nosepiece within the filter material, ensures a perfect fit and the highest level of wearer comfort.



4-point headband attachment for a comfortable, secure fit of the mask.



The high-quality filter material ensures low breathing resistance, while the smooth white filter surface reduces the risk of contamination through "linting" in areas with strict hygiene standards.

uvex silv-Air p

Respirators in protection class FFP1 and FFP2




All-round soft material edges for increased comfort.



Three-dimensional, optimised shape can be combined with safety eye protection and a secure fit is guaranteed without a nose clip



All FFP1 and FFP2 preformed masks are completely metal-free.



FFP2 preformed mask also available with activated carbon filter against unpleasant odours.



Seamless, wide headband with loop for even pressure distribution and a comfortable fit.



Product description

- innovative design with optimised shape for secure fit
- soft material edges for increased comfort
- optional exhalation valve reduces temperature and moisture inside the mask
- optimised nose area design ensures maximum compatibility with uvex safety eyewear
- silver-grey uvex silv-Air outer material is pleasant to touch and prevents mask being discarded prematurely on account of surface staining

uvex silv-Air p

Respirators in protection class FFP1



8707100



8707110

uvex silv-Air 7100

- particle-filtering preformed mask
- metal-free processing
- soft material edges for increased comfort
- seamless headband for a comfortable, secure fit

uvex silv-Air 7100	
Art. no.	8707100
Version	FFP1 NR D preformed mask without valve
Colour	silver grey
Retail unit	20 units

uvex silv-Air 7110

- particle-filtering preformed mask with exhalation valve
- metal-free processing
- soft material edges for increased comfort
- seamless headband for a comfortable, secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7110	
Art. no.	8707110
Version	FFP1 NR D preformed mask with valve
Colour	silver grey
Retail unit	15 units



8708103



8708113

uvex silv-Air 8103

- particle-filtering folding mask
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- flexible, adjustable integrated nose clip
- foam layers in chin and nose area for optimal fit

uvex silv-Air 8103	
Art. no.	8708103
Version	FFP1 NR D folding mask without valve
Colour	silver
Retail unit	20 units, individually packed

uvex silv-Air 8113

- particle-filtering folding mask with exhalation valve
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- Flexible, adjustable integrated nose piece
- foam layers in chin and nose area for optimal fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 8113	
Art. no.	8708113
Version	FFP1 NR D folding mask with valve
Colour	silver
Retail unit	15 units, individually packed

uvex silv-Air p

Respirators in protection class FFP2



8707200

uvex silv-Air 7200

- particle-filtering preformed mask
- metal-free processing
- seamless headband for a comfortable, secure fit



8707210

uvex silv-Air 7210

- particle-filtering preformed mask with exhalation valve
- metal-free processing
- seamless headband for a comfortable, secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask



8707220

uvex silv-Air 7220

- particle-filtering preformed mask with exhalation valve
- metal-free processing
- additional activated carbon filter against odours, gases and vapours below threshold
- seamless headband for a comfortable, secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7200

Art. no.	8707200
Version	FFP2 NR D preformed mask without valve
Colour	silver grey
Retail unit	20 units

uvex silv-Air 7210

Art. no.	8707210
Version	FFP2 NR D preformed mask with valve
Colour	silver grey
Retail unit	15 units

uvex silv-Air 7220

Art. no.	8707220
Version	FFP2 NR D preformed mask with valve and carbon
Colour	silver, anthracite
Retail unit	15 units



8708203

uvex silv-Air 8203

- particle-filtering folding mask
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- flexible, adjustable integrated nose clip
- foam layers in chin and nose area for optimal fit



8708213

uvex silv-Air 8213

- particle-filtering folding mask with climate-optimised exhalation valve
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- flexible, adjustable integrated nose clip
- foam layers in chin and nose area for optimal fit

uvex silv-Air 8203

Art. no.	8708203
Version	FFP2 NR D folding mask without valve
Colour	silver
Retail unit	20 units, individually packed

uvex silv-Air 8213

Art. no.	8708213
Version	FFP2 NR D folding mask with valve
Colour	silver
Retail unit	15 units, individually packed

uvex silv-Air p

Respirators in protection class FFP3



8707310

uvex silv-Air 7310

- particle-filtering preformed mask with exhalation valve
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7310

Art. no. 8707310
Version FFP3 R D preformed mask with valve
Colour silver grey
Retail unit 5 units



8707320

uvex silv-Air 7320

- particle-filtering preformed mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7320

Art. no. 8707320
Version FFP3 R D preformed mask with valve and carbon
Colour silver, anthracite
Retail unit 5 units



8708313

uvex silv-Air 8313

- particle-filtering folding mask with exhalation valve
- hydrophobic material coating
- four-point headband attachment for a comfortable, individual and secure fit
- flexible, adjustable integrated nose clip
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask





uvex silv-Air 8313

Art. no. 8708313
Version FFP3 NR D folding mask with valve
Colour silver
Retail unit 15 units, individually packed

uvex silv-Air c
Respirators



uvex silv-Air c

uvex silv-Air c								
	FFP1		FFP2			FFP3		
flatfold								
	3100 NR D	3110 NR D	3200 NR D	3210 NR D	3220 NR D with carbon	3310 NR D		
cup style								
	2100 NR D	2110 NR D	2200 NR D	2210 NR D	2220 NR D with carbon	2310 NR D	2312 NR D	

uvex silv-Air c

Respirators, class FFP1 and FFP2



Filtering face mask uvex silv-Air c

- innovative design with an optimised shape
- soft material edges for greater comfort and wearer acceptance
- seamless headband for a comfortable, secure fit
- exhalation valve for easy airflow exchange and reduces the build-up of heat and moisture inside the mask
- adjustable nose clip ensures an excellent individual fit
- mask fulfils the requirements of the dolomite dust test
- compatible with uvex safety eyewear
- the upper sealing lip in the nose area ensures a comfortable and secure fit
- activated carbon filter, suitable for welding applications available in the FFP2 (uvex silv-Air c 2220 and 3220) option



The adjustable nose clip ensures an excellent individual fit and secure positioning.



The soft material edges prevent uncomfortable pressure points.



The seamless headband can be adjusted for an optimum fit.



The exhalation valve with a 360° opening ensures very low breathing resistance and a cooling effect climate inside the mask.



The upper face seal offers both a more secure positioning of the mask and increased wearer comfort.

uvex silv-Air c

Filtering face masks, protection class FFP1



8733100

uvex silv-Air 3100

- particle-filtering folding mask
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 3100	
Art. no.	8733100
Version	FFP1 NR D folding mask without valve
Colour	white
Retail unit	30 units, individually packed



8733110

uvex silv-Air 3110

- particle-filtering folding mask with exhalation valve
- Comfortable sealing lip in nose area for secure fit
- seamless headband and flexible, adjustable nose clip
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3110	
Art. no.	8733110
Version	FFP1 NR D folding mask with valve
Colour	white
Retail unit	15 units, individually packed



8732100

uvex silv-Air 2100

- particle-filtering preformed mask
- seamless headband and nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 2100	
Art. no.	8732100
Version	FFP1 NR D preformed mask without valve
Colour	white
Retail unit	20 units



8732110

uvex silv-Air 2110

- particle-filtering preformed mask with exhalation valve
- seamless headband and nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2110	
Art. no.	8732110
Version	FFP1 NR D preformed mask with valve
Colour	white
Retail unit	15 units

uvex silv-Air c

Filtering face masks, protection class FFP2



8733200



8733210



8733220

uvex silv-Air 3200

- particle-filtering folding mask
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 3210

- particle-filtering folding mask with exhalation valve
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3220

- particle-filtering folding mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask



uvex silv-Air 3200	uvex silv-Air 3210	uvex silv-Air 3220
Art. no. 8733200	8733210	8733220
Version FFP2 NR D folding mask without valve	FFP2 NR D folding mask with valve	FFP2 NR D folding mask with valve and carbon
Colour white	white	silver
Retail unit 30 units, individually packed	15 units, individually packed	15 units, individually packed



8732200



8732210



8732220



uvex silv-Air 2200

- particle-filtering preformed mask
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 2210

- particle-filtering preformed mask with exhalation valve
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2220

- particle-filtering preformed mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- Seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2200	uvex silv-Air 2210	uvex silv-Air 2220
Art. no. 8732200	8732210	8732220
Version FFP2 NR D preformed mask without valve	FFP2 NR D preformed mask with valve	FFP2 NR D preformed mask with valve and carbon
Colour white	white	silver
Retail unit 20 units	15 units	15 units

uvex silv-Air c

Filtering face masks, protection class FFP3



8733310

uvex silv-Air 3310

- particle-filtering folding mask with exhalation valve
- adjustable headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable, all-around sealing lip for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3310	
Art. no.	8733310
Version	FFP3 NR D folding mask with valve
Colour	white
Retail unit	15 units, individually packed



8732310

uvex silv-Air 2310

- particle-filtering preformed mask with exhalation valve for larger face shapes
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2310	
Art. no.	8732310
Version	FFP3 NR D preformed mask with valve
Colour	white
Retail unit	15 units



8732312

uvex silv-Air 2312

- particle-filtering preformed mask with exhalation valve – ergonomically adapted for smaller to medium-sized face shapes
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2312	
Art. no.	8732312
Version	FFP3 NR D preformed mask with valve
Colour	white
Retail unit	15 units














































uvex silv-Air
Functions

	The 360° exhalation valve considerably reduces breathing resistance and build-up of heat and moisture in the mask.
	Comfortable all-round sealing lip The soft sealing lip guarantees a secure, comfortable sealed positioning of the mask.
	Soft sealing lip in the nose and chin area for a secure and comfortable fit.
	Comfortable sealing lip in the nose area The soft sealing lip in the nose area guarantees a secure, pressure-free fit.
	Comfort nose clip The mask is fitted with a high-quality nose clip making it individually adjustable.
	Metal-free The mask is completely metal-free and is manufactured entirely of skin-tolerant materials.
	The 4-point headband attachment allows an individual and secure fit, which can be perfectly adapted to meet the wearer's requirements.
	The masks are individually packed and meet the highest standards of hygiene.
	Carbon inside The additional activated carbon layer incorporated in the filter material reduces unpleasant odours.
	The 3D nose area ensures a comfortable fit, low leakage and prevents misting of uncoated eyewear.
	High performance climate management The mask offers extremely low breathing resistance due to the filter chambers connected with the inhalation valve. The climate management of the high performance mask guarantees optimum wearer comfort.
	R labelling The mask has been tested for reusability and has the required performance features for wearing during a second work shift.
	“NR” designation The masks are not reusable and must therefore be disposed of after a work shift.
	D labelling The mask has undergone additional dolomite dust testing and therefore affords excellent breathability, even in extremely dusty environments and during longer periods of use.



uvex silv-Air

Overview

Art. no.	Name	Type		Colour	Retail unit	Quantity in outer box	Page
8701011	uvex clear	Cleaning spray			1 can (360 ml)	100	126
8707100	uvex silv-Air 7100	FFP1 preformed mask without valve		silver grey	20 per box	180	141
8707110	uvex silv-Air 7110	FFP1 preformed mask with valve		silver grey	15 per box	135	141
8707200	uvex silv-Air 7200	FFP2 preformed mask without valve		silver grey	20 per box	180	142
8707210	uvex silv-Air 7210	FFP2 preformed mask with valve		silver grey	15 per box	135	142
8707212	uvex silv-Air 7212	FFP2 preformed mask with valve		white	15 per box	135	139
8707220	uvex silv-Air 7220 with carbon	FFP2 preformed mask with valve		silver/anthracite	15 per box	135	142
8707232	uvex silv-Air 7232 High Performance	FFP2 preformed mask with three-chamber system		silver grey	3 per box	36	138
8707233	uvex silv-Air 7233 High Performance	FFP2 preformed mask with three-chamber system		white	3 per box	36	138
8707310	uvex silv-Air 7310	FFP3 preformed mask with valve		silver grey	5 per box	60	143
8707311	uvex silv-Air 7311	FFP3 preformed mask with valve		white	120 pieces	120	139
8707312	uvex silv-Air 7312	FFP3 preformed mask with valve		white	5 per box	60	139
8707315	uvex silv-Air 7315	FFP3 preformed mask with valve		white	5 per box	60	139
8707320	uvex silv-Air 7320 with carbon	FFP3 preformed mask with valve		silver/anthracite	5 per box	60	143
8707330	uvex silv-Air 7330 High Performance	FFP3 preformed mask with three-chamber system		silver grey	3 per box	36	138
8707333	uvex silv-Air 7333 High Performance	FFP3 preformed mask with three-chamber system		white	3 per box	36	138
8708103	uvex silv-Air 8103	FFP1 folding mask without valve		silver	20 per box	480	141
8708113	uvex silv-Air 8113	FFP1 folding mask with valve		silver	15 per box	360	141
8708203	uvex silv-Air 8203	FFP2 folding mask without valve		silver	20 per box	480	142
8708213	uvex silv-Air 8213	FFP2 folding mask with valve		silver	15 per box	360	142
8708313	uvex silv-Air 8313	FFP3 folding mask with valve		silver	15 per box	360	143
8732100	uvex silv-Air 2100	FFP1 preformed mask without valve		white	20 per box	240	146
8732110	uvex silv-Air 2110	FFP1 preformed mask with valve		white	15 per box	180	146
8732200	uvex silv-Air 2200	FFP2 preformed mask without valve		white	20 per box	240	147
8732210	uvex silv-Air 2210	FFP2 preformed mask with valve		white	15 per box	180	147
8732220	uvex silv-Air 2220 with carbon	FFP2 preformed mask with valve		silver	15 per box	180	147
8732310	uvex silv-Air 2310	FFP3 preformed mask with valve		white	15 per box	180	148
8732312	uvex silv-Air 2312	FFP3 preformed mask with valve		white	15 per box	180	148
8733100	uvex silv-Air 3100	FFP1 folding mask without valve		white	30 per box	360	146
8733110	uvex silv-Air 3110	FFP1 folding mask with valve		white	15 per box	180	146
8733200	uvex silv-Air 3200	FFP2 folding mask without valve		white	30 per box	360	147
8733210	uvex silv-Air 3210	FFP2 folding mask with valve		white	15 per box	180	147
8733220	uvex silv-Air 3220 with carbon	FFP2 folding mask with valve		silver	15 per box	180	147
8733310	uvex silv-Air 3310	FFP3 folding mask with valve		white	15 per box	180	148
8765100	uvex silv-Air 5100	FFP1 folding mask without valve		white	30 per box	480	134
8765101	uvex silv-Air 5100+	FFP1 folding mask without valve		white	30 per box	480	134
8765110	uvex silv-Air 5110	FFP1 folding mask with valve		white	15 per box	240	134
8765111	uvex silv-Air 5110+	FFP1 folding mask with valve		white	15 per box	240	134
8765200	uvex silv-Air 5200	FFP2 folding mask without valve		white	30 per box	480	135
8765201	uvex silv-Air 5200+	FFP2 folding mask without valve		white	30 per box	480	135
8765210	uvex silv-Air 5210	FFP2 folding mask with valve		white	15 per box	240	135
8765211	uvex silv-Air 5210+	FFP2 folding mask with valve		white	15 per box	240	135
8765221	uvex silv-Air 5220+ with carbon	FFP2 folding mask with valve		white	15 per box	240	135
8765310	uvex silv-Air 5310	FFP3 folding mask with valve		white	15 per box	240	136
8765311	uvex silv-Air 5310+	FFP3 folding mask with valve		white	15 per box	240	136
8765321	uvex silv-Air 5320+ with carbon	FFP3 folding mask with valve		white	15 per box	240	136