

uvex



uvex pheos
faceguard

Uncompromising.
Functional.
Modular.

protecting people



Innovative and systematic face p

We have created a faceguard with the highest level of flexibility: the uvex pheos. This is thanks to the ability to adjust the height and width of the head strap, as well as to the scratch-resistant and anti-fog polycarbonate visor.

With ingenious attachment options and replaceable individual parts, this face protection multi-system can be expanded to perfectly suit your area of application.

Centre of gravity over the middle of the head

The low weight and optimised centre of gravity relieve the neck



uvex pheos faceguard



Simple size adjustment

Head strap with height and width adjustment for sizes 52-64 with wide and comfortable uvex spiderneck neck piece.



Flexible face protection system

Space for prescription spectacles and respiratory protection, plus quick attachment of hearing protection via a bayonet lock.




Robust visor with UV400 and proven uvex coating

The polycarbonate visor with wide field of vision can be locked in any position thanks to the spring mechanism.

protection

ck muscles and spine.



competitors' products



uvex



What sets uvex pheos faceguard face protection apart?

- fully preassembled face protection system
- sturdy polycarbonate visor with anti-fog and scratch-resistant uvex supravision excellence coating and uvex UV400 protection
- wide field of vision with the highest optical quality class
- low weight, slim design and balanced centre of gravity to relieve the spine
- comfortable fit even when worn with prescription spectacles and respirators
- expandable modular system with replaceable individual parts

Overview of uvex pheos faceguard models

9790211 uvex pheos faceguard

Preassembled system for head sizes 52–64 cm, polycarbonate lens, uvex supravision excellence coating, without hearing protection


Standard: EN 166, EN 170
Frame: W 166 39B CE
Lens: clear PC, UV400
2C-1.2 W 1 B 9 KN CE 0196

9790212 uvex pheos faceguard

Preassembled system for head sizes 52–64 cm, polycarbonate lens, uvex supravision excellence coating, with earmuffs K1P (SNR: 28 dB)

Standard: EN 166, EN 170
Frame: W 166 39B CE
Lens: clear PC, UV400
2C-1.2 W 1 B 9 KN CE 0196

More information:



UVEX ARBEITSSCHUTZ GMBH

Würzburger Straße 181-189
90766 Fürth
GERMANY

Tel.: +49 911 9736-0
E-Mail: safety@uvex.de
Internet: uvex-safety.com



facebook.com/uvexsafetygroup



youtube.com/uvexsafetygroup



instagram.com/uvexsafetygroup



twitter.com/uvexsafetygroup



[linkedin.com/company/uvex-arbeitsschutz-gmbh](https://company/uvex-arbeitsschutz-gmbh)

