

uvex



Safety Eyewear

protecting people

uvex

protecting planet


To help raise awareness of its commitment to achieving increased sustainability, uvex has developed the **protecting planet** icon.

For uvex, **protecting planet** is more than a label. Based on the brand claim, **protecting people**, our sustainable approach integrates 3 core interlinked pillars – **ecology, economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.



uvex i-guard planet



The **uvex i-guard planet** is an example of the **planet series** product system.



protecting planet

by using recycled material //
by using bio-based material

39 percent of the lens and frame material is made from bio-based material. Castor oil plant is used as the renewable raw material and the energy used in the glasses production is from biomass sources. The soft face seal of the guard version is made up of more than 35 percent recycled granulate, which comes from production waste.



protecting planet

by using environmentally-friendly packaging

The films of the polyester bags used consist of up to 70 percent recycled material, which is obtained from production waste. All cardboard cartons are made of over 90 percent recycled paper.



protecting planet

by reducing waste

By using a smaller format for our eyewear user instructions has reduced the amount of paper used by 30 percent. Increasing the packaging unit from 5 to 10 pairs of glasses resulted in an additional reduction in the amount of cardboard required and also produces significantly less waste.

Innovative safety eyewear — made in Germany

uvex eye protection centre of expertise

Innovative safety eyewear for the highest quality standards

In Fürth, Bavaria, uvex develops and produces first-class and highly functional safety spectacles, goggles, prescription spectacles and laser protection eyewear. The uvex plant is certified in accordance with ISO 9001:2015 and ISO 50001:2011, and relies on state-of-the-art technology and strategic partnerships to develop future-oriented technologies and products.



uvex safety eyewear greatly exceeds all requirements of the applicable standards.
Because good is not good enough for us.

Perfection as standard from uvex

All safety eyewear is comprehensively tested at the uvex test centre: As well as satisfying national and international safety standards, every item of safety eyewear also meets the exacting uvex standard in terms of functionality, ergonomics, durability and wearer comfort.

Innovative coating technologies are one of uvex's core competencies. The improved uvex supravision excellence universal coating exceeds the anti-fogging requirements of the EN 168 standard four times over.

New uvex product highlights



The innovative highlight:
uvex pure-fit is 100% recyclable thanks to pioneering manufacturing technology.



The responsible highlight:
The materials and versatile safety eyewear concept of the uvex i-range are particularly sustainable.



The sporty highlight:
uvex suXXeed combines sporty design with maximum functionality.

You can find more information about our new products on pages 30/31, 32/33 and 34/35.

Perfect vision for maximum safety

uvex coating expertise

It all comes down to the coating

Looking through lenses that are fogged up, scratched or dirty significantly increases the risk of accidents during the working day. uvex has been synonymous with innovative coating technologies for decades: In our centre of expertise in Fürth, we develop and produce scratch-resistant and anti-fog lenses for a multitude of applications.



The innovative coating technology makes uvex safety eyewear a reliable companion during day-to-day work — in a variety of applications.

Innovative manufacturing process

Conventional safety eyewear combines anti-fogging properties and scratch-resistance on both sides of the lens: This reduces the scratch-resistance and the anti-fogging effect is lessened by regular cleaning. Unlike conventional processes, the unique uvex process applies different coatings to either side of the lens.

Perfect vision whatever the situation


The outside of uvex lenses has an extremely scratch-resistant, chemical-resistant and easy-to-clean coating, while the inside is coated with a highly durable anti-fog effect — for perfect vision and maximum safety.

Lenses are also available with an extremely scratch-resistant or anti-fog coating on both sides — depending on the working environment.

uvex supravision excellence – next level performance

uvex has further improved its proven uvex supravision excellence coating technology once again: All lenses now offer twice the performance in terms of anti-fogging time, exceeding the requirements of the EN 168 standard four times over.

dry 0% RH



uvex supravision excellence

Interior	Performance	Exterior
▲▲▲	Anti-fog	△△△△
▲▲▲△	Scratch-resistance	▲▲▲▲

- Unique dual-action permanent anti-fog coating on the interior of the lens and a scratch-resistant hard coating on the exterior. This allows each coating to perform at maximum efficiency.
- extremely scratch-resistant and chemical-resistant on the outside of the lens with non-stick, easy to clean technology
- long lasting anti-fog performance on the inside
- anti-fog performance will not diminish even after repeated cleaning
- suitable for a wide range of workplaces

cold -20 °C



uvex supravision plus

Interior	Performance	Exterior
▲▲▲	Anti-fog	▲▲▲
▲▲▲△	Scratch-resistance	▲▲▲△

- long lasting anti-fog performance and scratch-resistance on both sides
- anti-fog performance will not diminish even after repeated cleaning
- suitable for environments where there is high humidity and/or frequent temperature fluctuations

-10 °C

-5 °C




scan for QR-Code
for further information.
uvex-safety.com/en/antifog

Find your ideal lens coating

1. Select the **temperature** which best represents your working environment on the **horizontal temperature axis**.
2. Define the **air humidity** of your environment in percentage terms and find the value on the **diagonal axis**.
3. Determine the **level of dirt** on the **vertical axis**.
4. Connect these three points to form a triangle.
5. The part of the triangle with the **largest area** indicates the lens coating most suited for your workplace.

dirty

Coating technology
Core Coatings



Coating technology

Special Coatings



scan for QR-Code
for further information
uvex-safety.com/en/antifog

uvex supravision variomatic

Interior	Performance	Exterior
▲▲▲△	Anti-fog	△△△△
▲▲▲△	Scratch-resistance	▲▲▲▲

Self-tinting coating that darkens when exposed to UV. Benefits from highly effective anti-fog performance inside, extremely scratch-resistant on the outside.

Self-tinting coating:

- automatically darkens within 10 sec. and lightens within 30 sec.

Areas of application:

- frequent moves between indoor and outdoor environments or light and dark workspaces

uvex supravision infradur

Interior	Performance	Exterior
△△△△	Anti-fog	△△△△
▲▲▲▲	Scratch-resistance	▲▲▲▲

Specifically developed for welding applications. Extremely high scratch-resistance on both sides. Minimises burns from welding sparks.

Areas of application:

- suitable for very dirty, dry welding applications where there is minimal risk of fogging

uvex supravision extreme

Interior	Performance	Exterior
▲▲▲△	Anti-fog	△△△△
▲▲▲△	Scratch-resistance	▲▲▲▲

Interior:

- durable, permanent anti-fog performance
- coating forms a thin veil of water without impairing vision

Exterior:

- extremely scratch-resistant, chemical-resistant and easy to clean

Areas of application:

- prolonged exposure to high risk of fogging and dirt

uvex supravision ETC (extreme temperature conditions)

Interior	Performance	Exterior
▲▲▲△	Anti-fog	△△△△
▲▲▲△	Scratch-resistance	▲▲▲△

Interior and exterior:

- durable, permanent anti-fog performance
- coating forms a thin veil of water in humid environments without impairing vision

Areas of application:

- workplaces with high humidity and/or frequent temperature fluctuations

uvex supravision clean

Interior	Performance	Exterior
▲▲▲△	Anti-fog	△△△△
▲▲▲△	Scratch-resistance	▲▲▲△

Specifically developed for the health care sector. Lenses with uvex supravision clean are autoclavable.

Interior:

- lasting anti-fog performance
- anti-fog performance lasts a minimum of 20 autoclave cycles

Exterior:

- extremely scratch-resistant, chemical-resistant and easy to clean

Areas of application:

- dry, clean environments

uvex supravision infradur plus

Interior	Performance	Exterior
▲▲▲△	Anti-fog	△△△△
▲▲▲△	Scratch-resistance	▲▲▲▲


Specifically developed for welding applications. Lasting anti-fog performance on the inside, extremely scratch-resistant outside and minimises burns from welding sparks.

Areas of application:

- suitable for dirty, welding environments with a high possibility of fogging

Marking and standards

Marking on lenses in accordance with EN 166



Filter

2	UV protection filter (EN 170)
2C/3	UV protection filter with colour recognition (EN 170)
4	IR protection filter (EN 171)
5	Sunglare filter for industrial use (EN 172)
6	Sunglare filter with infrared requirement

Tinting levels

AR	1.2 (Light transmittance 74.4–100%)
clear	1.2 (Light transmittance 74.4–100%)
amber	1.2 (Light transmittance 74.4–100%)
CBR65	1.4 (Light transmittance 58.1–80%)
silver mirror 53%	1.7 (Light transmittance 43.2–58.1%)
grey 23%	2.5 (Light transmittance 17.8–29.1%)
polavision	3.1 (Light transmittance 8–17.8%)
grey 14%	3.1 (Light transmittance 8–17.8%)
silver mirror 12%	3.1 (Light transmittance 8–17.8%)


Mechanical strength

none	Minimum robustness (filters only)
S	Increased robustness
F	Low-energy impact (45 m/s or 162 km/h)
B	Medium-energy impact (120 m/s or 432 km/h)
A	High-energy impact (190 m/s or 684 km/h)
T	Tested under extreme temperatures (-5°C/+55°C)

Additional markings

K	Surface resistance to damage by small particles in accordance with EN 168 (scratch-resistance)
N	Resistance to fogging in accordance with EN 168
8	Protection against short-circuit electric arc
9	Protection against molten metal and hot solids

Marking on frame in accordance with EN 166



Additional markings

none	General use
3	Protection against liquids (drops and splashes)
4	Protection against large dust particles with a grain size of > 5 µm
5	Protection against gases, vapours, smoke, fumes and fine dust particles with a grain size of < 5 µm
8	Protection against short-circuit electric arc
9	Protection against molten metal and hot solids

Mechanical strength

none	Minimum robustness (filters only)
S	Increased robustness
F	Low-energy impact (45 m/s or 162 km/h)
B	Medium-energy impact (120 m/s or 432 km/h)
A	High-energy impact (190 m/s or 684 km/h)
T	Tested under extreme temperatures (-5°C/+55°C)



Lens tinting

A lens solution for every light environment

**CLEAR**

Protection: UV400
UV/markings: 2(C)-1.2
Transmission: approx. 91 %
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection**AMBER**

Protection: UV400
UV/markings: 2(C)-1.2
Transmission: approx. 88 %
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection with enhanced contrast effect

**CBR65**

Protection: UV400
Marking: 5-1.4
Transmission: approx. 65 %
Standards: EN 166, EN 172

Protection offering relaxing, focused vision

uvex i-5 (p. 37),
uvex sportstyle (p. 41),
uvex pheos cx2 (p. 42),
uvex super f OTG (p. 57),
uvex pheos cx2 sonic (p. 60),
uvex ultravision (p. 64)

**AR (anti-reflective)**

Protection: UV400
UV/markings: 2(C)-1.2
Transmission: approx. 96.5 %
Standards: EN 166, EN 170

Optimum anti-reflective protection with high degree of light transmission
uvex sportstyle (p. 41)
uvex i-3, uvex i-3 s (p. 46, 47)

tint with glare protection not necessary



74–100 %
transmission



58–80 %
transmission

Lens tinting



BROWN

Protection: UV400
Marking: 5-2.5
Transmission: approx. 20 %
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition** and **increased contrast effect**



POLAVISION

Protection: UV400
Marking: 5-3.1
Transmission: approx. 14 %
Standards: EN 166, EN 172

Reduction of irritating surface reflection by **filtering scattered light**
uvex polavision (p. 53)



SILVER MIRROR 53 %

Protection: UV400
Marking: 5-1.7
Transmission: approx. 53 %
Standards: EN 166, EN 172

Protection in **changing light conditions**
uvex pheos/
uvex pheos s (p. 44, 45)
uvex i-works (p. 48)



SILVER MIRROR 12 %

Protection: UV400
Marking: 5-3.1
Transmission: approx. 12 %
Standards: EN 166, EN 172

Protection from both highly **artificial light and natural glare conditions**
uvex i-3 (p. 46)
uvex pheos cx2 (p. 42)
uvex sportstyle (p. 41)



GREY 23 %

Protection: UV400
Marking: 5-2.5
Transmission: approx. 23 %
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**



GREY 14 %

Protection: UV400
Marking: 5-3.1
Transmission: approx. 14 %
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**
uvex pheos cx2 (p. 42)

tint with contrast adjustment recommended


tint with contrast adjustment not necessary



43–58 %
transmission



18–29 %
transmission



8–18 %
transmission

→ tint with glare protection recommended

uvex UV400

100% UV protection. 100% safety. 100% uvex.

The EN166/170 standard requires safety eyewear to provide UV protection up to 380 nm. The latest scientific findings show that this is not enough. The WHO (World Health Organization) recommends UV protection up to 400 nm.



"The reasons why the WHO recommends UV400 protection are clear. The outer tissues of the eye, cornea and lens fully absorb UV light. While UVB light primarily damages the genetic material, UVA rays penetrate deeper, cause thermal damage and magnify the effects of UVB light."

Univ.-Prof. Dr. rer. nat. Olaf Strauß



uvex UV400 – included in all uvex safety eyewear


Whether you choose clear or tinted lenses, all uvex safety spectacles are equipped with uvex UV400 effective UV protection as standard – as well as pleasant wearer comfort, a sporty design and top-quality lens coatings.

Even without sun, UV rays can still put strain on the eye

When working outdoors, your eyes are regularly exposed to harmful UV radiation – even when it is cloudy. The result: using insufficient protection risks may cause dangerous long-term damage such as corneal injury, cataracts and blindness.

100 % protection against dangerous UVA and UVB radiation

For the eye and surrounding skin



uvex UV400 offers complete protection against UVA and UVB radiation as well as high-energy visible light (HEV) up to a wavelength 400 nm.

uvex UV400 not only filters 100 % of UVA rays (20 % still passes through 380 nm lenses), it also completely minimises temperature-induced cell changes – a factor which increases tenfold in the percentage of total cell damage in the range from 380 to 400 nm. In addition, the dangerous, damaging blue light content (HEV), which is also harmful to the retina, is reduced by 15 %.

uvex safety eyewear,
100 % safety.




uvex CBR65

Fatigue-free, comfortable vision

Preventive protection against blue light

The properties of uvex CBR65 lens technology are significantly different to those of uvex UV400.

uvex CBR65 blocks 100% of UV rays and filters high-energy visible light (HEV) – which causes particular strain on the retina in the range from 380 nm to 450 nm – by up to 50 %. Above the 450 nm range, only 60–70 % of light can reach the retina.



Contrast

Contrast enhancement

Better contrast for clearer vision, helping to reduce strain on the eyes – even in diffused light.

Bluelight reduction

Blue light reduction

In workplaces with extremely harsh lighting conditions, blue light is reduced by up to 50 %.

Relaxed vision

Relaxed vision

Ideal for high-concentration work; the eyes get less tired even when working for longer periods.

65% transmission

Slight tint

Provides protection against glare even in extremely bright artificial light or natural light.



9183064



9193064



9198064



9169164



9309064



9301064

For more information, visit uvex-safety.com/en/product-group/uvex-cbr65



Art. no.	uvex i-5 CBR65	uvex sportstyle CBR65	uvex pheos cx2 CBR65	uvex super f OTG CBR65	uvex pheos cx2 sonic CBR65	uvex ultravision CBR65
Version	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence
Standard	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Frame	white, black	white, black	white, black	black, white	white, black	grey transparent
W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 34 BT CE	W 166 34 BT CE
Lens	PC CBR65	PC CBR65	PC CBR65	PC CBR65	PC CBR65	PC CBR65
UV400	UV400	UV400	UV400	UV400	UV400	UV400
5-1,4 W1 FTKN CE	5-1,4 W1 FTKN CE	5-1,4 W1 FTKN CE	5-1,4 W1 FTKN CE	5-1,4 W1 FTKN CE	5-1,4 W1 BTKN CE	5-1,4 W1 BTKN CE
Weight	29 g	23 g	28 g	39 g	34 g	131 g
Order quantity multiples	10 PC	10 PC	10 PC	8 PC	10 PC	4 PC

sustainable. flexible. safe.

**uvex i-guard**

additional protection against liquids, particles and dirt thanks to the highly flexible frame that adapts to any face shape without pressure (marking 3 and 4 in accordance with EN 166)

**uvex i-lite**

impressive modern design with flat lens geometry

uvex
i-guard

vex

uvex i-guard+

**uvex i-guard+**

goggles with headband go above and beyond the minimum requirements and boast increased mechanical strength

uvex i-lite

uvex i-range

The uvex i-range is our new flexible 3in1 safety eyewear range that allows wearers to select the right product for the workplace hazard or environment.



x-tended sideshield
for additional side protection



Flat lens design
for an unrestricted field of vision



With proven **uvex supravision coating technology** and UV400 protection



Made of recycled and bio-based materials to conserve resources and protect the environment



Ergonomically shaped side arms
for a perfect fit and secure hold without creating pressure points



Three-stage adjustable side arms for individual customisation



Soft and flexible face seal made from sustainable materials for a universal fit



uvex i-guard+ kit can be specifically adjusted to any application thanks to the flexibility to swap the side arms and headband

uvex i-range planet

sustainably manufactured models
made from recycled, bio-based
material



9143295



9143296



9143297



9143265



9143266



9143267



9143281



9143282



9143283

uvex i-range

- versatile 3in1 safety eyewear range – allows eyewear to be adapted according to workplace hazards
- large, flat lens delivers unrestricted field of vision
- x-tended sideshield offers additional protection from hazards
- side arms with multi-incline points allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- ergonomically shaped side arms provide a secure fit without pressure
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

- uvex i-guard: soft, flexible face seal adapts to the wearer providing both protection and comfort. It also protects against droplets or splashes of liquids and large dust particles (markings 3 and 4)
- uvex i-guard+: above features together with increased impact protection
- uvex i-guard+ kit: interchangeable side arms and headband means eyewear can be worn as either a spectacle or goggle depending on the workplace hazards



scan the QR code
for further information
uvex-safety.com/en/irange

uvex i-range	uvex i-lite	uvex i-lite planet	uvex i-lite	uvex i-guard	uvex i-guard planet	uvex i-guard
Art. no.	9143265	9143295	9143281	9143266	9143296	9143282
Version	uvex supravision excellence					
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue	anthracite, teal	anthracite, lime	anthracite, blue	anthracite, teal	anthracite, lime
Lens	W 166 F CE	W 166 F CE	W 166 F CE	W 166 34 F CE	W 166 34 F CE	W 166 34 F CE
Weight	32 g	32 g	32 g	48 g	48 g	48 g
Order quantity multiples	10 PC	10 PC	10 PC	8 PC	8 PC	8 PC

uvex i-range	uvex i-guard+	uvex i-guard+ planet	uvex i-guard+	uvex i-guard+ kit
Art. no.	9143267	9143297	9143283	9143300
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	anthracite, blue	anthracite, teal	anthracite, lime	anthracite, blue
Lens	W 166 34 B CE			
Weight	50 g	50 g	50 g	56 g
Order quantity multiples	8 PC	8 PC	8 PC	8 PC

**You can find more information
about the sustainable i-range
models on pages 18/19.**

stylish. safe. sustainable.

Designed to recycle

Thanks to an innovative new production technology, the uvex pure-fit can be manufactured fully automatically from just one material without the need for additional assembly.

It is made entirely of polycarbonate and is therefore 100% recyclable – just like the product packaging.

This makes the uvex pure-fit an extremely sustainable solution.

Not just innovative but comfortable too: These safety spectacles are extremely lightweight. The flexible side arms fit perfectly to any head shape and ensure a secure hold.

The uvex pure-fit is available in two different versions: uncoated and, of course, coated with the proven uvex supravision coating technology.




uvex pure-fit



Frameless and innovative lens design for an optimum, unrestricted field of vision



Flexible side arms for a perfect fit and secure hold without creating pressure points



With proven uvex supravision coating technology or uncoated – but always with UV400 protection

Safety Spectacles

uvex pure-fit



scan for QR-Code
for further information.
uvex-safety.com/en/purefit

x-tended sideshield
for additional side protection



reduced to the max – pure, ultra-light-weight safety eyewear made of polycarbonate, weighing only 19 grams



100% recyclable



9145014



9145265

uvex pure-fit

- reduced to the max - pure, ultralight safety spectacle with innovative side arm concept weighing only 19 grams
- frameless lens design for a wide field of vision
- x-tended sideshield offers additional protection from hazards
- flexible side arms deliver the perfect secure, pressure-free fit
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex pure-fit		
Art. no.	9145014	9145265
Version	uncoated	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent	transparent
	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear
	UV400	UV400
	2C-1,2 W1 FT CE	2C-1,2 W1 FTKN CE
Weight	19 g	19 g
Order quantity multiples	75 PC	75 PC



MADE IN GERMANY

uvex

strong.
sporty.
functional.

eXXtremely cool look
dynamic, attractive
frame design



maXXimum comfort
ergonomically shaped side arms
with soft-grip temple ends for a
comfortable and secure hold

fleXXible nose pad
for a non-slip and
pressure-free fit

eXXcellent vision
with proven uvex supravision
coating technology and UV400
protection

uvex suXXeed

eXXtra protection
against particles, dirt and
dust is provided by the
optional clip-in frame



Safety Spectacles

uvex suXXeed

uvex suXXeed protects you all day at work and in almost any situation.

The dynamic look, the perfect-fit frame geometry and the comfortable side arms leave nothing to be desired – wearer acceptance, comfort and protection are guaranteed.

Even during intense physical activity and when performing strenuous work, uvex suXXeed stays where it should be: in front of your eyes, for your protection. The soft, flexible nose pad provides a comfortable, non-slip grip.

If you need even more protection from dust and dirt, you can simply upgrade the uvex suXXeed with an optional clip-in frame.



9181265



9181180



9181281



Accessories: 9181001
Clip-in frame for uvex suXXeed



scan for QR-Code for further information
uvex-safety.com/en/suxxeed-eyewear

uvex suXXeed

- sporty safety spectacle in an appealing, dynamic design
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free

uvex suXXeed	uvex suXXeed guard	clip-in frame
Art. no.	9181265	9181001
Version	uvex supravision excellence	clip-in frame for uvex suXXeed
Standard	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue	anthracite, lime
W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC grey 23%
UV400	UV400	UV400
2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	5-2,5 W1 FTKN CE
Weight	27 g	27 g
Order quantity multiples	10 PC	10 PC
		5 g
		20 PC

MADE IN GERMANY

uvex

uvex i-5

detailed – modern – trusted

Reliable protection thanks to the innovative and modern design: with its x-tended eyeshield and sideshield, the uvex i-5 can be relied on to protect the eyes in any situation.

Sophisticated features ensure superior wearer comfort even during long periods of use.




 **reddot** winner 2020



Three-stage inclination
allows easy adjustment
to any facial shape

x-tended sideshield
provides optimum protection
around the sides of the eyes

x-tended eyeshield
provides greater protection
against particles, dust and dirt



x-twist technology
for flexible and comfortable
adjustment to any head shape

uvex supravision
coating technology



**Soft and flexible
nose pad**
for pressure-free wearer
comfort and a non-slip fit

MADE IN GERMANY 

Safety Spectacles

uvex i-5 · uvex i-5 guard



9183065
9183415
9183265



9183180



9183064



9183281



Further information can be found at
uvex-safety.com/en/i5
 (or scan the QR code).



Accessories: 9183001
 Clip-in frame for uvex i-5

uvex i-5

- sporty premium quality safety spectacle with a range of adaptive features
- x-tended eyeshield: soft seal frame technology wraps around the brow providing protection from particle ingress
- x-tended sideshield offers additional protection from hazards
- ergonomically shaped side arms with multi-incline points and length adjustment allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- soft-grip temple ends provide a comfortable, secure fit without pressure

- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free



reddot winner 2020



uvex i-5	9183065	9183265	9183415	9183180	9183064	9183281	clip-in frame
Art. no.	9183065	9183265	9183415	9183180	9183064	9183281	9183001
Version	uvex supravision sapphire	uvex supravision excellence	ETC	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	clip-in frame for uvex i-5
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	
Frame	anthracite, blue	anthracite, blue	anthracite, blue	anthracite, blue	white, black	anthracite, lime	anthracite
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	
Lens	PC clear	PC clear	PC clear	PC clear	PC CBR65	PC grey 23%	
	UV400	UV400	UV400	UV400	UV400	UV400	
	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	5-1,4 W1 FTKN CE	5-2,5 W1 FTKN CE	
Weight	29 g	29 g	29 g	35 g	29 g	29 g	6 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC	20 PC

MADE IN GERMANY

Safety Spectacles

uvex x-fit pro · uvex x-fit pro guard



9199005



9199247



9199245



9199680



9199240



9199277



9199276

uvex x-fit pro

- functional, modular safety spectacle with a wide range of accessories
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- adjustment for every head and facial shape with the uvex Comfort Slider - a multi-stage temple inclination that allows wearers to achieve their own comfortable wearing position
- modular system allows functional accessories to be attached enhancing the ability to get on with the job

- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free



uvex x-fit pro				uvex x-fit pro guard	
Art. no.	9199005	9199247	9199245	9199680	9199240
Version	uvex supravision sapphire	uvex supravision excellence without sliders	uvex supravision excellence	uvex supravision excellence without sliders, incl. clip-in frame	uvex supravision excellence contrast-enhancing
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	white, anthracite	blue, anthracite	blue, anthracite	blue, anthracite	yellow, anthracite
W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC amber
UV400	UV400	UV400	UV400	UV400	UV400
2C-1,2 W1 FTK CE	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE	2C-1,2 W1 FTKN CE
Weight	28 g	24 g	28 g	30 g	28 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC

uvex x-fit pro		
Art. no.	9199277	9199276
Version	uvex supravision excellence	uvex supravision excellence
sunglare filter, without sliders	sunglare filter	
Standard	EN 166, EN 172	EN 166, EN 172
Frame	anthracite, light grey	anthracite, light grey
W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC grey 23%	PC grey 23%
UV400	UV400	
5-2,5 W1 FTKN CE	5-2,5 W1 FTKN CE	
Weight	24 g	28 g
Order quantity multiples	10 PC	10 PC

MADE IN GERMANY

Safety Spectacles

uvex x-fit · uvex x-fit guard

9199285
9199085

9199265



9199123



9199180



9199286



9199280

Accessories: 9958024
Comfort Slider for uvex x-fit and uvex x-fit proAccessories: 9199001
Clip-in frame for uvex x-fit and uvex x-fit proAccessories: 9958023
Headband for uvex x-fit and uvex x-fit proAccessories: 9999100
mini LED light for uvex x-fit and uvex x-fit pro

uvex x-fit

- classic, close fitting safety spectacle with extension kit options
- frameless lens design for a wide field of vision
- adjustment for every head and facial shape with the optional uvex Comfort Slider - a multi-stage temple inclination that allows wearers to achieve their own comfortable wearing position
- modular system allows functional accessories to be attached enhancing the ability to get on with the job
- nose bridge designed for all-day comfort

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free



uvex x-fit				uvex x-fit guard			
Art. no.	9199085	9199285	9199265	9199123	9199180	9199286	9199280
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence incl. clip-in frame	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 grey translucent W 166 FT CE	EN 166, EN 170 grey translucent W 166 FT CE	EN 166, EN 170 blue translucent W 166 FT CE	EN 166, EN 170 pink translucent W 166 FT CE	EN 166, EN 170 grey translucent W 166 FT CE	EN 166, EN 170 grey translucent W 166 FT CE	EN 166, EN 172 grey translucent W 166 FT CE
Lens	PC clear UV400	PC amber UV400	PC grey 23% UV400				
Weight	23 g	23 g	23 g	23 g	29 g	23 g	23 g
Order quantity multiples	10 PC						

Art. no.	uvex Comfort Slider	clip-in frame	uvex x-fit pro Headband	uvex mini LED light
Version	9958024	9199001	9958023	9999100
	for attaching to uvex x-fit and x-fit pro side arms	clip-in frame for uvex x-fit and uvex x-fit pro	for attaching on uvex x-fit and x-fit pro, metal-free (left and right)	incl. 2 adapters 4 button cell batteries type L736F
Colour	anthracite	black	black	Adapter+ housing: black Light: white
Order unit/ Order quantity multiples	BG	20 PC	10 PC	PC
Content	5 Pair			

uvex safety eyewear

Also ideal for narrow faces

The geometries of our spectacles are as different as the faces of the people who wear them. The products in this range can be worn by anyone, but are particularly suitable for people with narrow faces.

Their optimal fit and the fact that they can be adjusted mean that these safety spectacles fit different head shapes perfectly, providing the wearer with the best possible protection from particles, sparks or dust.

uvex has a range of safety eyewear
to meet every need —
including those
with narrower faces.

uvex spectacles:



uvex i-3 s 9190



uvex pheos s 9192



uvex sportstyle 9193



uvex i-works 9194



uvex pheos cx2 9198



uvex x-fit 9199

uvex goggles:



uvex i-guard+ 9143



uvex pheos s guard 9192



uvex carbonvision 9307



uvex pheos cx2 sonic 9309



Safety Spectacles

uvex sportstyle



uvex sportstyle

- sporty, lightweight safety spectacle with a contoured lens that will fit narrow and wider faces equally well
- the combination of soft padding around the brow with ergonomically shaped side arms and soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, adjustable nose pad allows spectacle to be adapted to the wearer to deliver a comfortable, non-slip and pressure-free fit

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex sportstyle

Art. no.	9193080	9193265	9193415	9193376	9193838
Version	uvex supravision plus oil & gas	uvex supravision excellence	uvex supravision ETC	uvex supravision extreme	uvex supravision AR super anti-reflective lenses
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, grey W 166 FT CE	black, lime W 166 FT CE	anthracite, blue W 166 FT CE	black, petrol W 166 FT CE	black, blue W 166 FT CE
Lens	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400
Weight	23 g	23 g	23 g	23 g	23 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC

uvex sportstyle

Art. no.	9193064	9193280	9193885	9193880
Version	uvex supravision extreme	uvex supravision extreme	anti-fog on the inside sunglare filter	uvex supravision variomatic self-tinting lenses
Standard	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	white, black W 166 FT CE	white, black W 166 FT CE	black, grey W 166 FT CE	black, anthracite W 166 FT CE
Lens	PC CBR65 UV400	PC grey 23% UV400	PC silver mirror, grey UV400	PC light green UV400
Weight	5-1.4 W1 FTKN CE	5-2.5 W1 FTKN CE	5-3.1 W1 FTKN CE	2-1.2 W1 FTKN CE
Order quantity multiples/	23 g	23 g	23 g	23 g
Order unit	10 PC	10 PC	10 PC	PC

Safety Spectacles

uvex pheos cx2



uvex pheos cx2

- sporty looking safety spectacle with high wearer acceptance
- x-tended eyeshield: soft seal frame technology wraps around the brow providing protection from particle ingress
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free



► Also available as wide-vision goggles (see page 60)

uvex pheos cx2	Art. no.	9198275	9198257	9198258	9198256	9198261
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, grey W 166 FT CE	blue, grey W 166 FT CE	red, grey W 166 FT CE	black, light blue W 166 FT CE	black, light blue W 166 FT CE	black, light blue W 166 FT CE
Lens	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400
Weight	28 g	28 g	28 g	28 g	28 g	28 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC

uvex pheos cx2	Art. no.	9198285	9198064	9198237	9198230	9198885
Version	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter, silver mirror	anti-fog on the inside sunglare filter, silver mirror
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172			
Frame	black, yellow W 166 FT CE	white, black W 166 FT CE	white, black W 166 FT CE	weiß, schwarz W 166 FT CE	weiß, schwarz W 166 FT CE	blue, grey W 166 FT CE
Lens	PC amber UV400	PC CBR65 UV400	PC grey 23% UV400	PC grau 14% UV400	PC silver mirror, grey UV400	PC silver mirror, grey UV400
Weight	28 g	28 g	28 g	28 g	28 g	28 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC

MADE IN GERMANY


Safety eyewear – matching your corporate identity

Eye protection with “personality”

Give your team an unmistakeable image: uvex safety eyewear offer various options for individual design – from printing your company's logo on the side arms to frames in your company's colours. You can coordinate your protective equipment perfectly with your corporate identity.

Frames in the company colours

“Your” safety spectacles are recognisable at first glance: the frames are designed in your company colours.




Insert in the side arms

Adding your company name to the soft components of the side arms is both bespoke and subtle.



Pad printing on the side arms (1 to 4 colours)

The direct pad printing process is recommended for printing your logo in colour on the side arms.



How individual can you be?

We are happy to advise you personally on the technical options for customising our safety eyewear.

You can also use our online product configuration tool at

www.uvex-safety.com/configurator

(or scan the QR code).

Here you can choose and design the spectacle model online.


Please note that the following minimum quantities must be ordered:

Pad printing – minimum of 500 pairs

A combination of either lens and/or frame, with and without pad printing. Minimum 2500 units.

Insert/customised corporate colouring/individual headband/laser engraving – minimum of 5,000 pairs

Customised accessories available on request



Customised accessories

Have your logo printed on your spectacle case.



Laser engraving on the lens

Safety spectacles will retain 100% of their functionality even with customised laser engraving.

Headband embroidery

Customise your spectacles by having your corporate logo embroidered on the headband.

Safety Spectacles

uvex pheos · uvex pheos guard



9192080



9192225



9192215



9192485



9192415



9192280



9192385



9192281



9192285



9192180

uvex pheos

- sporty, timeless safety spectacle; frameless design allowing for an extra-large field of vision
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- headband option holds eyewear in place during overhead or work in confined spaces
- available as standard size or narrow version
- fits the uvex IES
- metal-free



product
design award



German
Design Award

2012

WINNER 2013


uvex pheos		uvex pheos CB		uvex pheos ETC	
Art. no.	9192080	9192225	9192215	9192485	9192415
Version	uvex supravision plus standard size, oil & gas	uvex supravision excellence standard size	uvex supravision excellence standard size	uvex supravision excellence standard size	uvex supravision ETC standard size
Standard Frame	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 black, green W 166 FT CE	EN 166, EN 170 light grey, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 anthrazit, blau W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC farblos UV400 2C-1.2 W1 FTKN CE
Weight	29 g	29 g	29 g	30 g	29 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC

uvex pheos		uvex pheos guard	
Art. no.	9192385	9192285	9192281
Version	uvex supravision excellence standard size, contrast-enhancing	uvex supravision excellence standard size, sunglare filter	uvex supravision extreme standard size, sunglare filter
Standard Frame	EN 166, EN 170 black, yellow W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE
Lens	PC amber UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC grey 23% UV400 5-1.7 W1 FTKN CE
Weight	29 g	29 g	29 g
Order quantity multiples	10 PC	10 PC	10 PC

MADE IN GERMANY

Safety Spectacles

uvex pheos s · uvex pheos s guard



	uvex pheos s					uvex pheos s guard
Art. no.	9192725	9192785	9192282	9192745	9192283	9192891
Version	uvex supravision excellence narrow version	uvex supravision excellence narrow version	uvex supravision extreme	uvex supravision excellence	uvex supravision extreme	anti-fog on the inside
Standard	EN 166, EN 170 white, green	EN 166, EN 170 anthracite, grey	EN 166, EN 170 black, grey	EN 166, EN 172 white, orange	EN 166, EN 172 black, grey	EN 166, EN 170
Frame	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	black, grey
Lens	PC clear UV400	PC clear UV400	PC clear UV400	PC grey 23% UV400	PC grey 23% UV400	light grey, grey
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE	5-2.5 W1 FTKN CE	W 166 FT CE
Weight	28 g	28 g	28 g	28 g	28 g	W 166 FT CE
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	PC clear UV400
						2C-1.2 W1 FTKN CE

Accessories			
Art. no.	9192001	9192002	9958020
Version	clip-in frame for uvex pheos	clip-in frame for uvex pheos s	headband for uvex pheos and standard size
Colour	black	black	grey, black
Order quantity multiples	20 PC	20 PC	10 PC

Safety Spectacles

uvex i-3 · uvex i-3 guard



9190270
9190275



9190175

9190280



9190180



9190838
9190839



9190181


9190281



9190885



9190880



uvex i-3

- adjustable, multi-feature premium quality safety spectacle
- the combination of soft padding around the brow with ergonomically shaped side arms and soft-grip temple ends provide a comfortable, secure fit without pressure
- side arms with multi-incline points allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- soft, adjustable nose pad allows spectacle to be adapted to the wearer to deliver a comfortable, non-slip and pressure-free fit

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- available as standard size or narrow version
- metal-free



uvex i-3						uvex i-3 guard
Art. no.	9190270	9190175	9190275	9190280		9190180
Version	uvex supravision sapphire standard size	uvex supravision plus standard size	uvex supravision excellence standard size	uvex supravision excellence standard size		uvex supravision excellence standard size
Standard Frame	EN 166, EN 170 anthracite, blue	EN 166, EN 170 black, light grey	EN 166, EN 170 anthracite, blue	EN 166, EN 170 black, light grey		EN 166, EN 170 anthracite, blue
Lens	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400		W 166 FT CE PC clear UV400
Weight	2C-1.2 W1 FTKN CE 30 g	2C-1.2 W1 FTKN CE 30 g	2C-1.2 W1 FTKN CE 30 g	2C-1.2 W1 FTKN CE 30 g		2C-1.2 W1 FTKN CE 36 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC		10 PC

uvex i-3						
Art. no.	9190839	9190838	9190181	9190281	9190885	9190880
Version	uvex supravision AR standard size	uvex supravision AR standard size	uvex supravision plus standard size	uvex supravision excellence standard size	anti-fog on the inside standard size	uvex supravision variomatic standard size
	super anti-reflective lenses	super anti-reflective lenses	sunglare filter, oil & gas	sunglare filter	sunglare filter, silver mirror	self-tinting lenses
Standard Frame	EN 166, EN 170 black, blue	EN 166, EN 170 black, blue	EN 166, EN 172 black, light grey	EN 166, EN 172 black, light grey	EN 166, EN 172 black, light grey	EN 166, EN 170 black, anthracite
Lens	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400	W 166 FT CE PC grey 23%	W 166 FT CE PC grey 23%	PC silver mirror grey	W 166 FT CE PC light green UV400
Weight	2C-1.2 W1 FT CE 30 g	2C-1.2 W1 FT CE 30 g	5-2.5 W1 FTKN CE 30 g	5-2.5 W1 FTKN CE 30 g	5-3.1 W1 FTN CE 30 g	2C-1.2 W1 FTKN CE 30 g
Order quantity multiples/	10 PC	PC	10 PC	10 PC	10 PC	PC
Order unit						

MADE IN GERMANY

Safety Spectacles

uvex i-3 s · uvex i-3 s guard



9190065



9190080



9190075



9190680



9190039



9190085



9190086



Accessories: 9190001
Clip-in frame for uvex i-3 and uvex i-3 s



Accessories: 9958009
Eyewear cord for uvex i-3 and uvex i-3 s

uvex i-3 s				uvex i-3 s guard
Art. no.	9190065	9190080	9190075	9190680
Version	uvex supravision sapphire narrow version	uvex supravision plus narrow version	uvex supravision excellence narrow version	uvex supravision excellence narrow version
Standard Frame	EN 166, EN 170 blue, grey	EN 166, EN 170 black, grey	EN 166, EN 170 anthracite, lime	EN 166, EN 170 anthracite, blue
Lens	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400	W 166 FT CE PC clear UV400
Weight	2C-1.2 W1 FTKN CE 29 g	2C-1.2 W1 FTKN CE 29 g	2C-1.2 W1 FTKN CE 29 g	2C-1.2 W1 FTKN CE 35 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

uvex i-3 s				Accessories
Art. no.	9190039	9190085	9190086	9190001
Version	uvex supravision AR narrow version	uvex supravision excellence narrow version	uvex supravision excellence narrow version	clip-in frame for uvex i-3 and uvex i-3 s
Standard Frame	super anti-reflective lenses EN 166, EN 170 black, blue	contrast-enhancing EN 166, EN 170 anthracite, yellow	sunglare filter EN 166, EN 172 blue, grey	eyewear cord for uvex i-3 and uvex i-3 s
Lens	W 166 FT CE PC clear UV400	W 166 FT CE PC amber UV400	W 166 FT CE PC grey 23%	black
Weight	2C-1.2 W1 FTKN CE 29 g	2C-1.2 W1 FTKN CE 29 g	5-2.5 W1 FTKN CE 29 g	anthracite, grey
Order quantity multiples	10 PC	10 PC	10 PC	–
				10 PC

Safety Spectacles

uvex i-works



uvex i-works

- sporty, robust safety spectacle, available in a range of lens shades
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- fits the uvex IES
- metal-free

uvex i-works					
Art. no.	9194171	9194175	9194365	9194270	9194885
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	anti-fog on the inside
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	anthracite, blue	anthracite, green	black, yellow	anthracite, grey	black, grey
W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC amber	PC grey 23%	PC silver mirror grey
UV400	UV400	UV400	UV400	UV400	UV400
2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE	5-1.7 W1 FTN CE
Weight	26 g	26 g	26 g	26 g	26 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC

MADE IN GERMANY ■■■

Safety Spectacles

uvex astrospec 2.0



9164065



9164187



9164285



9164275



9164276



9164220



9164246

uvex astrospec 2.0

- classic safety spectacle with flat lens for a wide field of vision
- ergonomically shaped side arms with multi-incline points allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- side arms with soft-grip temple ends provide a comfortable, secure fit without pressure

- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm



**reddot award 2014
winner**

uvex astrospec 2.0				uvex astrospec 2.0 CB			
Art. no.	9164065	9164187	9164285	9164275	9164276	9164220	9164246
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence	uvex supravision extreme	uvex supravision extreme lower nose bridge, high cheekbone design, ISO 18526-4:2020	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170 blue, light blue	EN 166, EN 170 black, grey	EN 166, EN 170 black, lime	EN 166, EN 170 anthracite, petrol	EN 166, EN 170 blue, light blue	EN 166, EN 170 black, yellow	EN 166, EN 172 neon orange, black
Frame	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC clear	PC amber	PC grey 23%
UV400	UV400	UV400	UV400	UV400	UV400	UV400	UV400
Weight	2C-1.2 W1 FTK CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC

MADE IN GERMANY ■■■

Safety Spectacles

uvex super g



9172085

9172110
9172210

9172265



9172220



9172281

uvex super g

- sporty, extremely lightweight safety spectacle with innovative temple concept for high levels of comfort
- flexible side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad for a non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex super g						
Art. no.	9172085	9172110	9172210	9172265	9172220	9172281
Replacement lens	–	–	9172255	9172255	–	–
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 grey metallic, black W 166 FT CE	EN 166, EN 170 clear, grey W 166 FT CE	EN 166, EN 170 clear, grey W 166 FT CE	EN 166, EN 170 navy blue, white W 166 FT CE	EN 166, EN 170 grey metallic, black W 166 FT CE	EN 166, EN 172 anthracite, lime W 166 FT CE
Lens	PC clear UV400	PC clear UV400	PC clear UV400	PC clear UV400	PC amber UV400	PC grey 23% UV400
	2C-1.2 W1 FTK CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE
Weight	18 g	18 g	18 g	18 g	18 g	18 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC

MADE IN GERMANY ■■■

Safety Spectacles

uvex super fit



uvex super fit

- sporty safety spectacle with slim, flat side arms, making it highly compatible with other PPE
- the combination of soft padding around the brow with ergonomically shaped side arms and soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, adjustable nose pad allows spectacle to be adapted to the wearer to deliver a comfortable, non-slip and pressure-free fit

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex super fit					
Art. no.	9178065	9178185	9178415	9178265	9178315
Replacement lens	-	-	-	9172255	9172255
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision ETC	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	navy blue, white	black, white	white, grey	navy blue, white	white, lime
Lens	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
UV400	PC clear	PC clear	PC clear	PC clear	PC clear
Weight	UV400	UV400	UV400	UV400	UV400
Order quantity multiples	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE
Weight	21 g	21 g	21 g	21 g	21 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC

uvex super fit			
Art. no.	9178500	9178385	9178286
Replacement lens	-	-	-
Version	uvex supravision clean autoclavable (20 cycles)	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	white, light blue	black, white	black, white
Lens	W 166 FT CE	W 166 FT CE	W 166 FT CE
UV400	PC clear	PC amber	PC grey 23%
Weight	UV400	UV400	UV400
Order quantity multiples	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE
Weight	21 g	21 g	21 g
Order quantity multiples	10 PC	10 PC	10 PC

Safety Spectacles

uvex i-vo



9160065
9160265



9160185
9160285



9160275



9160520



9160076



9160120

uvex i-vo

- functional safety spectacle with a wide range of features and adjustment options
- side arms with multi-incline points and length adjustment allow spectacle to be adapted to ensure a good fit for all facial shapes and head widths
- soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad for a non-slip and pressure-free fit

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex i-vo				
Art. no.	9160065	9160185	9160285	9160265
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, orange W 166 FT CE	blue, grey W 166 FT CE	blue, grey W 166 FT CE	blue, orange W 166 FT CE
Lens	PC clear UV400 2C-1,2 W1 FTK CE	PC clear UV400 2C-1,2 W1 FTKN CE	PC clear UV400 2C-1,2 W1 FTKN CE	PC clear UV400 2C-1,2 W1 FTKN CE
Weight	33 g	33 g	33 g	33 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

Art. no.	9160275	9160520	9160076	9160120
Version	uvex supravision excellence	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire sunglare filter	uvex supravision excellence with headband
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, grey W 166 FT CE	blue, orange W 166 FT CE	black, grey W 166 FT CE	blue, grey –
Lens	PC clear UV400 2C-1,2 W1 FTKN CE	PC amber UV400 2C-1,2 W1 FTK CE	PC grey 23% UV400 5-2,5 W1 FTK CE	PC clear UV400 2C-1,2 W1 FTKN 166 F CE
Weight	33 g	33 g	33 g	32 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

MADE IN GERMANY ■■■

Safety Spectacles

uvex polavision · uvex skyguard NT



9231960

uvex polavision

- sporty dual lens safety spectacle with polarised filter
- uvex polavision technology protects against reflections and optical irritations outdoors helping to ease eye strain e.g. highly reflective surfaces such as water or glass
- side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad for a non-slip and pressure-free fit
- robust polycarbonate lens with UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex polavision	
Art. no.	9231960
Version	scratch-resistant on both sides sunglare filter
Standard	EN 166, EN 172
Frame	black, white W 166 F CE
Lens	PC grey 14% UV400 5-3.1 W 1 F CE
Weight	25 g
Order unit	PC



9175275

9175260
9175160

9175261

MADE IN GERMANY

uvex skyguard NT

- robust safety spectacle for all-round protection including protection against liquids and coarse dust (marking 3 and 4)
- soft, flexible face seal adapts to the wearer providing both protection and comfort
- side arms with multi-incline points and length adjustment allow spectacle to be adapted to ensure a good fit for all facial shapes and head widths

- soft-grip temple ends provide pressure-free comfort and a stable, non-slip fit (except 9175275)
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex skyguard NT				
Art. no.	9175275	9175260	9175160	9175261
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	grey, orange W 166 34 F CE	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE	blue, grey W 166 34 F CE
Lens	PC clear	PC clear	PC clear	PC grey 23%
UV400	UV400	UV400	UV400	UV400
	2C-1.2 W1 FKN CE	2C-1.2 W1 FKN CE	2C-1.2 W1 FKN CE	5-2.5 W1 FKN CE
Weight	42 g	44 g	44 g	44 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

Safety Spectacles

uvex cybric · uvex meteor · uvex futura



9188075
9188175



9188076

uvex cybric

- functional dual lens safety spectacle
- side arms with multi-incline points and length adjustment allow spectacle to be adapted to ensure a good fit for all facial shapes and head widths
- soft-grip temple ends provide pressure-free comfort and a stable, non-slip fit

- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex cybric			
Art. no.	9188075	9188175	9188076
Version	uvex supravision sapphire	uvex supravision plus	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, orange	black, orange	black, orange
Lens	W 166 F CE	W 166 F CE	W 166 F CE
PC clear		PC clear	PC grey 23%
UV400		UV400	UV400
2C-1.2 W1 F CE		2C-1.2 W1 F CE	5-2.5 W1 F CE
Weight	28 g	28 g	28 g
Order quantity multiples	10 PC	10 PC	10 PC



9134005
9134002



9180015
9180125

uvex meteor

- classic flat, dual lens safety spectacle with good coverage
- extendable soft-grip side arms offer adaptable, pressure-free comfort and a stable, non-slip fit
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – both sides scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex futura

- robust dual lens safety spectacle with excellent, close fit
- side arms with multi-incline points and length adjustment allow spectacle to be adapted to ensure a good fit for all facial shapes and head widths
- soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex meteor		
Art. no.	9134005	9134002
Version	uvex supravision sapphire	uncoated
lens	56 mm	56 mm
bridge width	15 mm	15 mm
Standard	EN 166, EN 170	EN 166
Frame	grey, transparent	grey transparent
W 166 F CE		W 166 F CE
Lens	PC clear	HG clear
UV400		UV330
2-1.2 W1 FK		W1 S
Weight	28 g	44 g
Order quantity multiples	5 PC	5 PC

uvex futura		
Art. no.	9180015	9180125
Version	uvex supravision sapphire	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170
Frame	brown	brown
W 166 F CE		W 166 F CE
Lens	PC clear	PC clear
UV400		UV400
2C-1.2 W1 FK CE		2C-1.2 W1 FKN CE
Weight	49 g	49 g
Order quantity multiples	10 PC	10 PC

MADE IN GERMANY ■■■

Safety Spectacles

uvex winner · uvex mercury · uvex ceramic



uvex winner

- classic, rimless metal safety spectacle
- side arms with soft-grip temple ends provide a secure fit without pressure

- soft, adjustable nose pad for a comfortable, non-slip and pressure-free fit
- robust polycarbonate lens with UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex winner			
Art. no.	9159005	9159105	9159118
Version	scratch-resistant on both sides	scratch-resistant, anti-fog	scratch-resistant, anti-fog
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	gun	gun	gun
Lens	W 166 F CE	W 166 F CE	W 166 F CE
PC clear	PC clear	PC clear	PC grey 23%
UV400	UV400	UV400	UV400
2-1.2 W1 F CE	2-1.2 W1 FKN CE	2-1.2 W1 FKN CE	5-2.5 W1 FKN CE
Weight	29 g	29 g	29 g
Order quantity multiples	5 PC	5 PC	5 PC



MADE IN GERMANY



MADE IN GERMANY

uvex mercury

- classic metal safety spectacle with flat design for easy stowage
- side arms with soft-grip temple ends provide a secure fit without pressure
- soft, adjustable loop style nose bridge delivers a comfortable, non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – both sides scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex ceramic

- classic dual lens safety spectacle especially suitable for narrow facial shapes
- side arms with soft-grip temple ends provide a secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – both sides scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex mercury	
Art. no.	9155005
Version	uvex supravision sapphire
	lens 54 mm
	bridge width 19 mm
Standard	EN 166, EN 170
Frame	steel blue
	W 166 F CE
Lens	PC clear
	UV400
	2C-1.2 W1 FK CE
Weight	30 g
Order quantity multiples	5 PC

uvex ceramic	
Art. no.	9137005
Version	uvex supravision sapphire
	lens 49 mm
	bridge width 20 mm
Standard	EN 166, EN 170
Frame	grey, black
	W 166 F CE
Lens	PC clear
	UV400
	2C-1.2 W1 FK CE
Weight	23 g
Order quantity multiples	5 PC

Overspecs

uvex 9161 · uvex super OTG



9161014



9161005
9161305

uvex 9161

- robust overspecs for prescription spectacle wearers with flat lens for a wide field of vision
- side arms with multi-incline points and length adjustment allow overspecs to be adapted to ensure a good fit for all facial shapes and head widths (except 9161014)
- soft-grip temple ends provide pressure-free comfort and a stable, non-slip fit (except 9161014)

- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex 9161

Art. no.	9161014	9161005	9161305
Version	uncoated	uvex supravision sapphire	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	clear	blue, black	blue, black
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC clear
	UV400	UV400	UV400
	2C-1.2 W1 F1 CE	2C-1.2 W1 FK CE	2C-1.2 W1 FKN CE
Weight	51 g	46 g	46 g
Order quantity multiples	5 PC	5 PC	5 PC



9169065
9169260



9169080



9169081

uvex super OTG

- classic overspecs for prescription spectacle wearers with an innovative temple concept and a flat lens that offers a wide field of vision
- flexible side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex super OTG

Art. no.	9169065	9169080	9169260	9169081
Version	uvex supravision sapphire	uvex supravision sapphire	uvex supravision excellence	uvex supravision sapphire sunglass filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	blue, light grey	black, light grey	blue, light grey	black, light grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC grey 23%
	UV400	UV400	UV400	UV400
	2C-1.2 W1 FTK CE	2C-1.2 W1 FTK CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTK CE
Weight	37 g	37 g	37 g	37 g
Order quantity multiples	8 PC	8 PC	8 PC	8 PC

MADE IN GERMANY ■■■

Overspecs

uvex super f OTG



uvex super f OTG

- classic overspecs for prescription spectacle wearers with a flat lens for a wide field of vision, designed for maximum wearer acceptance
- side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex super f OTG							
Art. no.	9169585	9169261	9169500	9169164	9169586	9169850	9169615
Version	uvex supravision sapphire	uvex supravision excellence	uvex supravision clean	uvex supravision excellence	uvex supravision sapphire	uvex supravision variomatic	uvex supravision sapphire
Standard Frame	EN 166, EN 170 black, white	EN 166, EN 170 black, white	EN 166, EN 170 white, light blue	EN 166, EN 172 black, white	EN 166, EN 172 black, white	EN 166, EN 170 black, white	EN 166, EN 170 black, white
Frame	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC CBR65 UV400 5-1.4 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC light green UV400 2-1.2 W1 FTKN CE	PC orange UV525 2-1.4 W1 FTKN CE
Weight	39 g	39 g	39 g	39 g	39 g	39 g	39 g
Order quantity multiples/ Order unit	8 PC	8 PC	8 PC	8 PC	8 PC	PC	8 PC

MADE IN GERMANY ■■■

uvex megasonic

Visionary technologies at a glance

The uvex megasonic's revolutionary lens design does not restrict the wearer's field of vision, meaning users have the clearest possible view at all times – even under difficult conditions. It has a sporty, ergonomic design and is extremely comfortable to wear, making it a piece of equipment you can depend on during your everyday work.



Frameless and innovative lens design
for an optimum, unrestricted view




x-frame design
for flexible adjustment
to any face



reddot winner 2020
pro-K award



Ergonomic face piece
for a perfect fit and
maximum comfort



Fits comfortably over most prescription
glasses
thanks to the unique frame design



uvex supravision
coating technology



Extra-wide headband
for an optimal fit and
extra wearer comfort

MADE IN GERMANY The text "MADE IN GERMANY" is followed by the colors of the German flag (black, red, and gold).

Safety Goggles

uvex megasonic



9320415
9320265



9320281



Further information can be found at
uvex-safety.com/en/megasonic
(or scan the QR code).

uvex megasonic

- functional safety goggle in ski goggle design with a truly panoramic field of vision
- unique frameless lens design for edge-to-edge optical clarity and increased safety
- soft, adaptive face seal providing a universal fit for different head and facial shapes as well as a tight fit without pressure points
- generous internal volume to accommodate prescription spectacles and frame recesses to locate the side arms ensuring a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable 30 mm wide textile headband for optimal low pressure hold and individual adaptability

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- a sustainable benefit: lenses and headbands can be replaced when required
- metal-free



reddot winner 2020



uvex megasonic			
Art. no.	9320265	9320415	9320281
Replacement lens	9320255	-	9320257
Replacement headband	9320011	9320011	9320012
Version	uvex supravision excellence	uvex supravision ETC	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue W 166 34 BT CE	anthracite, blue W 166 34 BT CE	anthracite, lime W 166 34 BT CE
Lens	PC clear UV400 2C-1.2 W1 BTKN CE	PC clear UV400 2C-1.2 W1 BTKN CE	PC grey 23% UV400 5-2.5 W1 BTKN CE
Weight	96 g	96 g	96 g
Order quantity multiples	4 PC	4 PC	4 PC

Safety Goggles

uvex pheos cx2 sonic



9309275




9309064



9309286

uvex pheos cx2 sonic

- sporty, compact and extremely lightweight safety goggles
- very soft and flexible, ergonomic face seal for a custom fit and ultimate comfort
- indirect ventilation system increases air circulation
- very light, length-adjustable textile headband for a secure fit and individual adaptability

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex pheos cx2 sonic	9309275	9309064	9309286
Art. no.	9309275	9309064	9309286
Version	uvex supravision extreme	uvex supravision extreme	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	white, black	white, black	white, black
W 166 34 BT CE			
Lens	PC clear	PC CBR65	PC grey 23%
UV400	UV400	UV400	UV400
2C-1.2 W1 BTKN CE	5-1.4 W1 BTKN CE	5-2.5 W1 BTKN CE	5-2.5 W1 BTKN CE
Weight	34 g	34 g	34 g
Order quantity multiples	10 PC	10 PC	10 PC

MADE IN GERMANY 

uvex academy

Industrial protective eyewear



A practical introductory seminar on the selection, use and benefits of protective eyewear

- The basic applications of safety eyewear, including which products protect against mechanical dangers, chemical and radiation risks (e.g. welding protection), and products designed for specialised applications
- Demonstration and assessment of the dangers posed by mechanical risks, infrared and ultraviolet radiation (e.g. encountered during welding applications or during the use of chemicals), illustrated by case studies
- Assessment of the risk of eye injury in the workplace
- Explanation of how these risks can be dealt with efficiently in each workplace
- Comprehensive overview of the requirements of industrial safety eyewear, standards, applications, risk assessment and how to care for protective eyewear
- Information on the classification of protection products based on their labelling and the areas of application of the various types of equipment

Target group

Those responsible for the work-related health and safety of employees within a company, e.g. health and safety officers, occupational nurses and specialist purchasers



For more information or to book a place, please visit uvex-academy.de, call +49 (0)911 9736 1710 or email academy@uvex.de

uvex academy

 VDSI-PUNKT
Arbeitsschutz 

uvex CR

Autoclave safety eyewear that goes further

Innovative coating technology –
the first autoclavable
safety eyewear with
anti-fog performance

uvex has developed the first autoclavable safety eyewear with anti-fog coating for specialist requirements in laboratories, clinics, cleanrooms and food manufacturing. From ultra-light safety spectacles and goggles with a panoramic lens, the uvex CR is the ideal safety eyewear for all areas of application and specifically have been designed for repeated autoclave sterilisation (20 times for 20 minutes each at a max. of 121°C).

uvex CR – professional safety eyewear that compliments hygiene standards.



9178500



9169500



9302500

uvex super fit CR

- sporty safety spectacle with slim, flat side arms, making it highly compatible with other PPE
- the combination of soft padding around the brow with ergonomically shaped side arms and soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, adjustable nose pad allows spectacle to be adapted to the wearer to deliver a comfortable, non-slip and pressure-free fit
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex super f OTG CR

- classic overspecs for prescription spectacle wearers with a flat lens for wide field of vision, designed for maximum wearer acceptance
- side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven infradur coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex ultrasonic CR

- functional safety goggle with panoramic lens suitable for a wide range of applications
- soft, flexible face seal naturally moulds to any facial shape
- generous internal volume to accommodate prescription spectacles and ensure a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable silicone headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- a sustainable benefit: lenses can be replaced when required
- metal-free

uvex super fit CR

Art. no.	9178500
Version	uvex supravision clean autoclavable (20 cycles)
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	21 g
Order quantity multiples	10 PC

uvex super f OTG CR

Art. no.	9169500
Version	uvex supravision clean autoclavable (20 cycles)
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	39 g
Order quantity multiples	8 PC

uvex ultrasonic CR

Art. no.	9302500
Replacement lens	9302259
Version	uvex supravision clean autoclavable (20 cycles)
Standard	EN 166, EN 170
Frame	transparent, white W 166 34 B CE
Lens	PC clear, UV400 2C-1.2 W1 BKN CE
Weight	95 g
Order quantity multiples	4 PC

MADE IN GERMANY ■■■

Safety Goggles

uvex ultrasonic



uvex ultrasonic

- functional safety goggle with panoramic lens suitable for a wide range of applications
- soft, flexible face seal naturally moulds to any facial shape
- generous internal volume to accommodate prescription spectacles and ensure a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable textile or silicone headband for a secure fit and individual adaptability

- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- a sustainable benefit: lenses can be replaced when required
- metal-free

uvex ultrasonic				
Art. no.	9302245	9302285	9302275	9302601
Replacement lens	9302255	9302255	-	-
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision extreme	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	grey, orange	black, grey	anthracite, lime	black, red
Lens	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE	W 166 34 B CE
Weight	PC clear, UV400	PC clear, UV400	PC clear, UV400	PC clear, UV400
Order quantity multiples	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE
	83 g	83 g	83 g	95 g
	4 PC	4 PC	4 PC	4 PC

uvex ultrasonic				
Art. no.	9302600	9302500	9302286	9302256
Replacement lens	-	9302259	uvex supravision clean	uvex supravision excellence
Version	uvex supravision extreme	uvex supravision clean	uvex supravision excellence	sunglare filter
Standard	reduced ventilation	autoclavable (20 cycles)	EN 166, EN 172	EN 166, EN 172
Frame	EN 166, EN 170	EN 166, EN 170	black, grey	black, grey
Lens	blue, grey	transparent, white	W 166 34 B CE	W 166 34 B CE
Weight	W 166 34 B CE	W 166 34 B CE	PC grey, UV400	PC grey, UV400
Order quantity multiples	PC clear, UV400	PC clear, UV400	5-2.5 W1 BKN CE	5-2.5 W1 BKN CE
	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE	83 g	83 g
	95 g	95 g	4 PC	4 PC
	4 PC	4 PC		

Safety Goggles

uvex ultravision



9301714



9301906



9301716



9301424

Please note:
CA lenses do not fit the PC models
and vice-versa.

uvex ultravision

- classic safety goggle suitable for a wide range of applications
- flexible face seal naturally moulds to any facial shape
- generous internal volume accommodating prescription spectacles and frame recesses to locate the side arms ensuring a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable textile or neoprene headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- also available with a cellulose acetate lens featuring anti-fog performance on the inside and UV380 protection
- a sustainable benefit: lenses can be replaced when required
- metal-free

uvex ultravision				
Art. no.	9301714	9301906	9301716	9301424
Replacement lens	9300517	9300956	9300517	9300517
Version	anti-fog on the inside	anti-fog on the inside	anti-fog on the inside	anti-fog on the inside
		wide nose piece, particularly well suited in combination with dust masks	with foam layer	with neoprene headband
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey	transparent grey	transparent grey
	W 166 34 F CE	W 166 3 F CE	W 166 34 F CE	W 166 34 F CE
Lens	CA clear	CA clear	CA clear	CA clear
	UV380	UV380	UV380	UV380
	2C-1.2 W1 FN CE	2C-1.2 W1 FN CE	2C-1.2 W1 FN CE	2C-1.2 W1 FN CE
Weight	116 g	130 g	118 g	108 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC

Safety Goggles

uvex ultravision



9301605



9301116



9301105



9301626



9301255



9301813



9301613



9301633



9301064

uvex ultravision				
Art. no.	9301605	9301116	9301105	9301626
Replacement lens	-	-	9301255	9301255
Tear-off films	-	-	-	9300316
Version	uvex supravision plus	uvex supravision plus with foam layer oil & gas	uvex supravision excellence	uvex supravision excellence with foam layer
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey	transparent grey	transparent grey	transparent grey
	W 166 34 BT CE	W 166 34 BT CE	W 166 34 BT CE	W 166 34 BT CE
Lens	PC clear	PC clear	PC clear	PC clear
	UV400	UV400	UV400	UV400
	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE
Weight	131 g	134 g	131 g	134 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC

Art. no.	9301815	9301613	9301633	9301064
Replacement lens	9301255	9301255	9301255	-
Tear-off films	-	-	-	-
Version	uvex supravision excellence top ventilation closed	uvex supravision excellence closed ventilation (gas-proof)	uvex supravision excellence closed ventilation (gas-proof) heat-resistant frame material	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	transparent grey	yellow	red	transparent grey
	W 166 34 BT CE	W 166 345 BT CE	W 166 345 BT CE	W 166 34 BT CE
Lens	PC clear	PC clear	PC clear	PC CBR65
	UV400	UV400	UV400	UV400
	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	2C-1.2 W1 BTKN CE	5-1.4 W1 BTKN CE
Weight	131 g	133 g	133 g	131 g
Order quantity multiples	4 PC	4 PC	4 PC	4 PC

Safety Goggles

uvex ultravision faceguard · helmet mounted safety goggles



9301555
Safety Goggle: 9301105



9301317



9301318

uvex ultravision faceguard

- combination of safety goggle with face guard
- protection for eyes and face
- 9301555 or 9301318: Lifting mechanism allows flexible handling during use e.g. communication, drinking, etc.

Art. no.	Goggles with face protection 9301555	Face protection 9301317	Face protection 9301318
Version	Goggles with uvex supravision excellence (9301105) with faceguard (9301318)	for all models 9301 with PC lens without spectacles uncoated	for all models 9301 with PC lens without spectacles uncoated
Standard	EN 166, EN 170	-	-
Frame	transparent grey W 166 34 BT CE	transparent CE	transparent CE
Lens	PC clear UV400 2C-1.2 W1 BTKN CE	- - -	- - -
Weight	212 g	64 g	81 g
Order quantity multiples/ Order unit	4 PC	PC	PC



9302510



9301544



9924010

Helmet mounted safety goggles uvex ultrasonic and uvex ultravision

- safety goggle for combination with helmet and safety earmuffs uvex K1H or uvex K2H (safety earmuffs are not included)
- for attaching the uvex ultrasonic or the uvex ultravision without safety earmuffs, additional adapters (item no. 9924010) are required

Art. no.	uvex ultrasonic 9302510	uvex ultravision 9301544	Adapter 9924010
Version	uvex supravision extreme	anti-fog on the inside	Adapter for attaching without earmuffs
Standard	EN 166, EN 170	EN 166, EN 170	
Frame	blue, grey W 166 34 B CE	transparent grey W 166 34 F CE	
Lens	PC clear UV400 2C-1.2 W1 BKN CE	CA clear UV380 2C-1.2 W1 FN CE	
Weight	121 g	132 g	-
Order quantity multiples	4 PC	4 PC	4 PC
Content	-	-	1 pair

MADE IN GERMANY ■■■

Safety Goggles

uvex carbonvision · uvex 9305 · uvex 9405



9307375



9307365

uvex carbonvision

- classic, lightweight safety goggle
- soft, flexible face seal naturally moulds to any facial shape
- indirect ventilation system increases air circulation
- length-adjustable textile or neoprene headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex carbonvision		
Art. no.	9307375	9307365
Version	uvex supravision extreme	uvex supravision extreme with neoprene headband
Standard	EN 166, EN 170	EN 166, EN 170
Frame	black, grey W 166 34 B CE	black, grey W 166 34 B CE
Lens	PC clear UV400 2C-1.2 W1 BKN CE	PC clear UV400 2C-1.2 W1 BKN CE
Weight	46 g	51 g
Order quantity multiples	10 PC	10 PC



9305514

9405714

uvex 9305

- classic safety goggle
- flexible face seal naturally moulds to any facial shape
- internal volume comfortably accommodates prescription spectacles
- indirect ventilation system increases air circulation
- length-adjustable textile or rubber headband for a secure fit and individual adaptability
- cellulose acetate lens with anti-fog performance on the inside and UV380 protection
- metal-free

uvex 9305		
Art. no.	9305514	9305714
Version	anti-fog on the inside with rubber headband	anti-fog on the inside with textile headband
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	transparent grey W 166 34 F CE
Lens	CA clear UV380 2C-1.2 W1 FN CE	CA clear UV380 2C-1.2 W1 FN CE
Weight	95 g	91 g
Order quantity multiples	4 PC	4 PC

uvex 9405

- classic safety goggle
- flexible face seal naturally moulds to any facial shape
- internal volume comfortably accommodates prescription spectacles
- indirect ventilation system increases air circulation
- length-adjustable textile headband for a secure fit and individual adaptability
- cellulose acetate lens with anti-fog performance on the inside and UV380 protection
- metal-free

uvex 9405		
Art. no.	9405714	9405714
Replacement lens	9400517	9400517
Version	anti-fog on the inside	anti-fog on the inside
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	transparent grey W 166 34 F CE
Lens	CA clear UV380 2C-1.2 W1 FN CE	CA clear UV380 2C-1.2 W1 FN CE
Weight	84 g	84 g
Order quantity multiples	4 PC	4 PC

Welding Protection

A new generation of welding protection eyewear available with different grey-tint lenses and protection classes. The innovative technology affords protection from UV and infrared light while maintaining perfect colour recognition in line with uvex sunglare filters.

The special uvex infradur plus coating has anti-fog properties which prevents the inside of the lenses misting up and the extreme scratch-resistance on the outside keeps damage from welding sparks to an absolute minimum.

With various welding safety spectacles and goggle solutions, there is something for everyone – enhancing comfort and the wearer experience.

N.B.: Do not use for electric welding.

All welding products have polycarbonate lenses providing protection against impact as well as UV rays, IR rays and visible glare.

The products do not provide protection against laser beams!

For expert advice on safety and in selecting the right laser protection eyewear, talk to our specialists

laservision

Call them on +49 (0)911 9736 8100.

uvex-laservision.com



Levels of welding protection and recommendations for use according to EN 169

Level of protection	Use
1.7	For welding assistants, protection against UV radiation and bright scattered light
2	Lightweight oxyacetylene cutting
3	Flame derusting, flame cutting, lightweight oxyacetylene cutting
4	Welding and hard soldering with up to 70 l/h of acetylene, flame cutting with up to 900 l/h of oxygen, steel and grey cast iron welding, lightweight oxyacetylene cutting
5	Welding and hard soldering with 70 to 200 l/h of acetylene, flame cutting with 2000 to 4000 l/h of oxygen
6	Welding and hard soldering with 200 to 800 l/h of acetylene, flame cutting with 2000 to 4000 l/h of oxygen

Welding Protection

uvex i-5 · uvex futura



9183041



9183043



9183045

uvex i-5

- sporty premium quality welding safety spectacle with a range of adaptive features
- x-tended eyeshield: soft seal frame technology wraps around the brow providing protection from particle ingress
- x-tended sideshield offers additional protection from hazards
- ergonomically shaped side arms with multi-incline points and length adjustment allow a high level of individualisation to ensure a good fit for all facial shapes and head widths
- soft-grip temple ends provide a comfortable, secure fit without pressure
- soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit

- robust polycarbonate lens with uvex's proven infradur coating technology – permanent anti-fog and scratch-resistant lens
- IR protection according to EN 169 with perfect colour recognition according to EN 172
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- optional clip-in frame seal provides extra protection against particles, dirt and dust
- metal-free

uvex i-5

Art. no.	9183041	9183043	9183045
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5
Standard Frame	EN 166, EN 169 black, green W 166 FT CE	EN 166, EN 169 black, green W 166 FT CE	EN 166, EN 169 black, green W 166 FT CE
Lens	PC grey UV400 + IR 1.7 W1 FTKN CE	PC grey UV400 + IR 3 W1 FTKN CE	PC grey UV400 + IR 5 W1 FTKN CE
Weight	29 g	29 g	29 g
Order quantity multiples	10 PC	10 PC	10 PC



9180145

uvex futura

- robust dual lens welding safety spectacle with excellent, close fit
- side arms with multi-incline points and length adjustment allow spectacle to be adapted to ensure a good fit for all facial shapes and head widths
- side arms with soft-grip temple ends provide a secure fit without pressure

- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven infradur coating technology – both sides scratch-resistant lens
- IR protection according to EN 169 with perfect colour recognition according to EN 172
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex futura

Art. no.	9180145
Version	uvex infradur welding protection level 5
Standard Frame	EN 166, EN 169 black, green W 166 F CE
Lens	PC grey UV400 + IR 5 W1 FTK CE
Weight	49 g
Order quantity multiples	10 PC

Welding Protection

uvex super f OTG · uvex megasonic · uvex ultrasonic



9169541



9169543



9169545

uvex super f OTG

- classic welding overspecs for prescription spectacle wearers with a flat lens for wide field of vision, designed for maximum wearer acceptance
- side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven infradur coating technology – permanent anti-fog and scratch-resistant lens
- IR protection according to EN 169 with perfect colour recognition according to EN 172
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm

uvex super f OTG

Art. no.	9169541	9169543	9169545
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV400 + IR 1.7 W1 FTKN CE	PC grey UV400 + IR 3 W1 FTKN CE	PC grey UV400 + IR 5 W1 FTKN CE
Weight	39 g	39 g	39 g
Order quantity multiples	5 PC	5 PC	5 PC

uvex megasonic

- functional welding safety goggle in a ski goggle design and a truly panoramic field of vision
- unique frameless lens design for edge-to-edge optical clarity and increased safety
- soft, adaptive face seal providing a universal fit for different head and face shapes as well as a tight fit without pressure points
- generous internal volume to accommodate prescription eyewear and frame recesses to locate the side arms ensuring a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable 30 mm wide textile headband
- robust polycarbonate lens with uvex's proven infradur coating technology – permanent anti-fog and scratch-resistant lens
- IR protection according to EN 169 with perfect colour recognition according to EN 172
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

uvex megasonic

Art. no.	9320045
Version	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169
Frame	black W 166 34 BT CE
Lens	PC grey UV400 + IR 5 W1 BTKN CE
Weight	96 g
Order quantity multiples	4 PC

uvex ultrasonic

- functional welding safety goggle with panoramic and flip-up lens for an increased use of applications
- soft, flexible face seal naturally moulds to any facial shape
- generous internal volume to accommodate prescription spectacles and ensure a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable textile headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision and infradur coating technology – permanent anti-fog and scratch-resistant lens
- IR protection according to EN 169 with perfect colour recognition according to EN 172
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- a sustainable benefit: lenses can be replaced when required
- metal-free

uvex ultrasonic

Art. no.	9302045
Replacement lens flip-up	9302085
Version	uvex supravision excellence with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170
Frame	black, green W 166 34 B CE
Lens	PC clear, UV400
Additional lens	2C-1.2 W1 BKN CE PC grey, UV400 + IR uvex infradur, 5 W1 CE welding protection level 5
Weight	123 g
Order quantity multiples	4 PC

MADE IN GERMANY ■■■

Accessories

uvex cleaning accessories · Presentation



9970005



9972101



9963000

uvex spectacle cleaning station

- including
2 x 9971000
1 x 9972103
1 x 9973101

Plastic pump

- for uvex cleaning fluid 9972103

uvex cleaning fluid

- 500 ml cleaning fluid
• suitable for all uvex lenses

Cleaning paper

- replacement pack silicone-free paper
• approx. 760 sheets
• antistatic
• suitable for all uvex lenses

Magnetic wall bracket

- for easy mounting of the uvex cleaning station (9970005)

uvex spectacle cleaning station
Art. no.
Order unit

Plastic pump
Art. no.
Order unit

uvex cleaning fluid
Art. no.
Content
Order unit

Cleaning papers
Art. no.
Order unit

Magnetic wall bracket
Art. no.
Order unit

uvex cleaning fluid

- 500 ml cleaning fluid
• suitable for all uvex lenses
• Note: does not fit in the cleaning stations (9970005 and 9970002).

uvex cleaning fluid
Art. no.
Content
Order unit

- Note:
spare parts for 9970002

uvex cleaning fluid
Art. no.
Content
Order unit

Plastic pump
Art. no.
Order unit

uvex lens cleaning towelettes

- 100 towelettes per box
• individually packed
• silicone-free
• not antistatic
• suitable for all uvex lenses

uvex cleaning towelettes
Art. no.
Order unit



Spare parts for uvex cleaning station 9970002 only



9972130



9957503

uvex microfibre cloth

- suitable for cleaning all uvex lenses

uvex microfibre cloth
Art. no.
Order unit
Content

uvex display

- with integrated mirror
• for four safety spectacles and one safety goggle

uvex Display
Art. no.
Order unit

Accessories

Storage



9954600



9954500



9954501

uvex eyewear case

- extremely robust hard case for protection against external influences
- soft embedded inside
- with belt loop
- practical snap hook
- especially suitable for curved safety eyewear (e.g. uvex i-vo)

uvex eyewear case

Art. no. 9954600
Order quantity multiples 10 PC

uvex eyewear case

- robust case
- additional space for spare lens
- reinforced zipper
- with belt loop
- suitable for all uvex safety spectacles

9954500
10 PC

uvex eyewear case

- large and robust case
- additional space for spare lens
- with belt loop
- suitable for all uvex safety spectacles and goggles

9954501
10 PC



6118002



9954355



9954360

uvex eyewear case

- flexible case made of robust nylon material
- Velcro fastener individually adjustable
- extendable by zipper on the side
- with belt loop
- suitable for all uvex safety spectacles

uvex eyewear case
Art. no. 6118002
Order quantity multiples 10 PC

uvex microfibre bag

- elegant microfiber bag
- suitable for all uvex safety spectacles

uvex microfibre case
9954355
10 PC

uvex microfibre bag

- elegant microfiber bag
- suitable for all uvex safety overspecs and safety goggles

9954360
10 PC



9954326



9957502

uvex carry case

- with flexible adjustable storage compartments (by Velcro)
- with adjustable shoulder strap
- capacity for safety spectacles: 12 pcs. (3x4)
- also suitable for safety goggles

uvex carry case
Art. no. 9954326
Order unit PC

uvex SECU box

- storage box for wall mounting
- for spectacles and goggles:
2 safety goggles or
3 safety spectacles or
1 safety goggles and 2 safety spectacles

uvex SECU box
Art. no. 9957502
Order unit PC

Accessories

uvex hang-cords · uvex headband



9958017

uvex eyewear cord

- individual length adjustment
- for compatibility with uvex models please see overview on p. 74

uvex eyewear cord
Art. no. 9958017
Order quantity multiples 10 PC




9959002

uvex eyewear cord

- suitable for all uvex safety spectacles

uvex eyewear cord
Art. no. 9959002
Order quantity multiples 10 PC



9959003

uvex eyewear cord

- individual length adjustment
- for compatibility with uvex models please see overview on p. 74

uvex eyewear cord
Art. no. 9959003
Order quantity multiples 10 PC



9959004

uvex eyewear cord

- individual length adjustment
- metal-free
- for compatibility with uvex models please see overview on p. 74

uvex eyewear cord
Art. no. 9959004
Order quantity multiples 10 PC



9958020

uvex pheos headband

- headband for uvex pheos and uvex pheos s (see p. 44, 45)
- individual length adjustment
- metal-free

uvex pheos headband
Art. no. 9958020
Order quantity multiples 10 PC



9958023

uvex x-fit / x-fit pro headband

- headband for uvex x-fit und uvex x-fit pro (see p. 38, 39)
- individual length adjustment
- metal-free

uvex x-fit / uvex x-fit pro headband
Art. no. 9958023
Order quantity multiples 10 PC

Cord/case matrix

Model	Name	Cords/straps								Cases					
		9958017	9958020 (pheos/pheos s)	9958009 (i-3/i-3 s)	9959003	9959004	9959002	9958023 (x-fit family)	9954600	9954500	9954501	6118002	9954355	9954360	9957502 SECU-Box
9134	uvex meteor	□	□	□	■	■	■	□	■	■	■	■	■	■	■
9137	uvex ceramic	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9143	uvex i-lite	■	□	□	□	■	■	■	□	■	■	■	■	■	■
9143	uvex i-guard	■	□	□	□	■	■	■	□	■	■	■	□	■	■
9143	uvex i-guard+	□	□	□	□	□	□	□	□	■	■	□	■	■	■
9145	uvex pure-fit	■	□	□	□	□	□	■	□	□	■	■	■	■	■
9155	uvex mercury	■	□	□	□	□	□	■	□	□	■	■	■	■	■
9159	uvex winner	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9160	uvex i-vo	□	□	□	■	■	■	□	■	■	■	■	■	■	■
9161	uvex 9161	□	□	□	□	□	□	■	□	■	■	■	■	■	■
9164	uvex astrospec 2.0	■	□	□	■	■	■	□	■	■	■	■	■	■	■
9169	uvex super OTG	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9169	uvex super f OTG	■	□	□	□	□	□	■	□	■	■	□	■	■	■
9172	uvex super g	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9175	uvex skyguard NT	□	□	□	■	■	■	□	■	■	■	□	■	■	■
9175	uvex skyguard NT (9175275)	□	□	□	□	□	□	■	□	■	■	□	■	■	■
9178	uvex super fit	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9180	uvex futura	□	□	□	□	□	□	■	□	■	■	■	■	■	■
9181	uvex suXXeed	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9183	uvex i-5	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9188	uvex cybric	□	□	□	■	■	■	□	■	■	■	■	■	■	■
9190	uvex i-3 / i-3 s	■	□	□	■	□	□	■	□	■	■	■	■	■	■
9192	uvex pheos / pheos s	■	■	□	■	■	■	■	□	■	■	■	■	■	■
9192	uvex pheos guard / s	□	■	□	□	□	□	□	□	■	■	■	■	■	■
9193	uvex sportstyle	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9194	uvex i-works	■	□	□	□	■	■	■	□	■	■	■	■	■	■
9198	uvex pheos cx2	□	□	□	□	□	□	■	□	■	■	■	■	■	■
9199	uvex x-fit	■	□	□	□	□	■	■	■	■	■	■	■	■	■
9199	uvex x-fit pro	□	□	□	□	□	■	■	■	■	■	■	■	■	■
9231	uvex polavision	■	□	□	□	□	□	■	□	■	■	■	■	■	■
9301	uvex ultravision	□	□	□	□	□	□	□	□	□	■	□	□	□	■
9302	uvex ultrasonic	□	□	□	□	□	□	□	□	□	■	□	□	□	■
9305	uvex 9305	□	□	□	□	□	□	□	□	□	■	□	□	□	■
9307	uvex carbonvision	□	□	□	□	□	□	□	□	■	■	■	■	■	■
9309	uvex pheos cx2 sonic	□	□	□	□	□	□	□	□	■	■	■	■	■	■
9320	uvex megasonic	□	□	□	□	□	□	□	□	□	■	□	□	□	■
9405	uvex 9405	□	□	□	□	□	□	□	□	□	□	■	□	□	■

 compatible

 not compatible

2 goggles or 3-4 spectacles
or 1 goggles + 2 spectacles

Applications

Always the perfect solution

Mechanical risk

Chemical risk

Optical risk

Working conditions	Eyewear model	Lens material	Lens tint	Lens coating
Light and precision engineering	Spectacles	PC	clear	uvex supravision AR (anti-reflet) uvex supravision excellence
Assembly, maintenance	Spectacles	PC	clear	uvex supravision excellence
Grinding, angle grinding	Spectacles Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Turning, milling	Spectacles	PC	clear	uvex supravision excellence
Dusty environments	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Foundry cleaning	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Forestry and agriculture	Spectacles	PC	clear amber grey 23 %	uvex supravision excellence uvex supravision extreme
Laboratory	Spectacles Goggles	PC CA	clear	uvex supravision sapphire uvex supravision excellence
Working with acids and galvanic media	Goggles	PC CA	clear	uvex supravision excellence uvex supravision extreme
Spot welding, soldering oxygene cutting gas welding, braze welding Welders assistant foundries furnaces	Spectacles Goggles	PC	welding shade	uvex infradur uvex infradur plus
Outdoors – sunglare	Spectacles	PC	grey brown silver mirror	uvex supravision excellence uvex supravision extreme
Offshoring / maritime	Spectacles	PC	variomatic polavision	uvex supravision variomatic uvex polavision
Strong lighting, glare	Spectacles	PC	CBR65 silver mirror 53 %	uvex supravision excellence uvex supravision extreme
Mixed lighting	Spectacles	PC	clear	uvex supravision AR (anti-reflet)
Sterile working conditions	Spectacles Overspecs	PC	clear	uvex supravision CR
Oil and gas	Spectacles Overspecs Goggles	PC	clear	uvex supravision plus
Plant visitors	Spectacles Overspecs	PC	clear	uvex supravision excellence uvex supravision sapphire uncoated

Safety Eyewear

Overview

Model	Name	Product	Order quantity multiples/ Order unit	uvex supravision sapphire	supravision plus	uvex supravision excellence	uvex supravision extreme	uvex supravision ETC	uvex supravision clean	uvex supravision AR	Silver mirror, inside anti-fog	uvex supravision varomatic	uvex infradur	uvex infradur plus	CA anti-fog on the inside	Scratch-resistant on both sides	Scratch-resistant + anti-fog	Uncoated	Page
9134	uvex meteor	Plastic temple spectacles	5 PC	■													■	54	
9137	uvex ceramic	Metal temple spectacles	5 PC	■															55
9143	uvex i-lite	Plastic temple spectacles	10 PC		■														31
9143	uvex i-guard	Plastic temple spectacles	8 PC		■														31
9143	uvex i-guard+	Safety goggles	8 PC		■														31
9145	uvex pure-fit	Plastic temple spectacles	75 PC		■												■	33	
9155	uvex mercury	Metal temple spectacles	5 PC	■															55
9159	uvex winner	Metal temple spectacles	5 PC												■	■			55
9160	uvex i-vo	Plastic temple spectacles	10 PC	■	■	■													52
9161	uvex 9161	Plastic temple spectacles	5 PC	■	■											■			56
9164	uvex astrospec 2.0 / astrospec 2.0 CB	Plastic temple spectacles	10 PC	■	■	■	■												49
9169	uvex super OTG	Plastic temple spectacles	8 PC	■		■													56
9169	uvex super f OTG	Plastic temple spectacles	8 PC	■		■													57
9169	uvex super f OTG	Plastic temple spectacles	PC										■						57
9169	uvex super f OTG	Plastic temple spectacles UV525	8 PC	■															57
9169	uvex super f OTG CR	Plastic temple spectacles	8 PC						■										62
9169	uvex super f OTG	Safety spectacles - welding protection	8 PC											■					70
9172	uvex super g	Plastic temple spectacles	10 PC	■	■	■													50
9172	uvex super g	Replacement lenses	10 PC			■													50
9175	uvex skyguard NT	Plastic temple spectacles	10 PC		■	■	■												53
9178	uvex super fit	Plastic temple spectacles	10 PC	■	■	■		■											51
9178	uvex super fit CR	Plastic temple spectacles	10 PC					■											62
9178	uvex super fit	Replacement lenses	10 PC			■													51
9180	uvex futura	Plastic temple spectacles	10 PC	■	■														54
9180	uvex futura	Safety spectacles - welding protection	10 PC											■					69
9181	uvex suXXeed	Plastic temple spectacles	10 PC			■													35
9181	uvex suXXeed	Extra frame	20 PC																35
9183	uvex i-5	Plastic temple spectacles	10 PC	■		■		■											37
9183	uvex i-5	Extra frame	20 PC																37
9183	uvex i-5	Safety spectacles - welding protection	10 PC																69
9188	uvex cybric	Plastic temple spectacles	10 PC	■	■														54
9190	uvex i-3/uvex i-3s/uvex i-3guard/uvex i-3s guard	Plastic temple spectacles	10 PC	■	■	■			■	■									46/47
9190	uvex i-3	Plastic temple spectacles	PC						■			■							46
9190	uvex i-3/uvex i-3s	Extra frame	20 PC																47
9192	uvex pheos/uvex pheos CB/uvex pheos s	Plastic temple spectacles	10 PC		■	■	■	■											44/45
9192	uvex pheos guard/uvex pheos s guard	uvex pheos headband version	10 PC				■												44/45
9192	uvex pheos/uvex pheos s	Extra frame	20 PC																45
9193	uvex sportstyle	Plastic temple spectacles	10 PC	■	■	■	■	■	■	■	■	■	■						41
9193	uvex sportstyle	Plastic temple spectacles	PC											■					41
9194	uvex i-works	Plastic temple spectacles	10 PC		■									■					48
9198	uvex pheos cx2	Plastic temple spectacles	10 PC	■	■	■								■					42
9199	uvex x-fit/uvex x-fit guard	Plastic temple spectacles	10 PC	■	■														39
9199	uvex x-fit pro/uvex x-fit pro guard	Plastic temple spectacles	10 PC	■	■														38
9199	uvex x-fit pro (ohne Slider)	Plastic temple spectacles	10 PC		■														38
9199	uvex x-fit/uvex x-fit pro	Extra frame	20 PC																39
9231	uvex polavision	Plastic temple spectacles	PC											■					53



Model	Name	Product	Order quantity multiples/ Order unit	uvex supravision sapphire	supravision plus	uvex supravision excellence	uvex supravision extreme	uvex supravision ETC	uvex supravision clean	uvex supravision AR	Silver mirror, inside anti-fog	uvex supravision varomatic	uvex infradur	uvex infradur plus	CA anti-fog on the inside	Scratch-resistant on both sides	Scratch-resistant + anti-fog	Uncoated	Page
9301	uvex ultravision	Safety goggles	4 PC		■										■				64/65
9301	uvex ultravision	Replacement lenses	4 PC		■	■								■					64/65
9300	uvex ultravision	Tear-off films	10 PC																65
9301	uvex ultravision faceguard	Safety goggles	4 PC		■														66
9301	uvex ultravision	Goggles with helmet attachment	4 PC											■					66
9301	uvex ultravision	Mouth shield	PC													■			66
9302	uvex ultrasonic	Safety goggles	4 PC		■	■													63
9302	uvex ultrasonic	Replacement lenses	4 PC		■														63
9302	uvex ultrasonic	Goggles with helmet attachment	4 PC			■													66
9302	uvex ultrasonic CR	Safety goggles	4 PC				■												62
9302	uvex ultrasonic flip-up	Safety goggles - welding protection	4 PC		■								■						70
9302	uvex ultrasonic flip-up	Replacement lenses	4 PC		■							■							70
9305	uvex 9305	Safety goggles	4 PC										■						67
9307	uvex carbonvision	Safety goggles	10 PC			■													67
9309	uvex pheos cx2 sonic	Safety goggles	10 PC			■													60
9320	uvex megasonic	Safety goggles	4 PC		■		■												59
9320	uvex megasonic	Replacement lenses	4 PC		■														59
9320	uvex megasonic	Headband	4 PC																59
9320	uvex megasonic	Safety goggles - welding protection	4 PC									■							70
9405	uvex 9405	Safety goggles	4 PC										■						67
9405	uvex 9405	Replacement lenses	4 PC									■							67
6118		Safety eyewear case	10 PC																72
9972		Microfibre cloth	10 PC																71
9954		Safety eyewear case	10 PC																72
9954		Carry case	PC																72
9954		Carry case	10 PC																72
9957		Display	PC																71
9957		SECU-Box	PC																72
9958	uvex x-fit/x-fit pro	Comfort Slider	BG (incl. 5 pair)																39
9958		Neck hang cord	10 PC																73
9958	uvex pheos/uvex pheos s	Headband	10 PC																73
9958	uvex x-fit/x-fit pro	Headband	10 PC																73
9959		Neck hang cord	10 PC																73
9963		Cleaning towelettes	PC																71
9970		Cleaning station	PC																71
9971		Replacement cleaning papers	PC																71
9972		Cleaning fluid	PC																71
9973		Plastic pump	PC																71
9999	uvex x-fit/x-fit pro	uvex LED mini light including adapter (right and left)	PC																39

laservision

At laservision, as an integral part of uvex, we protect with our products of one of the most sensitive organs - the human eye - from laser radiation. This for 35 years with commitment, customer orientation and innovative strength - worldwide and in accordance with standards. Whether in industry, research and development or in the medical sector, whether as glasses, curtains / roller blinds or partition walls – laservision laser protection products stand for quality, safety and protection - in accordance with the DNA and the claim of the uvex safety group - „protecting people“!

Product portfolio

- Laser protection eyewear made of plastic, glass or with reflective coating
- Patient protection, magnifying glasses, IPL glasses
- Laser protection windows made of glass and plastic
- Active laser protection windows
- Extensive laser protection such as: curtains, blinds, screens, roll-ups
- Laser protection for optical tables

laservision

LASERVISION GmbH & Co. KG
Phone: +49 911 9736-8100
E-Mail: info@lvg.com · uvex-laservision.de

