

uvex



Safety Helmets

protecting people

Standards at a glance

EN 397 · EN 50365

EN 397 – Industrial safety helmets

Protection against falling objects and the consequences thereof, such as brain damage and skull fracture

Binding requirements: all helmets certified according to EN 397 must meet these requirements.

- shock absorption, vertical
- penetration resistance (against sharp and pointed objects)
- flame resistance
- chin strap attachment: chin strap releases at minimum 150 N and maximum 250 N

Optional requirements: a helmet certified in accordance with EN 397 may meet these requirements; they are, however, not mandatory requirements.

- very low temperatures (-20 °C or -30 °C)
- very high temperatures (+150 °C)
- electrical insulation (440 V)
- molten metal (MM)
- lateral deformation

very low temperatures (-20 °C or -30 °C)	 uvex airwing	 uvex super boss	 uvex pheos	 uvex pheos alpine	 uvex perfixxion	 uvex pronamic alpine
very high temperatures (+150 °C)		 uvex thermo boss				
electrical insulation (440 V)	 uvex airwing E	 uvex thermo boss				
molten metal (MM)			 uvex pheos			 uvex pronamic alpine
lateral deformation					 uvex perfixxion	 uvex pronamic alpine

EN 50365 – Insulating helmets for use on low voltage installations

Protection against electric shocks and prevention of dangerous electric current passing through the head

Requirements:

- All helmets must also meet the requirements in accordance with EN 397.
- Protection against alternating voltage of up to 1000 V (AC) or direct voltage up to 1500 V (DC)
- Insulating helmets must not contain any conductive parts.
- Air vents (if available) must not allow any accidental contact with live parts.



uvex pheos E

Overview of standards

EN 12492 · EN 1078

EN 12492 – Helmets for mountaineers

Protection against hazards that may occur during activities undertaken by mountaineers

Requirements:

- Shock absorption, vertical, frontal, lateral, dorsal
- Carrier element (chin strap releases at min. 500 N)
- Strength of carrier element: Chin strap may exhibit maximum elongation of 25 mm
- Carrier element effectiveness: Helmet must not slide from the head



uvex pheos alpine

uvex perffexion

uvex pronamic alpine



EN 1078: European standard for cycling helmets

Helmets for pedal cyclists and for users of skateboards and roller skates

Requirements:

- absorbs impact from vertical force
- low temperatures (-20°C)
- the effectiveness of the retention system must be ensured via a retention test
- the mechanical strength of the chin strap must be ensured
 - the maximum permissible elongation is 35 mm



uvex perffexion



Safety Helmets

uvex pronamic alpine



Generous ventilation

The side air vents significantly improve the temperature inside the helmet.



Optimal adjustment

The wheel ratchet system provides plenty of scope for adjustments and the suspension harness inside the helmet can be adjusted as desired to provide the perfect fit for the wearer's head shape



EN 12492 and EN 397

The best equipment for various applications. Whether used while working at height or as an industrial safety helmet, the helmet's chin strap system is quick and easy to change, enabling the helmet to fulfil the safety standards for both applications and offer optimum protection at all times



MIPS included

An additional MIPS inner shell can be integrated as an option to absorb rotational energy, reducing the force transferred to the wearer's head. A detailed description of how the MIPS safety system works can be found on page 117.



Accessories can be fitted easily and quickly

The four stylistic retaining clips guarantee an optimal fit of the helmet accessories. This ensures that the user has access to any necessary application-related products, such as helmet torches or goggles, and that these are in the perfect position at all times.



Further information can be found at uvex-safety.com/en/uvex-pronamic-alpine (or scan the QR code).

Safety Helmets

uvex pronamic alpine



LD-tested

uvex pronamic alpine

- multi-standard helmet that meets the requirements of EN 397 and EN 12492
- patented MIPS inner shell available as an option
- side Euroslot adapters (30 mm) for attaching earmuffs
- four retaining clips for fitting head torches or goggles
- additional elements allow our wide range of accessories to be attached to the helmet
- air vents for maximum ventilation
- versatile and adjustable suspension harness with variable wheel ratchet system
- EPS inner shell ensures excellent fit and comfort
- EN 12492 forked chin strap (art. no. 9790351) included in the standard scope of delivery, EN 397 version (art. no. 9790021) sold separately as an accessory
- replaceable hygiene kits 9790350 and 9790352 (MIPS)

uvex pronamic alpine						
Art. no.	9735030	9735130	9735230	9735031	9735131	9735231
Colour	white	hi-viz yellow	hi-viz orange	white	hi-viz yellow	hi-viz orange
Version				Mips	Mips	Mips
Material	ABS	ABS	ABS	ABS	ABS	ABS
Standard	EN 12492, EN 397	EN 12492, EN 397	EN 12492, EN 397	EN 12492, EN 397	EN 12492, EN 397	EN 12492, EN 397
	-30°C, MM, LD	-30°C, MM, LD	-30°C, MM, LD	-30°C, MM, LD	-30°C, MM, LD	-30°C, MM, LD
Sizes	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm	51 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT	8 PC per CT

Safety Helmets

uvex pheos S-KR Mips



MIPS inner shell

The additional MIPS safety system is integrated into the suspension harness.



Large neck piece

The additional neck piece increases the contact surface, reducing pressure on the back of the wearer's head. This improves the wearing comfort.



Pre-mounted forked chin strap


The comfortable forked chin strap secures the helmet and guarantees optimum protection, especially when carrying out overhead work

Safety Helmets

uvex pheos S-KR Mips


What is MIPS?

The MIPS safety system is designed to provide additional protection for helmets during a wide variety of accidents. In certain impact situations, the MIPS system can reduce dangerous forces that might otherwise be transferred to the helmet wearer's head.



Linear impacts

Conventional helmets are designed and tested for linear impacts. In most cases, however, impacts occur at an angle and lead to a rotational movement of the head.



Angled impacts

The low-friction inner shell is designed to help reduce the rotational forces acting on the head in certain cases of an angled impact.



Further information can be found at uvex-safety.com/en/mips/ (or scan the QR code).



9772260

uvex pheos S-KR Mips

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- MIPS inner shell absorbs rotational forces
- side Euroslot adapters (30 mm) for attaching earmuffs
- three adjustable air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort
- pre-mounted forked chin strap (9790021)
- large neck piece (9790149) increases wearing comfort
- fitted with a sweatband (9760260)

uvex pheos S-KR Mips	
Art. no.	9772260
Colour	hi-viz orange
Version	with short brim
Material	HDPE
Standard	EN 397
	-30°C, MM
Sizes	52 to 61 cm
Order unit	PC
Outer packaging	20 PC per CT

protecting planet

To help raise awareness of its commitment to achieving increased sustainability, uvex has developed the **protecting planet** icon.

For uvex, **protecting planet** is more than a label. Based on the brand claim, **protecting people**, our sustainable approach integrates three core interlinked pillars – **ecology**, **economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.



uvex pheos planet

uvex pheos planet B-WR // uvex pheos planet B-S-WR

The **uvex pheos planet** is an example of the **planet series** product system.



protecting planet

by using recycled material //
by using bio-based material

The helmet shell is made of up to 30 percent bioplastic. The organic raw material, sugar cane, is converted using a process that complies with the strictest quality requirements and achieves high stability and strength. 50 percent of the material for the headband is made of helmet shells. This significantly reduces process-related waste during production.



protecting planet

by using environmentally-
friendly packaging

All individual packaging is made of regranulated material and has been taken from the recycling economy. The packaging is single-grade and can be returned to the recycling chain after use. This also saves fossil resources. The user instructions are printed on 100 percent recycled paper.

uvex pheos planet B-WR uvex pheos planet B-S-WR

- helmet shell partially made of bioplastic
- headbands made of regranulated helmet shells



	uvex pheos planet B-WR	uvex pheos planet B-S-WR
Art. no.	9772042	9772043
Colour	white	white
Type	with long brim	with short brim
Material	HDPE	HDPE
Standard	EN 397	EN 397
	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm
Order unit	PC	PC
Outer packaging	25 PC per CT	25 PC per CT

uvex perfexxion

Adjustable head protection for optimum wearer comfort



No hot spots thanks to maximum ventilation

Adjustable air vents ensure optimal air circulation and prevent uncomfortable hot spots under the helmet



High wearer comfort

The integrated inner mesh and padded suspension harness make the helmet even more comfortable. The mesh ensures optimal ventilation.



Perfect fit

With variable width and height adjustment

uvex perfexxion meets all the applicable protection standards for use as an industrial helmet, a mountaineering helmet or a cycling helmet – and with its optimised temperature cooling and ergonomic fit, it's exceptionally comfortable to wear.

Safety Helmets

uvex perfexxion



9720940



9720040



9720950



9720050



LD-tested

uvex perfexxion

- unique combination of the standards EN 397 (meets partly), EN 12492 and EN 1078
- side Euroslot adapters (30 mm) for attaching earmuffs
- additional slots allow for a wide variety of accessories to be attached
- complies with the following standards:
 - EN 397 (in part) – Industrial safety helmet standard
 - optional requirements: LD, -30°C
 - EN 12492 – Mountaineering helmet standard
 - EN 1078 – Cycling helmet standard
- increased resistance to lateral deformation (LD) provides additional protection
- adjustable and convenient air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment and height adjustment
- suspension harness with convenient inner mesh for added wearer comfort
- optimal fit thanks to two different sizes (M and L)
- additional clip-on brim included in the scope of delivery

uvex perfexxion				
Art. no.	9720940	9720950	9720040	9720050
Colour	black	black	white	white
Version	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS
Standard	EN 397, -30 °C, LD EN 12492, EN 1078	EN 397, -30 °C, LD EN 12492, EN 1078	EN 397, -30 °C, LD EN 12492, EN 1078	EN 397, -30 °C, LD EN 12492, EN 1078
Sizes	M (52 to 58 cm)	L (59 to 63 cm)	M (52 to 58 cm)	L (59 to 63 cm)
Order unit	PC	PC	PC	PC
Outer packaging	6 PC per CT	6 PC per CT	6 PC per CT	6 PC per CT

Safety Helmets

uvex airwing B · uvex airwing B-WR · uvex super boss



uvex airwing B · uvex airwing B-WR

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- three variable air vents for maximum ventilation

- conventional suspension harness for comfortable adjustable fit (uvex airwing B)
- suspension harness with wheel ratchet for variable width adjustment (uvex airwing B-WR)
- fitted with the 9760005 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex airwing B with conventional suspension harness

Art. no.	9762020	9762120	9762220	9762320	9762420	9762520	9762920
Colour	white	yellow	orange	red	green	blue	black
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C
Sizes	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

uvex airwing B-WR with wheel ratchet system

Art. no.	9762030	9762130	9762230	9762330	9762430	9762530
Colour	white	yellow	orange	red	green	blue
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



uvex super boss

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-20 °C)
- conventional suspension harness for comfortable adjustable fit
- fitted with the 9790004 sweatband
- adjustable side ventilation slits
- six-point textile band attachment ensures optimal fit and comfort

uvex super boss with conventional suspension harness

Art. no.	9750020	9750120	9750520
Colour	white	yellow	blue
Version	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE
Standard	EN 397, -20 °C	EN 397, -20 °C	EN 397, -20 °C
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



Safety Helmets

uvex airwing B-S · uvex airwing B-S-WR · uvex thermo boss



9762021



9762121



9762221



9762331



9762431



9762531



uvex airwing B-S · uvex airwing B-S-WR

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex airwing B-S)

- suspension harness with wheel ratchet for variable width adjustment (uvex airwing B-S-WR)
- fitted with the 9760005 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex airwing B-S with conventional suspension harness

Art. no.	9762021	9762121	9762221	9762321	9762421	9762521
Colour	white	yellow	orange	red	green	blue
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C
Sizes	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

uvex airwing B-S-WR with wheel ratchet system

Art. no.	9762031	9762131	9762231	9762331	9762431	9762531
Colour	white	yellow	orange	red	green	blue
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C	EN 397, -30 °C
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



9754000



9754100



9754300

uvex thermo boss

- safety helmet with slots for uvex visors and earmuffs
- the helmet shell is made from heat-resistant polycarbonate and is suitable for use in high ambient temperatures.
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement (440 V AC) +150 °C
- conventional suspension harness for comfortable adjustable fit
- fitted with the 9790004 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex thermo boss

Art. no.	9754000	9754100	9754300
Colour	white	yellow	red
Version	with long brim	with long brim	with long brim
Material	PC reinforced with fibreglass	PC reinforced with fibreglass	PC reinforced with fibreglass
Standard	EN 397 +150 °C, 440 V AC	EN 397 +150 °C, 440 V AC	EN 397 +150 °C, 440 V AC
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



Safety Helmets

uvex pheos alpine



9773050



9773150



9773250



9773350



9773450



9773550



9773950



uvex pheos alpine

- multifunctional helmet for working at heights and rescue operations
- combines the features of an industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- light ABS helmet shell offers a high level of protection and durability
- shorter brim for a wider field of upward vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- options for attaching head torches and goggles
- permanently opened air vents
- meets standard EN 397 and additional requirements for very low temperatures (-30°C)
- firmly riveted chin strap for use in accordance with EN 12492
- six-point textile band attachment ensures ideal fit and great comfort
- suspension harness with wheel ratchet system for variable width adjustment

- the helmet is delivered as standard with a black PU sweatband (art. no. 9760009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760005)



product
design award

2013

uvex pheos alpine with wheel ratchet system

Art. no.	9773050	9773150	9773250	9773350	9773450	9773550	9773950
Colour	white	yellow	orange	red	green	blue	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS	ABS	ABS	ABS
Standard	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT
Outer packaging	6 PC per CT	6 PC per CT	6 PC per CT	6 PC per CT	6 PC per CT	6 PC per CT	6 PC per CT

Safety Helmets

uvex pheos forestry · uvex pheos ABS



Further information can be found at uvex-safety.com/en/forestryset (or scan the QR code).



9774236



9774237



9774238



uvex pheos forestry

- set specially developed to meet the needs of forestry workers, consisting of the uvex pheos ABS B-S-WR, uvex pheos forestry visor and uvex pheos K2P mechanical
- labelled with label set, including pre-attached chin strap and signal whistle
- meets standards EN 166, 1731, 352-1 and 397 and additional requirement for very low temperatures (-30 °C)
- fully integrated metal mesh visor with high transmission (transparency) protects against foreign objects and ensures a clear view
- high-insulation earmuffs (SNR: 30 dB) round off the system perfectly and reliably protect against noise produced by chainsaws and brush cutters
- three variable air vents for maximum ventilation, offering ventilation in the direction of movement
- suspension harness with wheel ratchet system enables the width to be variably adjusted with just one hand

uvex pheos forestry - pre-assembled set

Art. no.	9774236	9774237	9774238
Colour	yellow	orange	red
Version	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS
Standard	EN 397, -30 °C, MM EN 1731:2006-F EN 352-3	EN 397, -30 °C, MM EN 1731:2006-F EN 352-3	EN 397, -30 °C, MM EN 1731:2006-F EN 352-3
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC
Outer packaging	15 PC per CT	15 PC per CT	15 PC per CT

uvex pheos forestry - spare parts

Art. no.		Order unit
9790210	Replacement visor (metal)	PC
2600214	uvex K2P mechanical	PR
9760106	Replacement suspension harness pheos ABS	PC
9760009	Sweatband pheos ABS	PC
9790021	Four-point chin strap	PC
9790146	Signal whistle	PC



9772071



9772171



9772271



9772371

MADE IN GERMANY



uvex pheos ABS

- ABS safety helmet with slots for uvex visors, earmuffs and helmet lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets EN 397 standards and additional requirements for very low temperatures (-30°C)
- high lateral rigidity
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet system (9760106) and sweatband (9760009)
- six-point textile band attachment ensures optimum fit and comfort

uvex pheos ABS B-S-WR with wheel ratchet system

Art. no.	9772071	9772171	9772271	9772371
Colour	white	yellow	orange	red
Version	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS
Standard	EN 397 -30 °C, MM	EN 397 -30 °C, MM	EN 397 -30 °C, MM	EN 397 -30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC
Outer packaging	24 PC per CT	24 PC per CT	24 PC per CT	24 PC per CT

Safety Helmets

uvex pheos E · uvex pheos E-WR · uvex pheos E-S-WR



uvex pheos B · uvex pheos B-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos B-WR)
- fitted with the 9760005 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B with conventional suspension harness						
Art. no.	9772020	9772120	9772220	9772320	9772520	9772920
Colour	white	yellow	orange	red	blue	black
Version	with long brim					
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

uvex pheos B-WR with wheel ratchet system

Art. no.	9772030	9772130	9772230	9772330	9772430	9772530	9772930
Colour	white	yellow	orange	red	green	blue	black
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



uvex pheos B-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment
- fitted with the 9760005 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B-S-WR with wheel ratchet system

Art. no.	9772031	9772131	9772231	9772332	9772531	9772832	9772932
Colour	white	yellow	orange	red	blue	dark grey	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



Safety Helmets

uvex pheos E · uvex pheos E-WR · uvex pheos E-S-WR



uvex pheos E · uvex pheos E-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- conventional suspension harness for comfortable adjustable fit (uvex pheos E)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos E-WR)
- fitted with the 9760005 (uvex pheos E) or 9760009 (uvex pheos E-WR) sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E with conventional suspension harness		
Art. no.	9770020	9770120
Colour	white	yellow
Version	with long brim	with long brim
Material	HDPE	HDPE
Standard	EN 397	EN 397
	-30 °C, MM	-30 °C, MM
	EN 50365, 1000 V AC	EN 50365, 1000 V AC
Sizes	51 to 61 cm	51 to 61 cm
Order unit	PC	PC
Outer packaging	25 PC per CT	25 PC per CT

uvex pheos E-WR with wheel ratchet system							
Art. no.	9770030	9770130	9770230	9770330	9770430	9770530	9770830
Colour	white	yellow	orange	red	green	blue	dark grey
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC	EN 50365, 1000 V AC
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT



uvex pheos E-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- suspension harness with wheel ratchet for variable width adjustment
- fitted with the 9760009 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E-S-WR with wheel ratchet system								
Art. no.	9770031	9770131	9770231	9770331	9770431	9770531	9770832	9770931
Colour	white	yellow	orange	red	green	blue	dark grey	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365	EN 50365
	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC	1000 V AC
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



Safety Helmets

uvex pheos IES · uvex pheos S-KR · reflex set



uvex pheos IES

- safety helmet with slots for uvex visors, earmuffs, lamps and Integrated Eyewear System (IES)
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment – also has the option to mount uvex pheos, uvex pheos or uvex i-works safety spectacles
- fitted with the 9760007 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos IES with wheel ratchet system					
Art. no.	9772040	9772140	9772240	9772340	9772540
Colour	white	yellow	orange	red	blue
Version	with long brim				
Material	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	55 to 61 cm	55 to 61 cm	55 to 61 cm	55 to 61 cm	55 to 61 cm
Order unit	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



uvex pheos S-KR

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- side Euroslot adapters (30 mm) for attaching earmuffs
- three adjustable air vents for maximum ventilation
- fitted with the sweatband 9760005
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort
- pre-fitted four-point forked chin strap
- attachment clip (9790022) for positioning the forked chin strap in the resting position or as a holder for goggles
- products that are eligible according to BG-Bau (German employer's liability insurance association for the construction industry) are available on request

uvex pheos S-KR					
Art. no.	9772034	9772134	9772234	9772335	9772534
Colour	white	yellow	orange	red	blue
Version	with short brim				
Material	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm
Order unit	PC	PC	PC	PC	PC
Outer packaging	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT	25 PC per CT

MADE IN GERMANY



uvex pheos reflex set L

- safety helmet with highly reflective sticker set

- helmets are delivered with the stickers already applied



uvex pheos reflex set L
(select preferred helmet colour)

uvex pheos reflex set L					
Art. no.	Colour	Version	Art. no.	Colour	Version
9772026	white	uvex pheos B with reflective sticker	9772038	white	uvex pheos B-S-WR with reflective sticker
9772126	yellow	uvex pheos B with reflective sticker	9772137	yellow	uvex pheos B-S-WR with reflective sticker
9772226	orange	uvex pheos B with reflective sticker	9772239	orange	uvex pheos B-S-WR with reflective sticker
9772326	red	uvex pheos B with reflective sticker	9772334	red	uvex pheos B-S-WR with reflective sticker
9772526	blue	uvex pheos B with reflective sticker	9772537	blue	uvex pheos B-S-WR with reflective sticker
9772926	black	uvex pheos B with reflective sticker	9770026	white	uvex pheos E with reflective sticker
9772035	white	uvex pheos B-WR with reflective sticker	9770126	yellow	uvex pheos E with reflective sticker
9772135	yellow	uvex pheos B-WR with reflective sticker	9770036	white	uvex pheos E-WR with reflective sticker
9772236	orange	uvex pheos B-WR with reflective sticker	9770136	yellow	uvex pheos E-WR with reflective sticker
9772437	green	uvex pheos B-WR with reflective sticker	9770536	blue	uvex pheos E-WR with reflective sticker
9772538	blue	uvex pheos B-WR with reflective sticker			
9772936	black	uvex pheos B-WR with reflective sticker			
Order quantity multiples/		25 PC			
Order unit					

► Please contact our service
hotline free of charge on
+49 911 9736-0.

Safety Helmets

Accessories



9790065
with safety helmet
(helmet not included)



9790075
with safety helmet
(helmet not included)



9790076
with safety helmet
(helmet not included)



9790068



9790066



9790086
with safety helmet
(helmet not included)



9790086

uvex winter cap

- winter cap for use in all uvex helmets
- windproof and waterproof outer material
- all-around reflective strip
- side mesh to increase the wearer's attention to environmental influences (ear area)
- warming fleece lining

uvex balaclava

- uvex balaclava is the ideal addition to the winter cap – with continuous size adjustment through hinged Velcro fastening

uvex neck protection

- uvex neck protection for protection against rain, dust, splinters and solar radiation
- for use with all uvex helmets
- fitted with mount 9790022 to attach the neck protection in the uvex pheos helmet shell

uvex cooling neck protection

- with unique cooling function – up to 8 hours cooling effect, protection from sunlight

	uvex winter cap		uvex balaclava	uvex neck protection		uvex cooling neck protection
Art. no.	9790065	9790068	9790066	9790075	9790076	9790086
Version	100% polyester	100% polyester	100% polyester	100% polyester	100% polyester	100% polyester
Colour	hi-viz yellow	hi-viz orange	black	orange	yellow	yellow
Sizes	unisize	unisize	unisize	unisize	unisize	unisize
Order unit	PC	PC	PC	PC	PC	PC



9790006



9790010



9790015



9790016



9790012

Hygienic caps · Winter caps

	Hygienic cap	Winter caps			
Art. no.	9790006	9790010	9790015	9790016	9790012
Version	100% fleece	50% cotton	50% cotton	60% polyester, 30% wool	60% polyester, 30% wool
		50% wool	50% virgin wool	8% nylon, 2% elastane	8% nylon, 2% elastane
Colour	white	navy blue	black	black	navy blue
Sizes	unisize	unisize	S to M	L to XL	unisize
Order unit	80 PC	PC	PC	PC	PC

Safety Helmets

Accessories



9790000



9790004



9772001



9760007



9760012



9760011



9760009



9760014




9760000



9760001



9760005



9790018



Accessories for uvex super boss and uvex thermo boss

	Suspension harness for uvex super boss and uvex thermo boss	Sweatband for uvex super boss and uvex thermo boss
Art. no.	9790000	9790004
Version	Six-point textile attachment with sweatband	Artificial leather (leatherette)
Order unit	PC	10 PC

Accessories for uvex pheos IES

	Suspension harness for IES For uvex pheos (Not pheos E and pheos alpine)	Sweatband for pheos IES
Art. no.	9772001	9760007
Version	Six-point textile suspension with textile sweatband with uvex pheos glasses clip	textile/foam material
Order unit	PC	10 PC

Accessories for uvex pheos E-WR and uvex pheos alpine

	Suspension harness for uvex pheos E-WR	Suspension harness for uvex pheos alpine
Art. no.	9760012	9760011
Version	Six-point textile attachment with sweatband	Six-point textile attachment with sweatband
Order unit	PC	PC
	Sweatband for uvex pheos alpine and uvex pheos E-WR	Wheel ratchet padding
Art. no.	9760009	9760014
Version	PU, leather	polyester
Order unit	10 PC	10 PC

Accessories for uvex pheos and uvex airwing

	Conventional suspension harness for uvex pheos and uvex airwing	Suspension harness for uvex pheos and uvex airwing (not for uvex pheos E) with wheel ratchet
Art. no.	9760000	9760001
Version	Six-point textile attachment with sweatband	Six-point textile attachment with sweatband
Order unit	PC	PC
	Sweatband for uvex pheos, uvex airwing and uvex pheos alpine	
Art. no.	9760005	
Version	Artificial leather (leatherette) with sweatband	
Order unit	10 PC	

uvex pheos reflex set M

- highly reflective sticker set
- extremely high brightness with prism film
- easy to affix
- suitable for all uvex pheos and uvex pheos alpine safety helmets

uvex pheos reflex set M
Art. no. 9790018
Order unit PC

Safety Helmets

Accessories

Accessories for uvex pheos, uvex pheos alpine, uvex airwing, uvex super boss and uvex thermo boss

	Leather chin straps for uvex pheos (not for pheos IES and pheos E), uvex pheos alpine, uvex airwing, uvex superboss and uvex thermo boss
Art. no.	9790005
Version	Robust leather design with plastic eyelets with metal rivets, Adjustable length
Order unit	PC

	Forked chin straps for uvex airwing	Leather chin strap for uvex pheos (not uvex pheos alpine)
Art. no.	9790007	9790035
Version	textile band with push-buttonquick-action fastener plastic eyelets and chin pad, length can be adjusted	Robust leather design with plastic eyelets with metal rivets, length can be adjusted
Order unit	PC	PC

	Forked chin straps for uvex pheos and uvex pheos E (not for uvex pheos alpine)
Art. no.	9790021
Version	Textile strap with quick-release push-button fastening, plastic hooks and chin pad, adjustable length
Order unit	PC

	IES mount with sliding element for uvex pheos IES System	Penholder for uvex pheos and uvex pheos E
Art. no.	9772002	9790023
Version	plastic	plastic
Order unit	PC	PC

	Goggles clip for uvex pheos/ chin strap clip for uvex pheos alpine
Art. no.	9790022
Version	Plastic clip for fixing the goggles band or the chin strap on the helmet
Order unit	PC

	uvex spiderneck neck support
Art. no.	9790149
Version	Kunststoffclip zur Fixierung des Vollsichtbrillenbandes bzw. des Kinnriemens am Helm for use with the uvex pheos alpine increases neck increases neck support, improves comfort, improved weight distribution across the helmet easy installation: is threaded over the wheel rachet
Order unit	PC

	Business card holder
Art. no.	9790166
Content	10 holders + 20 PVC cards
Order quantity multiples	10 PC

	uvex helmet bag for storing and transporting the uvex safety helmet	Helmet slot sealing plug set
Art. no.	9790071	9790077
Version	polyester	plastic
Order unit	PC	PC

uvex pheos helmet sticker

- ideal for identifying different trades
- durable and weather-resistant high-performance PVC film

uvex pheos helmet sticker							
Art. no.	9790150	9790151	9790152	9790153	9790154	9790155	9790156
Colour	silver	yellow	orange	red	green	blue	black
Material	PVC film	PVC film	PVC film	PVC film	PVC film	PVC film	PVC film
Order unit	PC	PC	PC	PC	PC	PC	PC



9790077



9790153



Safety Helmets

Accessories: Head torchs

- All uvex LED head torches fit into the front slot of the uvex pheos, uvex pheos alpine.

9790062
9790063



uvex head torch pheos Lights · pheos Lights EX

- LED helmet torch with two separate reflectors for distance and area lighting
- compact design, very low weight (80 g), extremely robust
- power source: 1.7 Ah-Li-Ion battery
- illuminance: max. 6500 lux
- operating temperature: -20 °C to + 60 °C
- charge adapter and micro-USB charger included
- protection class IP 67 (dust-tight and waterproof)
- 9790063: ATEX certification II 2G Ex ib IIC T4

Press switch	Modes	Lumen	Range	Light duration
Area light	low	55	5 m	11 h
	high	115	10 m	5.5 h
Distance light	low	55	50 m	11 h
	high	115	100 m	5.5 h

9790029



KS-6002-DUO

- LED helmet torch with two separate precision lenses for distance and area lighting
- compact design
- Beam can be infinitely adjusted to suit the area to be lit
- power source: lithium-Ion battery, 3.7 V, 1.7 Ah
- illuminance: max. 8500 lux
- operating temperature: -20°C to +60°C
- protection class: IP 67 (dust-tight and water-proof)
- charger included
- charging time: approx. 5 hours

Press switch	Modes	Lumen	Range	Light duration
Area light	normal	80	5 m	11 h
	strong	200	10 m	4 h
Distance light	normal	80	80 m	11 h
	strong	160	180 m	5.5 h

9790064



LED head torch u-cap sport · uvex pheos helmet adapter

- LED head torch with two separate reflectors for distance and area lighting
- sturdy design, with very low weight (55 g without batteries)
- power source: 3 x AAA batteries (not included)
- illuminance: approx. 4000 lux
- operating temperature: -20 °C to +45 °C
- protection class IP 66 (complete protection against dust and powerful water jets)
- Adapter for the LED head torch u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets

Press switch for 1 s	Modes	Lumen	Range	Light duration
Area light	high	30	7 m	80 h
	low	10	3 m	150 h
Distance light	medium	40	80 m	70 h
	high	100	110 m	30 h
	low	5	10 m	150 h

Art. no.	LED head torch pheos Lights	LED head torch pheos Lights EX	LED head torch KS-6002-DUO	LED head torch uvex u-cap sport	uvex pheos helmet adapter
Version	9790062	9790063	9790029	9790064	9790069
	for uvex pheos helmets	for uvex pheos helmets – ATEX	for uvex pheos helmets	for uvex u-cap sport	for LED head torch uvex u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets
Order unit	PC	PC	PC	PC	PC

9790028



KS-7630-MCII

- compact design
- protection class IP 67 (dust-tight and waterproof)
- operating temperature -15°C to 50°C
- power source: lithium-ion battery
- charging time: approx. 9 hours
- >80% capacity after 500 charging cycles
- ATEX approval (Directive 2014/34/EU)

Mode	Lumen	Strength**	Range	Light duration
Emergency light	70 lm	≥ 3000 lx	80 m	≥ 30 h
Work light	180 lm	≥ 5500 lx	140 m	≥ 14 h
Strong light*	230 lm	≥ 10000 lx	190 m	≥ 6 h

Art. no.	KS-7630-MCII
Version	9790028
Order unit	for uvex pheos helmets
	PC

9790213



Suprabeam V3air rechargeable · Universal silicone strap for Suprabeam V3air rechargeable

- LED head torch with sliding focus for distance and area lighting
- can be dimmed between 180 and 8 lumens
- robust design with low weight (148 g); weight balanced by battery at the rear
- power source: 1.4-Ah LiPo battery
- luminous flux: up to max. 320 lumen
- light duration: max. 100 hours
- operating temperature: -20°C to +50°C

- IPX4 protection (protection against splashing water from all directions)
- highly adjustable angle: illuminates an area in the distance or directly in front of the wearer
- range up to 210 metres
- 9790214: for attachment to all uvex protective helmets
- 9790214: prevents lamp from slipping off helmet

Art. no.	Suprabeam V3air rechargeable	Universal silicone strap
Version	9790213	9790214
Order unit	with headband; suitable for all uvex helmets with article 9790214	for V3air rechargeable
	PC	PC

9790214





Visors and face protection

Visor lenses, certification and norms

The right solution for every requirement



Polycarbonate lenses with uvex supravision excellence coating

Polycarbonate has a high mechanical impact strength. Coated lenses are anti-fog on the inside, and scratch- and chemical-resistant on the outside. The anti-fogging properties are permanent even after repeated cleaning. The lenses are especially easy to clean and less susceptible to dirt due to the non-stick nanotechnology.



Cellulose acetate lenses

Face protection visors made of cellulose acetate are ideally suited for protection against chemicals.



Stainless steel mesh

is robust and has excellent stability and long life. Stainless steel mesh visors offer a higher light transmission than nylon mesh visors and are used for more rugged work in agriculture and forestry.


Standards at a glance

EN 166 – Personal eye protection


The European standard EN166 applies to all types of eye protection. EN 166 visors are made of frames and lenses.

Certification according to DIN EN 166

Marking
on frame



Marking
on lenses



A detailed description of frame and lens markings can be found on page 25.

Labelling and norms

EN 170 – Ultraviolet protection filters

In the standards for special product requirements, the standard EN 170 sets out levels of protection and transmission requirements for ultraviolet protection filters. Excessive exposure to ultraviolet light can cause the lens of the eye to lose its transparency, which may cause

visual impairment or loss of vision. Visor lenses in accordance with EN 170 therefore meet performance requirements to protect the eye from ultraviolet radiation during hazardous work.

EN 1731 – Mesh face protection

The European standard EN 1731 describes all requirements for personal eye and face protection made of mesh material. EN 1731 visors consist of frames and lenses.

Technical information on the frame and the lens are specified according to EN 1731 in the following order:

- Identification of the manufacturer
- Number of European standard
- Symbol for mechanical strength


Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45m/s)
B	medium energy impact (120m/s)
A	high energy impact (190m/s)
T	tested at extreme temperatures (-5°C and +55°C)

GS-ET 29

When working on energised electrical systems and equipment, the risk of a short circuit electric arc must be assessed. Short circuit electric arcs are usually caused by a short circuit between the electrical lines. The GS-ET 29 test principle is an additional requirement for the testing and certification of electrician face protection. These visors are a category 3 product, which means there is a risk of physical injury and

death. With regards to different intensities of short circuit electric arcs, the certified products must be assessed for their suitability for the respective application. Here, there are distinctions between two classes, Class 1 – up to 4 kA – and Class 2, up to 7 kA.

Certification according to GS-ET 29



Previously



According to 7 kA short circuit electric arc

*It is obligatory to use an additional illumination, to reach a minimum illuminance of 30 lux behind the faceshield.

Visors and face protection

uvex pheos visor system

uvex pheos visor

- polycarbonate visors with uvex supravision excellence coating technology
- visor is anti-fog on the inside and exceptionally scratch- and chemical-resistant on the outside. The anti-fogging properties are permanent, even after repeated cleaning
- easy to clean thanks to non-stick nanotechnology
- available with two mounting options: mechanical levers or automatic magnetic locks


- visors 9906002, 9906003 and 9906009 can be combined with the industrial protection helmets:
 - uvex pheos B-S-WR
 - Helmet for working at height uvex pheos alpine (visor adapter art. no. 9790067 required)
- visors uvex pheos SLB 1 (9906005 and 9906006) and uvex pheos SLB 2 (9906007 and 9906008) can be combined with the uvex pheos E-S-WR industrial safety helmet

- lenses can be changed
- fulfils standards EN 166 and EN 170
- certified for areas of application 3 (liquids) and 9 (molten metal and hot solids)
- uvex pheos SLB 1 visors are certified in accordance with GS-ET 29 as Class 1 visors for protection from electrical arcs (4kA)
- uvex pheos SLB 2 visors are certified in accordance with GS-ET 29 as Class 2 visors for protection from electrical arcs (7kA)
- you can find the combination options on the next page (page 138)

Perfect 'resting position' for the visor and hearing protection

The visor can be locked above the helmet shell when not required and the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced over the body's centre of gravity. This

means the neck muscles are not placed under strain by any unnecessary weight, ensuring excellent wearer comfort and maximum freedom of movement.



Reliable face protection

The anti-fog and scratch-resistant visor is made of high-quality polycarbonate that meets the highest optical quality class. The visor fits the helmet seamlessly, leaving no gaps.

The injection-moulded transparent peak provides protection against any particles penetrating the inside of the visor.



Magnetic and mechanical locking system

All visors are pre-assembled with a helmet adapter. This is clicked into the side helmet slot and remains permanently attached there.

With the magnetic locking system, the attachment parts, visor and earmuffs can be removed easily at any time without having to remove the helmet. The visor is released with a click of the lateral locking system. When re-assembled, the parts automatically snap back

into place. This allows the helmet to remain comfortably on your head.

If the product is equipped with a mechanical locking system, the earmuffs can be removed at any time via a bayonet connection. The mechanical visor remains permanently attached to the helmet.



Magnetic
locking system for visors and earmuffs with a magnetic connection



Mechanical
locking system for visors and earmuffs with a bayonet connection



Visors and face protection

uvex pheos visor system



9906002
9906005



9906007



9906003
9906006



9906008



9906009



	uvex pheos	uvex pheos SLB 1	uvex pheos SLB 2
Art. no.	9906002	9906005	9906007
Version	uvex supravision excellence with mechanical levers and bayonet connection for hearing protection	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with mechanical levers and bayonet connection for hearing protection	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with mechanical levers and chin protection and bayonet connection for hearing protection
Standard Frame	EN 166, EN 170 black	EN 166, EN 170 black	EN 166, EN 170 black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400	W 166 3 8-2 9 B CE 0196 PC clear UV 400	W 166 3 8-2 9 B CE 0196 PC blue UV 400
Order unit	2C-12 W 1 B 9 KN CE 0196	2C-12 W 1 B 8-1-0 9 KN CE 0196	2C-12 W 1 B 8-2-0 9 KN CE 0196
Outer packaging	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags
Replacement lens	24 PC per CT	24 PC per CT	14 PC per CT
	9906013, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags

	uvex pheos magnetic	uvex pheos SLB 1 magnetic	uvex pheos SLB 2 magnetic	uvex pheos magnetic with chin guard
Art. no.	9906003	9906006	9906008	9906009
Version	uvex supravision excellence with magnetic levers	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with magnetic levers	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with magnetic levers and chin protection	uvex supravision excellence with small chin guard and magnetic lever arms
Standard Frame	EN 166, EN 170 black	EN 166, EN 170 black	EN 166, EN 170 black	EN 166, EN 170 black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400	W 166 3 8-2 9 B CE 0196 PC clear UV 400	W 166 3 8-2 9 B CE 0196 PC blue UV 400	W 166 3 9 8-2 B CE 0196 PC clear UV 400
Order unit	2C-12 W 1 B 9 KN CE 0196	2C-12 W 1 B 8-1-0 9 KN CE 0196	2C-12 W 1 B 8-2-0 9 KN CE 0196	2C - 1,2 W 1 B 9 KN CE
Outer packaging	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags
Replacement lens	20 PC per CT	20 PC per CT	14 PC per CT	20 PC per CT
	9906013, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags	9906014, individually packed in polythene bags

Visors and face protection

Combination options and accessories

Combination options uvex pheos visors

	Art. no.	Visor frame	Visor	Protection	Suitable helmets	Earmuffs
	9906002	mechanical	polycarbonate, clear	against mechanical influences (e.g. sparks, splinters)	all uvex pheos helmets with short brim uvex pheos alpine (with visor adapter 9790067)	2600214 
	9906003	magnetic	polycarbonate, clear			2600215 
	9906009	magnetic	polycarbonate, clear with chin guard			
	9906005	mechanical	polycarbonate, clear with UV absorber	against electrical arcs up to 4 kA (kiloamperes)	uvex pheos E-S-WR	2600214
	9906006	magnetic	polycarbonate, clear with UV absorber			2600215
	9906007	mechanical	polycarbonate, blue with UV absorber and chin section	against electrical arcs up to 7 kA (kiloamperes)	uvex pheos E-S-WR	2600214
	9906008	magnetic	polycarbonate, blue with UV absorber and chin section			2600215



uvex pheos visor system accessories

	Visor adapter
Art. no.	9790067
Version	for combining with the helmet for working at height uvex pheos alpine for inserting on the inside of the visor's face cover (visor not included)
Order unit	PC, individually packed in polythene bags

	Helmet adapter
Art. no.	9790078
Version	helmet adapter for use with uvex pheos K2P magnet earmuffs (2600215) without visor, is only required if no visor is used
Order unit	PR, individually packed in polythene bags

	Sunglare filter/rain cover
Art. no.	9790074
Version	to protect against sun and rain, for insertion on the inside of the face cover of the visor, cannot be combined with the visors uvex pheos SLB 1 and uvex pheos SLB 2
Order unit	PC, individually packed in polythene bags

	Microfibre case
Art. no.	9954362
Version	cloth bag to store and transport uvex visors and uvex helmets, black
Order unit	PC, loose

Visors and face protection

9790 · 9725 · 9726 · Forestry worker visor



uvex 9790

- robust polycarbonate visor for uvex industrial safety helmets and uvex helmet earmuffs 3200H, K1H and K2H
- for use during electrical work, a suitable electrician's helmet and dielectric helmet earmuffs must be used
- visor lens, helmet bracket and adapter must be ordered as individual parts
- additional adapters (art. no. 9924010) are required for the helmet and visor combination (without helmet earmuffs)

► helmet, helmet bracket and earmuffs are not included.

Lens	
Art. no.	9790048
Version	uncoated
	Short circuit electric arc classification Class 1
	Fixed on helmet bracket 9790047
Standard	EN 166, EN 170, GS-ET 29
Lens	PC clear, UV 400
	2C-1,2 W 1 B 8-1-0 9 CE 0196
Order unit	PC, individually packed in polythene bags
Outer packaging	100 PC per CT

	Helmet bracket	Adapter
Art. no.	9790047	9924010
Version	Helmet bracket for visor 9790 (9790048)	Adapter for attaching without earmuffs
Frame	black	
	W 166 3 8-1 9 B CE 0196	
Order unit	PC, individually packed in polythene bags	PR, individually packed in polythene bags
Outer packaging	90 PC per CT	500 PR per CT

9725514
9726014



uvex 9725 · uvex 9726

- polycarbonate and cellulose acetate visors with adapters for attaching on the side helmet slots
- easy to change lenses
- not combinable with earmuffs
- suitable for helmets uvex airwing and uvex superboss

► Helmet not included!

	9725	9726
Art. no.	9725514	9726014
Replacement lens	9050517	9723017
Version	anti-fog on the inside	uncoated
	Material thickness: 1 mm	Material thickness: 1 mm
Standard	EN 166, EN 170	EN 166, EN 170
Frame	black	black
	W 166 3-F CE	W 166 3-B CE
Lens	CA clear, UV 380	PC clear, UV 400
	2C-1,2 W 1 FN CE	2C-1,2 W 1 B CE
Order unit	PC, individually packed in polythene bags	
Outer packaging	20 PC per CT	20 PC per CT

uvex pheos forestry worker visor

- metal mesh visor for forestry work
- suitable for helmet uvex pheos ABS
- lens certification: W EN 1731:2006-F

Further information can be found on page 125.

uvex pheos faceguard

Face protection system

This innovative face protection system consists of a height- and width-adjustable head strap and a choice of two different visor lenses. The high-quality polycarbonate visor features uvex coating technology to ensure that the wearer's field of vision remains fog-free for a long period of time and that the outside of the visor is scratch-resistant. The mesh visor is made of robust stainless steel and provides reliable protection when working outdoors. The earmuffs can be attached and removed quickly using a rotating mechanism. The system can be expanded with a wide range of accessories and adapted to suit the application.

The uvex multi-system in detail



The benefits of the uvex pheos faceguard at a glance:

- fully pre-assembled face protection system — ready to use at any time
- wide field of vision with the highest optical quality
- robust polycarbonate visor with anti-fog and scratch-resistant uvex supervision excellence coating or stainless steel mesh visor
- low weight and balanced centre of gravity to relieve the spine
- expandable system with high modularity
- unique combination: visor and bump cap
- replaceable individual parts
- comfortable fit even with glasses and respirators



Further information can be found at uvex-safety.com/en/pheosfaceguard (or scan the QR code).

uvex pheos faceguard

Face protection system

Designed to protect the face and neck

The uvex pheos faceguard has been ergonomically designed. The face protection system has been designed to evenly distribute the weight across the body's centre of gravity. The low weight and ergonomic centre of gravity supports a natural head posture, minimising strain on the neck and back. The narrow design and wide field of vision help to support the natural posture of the head and neck.



9790211



9790212



9790215

Art. no.	uvex pheos faceguard 9790211	uvex pheos faceguard with hearing protection 9790212	uvex pheos faceguard mesh visor with hearing protection 9790215
Version	Pre-assembled system for head sizes 52–64 cm, Polycarbonate lens, uvex supravision excellence coating, Without hearing protection	Pre-assembled system for head sizes 52–64 cm, Polycarbonate lens, uvex supravision excellence coating, With earmuffs K1P (SNR: 28 dB), further information can be found on page 107	Pre-assembled system for head sizes 52–64 cm stainless steel mesh visor with high light transmission with hearing protectors K1P (SNR: 28 dB), further information can be found on page 107
Standard	EN 166, EN 170	EN 166, EN 170, EN 352	EN 1731
Frame	W 166 39B CE	W 166 39B CE	W EN 1731:2006 F CE
Lens	PC, clear, UV 400 2C-1.2 W 1 B 9 KN CE 0196	PC, clear, UV 400 2C-1.2 W 1 B 9 KN CE 0196	Stainless steel mesh visor, light transmission > 60% W EN 1731:2006 F CE
Order unit	PC, individually packed in CT	PC, individually packed in CT	PC, individually packed in CT

Accessories



9760107



9760108



9906013



9790074



2600216



9790159



9790160



9790170

Art. no.	replacement suspension harness 9760107	replacement sweatband 9760108	replacement lens visor 9906013	sun protection 9790074	hearing protection earplugs K1P 2600216	uvex pheos faceguard bump cap 9790159	Replacement lens 9790160	Sun/Neck protection 9790170
Version	Plastic suspension harness for head sizes 52–64 cm	Textile	Polycarbonate lens uvex supravision excellence coating	Protects against sun and rain is inserted on the visor	Earmuffs for uvex pheos faceguard SNR 28 dB	Bump cap for the uvex pheos faceguard system, hard shell ABS, black, 52–64 cm EN 812	stainless steel mesh visor for uvex pheos faceguard	Textile with cooling function to protect against sunlight
Order unit	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PR, in pairs in CT	PC, individually packed in polythene bags	PC, individually packed in polythene bags	PC, individually packed in polythene bags

Safety Helmets

uvex Visors · safety Goggles



9705014



9706514



9707014



9708514

uvex 9705 · uvex 9706

- cellulose acetate visor with integrated forehead cover
- easy to change lenses
- cannot be combined with safety helmets
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

uvex 9707 · uvex 9708

- cellulose acetate visor with integrated fore-head cover and additional protective cap made from impact-resistant polystyrene
- easy to change lenses
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

	visor 9705	visor 9706	visor 9707	visor 9708
Art. no.	9705014	9706514	9707014	9708514
Version	uncoated	anti-fog on the inside	uncoated	anti-fog on the inside
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black	black	black	black
	W166 3-F DIN CE 0196	W166 3-F DIN CE 0196	W166 3 F DIN CE 0196	W166 3 F DIN CE 0196
Lens	CA clear, UV 380	CA clear, UV 380	CA clear, UV 380	CA clear, UV 380
	W 1 F DIN CE	W 1 FN DIN CE	W 1 F DIN CE	W 1 F DIN CE
Order unit	PC, individually packed in polythene bags			
Outer packaging	15 PC per CT	15 PC per CT	10 PC per CT	10 PC per CT
Replacement lens	9060017	9050517	9060017	9050517

Accessories

uvex pheos

	uvex pheos B	uvex pheos B-WR	uvex pheos B-S-WR	uvex pheos E	uvex pheos E-WR	uvex pheos E-S-WR	uvex pheos IES	uvex pheos S-KR	uvex pheos S-KR MIPS	uvex pheos alpine	uvex pronamic alpine	uvex pronamic alpine MIPS	uvex perflexion
9760000 Conventional suspension harness	■	■	■	■	■	■	■	■	■	-	-	-	-
9760001 Suspension harness with rotating size adjusters	■	■	■	-	-	-	■	■	■	-	-	-	-
9760011 Suspension harness for pheos alpine	-	-	-	-	-	-	-	-	-	■	-	-	-
9760012 Suspension harness for uvex pheos E-WR	■	■	■	■	■	■	■	■	■	-	-	-	-
9772001 Suspension harness IES	■	■	■	-	-	-	■	■	-	-	-	-	-
9760009 Sweatband uvex pheos alpine and uvex pheos E-WR	■	■	■	■	■	■	■	■	-	■	-	-	-
9760007 Sweatband IES	-	-	-	-	-	-	■	-	-	-	-	-	-
9760005 Sweatband, synthetic leather	■	■	■	■	■	■	-	■	-	-	-	-	-
9760260 Sweatband pheos S-KR MIPS	■	■	■	■	■	■	-	■	■	-	-	-	-
9790350 Hygiene kit pronamic alpine	-	-	-	-	-	-	-	-	-	-	■	-	-
9790352 MIPS hygiene kit pronamic alpine	-	-	-	-	-	-	-	-	-	-	-	■	-
9790109 Hygiene kit perflexion	-	-	-	-	-	-	-	-	-	-	-	-	■
9790035 Leather chin straps IES	■	■	■	-	-	-	■	■	-	-	■	■	-
9790005 Leather chin straps	■	■	■	-	-	-	-	■	-	■	-	-	-
9790021 Forked chin straps	■	■	■	■	■	■	■	■	■	-	■	■	-
9790351 Forked chin strap EN 12492 pronamic alpine	-	-	-	-	-	-	-	-	-	-	■	■	-
9790023 Pen holder	■	■	■	■	■	■	■	■	■	-	-	-	-
9772002 Mount	-	-	-	-	-	-	■	-	-	-	-	-	-
9790022 Goggles clip, chin strap clip	■	■	■	■	■	■	■	■	■	■	■	■	-
9790065 Winter cap, hi-viz yellow	■	■	■	■	■	■	■	■	■	■	-	-	-
9790066 Balaclava	■	■	■	■	■	■	■	■	■	■	■	■	-
9790068 Winter cap, hi-viz orange	■	■	■	■	■	■	■	■	■	■	-	-	-
9790075 Neck protection, orange	■	■	■	■	■	■	■	■	■	■	■	■	-
9790076 Neck protection, yellow	■	■	■	■	■	■	■	■	■	■	■	■	-
9790086 uvex cooling neck protection	■	■	■	■	■	■	■	■	■	■	■	■	-
9790166 Business card holder	■	■	■	■	■	■	■	■	■	■	■	■	-
9790018 uvex pheos reflex set M	■	■	■	■	■	■	■	■	■	■	-	-	-
9790151-9790156 uvex pheos helmet sticker	■	■	■	■	■	■	■	■	■	-	-	-	-
9906002 uvex pheos visor	-	-	■	-	-	■	-	■	■	■	-	-	-
9906003 uvex pheos visor SLB1	-	-	-	-	-	■	-	-	-	-	-	-	-
9906006 uvex pheos visor SLB2	-	-	-	-	-	■	-	-	-	-	-	-	-
9906007 uvex K1H/ uvex K2H	■	■	■	-	-	-	■	■	■	■	■	■	■
2600201 uvex K10H/ uvex K20H/ uvex K30H	■	■	■	■	■	■	■	■	■	■	■	■	■
2600202 uvex K1P/ uvex K2P	■	■	■	■	■	■	■	■	■	■	-	-	-
2600214 uvex K1H/ uvex K2H	■	■	■	■	■	■	■	■	■	■	-	-	-
2600215 uvex K1P/ uvex K2P	■	■	■	■	■	■	■	■	■	■	-	-	-
2600216 uvex K1H/ uvex K2H	■	■	■	■	■	■	■	■	■	■	-	-	-
9790078 Helmet adapter magnet	■	■	■	■	■	■	■	■	■	■	-	-	-
9790062 LED head torch pheos Lights	■	■	■	-	-	-	■	■	■	■	■	■	-
9790063 LED head torch pheos Lights EX	■	■	■	-	-	-	■	■	■	■	■	■	-
9790028 LED head torch KS-7630MCII	■	■	■	-	-	-	■	■	■	■	■	■	-
9790029 LED head torch KS-6001 DUO	■	■	■	-	-	-	■	■	■	■	■	■	■
9790064 LED head torch u-cap sport	■	■	■	■	■	■	■	■	■	■	■	■	■
9790069 uvex pheos helmet adapter	■	■	■	■	■	■	■	■	■	■	■	■	■

■ supplied as standard

■ compatible

- not compatible

Accessories

uvex airwing · uvex super boss · uvex thermo boss

		uvex airwing B	uvex airwing B-WR	uvex airwing B-S	uvex airwing B-S-WR	uvex super boss	uvex thermo boss
9760000	Conventional suspension harness	■	■	■	■	-	-
9760001	Suspension harness with rotating size adjusters	■	■	■	■	-	-
9790000	Suspension harness for uvex super boss / uvex thermo boss	-	-	-	-	■	■
9760005	Sweatband	■	■	■	■	-	-
9790004	Sweatband for uvex super boss / uvex thermo boss	-	-	-	-	■	■
9790005	Leather chin straps	■	■	■	■	■	■
9790007	Forked chin straps	■	■	■	■	■	■
9790065	Winter cap, yellow	■	■	■	■	■	■
9790066	Balaclava	■	■	■	■	■	■
9790068	Winter cap, orange	■	■	■	■	■	■
9790075	Neck protection, orange	■	■	■	■	■	■
9790076	Neck protection, yellow	■	■	■	■	■	■
9790086	uvex cooling neck protection	■	■	■	■	■	■
9790047	Helmet bracket uvex 9790	■	■	■	■	-	-
9790048	Visor lens, PC	■	■	■	■	-	-
2600201 2600202	uvex K1H/ uvex K2H	■	■	■	■	■	■
2630210 2630220 2630230	uvex K10H/ uvex K20H/ uvex K30H	■	■	■	■	■	■

■ supplied as standard
■ compatible
- not compatible





Safety helmets to match your corporate identity

Individual safety helmets

uvex gives you the option to customise all uvex helmets and bump caps so that your employees' equipment matches your corporate identity specifications.

Please contact the uvex service centre with your requests at any time.

Tel. +49 911 9736-0 • Email: Individualisierung@uvex.de



Customisation on the helmet	uvex pheos, uvex airwing, uvex superboss, uvex thermoboss	uvex pheos alpine
Special colour	from 300 units with supplemental charge from 600 units no additional cost	from 600 units no additional cost
new variant:		
– existing colour as a variant, electrician or chemist	from 300 units	
– existing colour with shortened brim	from 100 units	
– existing helmet, other interior, with chin strap	from 25 units	
Finish: Printed, sticker, reflex set	from 25 units reorder quantity: 25 units	

Customisation of bump caps	
Special colour	from 1,000 units
new variant:	
– with existing colour	from 600 units
Finish: Embroidered, printed	from 25 units

- Please note the following conditions:
- minimum order value 25 caps
- reorder quantity: 25 units
- number of colours to be embroidered: up to 14
- textile cap in special colour: from 1000 units
- vector file (.eps, .ai) and image file (.jpg, .pdf) required as template


How individual can you be?

We will be happy to advise you on the technical options for customising our safety helmets.

uvex u-cap sport

Guaranteed head protection with a sporty design

Reliable protection that looks good: uvex u-cap sport is an innovative baseball bump cap in accordance with Norm EN 812. The ergonomically shaped hard shell with integrated shock-absorbing elements ensures safety and optimal comfort. To give your team a uniform appearance, this model is also available as a standard baseball cap for employees working in environments where head protection is not compulsory.



Integrated shock-absorbing elements with honeycomb structure

The specially developed honeycomb structure of the cap with integrated shock-absorbing elements ensures complete protection in accordance with EN 812.



Armadillo design gives flexibility

The armadillo design of the uvex u-cap sport provides additional flexibility and ergonomically adapts to different head shapes and sizes. The extended cut-out near the ear makes it easier to wear earmuffs.



Continuously adjustable

The uvex u-cap sport can be quickly and easily fitted to the head using the adjustable velcro fastening.



Magnetic head torch

- Simple to use: magnetic fixing enables easy attachment and removal from u-cap sport
- The beam can be directed in multiple directions through a moving joint, ensuring optimal illumination
- Switch between various beam types

uvex u-cap sport

A wide range for many applications



uvex u-cap sport

uvex u-cap sport						
Art. no.	9794409	9794403	9794404	9794442	9794422	9794424
Version	with short brim (4 cm), hard case made of ABS, textile cap made of cotton			with short brim (4 cm) and mesh webbing suspension harness, hard case made of ABS, textile cap made of cotton		
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	black	black	black	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT
Art. no.	9794400	9794401	9794402	9794443	9794423	9794425
Version	with long brim (7 cm), hard case made of ABS, textile cap made of cotton			with long brim (7 cm) and mesh webbing suspension harness, hard case made of ABS, textile cap made of cotton		
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	black	black	black	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT

uvex u-cap sport suspension harness

uvex u-cap sport suspension harness	
Art. no.	9794415
Version	soft, comfortable mesh webbing suspension harness increased wearer comfort in uvex u-cap sport bump caps
Standard	EN 812
Colour	black
Sizes	unisize
Order unit	PC
Outer packaging	60 PC per CT

Baseball cap

Baseball cap		
Art. no.	9794110	9794111
Version	with long brim (7 cm) without hard shell element	with short brim (4 cm) without hard shell element
Colour	black	black
Sizes	55 to 63 cm	55 to 63 cm
Order unit	PC	PC
Outer packaging	60 PC per CT	60 PC per CT

uvex u-cap

uvex u-cap sport · uvex u-cap sport vent · uvex u-cap sport hi-viz



9794407
9794408



9794430
9794420
9794421



9794480
9794481
9794482



9794490
9794491
9794492



LED lamp uvex u-cap sport,
suitable for all u-cap sport
variants available on page 132.

uvex u-cap sport

uvex u-cap sport		
Art. no.	9794407	9794408
Version	with long brim (7 cm), hard case made of ABS, textile cap made of cotton	
Standard	EN 812	EN 812
Colour	navy blue	navy blue
Sizes	55 to 59 cm	60 to 63 cm
Order unit	PC	PC
Outer packaging	60 PC per CT	60 PC per CT

uvex u-cap sport vent

uvex u-cap sport vent			
Art. no.	9794430	9794420	9794421
Version	with short brim (4 cm), hard case made of ABS, textile cap made of cotton and mesh fibre		
Standard	EN 812	EN 812	EN 812
Colour	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT

Art. no.	9794444	9794416	9794417
Version	with short brim (4 cm) and mesh webbing and mesh webbing interior, ABS hard shell, textile cap made of cotton and mesh fibre		
Standard	EN 812	EN 812	EN 812
Colour	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT

uvex u-cap sport hi-viz

uvex u-cap sport hi-viz						
Art. no.	9794482	9794480	9794481	9794492	9794490	9794491
Version	with short brim (4 cm), ABS hard shell, textile cap made of cotton in fluorescent colours, according to requirements with EN 471 – increased visibility and security for the user					
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	hi-viz yellow	hi-viz yellow	hi-viz yellow	hi-viz orange	hi-viz orange	hi-viz orange
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Order unit	PC	PC	PC	PC	PC	PC
Outer packaging	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT	60 PC per CT

Safety Helmets

Overview

Art. no.	Name	Description	Colour	Page
9050517	Accessories	Replacement lens, CA, non-fogging	clear	139/142
9060017	Accessories	Replacement lens, CA	clear	142
9705014	Accessories	Cellulose acetate protective visor	clear	142
9706514	Accessories	Antifog cellulose acetate protective visor, clear	clear	142
9707014	Accessories	Cellulose acetate protective visor	clear	142
9708514	Accessories	Antifog cellulose acetate protective visor, clear	clear	142
9720040	uvex perfixion	Safety helmet	white	121
9720050	uvex perfixion	Safety helmet	white	121
9720940	uvex perfixion	Safety helmet	black	121
9720950	uvex perfixion	Safety helmet	black	121
9723017	Accessories	Replacement lens, PC	clear	139
9725514	Accessories	Antifog cellulose acetate visor	clear	139
9726014	Accessories	Polycarbonate visor	clear	139
9735030	uvex pronamic alpine	Safety helmet	white	115
9735031	uvex pronamic alpine	Safety helmet	white	115
9735130	uvex pronamic alpine	Safety helmet	hi-viz yellow	115
9735131	uvex pronamic alpine	Safety helmet	hi-viz yellow	115
9735230	uvex pronamic alpine	Safety helmet	hi-viz orange	115
9735231	uvex pronamic alpine	Safety helmet	hi-viz orange	115
9750020	uvex super boss	Safety helmet	white	122
9750120	uvex super boss	Safety helmet	yellow	122
9750520	uvex super boss	Safety helmet	blue	122
9754000	uvex thermo boss	Safety helmet	white	123
9754100	uvex thermo boss	Safety helmet	yellow	123
9754300	uvex thermo boss	Safety helmet	red	123
9760000	Accessories	Conventional suspension harness		130
9760001	Accessories	Suspension harness with rotating size adjusters		130
9760005	Accessories	Sweatband, synthetic leather		130
9760007	Accessories	Sweatband, textile/foam material		130
9760009	Accessories	Sweatband pheos alpine and pheos E-WR		130
9760011	Accessories	Suspension harness		130
9760012	Accessories	Suspension harness		130
9760014	Accessories	Wheel ratchet padding		130
9760106	Accessories	Replacement suspension harness pheos ABS		125
9760107	Accessories	Suspension harness pheos faceguard		141
9760108	Accessories	Sweatband for suspension harness		141
9762020	uvex airwing B	Safety helmet	white	122
9762021	uvex airwing B-S	Safety helmet	white	123
9762030	uvex airwing B-WR	Safety helmet	white	122
9762031	uvex airwing B-S-WR	Safety helmet	white	123
9762120	uvex airwing B	Safety helmet	yellow	122
9762121	uvex airwing B-S	Safety helmet	yellow	123
9762130	uvex airwing B-WR	Safety helmet	yellow	122
9762131	uvex airwing B-S-WR	Safety helmet	yellow	123
9762220	uvex airwing B	Safety helmet	orange	122
9762221	uvex airwing B-S	Safety helmet	orange	123
9762230	uvex airwing B-WR	Safety helmet	orange	122
9762231	uvex airwing B-S-WR	Safety helmet	orange	123
9762320	uvex airwing B	Safety helmet	red	122
9762321	uvex airwing B-S	Safety helmet	red	123
9762330	uvex airwing B-WR	Safety helmet	red	122
9762331	uvex airwing B-S-WR	Safety helmet	red	123
9762420	uvex airwing B	Safety helmet	green	122
9762421	uvex airwing B-S	Safety helmet	green	123
9762430	uvex airwing B-WR	Safety helmet	green	122
9762431	uvex airwing B-S-WR	Safety helmet	green	123
9762520	uvex airwing B	Safety helmet	blue	122
9762521	uvex airwing B-S	Safety helmet	blue	123
9762530	uvex airwing B-WR	Safety helmet	blue	122
9762531	uvex airwing B-S-WR	Safety helmet	blue	123
9762920	uvex airwing B	Safety helmet	black	122
9770020	uvex pheos E	Safety helmet	white	127
9770026	uvex pheos E	Safety helmet with reflective sticker	white	128
9770030	uvex pheos E-WR	Safety helmet	white	127
9770031	uvex pheos E-S-WR	Safety helmet	white	127
9770036	uvex pheos E-WR	Safety helmet with reflective sticker	white	128
9770120	uvex pheos E	Safety helmet	yellow	127
9770126	uvex pheos E	Safety helmet with reflective sticker	yellow	128

Art. no.	Name	Description	Colour	Page
9770130	uvex pheos E-WR	Safety helmet	yellow	127
9770131	uvex pheos E-S-WR	Safety helmet	yellow	127
9770136	uvex pheos E-WR	Safety helmet with reflective sticker	yellow	128
9770230	uvex pheos E-WR	Safety helmet	orange	127
9770231	uvex pheos E-S-WR	Safety helmet	orange	127
9770330	uvex pheos E-WR	Safety helmet	red	127
9770331	uvex pheos E-S-WR	Safety helmet	red	127
9770430	uvex pheos E-WR	Safety helmet	green	127
9770431	uvex pheos E-S-WR	Safety helmet	green	127
9770530	uvex pheos E-WR	Safety helmet	blue	127
9770531	uvex pheos E-S-WR	Safety helmet	blue	127
9770536	uvex pheos E-WR	Safety helmet with reflective sticker	blue	128
9770830	uvex pheos E-WR	Safety helmet	dark grey	127
9770832	uvex pheos E-S-WR	Safety helmet	dark grey	127
9770931	uvex pheos E-S-WR	Safety helmet	black	127
9772001	Accessories	Suspension harness IES		130
9772002	Accessories	Mount		131
9772020	uvex pheos B	Safety helmet	white	126
9772026	uvex pheos B	Safety helmet with reflective sticker	white	128
9772030	uvex pheos B-WR	Safety helmet	white	126
9772031	uvex pheos B-S-WR	Safety helmet	white	126
9772034	uvex pheos S-KR	Safety helmet	white	128
9772035	uvex pheos B-WR	Safety helmet with reflective sticker	white	128
9772038	uvex pheos B-S-WR	Safety helmet with reflective sticker	white	128
9772040	uvex pheos IES	Safety helmet	white	128
9772042	uvex pheos planet B-WR	Safety helmet	white	119
9772043	uvex pheos planet B-S-WR	Safety helmet	white	119
9772071	uvex pheos ABS B-S-WR	Safety helmet	white	125
9772120	uvex pheos B	Safety helmet	yellow	126
9772126	uvex pheos B	Safety helmet with reflective sticker	yellow	128
9772130	uvex pheos B-WR	Safety helmet	yellow	126
9772131	uvex pheos B-S-WR	Safety helmet	yellow	126
9772134	uvex pheos S-KR	Safety helmet	yellow	128
9772137	uvex pheos B-S-WR	Safety helmet with reflective sticker	yellow	128
9772138	uvex pheos B-WR	Safety helmet with reflective sticker	yellow	128
9772140	uvex pheos IES	Safety helmet	yellow	128
9772171	uvex pheos ABS B-S-WR	Safety helmet	yellow	125
9772220	uvex pheos B	Safety helmet	orange	126
9772226	uvex pheos B	Safety helmet with reflective sticker	orange	128
9772230	uvex pheos B-WR	Safety helmet	orange	126
9772231	uvex pheos B-S-WR	Safety helmet	orange	126
9772234	uvex pheos S-KR	Safety helmet	orange	128
9772236	uvex pheos B-WR	Safety helmet with reflective sticker	orange	128
9772239	uvex pheos B-S-WR	Safety helmet with reflective sticker	orange	128
9772240	uvex pheos IES	Safety helmet	orange	128
9772260	uvex pheos S-KR Mips	Safety helmet	hi-viz orange	117
9772271	uvex pheos ABS B-S-WR	Safety helmet	orange	125
9772320	uvex pheos B	Safety helmet	red	126
9772326	uvex pheos B	Safety helmet with reflective sticker	red	128
9772330	uvex pheos B-WR	Safety helmet	red	126
9772332	uvex pheos B-S-WR	Safety helmet	red	126
9772334	uvex pheos B-S-WR	Safety helmet with reflective sticker	red	128
9772335	uvex pheos S-KR	Safety helmet	red	128
9772340	uvex pheos IES	Safety helmet	red	128
9772371	uvex pheos ABS B-S-WR	Safety helmet	red	125
9772430	uvex pheos B-WR	Safety helmet	green	126
9772437	uvex pheos B-WR	Safety helmet with reflective sticker	green	128
9772520	uvex pheos B	Safety helmet	blue	126
9772526	uvex pheos B	Safety helmet with reflective sticker	blue	128
9772530	uvex pheos B-WR	Safety helmet	blue	126
9772531	uvex pheos B-S-WR	Safety helmet	blue	126
9772534	uvex pheos S-KR	Safety helmet	blue	128
9772537	uvex pheos B-S-WR	Safety helmet with reflective sticker	blue	126
9772538	uvex pheos B-WR	Safety helmet with reflective sticker	blue	126
9772540	uvex pheos IES	Safety helmet	blue	128
9772832	uvex pheos B-S-WR	Safety helmet	dark grey	126
9772920	uvex pheos B	Safety helmet	black	126
9772926	uvex pheos B	Safety helmet with reflective sticker	black	128



Safety Helmets

Overview

Art. no.	Name	Description	Colour	Page	Art. no.	Name	Description	Colour	Page
9772930	uvex pheos B-WR	Safety helmet	black	126	9794400	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	147
9772932	uvex pheos B-S-WR	Safety helmet	black	126	9794401	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	147
9772936	uvex pheos B-WR	Safety helmet with reflective sticker	black	128	9794402	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	147
9773050	uvex pheos alpine	Safety helmet	white	124	9794403	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	147
9773150	uvex pheos alpine	Safety helmet	yellow	124	9794404	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	147
9773250	uvex pheos alpine	Safety helmet	orange	124	9794407	uvex u-cap sport	Impact cap, size 55 – 59 cm	navy blue	148
9773350	uvex pheos alpine	Safety helmet	red	124	9794408	uvex u-cap sport	Impact cap, size 60 – 63 cm	navy blue	148
9773450	uvex pheos alpine	Safety helmet	green	124	9794409	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	147
9773550	uvex pheos alpine	Safety helmet	blue	124	9794415	uvex u-cap sport	Suspension harness	black	147
9773950	uvex pheos alpine	Safety helmet	black	124	9794416	uvex u-cap sport vent	Impact cap, size 55 – 59 cm	black	148
9774236	uvex pheos	Forestry	yellow	125	9794417	uvex u-cap sport vent	Impact cap, size 60 – 63 cm	black	148
9774237	uvex pheos	Forestry	orange	125	9794420	uvex u-cap sport vent	Impact cap, size 55 – 59 cm	black	148
9774238	uvex pheos	Forestry	red	125	9794421	uvex u-cap sport vent	Impact cap, size 60 – 63 cm	black	148
9790000	Accessories	Suspension harness thermo boss, super boss		130	9794422	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	147
9790004	Accessories	Sweatband artificial leather for thermo boss, super boss		130	9794423	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	147
9790005	Accessories	Leather chin straps		131	9794424	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	147
9790006	Accessories	Hygienic cap	white	129	9794425	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	147
9790007	Accessories	Forked chin straps		131	9794430	uvex u-cap sport vent	Impact cap, size 52 – 54 cm	black	148
9790010	Accessories	Winter cap	black	129	9794442	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	147
9790012	Accessories	Winter cap	black	129	9794443	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	147
9790015	Accessories	Winter cap	black	129	9794444	uvex u-cap sport vent	Impact cap, size 52 – 54 cm	black	148
9790016	Accessories	Winter cap	black	129	9794480	uvex u-cap sport hi-viz	Impact cap, size 55 – 59 cm	hi-viz yellow	148
9790018	uvex pheos reflex set M	Reflective set		130	9794481	uvex u-cap sport hi-viz	Impact cap, size 60 – 63 cm	hi-viz yellow	148
9790021	Accessories	Four-point chin strap		131	9794482	uvex u-cap sport hi-viz	Impact cap, size 52 – 54 cm	hi-viz yellow	148
9790022	Accessories	Goggles clip/chin strap clip		131	9794490	uvex u-cap sport hi-viz	Impact cap, size 55 – 59 cm	hi-viz orange	148
9790023	Accessories	Pen holder		131	9794491	uvex u-cap sport hi-viz	Impact cap, size 60 – 63 cm	hi-viz orange	148
9790028	Accessories	LED head torch KS-7630-MCII		132	9794492	uvex u-cap sport hi-viz	Impact cap, size 52 – 54 cm	hi-viz orange	148
9790029	Accessories	LED head torch KS-6002-DUO		132	9906002	Accessories	uvex pheos Visor	clear	137
9790035	Accessories	Leather chin straps		131	9906003	Accessories	uvex pheos magnetic Visor	clear	137
9790047	Accessories	Helmet bracket	black	139	9906005	Accessories	uvex pheos SLB 1 Visor	clear	137
9790048	Accessories	Visor lens, PC	clear	139	9906006	Accessories	uvex pheos SLB 1 magnetic Visor	clear	137
9790062	Accessories	LED head torch pheos Lights		132	9906007	Accessories	uvex pheos SLB 2 Visor	blue	137
9790063	Accessories	LED head torch pheos Lights EX		132	9906008	Accessories	uvex pheos SLB 2 magnetic Visor	blue	137
9790064	Accessories	LED head torch u-cap sport		132	9906009	Accessories	uvex pheos magnetic with chin guard	black	137
9790065	Accessories	Winter cap	hi-viz yellow	129	9906012	Accessories	Replacement lens pheos Visor	clear	137
9790066	Accessories	Balaclava	black	129	9906013	Accessories	Replacement lens pheos SLB 1 Visor	clear	137
9790067	Accessories	Visor adapter	black	138	9906014	Accessories	Replacement lens pheos Visor with chin guard	clear	137
9790068	Accessories	Winter cap	hi-viz orange	129	9906017	Accessories	Replacement lens pheos SLB 2 Visor	blue	137
9790069	Accessories	Helmet adapter for LED head torch u-cap sport		132	9924010	Accessories	Adapter	black	139
9790071	Accessories	Helmet bag		131	9954362	Accessories	Cloth bag for uvex visors	black	138
9790074	Accessories	Sunglare filter/rain cover		138					
9790075	Accessories	Neck protection	orange	129					
9790076	Accessories	Neck protection	yellow	129					
9790077	Accessories	Helmet slot sealing plug set		131					
9790078	Accessories	Helmet adapter		138					
9790086	Accessories	cooling neck protection		129					
9790146	Accessories	Signal whistle		125					
9790149	Accessories	Neck support		131					
9790150	Accessories	uvex pheos helmet sticker	silver	131					
9790151	Accessories	uvex pheos helmet sticker	yellow	131					
9790152	Accessories	uvex pheos helmet sticker	orange	131					
9790153	Accessories	uvex pheos helmet sticker	red	131					
9790154	Accessories	uvex pheos helmet sticker	green	131					
9790155	Accessories	uvex pheos helmet sticker	blue	131					
9790156	Accessories	uvex pheos helmet sticker	black	131					
9790159	Accessories	uvex pheos faceguard bump cap	black	141					
9790160	Accessories	Replacement lens mesh visor		141					
9790166	Accessories	Business card holder		131					
9790170	Accessories	Sun/Neck protection		141					
9790210	Accessories	Replacement visor (metal)		125					
9790211	uvex pheos faceguard	uvex pheos faceguard face protection system		141					
9790212	uvex pheos faceguard	uvex pheos faceguard face protection system with hearing protection		141					
9790213	Accessories	V3air rechargeable		132					
9790214	Accessories	Universal silicone strap		132					
9790215	uvex pheos faceguard	uvex pheos faceguard mesh visor with hearing protection		141					
9794110	Baseball cap	with long brim, size 55 – 63 cm	black	147					
9794111	Baseball cap	with short brim, size 55 – 63 cm	black	147					