

uvex



Hearing Protection


protecting people

Product system planet series › Hearing Protection


uvex has developed the **protecting planet** icon, to help raise awareness of its commitment to achieving increased sustainability. Based on the brand claim, **protecting people**, our sustainable approach integrates three core interlinked pillars – **ecology, economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.

uvex xact-fit planet



MADE IN SWEDEN 

 **protecting planet**
by using recycled material //
by maximum reduction of pollutants

Ergonomically shaped stems

- › 100 percent recycled polypropylene (PP)

Oval-shaped foam earplugs

- › production is subject to strict controls
- › contain as few harmful substances as possible



Packaging

100%

made from recycled cardboard

Electricity required in production

100%

comes from renewable energy sources



Ergonomic stems

100%

recycled polypropylene



protecting planet

by using environmentally-friendly packaging

Packaging

› made from 100 percent recycled cardboard



protecting planet

by reducing CO₂ emissions

Production at SwedSafe, Sweden

- › SwedSafe is part of the uvex group
- › leaves only a small carbon footprint
- › no consumption of fossil fuels
- › electricity comes from 100 percent renewable energy sources
- › certified in accordance with Environmental Management ISO 14001
- › promoting biodiversity at the site: creation of insect habitats by planting natural grass landscapes and sowing additional flowering plants

Hearing Protection

All ears when it comes to safety

Noise-induced hearing loss is still one of the most common occupational hazards of all.

It develops painlessly, is progressive and generally goes unnoticed. It is the fact that it's irreversible which makes it so serious. The risk to hearing and the importance of hearing protection are often recognised too late.

What is noise?

Loud sounds which comprise noise not only pose a risk to hearing but can also be distracting and debilitating.

Persistent low-grade sounds such as a clock ticking or a dripping tap can also affect concentration levels.

Adverse health effects caused by harmful noise levels

Listed below are the maximum periods of time a person should be exposed to harmful noise per day without wearing hearing protection.

| | | | |
|--------|------------|--------|-------------|
| 85 dB | 8 hours | 103 dB | 7.5 minutes |
| 88 dB | 4 hours | 106 dB | 4 minutes |
| 91 dB | 2 hours | 109 dB | 2 minutes |
| 94 dB | 1 hour | 112 dB | 1 minute |
| 97 dB | 30 minutes | 115 dB | 30 seconds |
| 100 dB | 15 minutes | | |



Only those who suffer from hearing loss really understand just how essential a good sense of hearing is and that protecting it should be a top priority.

What are the consequences of noise?

We use our hearing continuously, it never gets a break and cannot be "switched off". We are exposed to noise every day, all day, from multiple sources so our hearing is under constant stress.

These daily demands on our ears can lead to irreversible noise-induced hearing loss. But, it's not just our hearing that is affected; noise means stress for the entire body. Noise affects us subconsciously and can lead to difficulty concentrating, gastrointestinal illness, elevated blood pressure and increased risk of a heart attack.





Tests and standards

All uvex hearing protection products comply with the requirements of current EU legislation, including the PPE regulation (EU) 2016/425, which ensures CE conformity. The products have been tested in accordance with the applicable European standards and additional international standards. As category III products, they are subject to Module D inspections by a notified body, as indicated by the code printed on the product after the CE mark.

Continuous quality assurance with ISO 9001/2015, I ISO 14001:2015 ISO 45001.

Applicable DIN EN norms are:

- EN 352: Part 1 Earmuffs
- EN 352: Part 2 Ear plugs
- EN 352: Part 3 Earmuffs attached to a safety helmet
- EN 352: Part 4 Level-dependent hearing protection earmuffs
- EN 352: Part 6 Earmuffs with communication equipment
- EN 352: Part 8 Audio earmuffs for entertainment

Abbreviations for protection values with explanations

| | |
|--------------------------------|--|
| SNR | Single Number Rating/average protection capacity |
| f/Hz | Frequency given as a unit of Hertz |
| (MA) Mean Attenuation | Mean attenuation |
| (SD) | Standard Deviation |
| (APV) Assumed Protection Value | Assumed protection value |
| HML value | H: Attenuation value at high frequencies |
| | M: Attenuation value at medium frequencies |
| | L: Attenuation value at low frequencies |

Hearing protection

Size and fit


Everyone's ear canal is unique – much like a fingerprint. Which is why it's all the more important that you choose adequate and suitable hearing protection that is the correct size to achieve a good fit. uvex offers a complete range of hearing protection to ensure all wearers are able to achieve a fit that's right for them.

Choosing the wrong size can severely reduce the protection value, exposing wearers to harmful noise, and makes the ear plugs uncomfortable to wear.

Only way to find out is to measure your personal attenuation (PAR) with a fit test system, we introduce uvex xact-fit test.

This will secure you choose the right protection based on your need.

It is best to try different sizes to find the one that gives you the best protection and fit. With the uvex com4-fit and uvex x-fit, we offer something for the majority of ear canal shapes.



Just wearing earplugs is not a guarantee for proper hearing protection. Without measure we don't know. **xact-fit test measure the Personal Attenuation Rating for any user, with unmodified earplugs.**

uvex xact-fit test

Hearing Protection Fit-Testing System

uvex xact-fit delivers one of the most robust and efficient fit-testing systems on the market – helping you understand exactly how much protection you're receiving from your Hearing Protection Device, regardless of brand or model. This innovative portable kit comes with Bluetooth headphones and tablet for a cordless, quick set-up that can be used anywhere, complete with a carrying case.



Pre-installed software and cloud storage on the tablet allow for automatic upload of information and results, easy access to files on multiple devices, and increased security. Fit-testing workers for proper hearing protection has never been so easy.



How uvex xact-fit works

The uvex xact-fit System was created with the user's experience in mind – as the most portable and easy-to-use system on the market.

Using the Real Ear Attenuation at Threshold (REAT), users undergo a series of tests where they must determine their Hearing Threshold score, both with and without hearing protection.

This is the lowest volume at which a sound can be detected, and it is different for every person.


The difference between the two scores determines their Personal Attenuation Rating (PAR), which represents the amount of protection they are receiving based on how they fit their earplug.

Hearing Protection

Different situations, different ears



Look out for the different sizes



The cross-section of an ear canal is oval shaped

Anyone can get used to wearing hearing protection; you just need to choose the right type of protection for you.

- wearing time
- noise levels
- choose earplugs according to the size of your ear canal
- earmuffs are not recommended for hot workplaces
- fitting accuracy (glasses wearers)

- for earmuff wearers, the weight should be taken into consideration
- handling (dirty hands, gloves, disabilities)
- compatibility with other PPE (helmet, glasses, respiratory protection)


The right hearing protection can make even the loudest noises more comfortable.

Hearing protection for every situation

There are many types of uvex hearing protection which are suitable for different situations and if you work in or are passing through high noise level areas you need the right level of protection.

It is important to strike the right balance between the need to adequately protect your hearing from dangerous noise while not compromising your ability to hear and communicate.

The below chart gives you an overview of which uvex hearing protection may be suitable based on the noise level.



Hearing protection

The uvex xact-fit family

Using earplugs has never been easier



Easy, fast and accurate insertion

Medium protection capacity for excellent speech and signal recognition for easy communication

Replacement earplugs are available, for a cost-effective and environmentally conscious choice

No rolling required, so they can be used with dirty hands or while wearing gloves

Ergonomically shaped stems make fitting easy, hygienic, accurate and achieves a high level of wearer comfort

Thumb indentations with left and right marking ensures correct insertion and easy fitting

The shape means it fits most ear canals securely and comfortably

The uvex xact-fit family



uvex xact-fit

Catalogue page 92



uvex xact-fit detec

Catalogue page 94



uvex xact-fit multi reusable

Catalogue page 92



uvex xact-band

Catalogue page 96


Hearing protection

The uvex xact-fit family



uvex xact-fit – intelligent ergonomics


A new dimension of wearer comfort



The cross-section of an ear canal is oval shaped


The stem is ergonomically shaped to fit either the left or right ear to increase wearer comfort and make the earplugs easier to insert and remove.

The design is easily identifiable from a distance, making it easier to monitor usage in accordance with your company's regulations.




Perfect fit

Oval-shaped foam earplugs mimic the natural shape of the ear canal for low pressure fit and enhanced comfort



Ergonomic thumb indentations

The ergonomic thumb indentations with left and right marking ensures correct insertion and easy fitting



Adjustable cord

Hearing Protection

Disposable ear plugs

uvex hi-com


A unique design – even on the inside

Patented

Designed to minimise pressure in the ear canal

Reduced risk of over protection and feelings of isolation

Intricate recess design for long-term wearer comfort



Large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas

Defined protection zone for controlled noise reduction, resulting in excellent speech and signal recognition and good communication

Grip recess for easy removal



2112100
2112095



2112106



2112095
Table-top dispenser box



2112101

uvex hi-com

- delivers low, flat attenuation allowing for excellent speech and sound recognition
- large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas
- available in two colours

| uvex hi-com | | |
|-------------|-------------------------------|-------------------------------|
| Art. no. | 2112100 | 2112101 |
| Design | without cord | with cord |
| Standard | EN 352-2:2020 | EN 352-2:2020 |
| Colour | lime | lime |
| Order unit | CT | CT |
| Content | 200 PR, packed in pairs in CT | 100 PR, packed in pairs in CT |

| uvex hi-com | | |
|-------------|-------------------------------|-------------------------------|
| Art. no. | 2112095 | 2112106 |
| Design | without cord | without cord |
| Standard | EN 352-2:2020 | EN 352-2:2020 |
| Colour | lime | beige |
| Order unit | CT | CT |
| Content | 100 PR, packed in pairs in CT | 200 PR, packed in pairs in CT |

| f/Hz | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 30 dB M | 33 dB L | 18 dB |
|--------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 17,6 | 19,0 | 25,4 | 29,6 | 34,5 | 39,0 | 43,8 | SNRm | 30,1 dB Hm | 34,4 dB Mm | 27,3 dB Lm | 21,9 dB |
| SD dB | 4,2 | 3,7 | 5,0 | 5,2 | 3,8 | 5,5 | 4,1 | SNRs | 3,7 dB Hs | 3,9 dB Ms | 3,9 dB Ls | 3,7 dB |
| APV dB | 13,5 | 15,3 | 20,3 | 24,5 | 30,6 | 33,5 | 39,6 | | | | | |

Refill boxes for uvex "one2click" dispenser on page 90

MADE IN SWEDEN

Hearing Protection

Disposable ear plugs



2112012



2112004
2112096
2112131

uvex com4-fit

- disposable earplugs with a compact, ergonomic design
- perfect for narrow and smaller ear canals
- suitable for use in high noise environments
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- increased wearing comfort, when worn for extended periods

| uvex com4-fit | | | | |
|-------------------|-------------------------------|-------------------------------|--------------------|-------------------------------|
| Art. no. | 2112004 | 2112096 | 2112131 | 2112012 |
| Design | without cord | without cord | without cord | with cord |
| Standard | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 |
| Colour | light orange | light orange | light orange | light orange |
| Order unit | CT | CT | CT | CT |
| Content | 200 PR, packed in pairs in CT | 100 PR, packed in pairs in CT | 15 PR, loose in CT | 100 PR, packed in pairs in CT |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 33 dB H | 34 dB M | 31 dB L | 29 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 28.9 | 31.0 | 33.6 | 33.8 | 33.6 | 36.2 | 40.6 | 44.3 | SNRm | 36.3 dB Hm | 36.6 dB Mm | 33.9 dB Lm | 33.1 dB |
| SD dB | 3.4 | 5.2 | 5.4 | 5.4 | 4.0 | 4.2 | 3.7 | 2.9 | SNRs | 2.9 dB Hs | 2.8 dB Ms | 3.3 dB Ls | 4.2 dB |
| APV dB | 25.5 | 25.8 | 28.2 | 28.4 | 29.6 | 32.0 | 36.9 | 41.4 | | | | | |



2112010



2112001
2112094
2112133
2112087

uvex x-fit

- tapered plug shape ensures natural, pressure free fit – maximising comfort and protection levels
- suitable for use in high noise environments
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal

| uvex x-fit | | | | | | |
|-------------------|-------------------------------|-------------------------------|--------------------|--------------------|-------------------------------|-------------------------------|
| Art. no. | 2112001 | 2112094 | 2112013 | 2112133 | 2112010 | 2112087 |
| Design | without cord | without cord | without cord | without cord | with cord | without cord |
| Standard | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 |
| Colour | lime | lime | lime | lime | lime | lime |
| Order unit | CT | CT | CT | CT | CT | CT |
| Content | 200 PR, packed in pairs in CT | 100 PR, packed in pairs in CT | 50 PR, loose in CT | 15 PR, loose in CT | 100 PR, packed in pairs in CT | 100 PR, packed in pairs in CT |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 37 dB H | 36 dB M | 35 dB L | 34 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 35.3 | 38.4 | 39.3 | 40.8 | 38.9 | 37.8 | 45.9 | 45.1 | SNRm | 40.0 dB Hm | 39.1 dB Mm | 38.1 dB Lm | 38.0 dB |
| SD dB | 4.2 | 6.3 | 5.3 | 5.5 | 5.5 | 4.3 | 3.9 | 4.6 | SNRs | 2.8 dB Hs | 3.1 dB Ms | 3.2 dB Ls | 3.6 dB |
| APV dB | 31.1 | 32.1 | 34.0 | 35.3 | 33.4 | 33.5 | 42.0 | 40.5 | | | | | |



2112060
2112093

uvex xtra-fit

- disposable earplugs ideal for larger ear canals
- adapts to the shape and size of the ear canal, thereby optimising fit and protection
- very soft and comfortable to wear

| uvex xtra-fit | |
|-------------------|-------------------------------|
| Art. no. | 2112060 |
| Design | without cord |
| Standard | EN 352-2:2020 |
| Colour | orange |
| Order unit | BG |
| Content | 200 PR, packed in pairs in BG |

| | |
|-------------------|-------------------------------|
| Art. no. | 2112093 |
| Design | without cord |
| Standard | EN 352-2:2020 |
| Colour | orange |
| Order unit | CT |
| Content | 100 PR, packed in pairs in CT |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 35 dB H | 34 dB M | 33 dB L | 32 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 32.7 | 34.8 | 36.8 | 38.9 | 36.9 | 36.2 | 44.0 | 41.5 | SNRm | 38.1 dB Hm | 37.1 dB Mm | 36.5 dB Lm | 36.4 dB |
| SD dB | 4.6 | 4.4 | 5.6 | 5.2 | 4.7 | 3.7 | 4.0 | 5.0 | SNRs | 2.9 dB Hs | 2.7 dB Ms | 3.2 dB Ls | 3.9 dB |
| APV dB | 28.1 | 30.4 | 31.2 | 33.7 | 32.2 | 32.5 | 40.0 | 36.5 | | | | | |

Hearing Protection

Disposable ear plugs · Earplug dispenser · Refill packs



2112000
2111988

2111989



2111990

2111991

2111992

uvex dispenser “one2click”

- easy-to-use and robust hearing protection dispenser with two different mounting options
- earplugs available to hand with just one click
- ensures hygienic dispensing whenever it's needed
- magnetic wall mount requires no drilling
- can be refilled even if the container is not empty
- collecting tray prevents earplugs from falling on the floor
- suitable for all uvex disposable earplugs
- quantities: 600 pairs (xtra-fit 500 pairs)
- magnetic variant for flexible use on all magnetic surfaces (2112988)
- stationary wall mounting using screws (2112000)
- magnetic wall mount can be retrofitted individually (2112989)

uvex dispenser "one2click"

| | | |
|-------------------|--------------------------|-----------------------------|
| Art. no. | 2112000 | 2111988 |
| Mounting | empty, screw mounting | empty, magnetic mounting |
| Order unit | CT | CT |

uvex magnetic bracket for dispenser

| | |
|-------------------|---|
| Art. no. | 2111989 |
| Mounting | retrofit kit for dispenser for magnetic mounting |
| Material | polished steel |
| Order unit | CT |

uvex dispenser "one2click"

| | | | |
|-------------------|--|--|--|
| Art. no. | 2111990 | 2111991 | 2111992 |
| Type | ready to use (filled), screw mounting | ready to use (filled), screw mounting | ready to use (filled), screw mounting |
| | 600 pairs of x-fit | 600 pairs of com4-fit | 600 pairs of hi-com |
| Order unit | CT | CT | CT |

► For the ready-to-use magnetic version, the magnetic plate (2112989) must be ordered separately

uvex dispenser “one2click” – Refill packs



| | uvex x-fit | uvex com4-fit | uvex xact-fit |
|-------------------|--|--|---------------------------|
| Art. no. | 2112022 | 2112023 | 2124003 |
| Design | without cord | without cord | replacement earplugs |
| Standard | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 |
| | additional requirement: S, V, W, E, | additional requirement: S, V, W, E, | additional requirement: W |
| SNR | 37 dB (see page 89) | 33 dB (see page 89) | 26 dB (see page 92) |
| Colour | lime | light orange | lime |
| Size | M | S | M |
| Order unit | CT | CT | CT |
| Content | 300 PR, loose in CT | 300 PR, loose in CT | 400 PR, loose in CT |

| | uvex hi-com | uvex hi-com | uvex xtra-fit |
|-------------------|---------------------------|---------------------------|--|
| Art. no. | 2112118 | 2112119 | 2112061 |
| Design | without cord | without cord | without cord |
| Standard | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 |
| | additional requirement: W | additional requirement: W | additional requirement: S, V, W, E, |
| SNR | 26 dB (see page 88) | 26 dB (see page 88) | 35 dB (see page 89) |
| Colour | lime | beige | orange |
| Size | M | M | L |
| Order unit | CT | CT | BG |
| Content | 300 PR, loose in CT | 300 PR, loose in CT | 250 PR, loose in BG |

Hearing protection

uvex xact-fit test



2124099




uvex xact-fit test

- Bluetooth-capable headphones allows for mobile, cordless testing
- earmuff design allows all kinds of earplugs to fit underneath and be tested
- cloud storage use for easy access to files on multiple devices
- automatic upload of information and test results
- open system gives the ability to test any brand of earplug
- provides full report of the test to help user choose earplug
- portable, cordless tablet for ease of use
- pre-installed software with quick set-up process
- fast and easy set-up compared to competitive systems



2124097



2124098

| | |
|--------------------|---------------------------|
| uvex xact-fit test | |
| Art. no. | 2124099 |
| Type | uvex xact-fit test system |
| Order unit | PC |

| | |
|--|------------------------------------|
| uvex xact-fit test travel suitcase for xact-fit test earmuff | |
| Art. no. | 2124097 |
| Type | accessories for uvex xact-fit test |
| Colour | black |
| Order unit | PC |

| | |
|--|---|
| uvex hygiene kit, spare sealing cushions | |
| Art. no. | 2124098 |
| Type | accessories for uvex xact-fit test earmuffs |
| Colour | black |
| Order unit | PC |

Hearing Protection

Disposable earplugs · Reusable earplugs · uvex xact-fit



2124001



2124002



2124026

minibox

uvex xact-fit planet

- ergonomically shaped pins made from 100% recycled material
- left/right pod carriers simplify fitting and ensure accurate fit everytime
- tapered plug shape ensures natural, pressure free fit – maximizing comfort and protections level
- adjustable neck cord can be altered to wearers for increased safety
- all packaging is made of recycled cardboard

| uvex xact-fit planet | | uvex xact-fit planet replacement earplugs | |
|----------------------|-------------------------------|---|----------------------------------|
| Art. no. | 2124001 | 2124026 | 2124002 |
| Design | with reusable pin, in minibox | with reusable pin in earplug box | replacement earplugs, in minibox |
| Standard | EN 352-2:2020 | EN 352-2:2020 | EN 352-2:2020 |
| Colour | lime | lime | lime |
| Order unit | CT | CT | CT |
| Content | 50 PR, packed in pairs in CT | 50 PR, packed in pairs in CT | 250 PR, CT of 5 pairs |

| | | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 28 dB M | 23 dB L | 20 dB |
| MA dB | 16.6 | 19.4 | 22.0 | 25.6 | 27.5 | 31.8 | 34.4 | 36.9 | SNRm | 29.7 dB Hm | 31.3 dB Mm | 27.2 dB Lm | 23.9 dB |
| SD dB | 5.4 | 4.9 | 4.2 | 4.9 | 4.7 | 3.8 | 4.4 | 6.0 | SNRs | 3.6 dB Hs | 3.2 dB Ms | 3.9 dB Ls | 4.0 dB |
| APV dB | 11.2 | 14.5 | 17.8 | 20.7 | 22.8 | 28.0 | 30.0 | 30.9 | | | | | |



2124019



2124017

uvex xact-fit multi reusable

- reusable earplugs with thumb indentations
- oval-shaped earplugs mimics the natural shape of the ear canal for optimum fit and comfort
- interchangeable replacement earplugs
- can be handled with dirty hands or while wearing gloves
- available in two sizes

| uvex xact-fit multi reusable S | | 2124017 | |
|--------------------------------|--|--|--|
| Art. no. | 2124019 | 2124017 | |
| Design | with oval-shaped reusable earplugs, in minibox | with oval-shaped reusable earplugs, in earplug box | |
| Standard | EN 352-2:2020 | EN 352-2:2020 | |
| Colour | grey, transparent | grey, transparent | |
| Size | S | S | |
| Order unit | CT | CT | |
| Content | 50 PR, packed in pairs in CT | 50 PR, packed in pairs in CT | |



2124020



2124018

| uvex xact-fit multi reusable M/L | | 2124018 | |
|----------------------------------|--|--|--|
| Art. no. | 2124020 | 2124018 | |
| Design | with oval-shaped reusable earplugs, in minibox | with oval-shaped reusable earplugs, in earplug box | |
| Standard | EN 352-2:2020 | EN 352-2:2020 | |
| Colour | grey, transparent | grey, transparent | |
| Size | M/L | M/L | |
| Order unit | CT | CT | |
| Content | 50 PR, packed in pairs in CT | 50 PR, packed in pairs in CT | |

| | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 26 dB M | 24 dB L | 22 dB |
| MA dB | 26.9 | 25.4 | 26.1 | 28.3 | 31.9 | 32.8 | 37.2 | SNRm | 29.6 dB Hm | 30.6 dB Mm | 27.5 dB Lm | 26.3 dB |
| SD dB | 4.4 | 4.5 | 5.4 | 5.5 | 4 | 6.9 | 6.7 | SNRs | 3.7 dB Hs | 4.4 dB Ms | 3.8 dB Ls | 3.9 dB |
| APV dB | 22.5 | 20.9 | 20.7 | 22.8 | 27.9 | 25.9 | 30.5 | | | | | |

Hearing Protection

Reusable ear plugs



minibox
2111201



2111237

uvex whisper

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using soap and water
- earplug box for hygienic storage when not in use
- with the cord, the earplugs are conveniently to hand – in low-noise areas, the earplugs can be worn comfortably around the neck

| uvex whisper | |
|-------------------|---|
| Art. no. | 2111201 2111237 |
| Design | with cord, in minibox with cord, in earplug box |
| Standard | EN 352-2:2020 EN 352-2:2020 |
| Colour | orange orange |
| Order unit | CT CT |
| Content | 50 PR, in pairs in CT 50 PR, in pairs in CT |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 22 dB H | 23 dB M | 19 dB L | 17 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 23.7 | 23.2 | 21.1 | 22.6 | 24.8 | 31.7 | 33.4 | 39.4 | SNRm | 27.1 dB Hm | 29.6 dB Mm | 24.3 dB Lm | 22.4 dB |
| SD dB | 5.6 | 5.8 | 6.8 | 5.2 | 5.7 | 6.0 | 9.5 | 8.2 | SNRs | 5.6 dB Hs | 6.3 dB Ms | 5.2 dB Ls | 5.7 dB |
| APV dB | 18.1 | 17.4 | 14.3 | 17.4 | 19.1 | 25.7 | 23.9 | 31.2 | | | | | |

uvex whisper +

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using soap and water
- earplug box for hygienic storage when not in use
- with the cord, the earplugs are conveniently to hand – in low-noise areas, the earplugs can be worn comfortably around the neck



minibox
2111212



2111238

| uvex whisper + | |
|-------------------|---|
| Art. no. | 2111212 2111238 |
| Design | with cord, in minibox with cord, in earplug box |
| Standard | EN 352-2:2020 EN 352-2:2020 |
| Colour | lime lime |
| Order unit | CT CT |
| Content | 50 PR, in pairs in CT 50 PR, in pairs in CT |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 27 dB H | 27 dB M | 24 dB L | 22 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 26.6 | 26.9 | 24.3 | 26.1 | 28.8 | 32.8 | 32.6 | 38.1 | SNRm | 30.3 dB Hm | 31.4 dB Mm | 28.0 dB Lm | 26.0 dB |
| SD dB | 6.1 | 6.1 | 4.1 | 5.1 | 5.1 | 5.0 | 6.5 | 5.3 | SNRs | 3.8 dB Hs | 4.0 dB Ms | 4.1 dB Ls | 4.0 dB |
| APV dB | 20.5 | 20.8 | 20.2 | 21.0 | 23.7 | 27.8 | 26.1 | 32.8 | | | | | |

uvex whisper supreme

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using soap and water
- earplug box for hygienic storage when not in use
- with the cord, the earplugs are conveniently to hand – in low-noise areas, the earplugs can be worn comfortably around the neck



2111235

| uvex whisper supreme | |
|----------------------|---------------------------|
| Art. no. | 2111235 |
| Design | with cord, in earplug box |
| Standard | EN 352-2:2020 |
| Colour | yellow |
| Order unit | CT |
| Content | 50 PR, in pairs in CT |

| f/Hz | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 30 dB H | 31 dB M | 27 dB L | 27 dB |
|--------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 33.8 | 29.2 | 32.7 | 30.0 | 36.0 | 34.3 | 41.0 | SNRm | 33.4 dB Hm | 33.9 dB Mm | 31.0 dB Lm | 30.4 dB |
| SD dB | 5.1 | 4.6 | 4.9 | 5.0 | 4.0 | 3.6 | 4.4 | SNRs | 2.9 dB Hs | 2.7 dB Ms | 3.6 dB Ls | 3.6 dB |
| APV dB | 28.7 | 24.5 | 27.8 | 25.0 | 32.0 | 30.6 | 36.6 | | | | | |

Hearing Protection

Detectable ear plugs



211214

uvex hi-com detec

- metal powder in cord allows full detection even if the cord is shredded, coloured blue for easy recognition
- oval pods match the shape of the outer ear ensuring pressure free, comfortable fit
- delivers low, flat attenuation allowing for excellent speech and sound recognition
- large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas

| | | | | | | | | | | | | |
|-------------------|------------------------|--|--|--|--|--|--|--|--|--|--|--|
| uvex hi-com detec | | | | | | | | | | | | |
| Art. no. | 211214 | | | | | | | | | | | |
| Design | with cord, detectable | | | | | | | | | | | |
| Standard | EN 352-2:2020 | | | | | | | | | | | |
| Colour | blue | | | | | | | | | | | |
| Order unit | CT | | | | | | | | | | | |
| Content | 100 PR, in pairs in CT | | | | | | | | | | | |

| | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 30 dB M | 23 dB L | 18 dB |
| MA dB | 17.6 | 19.0 | 25.4 | 29.6 | 34.5 | 39 | 43.8 | SNRm | 30.1 dB Hm | 34.4 dB Mm | 27.3 dB Lm | 21.9 dB |
| SD dB | 4.2 | 3.7 | 5.0 | 5.2 | 3.8 | 5.5 | 4.1 | SNRs | 3.7 dB Hs | 3.9 dB Ms | 3.9 dB Ls | 3.7 dB |
| APV dB | 13.5 | 15.3 | 20.3 | 24.5 | 30.6 | 33.5 | 39.6 | | | | | |



2112011

uvex x-fit detec

- disposable earplugs coloured blue with metal component for easy detection
- suitable for use in high noise environments
- tapered shape matches the ear canal anatomy for comfortable and secure fit
- patented x-grip technology reduces pressure on the ear canal and aids easy, hygienic removal
- sealed PU foam reduces the potential for contamination

| | | | | | | | | | | | | |
|------------------|------------------------|--|--|--|--|--|--|--|--|--|--|--|
| uvex x-fit detec | | | | | | | | | | | | |
| Art. no. | 2112011 | | | | | | | | | | | |
| Design | with cord, detectable | | | | | | | | | | | |
| Standard | EN 352-2:2020 | | | | | | | | | | | |
| Colour | blue | | | | | | | | | | | |
| Order unit | CT | | | | | | | | | | | |
| Content | 100 PR, in pairs in CT | | | | | | | | | | | |

| | | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 37 dB H | 36 dB M | 35 dB L | 34 dB |
| MA dB | 35.3 | 38.4 | 39.3 | 40.8 | 38.9 | 37.8 | 45.9 | 45.1 | SNRm | 40.0 dB Hm | 39.1 dB Mm | 38.1 dB Lm | 38.0 dB |
| SD dB | 4.2 | 6.3 | 5.3 | 5.5 | 5.5 | 4.3 | 3.9 | 4.6 | SNRs | 2.8 dB Hs | 3.1 dB Ms | 3.2 dB Ls | 3.6 dB |
| APV dB | 31.1 | 32.1 | 34.0 | 35.3 | 33.4 | 33.5 | 42.0 | 40.5 | | | | | |



2124011



2124013



minibox

uvex xact-fit detec

- disposable plugs with integrated metal elements makes both earplugs and cord detectable
- tapered plug shape ensures natural, pressure free fit – maximising comfort and protection levels
- left / right pod carriers simplify fitting and ensure accurate fit every-time
- adjustable neck cord can be altered to wearers requirements
- sealed PU foam reduces the potential for contamination for increased hygiene
- replacement pods prolong the life of the product

| | | | | | | | | | | | | |
|---------------------|-------------------------------|--|--|--|--|--|----------------------|--|--|--|--|--|
| uvex xact-fit detec | | | | | | | | | | | | |
| Art. no. | 2124011 | | | | | | 2124013 | | | | | |
| Design | with reusable pin, detectable | | | | | | replacement earplugs | | | | | |
| Standard | EN 352-2:2020 | | | | | | EN 352-2:2020 | | | | | |
| Colour | blue | | | | | | blue | | | | | |
| Order unit | CT | | | | | | CT | | | | | |
| Content | 50 PR, in pairs in CT | | | | | | 400 PR, loose in CT | | | | | |

| | | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 28 dB M | 23 dB L | 20 dB |
| MA dB | 16.6 | 19.4 | 22.0 | 25.6 | 27.5 | 31.8 | 34.4 | 36.9 | SNRm | 29.7 dB Hm | 31.3 dB Mm | 27.2 dB Lm | 23.9 dB |
| SD dB | 5.4 | 4.9 | 4.2 | 4.9 | 4.7 | 3.8 | 4.4 | 6.0 | SNRs | 3.6 dB Hs | 3.2 dB Ms | 3.9 dB Ls | 4.0 dB |
| APV dB | 11.2 | 14.5 | 17.8 | 20.7 | 22.8 | 28.0 | 30.0 | 30.9 | | | | | |

Hearing Protection

Detectable ear plugs



minibox
2111261

2111262

uvex whisper detec

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using mild soap and water
- earplug box for hygienic storage when not in use
- integrated metal parts and the blue colour ensure the earplugs can be detected in a production environment
- thanks to the cord, the earplugs are always conveniently to hand – in low-noise areas, the earplugs can be worn around the neck

| uvex whisper detec | |
|--------------------|----------------------------------|
| Art. no. | 2111261 |
| Design | with cord detectable, in minibox |
| Standard | EN 352-2:2020 |
| Colour | blue |
| Order unit | CT |
| Content | 50 PR, in pairs in CT |

| | | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 22 dB H | 23 dB M | 19 dB L | 17 dB |
| MA dB | 23.7 | 23.2 | 21.1 | 22.6 | 24.8 | 31.7 | 33.4 | 39.4 | SNRm | 27.1 dB Hm | 29.6 dB Mm | 24.3 dB Lm | 22.4 dB |
| SD dB | 5.6 | 5.8 | 6.8 | 5.2 | 5.7 | 6.0 | 9.5 | 8.2 | SNRs | 5.6 dB Hs | 6.3 dB Ms | 5.2 dB Ls | 5.7 dB |
| APV dB | 18.1 | 17.4 | 14.3 | 17.4 | 19.1 | 25.7 | 23.9 | 31.2 | | | | | |



minibox
2111260

2111239

uvex whisper+ detec

- easy-to-clean reusable corded earplugs
- smooth, dirt-repellent surface can be easily cleaned using mild soap and water
- earplug box for hygienic storage when not in use
- integrated metal parts and the blue colour ensure the earplugs can be detected in a production environment
- thanks to the cord, the earplugs are always conveniently to hand – in low-noise areas, the earplugs can be worn around the neck

| uvex whisper+ detec | |
|---------------------|----------------------------------|
| Art. no. | 2111260 |
| Design | with cord detectable, in minibox |
| Standard | EN 352-2:2020 |
| Colour | blue |
| Order unit | CT |
| Content | 50 PR, in pairs in CT |

| | | | | | | | | | | | | | |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 27 dB H | 27 dB M | 24 dB L | 22 dB |
| MA dB | 26.6 | 26.9 | 24.3 | 26.1 | 28.8 | 32.8 | 32.6 | 38.1 | SNRm | 30.3 dB Hm | 31.4 dB Mm | 28.0 dB Lm | 26.0 dB |
| SD dB | 6.1 | 6.1 | 4.1 | 5.1 | 5.1 | 5.0 | 6.5 | 5.3 | SNRs | 3.8 dB Hs | 4.0 dB Ms | 4.1 dB Ls | 4.0 dB |
| APV dB | 20.5 | 20.8 | 20.2 | 21.0 | 23.7 | 27.8 | 26.1 | 32.8 | | | | | |

MADE IN SWEDEN

Hearing Protection

Banded hearing protection



2125361

2125351

uvex x-cap

- ergonomically shaped banded ear protector for optimal positioning in front of the chin
- ergonomically shaped earplugs provide a high level of wearer comfort
- replaceable earplugs
- seal forms at the opening of the ear canal meaning there is no pressure in the ear

| uvex x-cap | | | |
|-------------------|----------------------------------|----------------------|----------------|
| Art. no. | 2125361 | 2125351 | |
| Design | with band | replacement earplugs | |
| Standard | EN 352-2:2020 | | |
| Colour | grey, sky blue, lime | | sky blue, lime |
| Order unit | CT | | CT |
| Content | 15 PC, individually packed in CT | 60 PR, CT of 5 pairs | |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 23 dB H | 27 dB M | 20 dB L | 18 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 23.7 | 22.0 | 21.6 | 19.0 | 23.8 | 31.9 | 39.6 | 39.6 | SNRm | 26.7 dB Hm | 30.4 dB Mm | 23.1 dB Lm | 21.4 dB |
| SD dB | 4.0 | 2.9 | 4.7 | 4.3 | 3.6 | 4.0 | 2.7 | 3.7 | SNRs | 3.4 dB Hs | 3.0 dB Ms | 3.5 dB Ls | 3.8 dB |
| APV dB | 19.7 | 19.1 | 16.9 | 14.7 | 20.2 | 27.9 | 36.9 | 35.9 | | | | | |



2125344

uvex x-fold

- ergonomically shaped banded ear protector for optimal positioning in front of the chin which eliminates noise transfer on contact
- ergonomically shaped replacement earplugs for optimal wearer comfort
- foldable banded ear protectors make storage easy

| uvex x-fold | | | |
|-------------------|---------------------------------|----------------------|----------------|
| Art. no. | 2125344 | 2125351 | |
| Design | with foldable band | replacement earplugs | |
| Standard | EN 352-2:2020 | | |
| Colour | grey, sky blue, lime | | sky blue, lime |
| Order unit | CT | | CT |
| Content | 5 PC, individually packed in CT | 60 PR, CT of 5 pairs | |

| f/Hz | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 30 dB M | 23 dB L | 21 dB |
|--------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 27.1 | 23.0 | 24.1 | 26.2 | 35.1 | 39.6 | 40.4 | SNRm | 30.1 dB Hm | 33.1 dB Mm | 26.7 dB Lm | 24.7 dB |
| SD dB | 5.1 | 4.2 | 4.3 | 4.2 | 3.1 | 3.4 | 4.4 | SNRs | 3.6 dB Hs | 3.0 dB Ms | 3.8 dB Ls | 3.8 dB |
| APV dB | 22.0 | 18.8 | 19.8 | 22.0 | 31.9 | 36.2 | 36.0 | | | | | |



2125372

2124002
2124003

uvex xact-band

- extremely low weight – just 4 grams
- seal forms inside the ear canal, just like disposable plugs
- integrated sound absorbers reduce noise transmission through the band
- replacement earplugs can be dispensed through the standard uvex wall mounted dispenser unit
- banded ear protector
- thumb indentations on the stems for quick and easy fitting

| uvex xact-band | | | |
|-------------------|---------------------------------|-----------------------|----------------------|
| Art. no. | 2125372 | 2124002 | 2124003 |
| Design | with band | replacement earplugs | replacement earplugs |
| Standard | EN 352-2:2020 | | |
| Colour | grey, sky-blue, lime | | lime |
| Order unit | CT | | CT |
| Content | 5 PC, individually packed in CT | 250 PR, CT of 5 pairs | 400 PR, loose in CT |

| f/Hz | 63 | 125 | 250 | 500 | 1000 | 2000 | 4000 | 8000 | SNR | 26 dB H | 29 dB M | 22 dB L | 21 dB |
|--------|------|------|------|------|------|------|------|------|------|------------|------------|------------|---------|
| MA dB | 21.5 | 23.3 | 24.7 | 25.3 | 27.1 | 33.0 | 37.3 | 38.5 | SNRm | 30.4 dB Hm | 32.4 dB Mm | 27.4 dB Lm | 25.5 dB |
| SD dB | 3.6 | 3.6 | 4.7 | 6.0 | 5.5 | 2.7 | 4.3 | 4.9 | SNRs | 4.5 dB Hs | 3.6 dB Ms | 5.1 dB Ls | 4.6 dB |
| APV dB | 17.9 | 19.7 | 20.0 | 19.3 | 21.5 | 30.3 | 33.0 | 33.6 | | | | | |



Earmuffs

uvex aXess one

safe. active. connected.



RAL – real active listening

Active listening function with the ability to individually adjust the volume of ambient noise. Safe application thanks to integrated sound level limiter. No over-protection or isolation from the working environment.

Bluetooth® 5.2

Good sound quality, fast data transfer and a large range with optimised energy consumption.

Dual connection mode

The hearing protection can be paired with two Bluetooth devices at the same time.

Certified hearing protection

Attenuation value with SNR 31 dB

Audio streaming

Ideal for monotonous work.

Two surround-sound microphones

For reliable transmission of ambient noise.

Voice microphone

Ensures optimal voice quality.

Status messages

The audio assistant provides you information through voice prompts (“Bluetooth connected”), so there’s no need to remove the hearing protection in hazardous areas.

External audio input

Connects wireless devices or media players via a cable.

Charging socket USB Type-C

Fast charging time thanks to higher performance. Easy handling thanks to rotationally symmetrical connectors.

IP 54 Protection class

Suitable for outdoor use or dusty and damp working areas thanks to sealing caps.

Hands-free telephony

Make calls without interrupting your work thanks to Bluetooth connectivity.



LED display

Signals your current work mode, e.g. whether you are making a phone call or are available.

Unique function keys

Can be felt easily and can also be operated even when wearing gloves.



Hear what's important

The smart hearing protection for greater occupational safety



Outdoor microphones for secure communication

uvex aXess one are active electronic earmuffs with RAL function (real active listening). This function gives the user the feeling of not wearing hearing protection and of actively participating in the environment with hearing protection. This makes communication possible and warning signals can be perceived better. The volume of the ambient sounds can be set individually.

For safe hearing protection, the maximum output level is limited. The level gain below the sound level limiter is very helpful, for example when adjusting machines or performing diagnostic work.

Conveniently answer calls via Bluetooth®

uvex aXess one connects to your smartphone via Bluetooth 5.2, meaning you no longer miss important calls and can make them without interrupting your work. Dual mode allows you to add another device if needed.

Calls can be answered quickly and easily using the function keys on the earmuffs, so both hands are free when you make calls. The large radio range ensures that paired devices can remain in a protected location rather than at the workplace.



2640001



Protection against dust and moisture

Closure caps seal connector sockets.



uvex aXess hygiene kit

2592641
(catalogue page 111)



uvex aXess one

- active Bluetooth® earmuffs with foldable headband
- communication, telephony and streaming
- attenuation of harmful impulse noise
- real active listening function for clear perception of ambient noise
- buttons with a shape that corresponds to their function
- IP54 water and dust protected ideal for outdoor applications
- battery status indicator and battery warning message
- continuous length adjustment for the perfect positioning
- padded headband for a comfortable fit
- microphone covers can be used to minimise wind noise or provide additional protection

| | |
|----------------------|--------------------------------|
| uvex aXess one | |
| Art. no. | 2640001 |
| Design | Active earmuffs with Bluetooth |
| SNR protection value | 31 dB |
| H-M-L value | H: 37 dB, M: 29 dB, L: 21 dB |
| Weight | 360 g |
| Colour | matt black, grey |
| Order unit | PC |

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



2000002



SNR
dB
30

2630010



SNR
dB
33

2630020



SNR
dB
36

2630030

Note: Order earmuff bag separately



uvex K10 · uvex K20 · uvex K30

- earmuffs with foldable headband
- variable length adjustment for easy positioning
- optimal earmuff shape for pressure-free protection of the outer ear
- padded headband for wearer comfort

- wearer comfort guaranteed thanks to extra-soft memory foam earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements

| | | | | |
|-----------------------------|------------------------------|------------------------------|------------------------------|---|
| Art. no. | uvex K10 2630010 | uvex K20 2630020 | uvex K30 2630030 | uvex earmuff bag 2000002 |
| Design | with foldable headband | with foldable headband | with foldable headband | with belt loop and hook-and-loop fastener |
| SNR protection value | 30 dB | 33 dB | 36 dB | |
| H-M-L value | H: 35 dB, M: 28 dB, L: 19 dB | H: 36 dB, M: 32 dB, L: 22 dB | H: 37 dB, M: 34 dB, L: 26 dB | |
| Weight | 185 g | 230 g | 385 g | |
| Colour | black, green | black, yellow | black, red | |
| Order unit | PC | PC | PC | PC |

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



2630011



uvex KX10

- earmuffs with rubberised surface
- increased grip and secure fit, ideal for oily or damp environments
- foldable headband
- variable length adjustment for easy positioning
- optimal earmuff shape for pressure-free protection of the outer ear
- padded headband for wearer comfort
- comfortable fit guaranteed thanks to extra-soft memory foam earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements

| | |
|-----------------------------|---|
| uvex KX10 | |
| Art. no. | 2630011 |
| Design | Hearing protection earmuffs with rubberised surface |
| SNR protection value | 30 dB |
| H-M-L value | H: 35 dB, M: 28 dB, L: 19 dB |
| Weight | 185 g |
| Colour | matt black, green |
| Order unit | PC |



2630021



uvex K20 hi-viz

- earmuffs in fluorescent colours thanks to the high-visibility design
- foldable headband
- variable length adjustment for easy positioning
- optimal earmuff shape for pressure-free protection of the outer ear
- padded headband for wearer comfort
- comfortable fit guaranteed thanks to extra-soft memory foam earmuff cushions, even when worn for long periods
- replaceable earmuff cushions for high hygiene requirements

| | |
|-----------------------------|------------------------------|
| uvex K20 hi-viz | |
| Art. no. | 2630021 |
| Design | with foldable headband |
| SNR protection value | 33 dB |
| H-M-L value | H: 36 dB, M: 32 dB, L: 22 dB |
| Weight | 230 g |
| Colour | hi-viz |
| Order unit | PC |

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



SNR
dB
28

2600001



SNR
dB
32

2600002



SNR
dB
33

2600003



SNR
dB
35

2600004



uvex K1 · uvex K2 · uvex K3 · uvex K4

- earmuffs with length adjustment
- lightweight with a small cup
- easily adjustable for a perfect fit

- padded headband for optimum wearer comfort
- wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods (excluding uvex K1)

| | uvex K1 | uvex K2 | uvex K3 | uvex K4 |
|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Art. no. | 2600001 | 2600002 | 2600003 | 2600004 |
| Design | with headband | with headband | with headband | with headband |
| SNR protection value | 28 dB | 32 dB | 33 dB | 35 dB |
| H-M-L value | H: 35 dB; M: 24 dB; L: 17 dB | H: 37 dB; M: 29 dB; L: 21 dB | H: 36 dB; M: 30 dB; L: 22 dB | H: 38 dB; M: 33 dB; L: 24 dB |
| Weight | 180 g | 217 g | 297 g | 356 g |
| Colour | black, green | black, yellow | black, red | neon lime |
| Order unit | PC | PC | PC | PC |

Hearing Protection

Earmuffs – Tested in accordance with DIN EN 352-1



2600012

SNR
dB
31



SNR
dB
28



possible wearing styles



2600200

uvex K2 foldable

- dielectric earmuffs with length adjustment and foldable headband
- lightweight with a small cup
- extra-soft memory foam ear cushions for wearer comfort
- hi-vis design for improved wearer visibility

| | |
|----------------------|------------------------------|
| uvex K2 foldable | |
| Art. no. | 2600012 |
| Design | with foldable headband |
| SNR protection value | 31 dB |
| H-M-L value | H: 35 dB, M: 29 dB, L: 21 dB |
| Weight | 229 g |
| Colour | neon lime |
| Order unit | PC |

uvex K200

- dielectric ear muffs with length adjustment
- suitable for use in workplace environments with exposure to electrical voltage
- adjustable headband for a perfect fit and optimum protection
- easily adjustable for a customised fit
- range of positions possible with 360° capsule rotation

| | |
|----------------------|------------------------------|
| uvex K200 | |
| Art. no. | 2600200 |
| Design | with 360° headband rotatable |
| SNR protection value | 28 dB |
| H-M-L value | H: 33 dB, M: 25 dB, L: 18 dB |
| Weight | 173 g |
| Colour | black, ochre |
| Order unit | PC |



2600000



2600010



2600011



2600013

SNR
dB
29

uvex K Junior

- earmuffs with shorter headband
- suitable for head widths up to 145 mm, equivalent to sizes S/M
- padded headband and soft cushions for optimum wearer comfort

| | | | | |
|----------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| uvex K Junior | | | | |
| Art. no. | 2600000 | 2600010 | 2600011 | 2600013 |
| Design | with shorter headband | with shorter headband | with shorter headband | with shorter headband |
| SNR protection value | 29 dB | EN 352-1 | EN 352-1 | EN 352-1 |
| H-M-L value | H: 34 dB, M: 26 dB, L: 18 dB | H: 34 dB, M: 26 dB, L: 18 dB | H: 34 dB, M: 26 dB, L: 18 dB | H: 34 dB, M: 26 dB, L: 18 dB |
| Weight | 167 g | 167 g | 167 g | 167 g |
| Colour | yellow | blue | lime | pink |
| Order unit | PC | PC | PC | PC |

Hearing Protection

Helmet earmuffs for 30-mm Euroslot – Tested in accordance with DIN EN 352-3



uvex K10H · uvex K20H · uvex K30H

- hearing protection earmuffs that can be attached to a safety helmet using the 30-mm Euroslot
- dielectric design
- soft, variable length adjustment
- sound isolation thanks to the rubber-cushioned earmuffs
- length is easily adjustable for a perfect fit on the helmet
- 360° rotation for standby and resting positions
- wearer comfort guaranteed thanks to extra-soft memory foam earmuff cushions, even when worn for long periods
- not compatible with the uvex pheos visor system

| | uvex K10H | uvex K20H | uvex K30H |
|-----------------------------|---|---|---|
| Art. no. | 2630210 | 2630220 | 2630230 |
| Design | dielectric helmet earmuffs for 30-mm Euroslot | dielectric helmet earmuffs for 30-mm Euroslot | dielectric helmet earmuffs for 30-mm Euroslot |
| SNR protection value | 28 dB | 30 dB | 34 dB |
| H-M-L value | H: 34 dB; M: 26 dB; L: 18 dB | H: 34 dB; M: 28 dB; L: 20 dB | H: 36 dB; M: 32 dB; L: 24 dB |
| Weight | 216 g | 263 g | 420 g |
| Colour | black, green | black, yellow | black, red |
| Order unit | PR | PR | PR |

Hearing Protection

Helmet earmuffs for 30-mm Euroslot - Tested in accordance with DIN EN 352-3



2600201



2600202



uvex K1H · uvex K2H

- not compatible with the uvex pheos visor system
- length is easily adjustable for a perfect fit on the helmet
- 360° rotation for standby and resting positions
- soft ear cushions adapt to surface and head shape to ensure optimum wearer comfort (uvex K1H)

- wearer comfort guaranteed thanks to extra-soft memory foam ear cushions, even when worn for long periods (uvex K2H)

| | | |
|----------------------|------------------------------------|------------------------------------|
| | uvex K1H | uvex K2H |
| Art. no. | 2600201 | 2600202 |
| Design | helmet earmuffs for 30-mm Euroslot | helmet earmuffs for 30-mm Euroslot |
| SNR protection value | 27 dB | 30 dB |
| H-M-L value | H: 32 dB; M: 24 dB; L: 17 dB | H: 35 dB; M: 27 dB; L: 20 dB |
| Weight | 210 g | 251 g |
| Colour | black, green | black, yellow |
| Order unit | PR | PR |

Customisation

All uvex earmuffs can be printed with your company logo and can also be colour-coded to suit your needs. Minimum order quantities apply.



uvex pheos alpine

uvex aXess one

Active Bluetooth helmet earmuffs

Tested in accordance with DIN EN 352-3, EN 352-4, EN 352-6, EN 352-8



Status messages

The audio assistant provides information via voice announcement ("Bluetooth connected")

RAL – real active listening

Active listening function with the ability to individually adjust the volume of ambient noise, no over-protection and no isolation from the environment



Hands-free telephony

Make calls without interrupting your work



Bluetooth® 5.2

Good sound quality, fast data transfer and a large range



Flexible spiral cable

Earmuffs can be moved to the resting position, regardless of the width of the helmet



uvex aXess hygiene kit
2592641

LED display

Indicates the current work mode

Unique function keys

Easy to use, even when wearing gloves

IP54 protection class (dust-tight and water-proof)

Suitable for use in dusty and damp working conditions thanks to sealing caps.



External audio input

3.5 mm audio input, for example, for wireless devices

USB Type-C charging socket

Fast charging time, easy handling, flexible charging options



External microphones for reliable communication

uvex aXess one are active electronic earmuffs with RAL function (real active listening). This function makes the user feel like they are not wearing hearing protection, which in turn allows them to actively participate in the environment despite wearing earmuffs. Users are still able to communicate with others and can react effectively to warning signals. The volume of the transmitted ambient noise can be individually adjusted in 5 increments. This means that there is no over-protection, even in low-noise environments from 85 dB. Low noise levels below 82 dB can even be amplified. To ensure safe hearing protection, the maximum output level is limited.

Conveniently answer calls via Bluetooth®


uvex aXess one connects to your smartphone via Bluetooth 5.2, meaning you no longer miss important calls and can make them without interrupting your work. Dual mode allows you to add another device if needed.

Calls can be answered quickly and easily using the function keys on the earmuffs, leaving both hands free when you make calls.



uvex aXess one — system combinations

Perceive ambient noise while still being protected



uvex aXess one helmet earmuffs

- active Bluetooth® earmuffs for attaching to the helmet
- two helmet connections available, uvex bayonet/30 mm Euroslot
- noise insulation thanks to the rubber-cushioned earmuffs
- communication, telephony and audio streaming
- attenuation of harmful impulse noise
- no over-protection, can be used from 80 dB
- real active listening function for clear perception of ambient noise. Low noise levels can be amplified

- buttons with a shape that corresponds to their function
- IP54 water and dust protection, ideal for outdoor applications
- battery status indicator and battery warning message
- continuous length adjustment for perfect positioning
- microphone covers can be used to minimise wind noise or provide additional protection

| | uvex aXess one helmet earmuffs Basic unit | Earmuffs Helmet connection | Earmuffs Helmet connection bayonet | uvex pheos adapter Magnetic bayonet | uvex pronamic adapter Pull bayonet | uvex pronamic adapter Push bayonet |
|-------------------|---|----------------------------------|------------------------------------|--|--|--|
| Art. no. | 2640201 | 2600230 | 2600231 | 2600235 | 2600236 | 2600237 |
| Design | Active helmet earmuffs basic unit | 30 mm Euroslot helmet connection | uvex bayonet helmet connection | For use with the magnetic pheos visors and the uvex earmuffs with bayonet connection | Helmet connection for use with full visors and the uvex earmuffs with bayonet connection | Helmet connection for use with half visors and the uvex earmuffs with bayonet connection |
| Weight | 309 g | 99 g | 69 g | | | |
| Colour | black, grey | | | | | |
| Order unit | PC | PR | PR | PR | PR | PR |

Hearing Protection

uvex helmet earmuffs for uvex system combinations – Tested in accordance with DIN EN 352-3



SNR
dB
28

2600216



SNR
dB
30

2600214
2600215

uvex K1P · uvex K2P

- for use only with uvex helmets in combination with uvex helmet adapters or a pre-mounted visor system
- the soft foam ear cushion of the K1P adapts to the wearer's head shape to ensure optimum wearer comfort
- the K2P guarantees a comfortable fit thanks to extra-soft memory foam earmuff cushions, even when worn for long periods
- 360° rotation for standby and resting positions
- both variants are available in a bayonet version and can be attached and removed quickly and easily without tools
- K2P available as a magnetic variant so the earmuffs can be quickly and easily attached and removed without having to take off the helmet
- easy, convenient height adjustment of earmuffs
- dielectric

| | | | |
|----------------------|------------------------------|------------------------------|------------------------------|
| Art. no. | uvex K1P bayonet 2600216 | uvex K2P bayonet 2600214 | uvex K2P magnetic 2600215 |
| Design | bayonet connection | bayonet connection | magnetic connection |
| SNR protection value | 28 dB | 30 dB | 30 dB |
| H-M-L value | H: 34 dB, M: 25 dB, L: 18 dB | H: 35 dB, M: 27 dB, L: 20 dB | H: 35 dB, M: 27 dB, L: 20 dB |
| Weight | 191 g | 235 g | 240 g |
| Colour | black, grey | black, yellow | black, yellow |
| Order unit | PR | PR | PR |



Magnetic locking system
for visor and earmuffs

uvex magnetic connection system

The unique magnetic locking system allows the earmuffs and visor to be attached or removed without tools. This allows the helmet to conveniently stay on your head and means you remain protected. Easily and quickly adjust your system to your requirements.

uvex bayonet connection system

The bayonet connection allows the earmuffs to be attached or removed without tools. Easily and quickly adjust your system to your requirements.

Hearing Protection

Helmet earmuffs – Assembly matrix



| | uvex pronamic | uvex pronamic alpine | uvex pronamic alpine E | uvex pheos | uvex pheos E | uvex pheos alpine | uvex perfoxion | uvex airwing B | uvex super boss | uvex pronamic visor system | uvex pheos visor magnetic | uvex pheos visor mechanical | uvex faceguard |
|--|---------------|---|------------------------|------------|--|-------------------|----------------|--|-----------------|---|--|-----------------------------|---|
| uvex K1H (2600201) | ■ | ■ | –* ⁽¹⁾ | ■ | –* ⁽¹⁾ | ■ | ■ | ■ | ■ | – | – | – | – |
| uvex K2H (2600202) | ■ | ■ | –* ⁽¹⁾ | ■ | –* ⁽¹⁾ | ■ | ■ | ■ | ■ | – | – | – | – |
| uvex K10H (2630210) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | – | – | – | – |
| uvex K20H (2630220) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | – | – | – | – |
| uvex K30H (2630230) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | – | – | – | – |
| uvex K1P bayonet (2600216) | ■ | ■ With pronamic adapter pull bayonet 2600236 or pronamic visor | ■ | ■ | ■ With pheos adapter magnetic bayonet 2600235 or mechanical visor | ■ | – | – | – | ■ | – | ■ | ■ |
| uvex K2P bayonet (2600214) | ■ | ■ With pronamic adapter pull bayonet 2600236 or pronamic visor | ■ | ■ | ■ With pheos adapter magnetic bayonet 2600235 or mechanical visor | ■ | – | – | – | ■ | – | ■ | ■ |
| uvex K2P magnet (2600215) | – | – | – | ■ | ■ With pheos helmet adapter magnetic 9790078 | ■ | – | – | – | – | ■ | – | – |
| uvex aXess one Helmet earmuffs (2640201) | ■ | ■ With helmet connection 30 mm slot 2600230 | ■ | ■ | ■ With helmet connection 30 mm slot 2600230 | ■ | ■ | ■ With helmet connection 30 mm slot 2600230 | ■ | ■ With helmet connection bayonet 2600231 and pronamic adapter pull bayonet 2600236 or pronamic visor | ■ With helmet connection bayonet 2600231 and pheos adapter magnetic bayonet 2600235 | ■ | ■ With helmet connection bayonet 2600231 |

*⁽¹⁾ non-dielectric

- 9790078 uvex pheos adapter magnetic
- 2600235 uvex pheos adapter magnetic bayonet
- 2600236 uvex pronamic adapter pull bayonet
- 2600230 Earmuffs helmet connection 30 mm slot
- 2600231 Earmuffs helmet connection bayonet



Example:

Hearing Protection

Earplug accessories



6177116

uvex clear otoplastics

- silicone-free towelettes for quick and easy cleaning of reusable ear plugs

| | |
|------------------------|----------------------|
| uvex clear otoplastics | |
| Art. no. | 6177116 |
| Content | 30 towelettes per PC |
| Order unit | PC |



2111404

uvex earplug box

- box for hygienic earplug storage
- compact and dirt-resistant design
- for one pair of reusable earplugs with cord
- or two pairs of reusable earplugs without cord

| | |
|-------------------|-----------------------|
| uvex earplug box | |
| Art. no. | 2111404 |
| Design | earplugs not included |
| Colour | transparent |
| Content | 50 PC per Box |
| Order unit | CT |



2134000

Wall bracket for dispenser box

- plexiglas wall-mounted dispenser, suitable for uvex x-fit (2112001, 2112010, 2112011), uvex com4-fit (2112004, 2112012), uvex one-fit (2112045), uvex xtra-fit (2112060), uvex hi-com (2112100, 2112101, 2112106, 2112114).

| | |
|--------------------------------|-------------|
| Wall bracket for dispenser box | |
| Art. no. | 2134000 |
| Material | PMMA |
| Colour | transparent |
| Order unit | PC |



Hearing protection tester box

- Find the perfect hearing protection for you:
- box containing selection of uvex disposable/reusable and detectable hearing protection earplugs plus uvex xact-band banded ear protectors
 - article number: 1000929



Usage poster

- Article numbers
- 1001.165 (German)
 - 1001.166 (English)
 - Size: A2



Hearing protection guide

- 25 pages
- with Euro holes
- includes all essential information about hearing protection
- art. no.: 1001.214 (German)
- art. no.: 1001.215 (English)

Hearing protection

Earmuff accessories



2592641

uvex aXess series hygiene kit

| | |
|-------------------------------|--|
| uvex aXess series hygiene kit | |
| Art. no. | 2592641 |
| Design | for uvex aXess earmuff series |
| Order unit | BG |
| Content | 2 earmuff cushions, 2 absorber cushions, 2 inner cushions, 3 microphone covers |



2599978

uvex K series comfort pads "uvex dry pads"

- accessories for all models in the uvex K series
- the comfort pads can be attached to the sealing cushions to absorb moisture and sweat


| | |
|--|---|
| uvex K series comfort pads "uvex dry pads" | |
| Art. no. | 2599978 |
| Design | self-adhesive, suitable for all models in the uvex K series |
| Content | 10 Pads in BG |
| Order unit | BG |



2599971
2599972

uvex K series · Hygiene kits

| | uvex K series | uvex K series |
|-------------------|---|---|
| | hygienekit standard | hygienekit-premium |
| Art. no. | 2599971 | 2599972 |
| Design | accessories for uvex K1, uvex K1H, uvex K1P, uvex K200, uvex K junior | accessories for uvex K2, uvex K2 foldable, uvex K3, uvex K4, uvex K10, uvex KX10, uvex K20, uvex K30, uvex K2H, uvex K2P, uvex K10H, uvex K20H, uvex K30H, uvex aXess one |
| Content | 2 ear pads and 2 muffling pads in BG | in BG |
| Order unit | BG | BG |



2592640

uvex microphone cover

| | |
|-----------------------|--|
| uvex microphone cover | |
| Art. no. | 2599978 |
| Design | Set of nine, self-adhesive, suitable for the uvex aXess series |
| Order unit | BG |



2000002

uvex earmuff bag

| | |
|-------------------|---|
| uvex earmuff bag | |
| Art. no. | 2000002 |
| Design | with belt loop and hook-and-loop fastener |
| Size | 150x120x120 mm |
| Order unit | PC |



2000000

Storage box for earmuffs

| | |
|--------------------------|---------------------|
| Storage box for earmuffs | |
| Art. no. | 2000000 |
| Design | Plastic storage box |
| Size | 236x225x125 mm |
| Order unit | PC |

Hearing Protection

Overview

| Art. no. | Name | Product | Colour | Content | Page |
|----------|----------------------------------|---|----------------------|--------------------------------------|---------|
| 2000000 | | Storage box | blue | PC | 111 |
| 2000002 | | Earmuff bag | | PC | 100/111 |
| 2111201 | uvex whisper | Reusable earplugs with cord in a mini box | orange | 50 PR, in pairs in CT | 93 |
| 2111212 | uvex whisper+ | Reusable earplugs with cord in a mini box | lime | 50 PR, in pairs in CT | 93 |
| 2111235 | uvex whisper supreme | Reusable earplugs with cord in earplug box | yellow | 50 PR, in pairs in CT | 93 |
| 2111237 | uvex whisper | Reusable earplugs with cord in earplug box | orange | 50 PR, in pairs in CT | 93 |
| 2111238 | uvex whisper+ | Reusable earplugs with cord in earplug box | lime | 50 PR, in pairs in CT | 93 |
| 2111239 | uvex whisper+ detec | Detectable reusable earplugs with cord in earplug box | blue | 50 PR, in pairs in CT | 95 |
| 2111260 | uvex whisper+ detec | Reusable earplugs with cord in a mini box | | 50 PR, in pairs in CT | 95 |
| 2111261 | uvex whisper detec | Reusable earplugs with cord in a mini box | | 50 PR, in pairs in CT | 95 |
| 2111262 | uvex whisper detec | Reusable earplugs with cord in a mini box | | 50 PR, in pairs in CT | 95 |
| 2111404 | | uvex earplug box | transparent | CT | 110 |
| 2111988 | one 2 click | dispenser, empty, magnetic | | CT | 90 |
| 2111989 | | Magnetic wall bracket for dispenser | | CT | 90 |
| 2111990 | one 2 click | Dispenser filled with 600 pairs of x-fit earplugs | | 600 PR, x-fit | 90 |
| 2111991 | one 2 click | Dispenser filled with 600 pairs of com4-fit earplugs | | 600 PR, xcom4-fit | 90 |
| 2111992 | one 2 click | Dispenser filled with 600 pairs of hi-com earplugs | | 600 PR, hi-com | 90 |
| 2112000 | one 2 click | Dispenser for 600 pairs of earplugs, empty | | CT | 90 |
| 2112001 | uvex x-fit | Disposable earplugs without cord | lime | 200 PR, packed in pairs in CT | 89 |
| 2112004 | uvex com4-fit | Disposable earplugs without cord | light orange | 200 PR, packed in pairs in CT | 89 |
| 2112010 | uvex x-fit | Disposable earplugs with cord | lime | 100 PR, packed in pairs in CT | 89 |
| 2112011 | uvex x-fit detec | Detectable disposable earplugs with cord | blue | 100 PR, in pairs in CT | 94 |
| 2112012 | uvex com4-fit | Disposable earplugs with cord | light orange | 100 PR, packed in pairs in CT | 89 |
| 2112013 | uvex x-fit | Disposable earplugs without cord | | 50 PR, loose in CT | 89 |
| 2112022 | uvex x-fit | Refill box | lime | 300 PR, loose in CT | 90 |
| 2112023 | uvex com4-fit | Refill box | light orange | 300 PR, loose in CT | 90 |
| 2112060 | uvex xtra-fit | Disposable earplugs without cord | orange | 200 PR, packed in pairs in BG | 89 |
| 2112061 | uvex xtra-fit | Refill box | orange | 250 PR, loose in BG | 90 |
| 2112087 | uvex x-fit | Disposable earplugs without cord | lime | 100 PR, packed in pairs in CT | 89 |
| 2112093 | uvex xtra-fit | Minidispenser Box | orange | 100 PR, packed in pairs in CT | 89 |
| 2112094 | uvex x-fit | Minidispenser Box | lime | 100 PR, packed in pairs in CT | 89 |
| 2112095 | uvex hi-com | Minidispenser Box | lime | 100 PR, packed in pairs in CT | 88 |
| 2112096 | uvex com4-fit | Minidispenser Box | light orange | 100 PR, packed in pairs in CT | 89 |
| 2112100 | uvex hi-com | Disposable earplugs without cord | lime | 200 PR, packed in pairs in CT | 88 |
| 2112101 | uvex hi-com | Disposable earplugs with cord | lime | 100 PR, packed in pairs in CT | 88 |
| 2112106 | uvex hi-com | Disposable earplugs without cord | beige | 200 PR, packed in pairs in CT | 88 |
| 2112114 | uvex hi-com detec | Detectable disposable earplugs with cord | blue | 100 PR, in pairs in CT | 88 |
| 2112118 | uvex hi-com | Refill box | lime | 300 PR, loose in CT | 90 |
| 2112119 | uvex hi-com | Refill box | beige | 300 PR, loose in CT | 90 |
| 2112131 | uvex com4-fit | Disposable earplugs without cord | light orange | 15 PR, loose in CT | 89 |
| 2112133 | uvex x-fit | Disposable earplugs without cord | | 15 PR, loose in CT | 89 |
| 2124001 | uvex xact-fit | Earplugs with cord and pin | lime, grey | 50 PR, packed in pairs in CT | 92 |
| 2124002 | uvex xact-fit | Replacement earplugs | lime | 250 PR, CT of 5 pairs | 92/96 |
| 2124003 | uvex xact-fit | Refill box | lime | 400 PR, loose in CT | 92/96 |
| 2124011 | uvex xact-fit detec | Detectable earplugs with pin | blue | 50 PR, in pairs in CT | 94 |
| 2124013 | uvex xact-fit detec | Replacement earplugs | blue | 400 PR, loose in CT | 94 |
| 2124017 | uvex xact-fit multi reusable S | Reusable earplugs with oval-shaped reusable plugs | grey, transparent | 50 PR, packed in pairs in CT | 92 |
| 2124018 | uvex xact-fit multi reusable M/L | Reusable earplugs with oval-shaped reusable plugs | grey, transparent | 50 PR, packed in pairs in CT | 92 |
| 2124019 | uvex xact-fit multi reusable S | Reusable earplugs with oval-shaped reusable plugs | grey, transparent | 50 PR, packed in pairs in CT | 92 |
| 2124020 | uvex xact-fit multi reusable M/L | Reusable earplugs with oval-shaped reusable plugs | grey, transparent | 50 PR, packed in pairs in CT | 92 |
| 2124026 | uvex xact-fit planet | Earplugs with pin | lime | 50 PR, packed in pairs in CT | 92 |
| 2124099 | uvex xact-fit test | Bluetooth-capable headphones | | PC | 91 |
| 2124097 | uvex xact-fit travel suitcase | accessories for uvex xact-fit test | | PC | 91 |
| 2124098 | uvex hygiene kit | accessories for uvex xact-fit test earmuffs | | PC | 91 |
| 2125344 | uvex x-fold | Folding banded ear protector | grey, sky blue, lime | 5 PC, individually packed in CT | 96 |
| 2125351 | | Replacement earplugs for uvex x-cap and uvex x-fold | sky blue, lime | 60 PR, CT of 5 pairs | 96 |
| 2125361 | uvex x-cap | Banded ear protector | grey, sky blue, lime | 15 PC, individually packed in CT | 96 |
| 2125372 | uvex xact-band | Banded ear protector | grey, sky blue, lime | 5 PC, individually packed in CT | 96 |
| 2134000 | | Wall-mounted dispenser | | PC | 110 |
| 2592640 | | Microphone cover | black | BG | 111 |
| 2599971 | | Hygiene kit uvex K series standard | | 2 ear pads and 2 muffling pads in BG | 111 |
| 2599972 | | Hygiene kit uvex K series premium | | 2 ear pads and 2 muffling pads in BG | 111 |
| 2599978 | | Comfort pads | | 10 Pads in BTL | 111 |
| 2600000 | uvex K junior yellow | Passive earmuffs | yellow, black | PC | 103 |
| 2600001 | uvex K1 | Passive earmuffs | black, green | PC | 102 |
| 2600002 | uvex K2 | Passive earmuffs | black, yellow | PC | 102 |
| 2600003 | uvex K3 | Passive earmuffs | black, red | PC | 102 |
| 2600004 | uvex K4 | Passive earmuffs | neon lime | PC | 102 |
| 2600010 | uvex K junior blue | Passive earmuffs | blue | PC | 103 |
| 2600011 | uvex K junior green | Passive earmuffs | lime | PC | 103 |
| 2600012 | uvex K2 foldable | Passive earmuffs | neon lime | PC | 103 |
| 2600013 | uvex K junior pink | Passive earmuffs | pink | PC | 103 |
| 2600200 | uvex K200 | Passive earmuffs | black, ochre | PC | 103 |
| 2600201 | uvex K1H | Earmuffs with helmet attachment | black, green | PR | 105 |
| 2600202 | uvex K2H | Earmuffs with helmet attachment | black, yellow | PR | 105 |
| 2600214 | uvex K2P bayonet | Earmuffs with helmet attachment | black, yellow | PR | 108 |
| 2600215 | uvex K2P magnet | Earmuffs with helmet attachment | black, yellow | PR | 108 |
| 2600216 | uvex K1P bayonet | Earmuffs with helmet attachment | black, grey | PR | 108 |
| 2600230 | Helmet connection 30 mm slot | 30 mm Euroslot helmet connection | | PR | 107 |
| 2600231 | Helmet connection bayonet | uvex bayonet helmet connection | | PR | 107 |
| 2600235 | uvex pheos adapter | uvex adapter magnetic bayonet | | PR | 107 |
| 2600236 | uvex pronamic adapter | uvex adapter pull bayonet | | PR | 107 |
| 2600237 | uvex pronamic adapter | uvex adapter push bayonet | | PR | 107 |
| 2630010 | uvex K10 | Earmuffs with helmet attachment | black, green | PC | 100 |
| 2630011 | uvex KX10 | Earmuffs with helmet attachment | matt black, green | PC | 101 |
| 2630020 | uvex K20 | Earmuffs with helmet attachment | black, yellow | PC | 100 |
| 2630021 | uvex K20 hi-viz | Earmuffs with helmet attachment | hi-viz | PC | 101 |
| 2630030 | uvex K30 | Earmuffs with helmet attachment | black, red | PC | 100 |
| 2630210 | uvex K10H | Earmuffs with helmet attachment | black, green | PC | 104 |
| 2630220 | uvex K20H | Earmuffs with helmet attachment | black, yellow | PC | 104 |
| 2630230 | uvex K30H | Earmuffs with helmet attachment | black, red | PC | 104 |
| 2640001 | uvex aXess one | Active earmuffs | matt black, grey | PC | 99 |
| 2640201 | uvex aXess one helmet earmuffs | Active helmet earmuffs basic unit | black, grey | PC | 107 |
| 6177116 | uvex clear otoplastics | silicone-free towelettes | | 30 towelettes, PC | 110 |
| 9790078 | | Helmet adapter | black | PR | 109 |