

uvex



Safety Helmets

protecting people

Product system planet series › Visors

uvex has developed the **protecting planet** icon, to help raise awareness of its commitment to achieving increased sustainability. Based on the brand claim, **protecting people**, our sustainable approach integrates three core interlinked pillars – **ecology, economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.

uvex pronamic



Calculation date 06/2024*

MADE IN GERMANY



Visor system

- › visor lens made of up to 100 percent mass-balanced** polycarbonate
- › reduction in CO₂ emissions by over 13 percent



Instructions for use

- › made from waste paper

Packaging

- › CO₂-offset polybag
- › clean disposal and return to the recycling process possible

100%

mass-balanced**
polycarbonate
per lens

CO₂ emissions

13%

saving



9916000

** Mass balancing is a bookkeeping method that is used to record and track the mass flows of plastics, for example, along the entire value creation chain. In the manufacturing process, some fossil-based raw materials are replaced by more sustainable alternatives, for example through the use of biomass or recycled raw materials. The mass balancing approach enables manufacturers to verify the use of bio-based raw materials or recyclate within a balance sheet period and to mathematically allocate the bio-based or recycled content to a proportion of the plastics produced, resulting in a material with a significantly lower CO₂ footprint. However, the exact proportion of bio-based or recycled material in the end product can no longer be precisely determined.

At uvex, mass-balanced material is used in the lenses of the planet models, enabling a significant reduction in their CO₂ footprint. By purchasing mass-balanced polycarbonate, uvex is helping to replace fossil-based raw materials with bio-based materials.

Innovative safety helmets — made in Germany

uvex head protection centre of expertise

Premium head protection for a wide variety of applications

At its centre of expertise in Lederdorn, Germany, uvex develops and manufactures innovative safety helmets for both the workplace and sports and leisure activities. State-of-the-art technologies, specialist expertise in injection moulding and highly qualified employees ensure the most stringent safety and quality standards are met.

A German production site and team expertise
ensure premium uvex quality.



From an idea to a finished product

uvex Lederdorn is synonymous with first-class development and production expertise. The site encompasses the entire value creation chain: from the initial idea for a product, to intensive research and development, right through to manufacturing using state-of-the-art production methods. Our production site boasts equipment such as an automated coating line, granulate silo systems and three new injection moulding machines.

Automated precision, hand-finished perfection

Although many of the processes at the site are automated, the experience of our employees is absolutely indispensable, especially when it comes to the 200 required routine manual interventions, for example when assembling the uvex forestry set and inserting the suspension harness into the helmets.

Focus on sustainability

Manufacturing the helmets in Germany ensures sustainable, resource-saving production and short transport distances. We are continually optimising our materials and production processes so that we can further improve our energy efficiency and therefore pursue our goal of having a green footprint.

Optimal quality guaranteed

Our Lederdorn site has its own test laboratory that works in close collaboration with our laboratory in Fürth to ensure all national and international standards are met – or even far exceeded.

Comprehensive production controls

- ISO 9001-certified quality management system
- ISO 50001-certified energy management system
- OHRIS-certified occupational safety management system

Customised head protection

uvex safety helmets – fit like they were made for you

Perfectly designed for your workplace

Alongside other uvex products, our Lederdorn site manufactures almost the entire proven uvex pheos safety helmets product family — the uvex forestry set is also fully assembled here. Implementing specific customer requirements is one of this site's strengths: We offer the option to customise the design of our helmets to ensure your team have a uniform appearance, allowing customers to recognise who they are dealing with instantly.



Safety helmets that fit perfectly – including into your corporate identity:

delivered promptly with customised printed designs



Logos printed
directly at the production machine



Multicoloured logos
with up to six colours



Can be ordered in small quantities:
from 25 pieces, special colours from
600 pieces

Standards at a glance

EN 397 · EN 50365

EN 397 – Industrial safety helmets


Protection against falling objects and the consequences thereof, such as brain damage and skull fracture

Binding requirements: all helmets certified according to EN 397 must meet these requirements.

- shock absorption, vertical
- penetration resistance (against sharp and pointed objects)
- flame resistance
- chin strap attachment: chin strap releases at minimum 150 N and maximum 250 N

Optional requirements: a helmet certified in accordance with EN 397 may meet these requirements; they are, however, not mandatory requirements.

- very low temperatures (-20 °C or -30 °C)
- very high temperatures (+150 °C)
- electrical insulation (440 V)
- molten metal (MM)
- lateral deformation (LD)

| | | | | | | | |
|--|---|---|---|---|--|---|---|
| very low temperatures (-20 °C or -30 °C) |  |  |  |  |  |  |  |
| very high temperatures (+150 °C) | |  | | | | | |
| electrical insulation (440 V) |  |  | | | | | |
| molten metal (MM) | | |  | | |  |  |
| lateral deformation | | | | |  |  |  |

EN 50365 – Insulating helmets for use on low voltage installations

Protection against electric shocks and prevention of dangerous electric current passing through the head

Requirements:

- All helmets must also meet the requirements in accordance with EN 397.
- Protection against alternating voltage of up to 1000 V (AC) or direct voltage up to 1500 V (DC)
- Insulating helmets must not contain any conductive parts.



uvex pheos E

uvex pronamic E

uvex pronamic alpine E

Overview of standards

EN 12492 · EN 1078

EN 12492 – Helmets for mountaineers

Protection against hazards that may occur during activities undertaken by mountaineers

Requirements:

- Shock absorption, vertical, frontal, lateral, dorsal
- Penetration resistance
- Carrier element (chin strap releases at min. 500 N)
- Strength of carrier element: Chin strap may exhibit maximum elongation of 25 mm
- Carrier element effectiveness: Helmet must not slide from the head



uvex pheos alpine

uvex perfexxion

uvex pronamic alpine

EN 1078: Cycling helmet

Helmets for pedal cyclists and for users of skateboards and roller skates

Requirements:

- absorbs impact from vertical force
- the effectiveness of the retention system must be ensured via a retention test
- the mechanical strength of the chin strap must be ensured
 - the maximum permissible elongation is 35 mm




uvex perfexxion



uvex pronamic

The innovative multi-functional helmet



Perfect interplay of protection and dynamic


The modern, sporty uvex pronamic has a unique, innovative helmet structure. Taking inspiration from bionics (namely, the lily pad), a completely new helmet design has been brought to life – for increased performance, better ergonomics and a more sustainable use of materials. The uvex pronamic offers maximum protection: It meets both the requirements of necessary standards (shock absorption, penetration, flammability) and optional requirements ("−30°C", MM).

Positioning closer to head

The optimised shape of the uvex pronamic helmet shell means that it rests closer to the head. This makes the helmet feel lighter because its centre of gravity is now closer to the centre of the head. The enlarged neck area at the back of the head also provides greater protection.

Maximum ventilation

The fully integrated ventilation sliders are easy to operate even when wearing gloves.



Optimal vision

The long brim protects against sunlight, while the short brim expands the field of vision.



IES system – Now as standard

Safety spectacles can be conveniently stored in the resting position in the helmet – now integrated as standard. Spectacle clip (9772002) required.



Space for accessories

There is a wide range of accessories available for the uvex pronamic, such as a half visor.



Integrated neck piece

The ergonomic spiderneck neck piece enlarges the contact surface at the back of the head and provides increased wearer comfort, especially when carrying out work above head height.

Extended size range

Variable size adjustment from 51 to 65 cm.



Integrated neck piece

The ergonomic spiderneck neck piece enlarges the contact surface at the back of the head and provides increased wearer comfort, especially when carrying out work above head height.



Robust, lightweight structure

The newly developed design of the inside of the helmet saves material without sacrificing stability.



uvex pronamic

uvex pronamic B-WR · pronamic B-S-WR · pronamic S-KR



9731030



9731130



9731330



9731530

uvex pronamic B-WR

- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- additional elements allow a wide range of accessories to be attached to the helmet
- adjustable air vents for maximum ventilation
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment
- fitted with sweatband (9790311)
- six-point textile band attachment ensures an optimal fit and maximum comfort
- adapter for the IES spectacle clip (9772002) included as standard

| uvex pronamic B-WR | | | | |
|--------------------|----------------|--------------|--------------|--------------|
| Art.no. | 9731030 | 9731130 | 9731330 | 9731530 |
| Colour | white | yellow | red | blue |
| Version | with long brim | | | |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| Sizes | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| Sizes | 51 to 65 cm | 51 to 65 cm | 51 to 65 cm | 51 to 65 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT | 25 PC per CT |



9731031



9731131



9731331



9731531

uvex pronamic B-S-WR

- shorter brim for a wider field of vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- additional elements allow a wide range of accessories to be attached to the helmet
- adjustable air vents for maximum ventilation
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment
- fitted with sweatband (9790311)
- six-point textile band attachment ensures an optimal fit and maximum comfort
- adapter for the IES spectacle clip (9772002) included as standard

| uvex pronamic B-S-WR | | | | |
|----------------------|-----------------|--------------|--------------|--------------|
| Art.no. | 9731031 | 9731131 | 9731331 | 9731531 |
| Colour | white | yellow | red | blue |
| Version | with short brim | | | |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| Sizes | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| Sizes | 51 to 65 cm | 51 to 65 cm | 51 to 65 cm | 51 to 65 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT | 25 PC per CT |



9731033



9731133



9731333



9731533

uvex pronamic S-KR

- pre-mounted four-point forked chin strap (9790021)
- attachment clip (9790022) for positioning the forked chin strap in the resting position
- shorter brim for a wider field of vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- additional elements allow a wide range of accessories to be attached to the helmet
- adjustable air vents for maximum ventilation
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment
- fitted with sweatband (9790311)
- six-point textile band attachment ensures an optimal fit and maximum comfort
- adapter for the IES spectacle clip (9772002) included as standard


| uvex pronamic S-KR | | | | |
|--------------------|-----------------|--------------|--------------|--------------|
| Art.no. | 9731033 | 9731133 | 9731333 | 9731533 |
| Colour | white | yellow | red | blue |
| Version | with short brim | | | |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| Sizes | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| Sizes | 51 to 65 cm | 51 to 65 cm | 51 to 65 cm | 51 to 65 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT | 25 PC per CT |

MADE IN GERMANY



uvex

uvex pronamic E



Fully closed helmet shell

Protection against electrical hazards when working with current-carrying components in the low voltage range up to 1000 V (AC) or 1500 V (DC).

9730031
uvex pronamic E-S-WR white

9916003
uvex pronamic visor
supravision excellence SLB 2

Safety Helmets

uvex pronamic E



9730030



9730130



9730330



9730530



uvex pronamic E-WR

- Euroslot interfaces on the side (30 mm) for attaching earmuffs and the pronamic visor system
- additional elements allow a wide range of accessories to be attached to the helmet
- fully closed helmet shell suitable for use by electricians
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment with a sweatband (9790311)
- six-point textile band attachment guarantees an optimal fit and maximum comfort
- interface for the IES spectacle clip (9772002) included as standard

| uvex pronamic E-WR | | | | |
|--------------------|----------------|----------------|----------------|----------------|
| Art. no. | 9730030 | 9730130 | 9730330 | 9730530 |
| Colour | white | yellow | red | blue |
| Version | with long brim | with long brim | with long brim | with long brim |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| | EN 50365 | EN 50365 | EN 50365 | EN 50365 |
| Sizes | 51 to 65 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT |



9730031



9730131



9730331



9730531

uvex pronamic E-S-WR

- shorter brim for a wider field of vision
- Euroslot interfaces on the side (30 mm) for attaching earmuffs and the pronamic visor system
- additional elements allow a wide range of accessories to be attached to the helmet
- fully closed helmet shell suitable for use by electricians
- suspension harness (9790310) fitted with wheel ratchet system for variable width adjustment with a sweatband (9790311)
- six-point textile band attachment guarantees an optimal fit and maximum comfort
- interface for the IES spectacle clip (9772002) included as standard

| uvex pronamic E-S-WR | | | | |
|----------------------|-----------------|-----------------|-----------------|-----------------|
| Art. no. | 9730031 | 9730131 | 9730331 | 9730531 |
| Colour | white | yellow | red | blue |
| Version | with short brim | with short brim | with short brim | with short brim |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| | EN 50365 | EN 50365 | EN 50365 | EN 50365 |
| Sizes | 51 to 65 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT |



9790310



9790311

uvex pronamic accessoires

| | | |
|------------|--|--------------------------------|
| Art. no. | Suspension harness for uvex pronamic | Sweatband for uvex pronamic |
| Version | 9790310 | 9790311 |
| Order unit | six-point textile attachment with sweatband PC | synthetic leather PC |

MADE IN GERMANY



Safety Helmets

uvex pronamic alpine



Generous ventilation

The side air vents significantly improve the temperature inside the helmet.

Closed version

This version also offers optimal protection for work in low-voltage areas. It fully complies with EN 397, EN 50365 and EN 12492 except point 4.1.4 (ventilation).



Optimal adjustment

The wheel ratchet system provides plenty of scope for adjustments and the suspension harness inside the helmet can be adjusted as desired to provide the perfect fit for the wearer's head shape



EN 12492 and EN 397

The best equipment for various applications. Whether used while working at height or as an industrial safety helmet, the helmet's chin strap system is quick and easy to change, enabling the helmet to fulfil the safety standards for both applications and offer optimum protection at all times

Further information can be found at
uvex-safety.com/en/uvex-pronamic-alpine
(or scan the QR code).

Mips® included

An additional low-friction layer can be optionally integrated to absorb rotational energy, reducing the force transferred to the wearer's head. A detailed description of how the Mips® safety system works can be found on page 129.

Accessories can be fitted easily and quickly

The four stylistic retaining clips guarantee an optimal fit of the helmet accessories. This ensures that the user has access to any necessary application-related products, such as helmet torches or goggles, and that these are in the perfect position at all times.

Safety Helmets

uvex pronamic alpine · pronamic alpine E



9735030

9735130

9735134

9735230

9735330

9735430

9735530

9735930

LD-tested

uvex pronamic alpine

- multi-standard helmet that meets the requirements of EN 397 and EN 12492
- optionally with Mips® brain protection system
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- four retaining clips for fitting head torches or goggles
- additional elements allow our wide range of accessories to be attached to the helmet
- air vents for maximum ventilation

- versatile and adjustable suspension harness with variable wheel ratchet system
- EPS inner shell ensures excellent fit and comfort
- EN 12492 forked chin strap (art. no. 9790351) included in the standard scope of delivery, EN 397 version (art. no. 9790021) sold separately as an accessory
- replaceable hygiene kits 9790350 and 9790352 (Mips®)



uvex pronamic alpine

| Art. no. | 9735030 | 9735130 | 9735134 | 9735230 | 9735330 | 9735430 |
|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Colour | white | hi-viz yellow | yellow | hi-viz orange | red | green |
| Material | ABS | ABS | ABS | ABS | ABS | ABS |
| Standard | EN 12492, EN 397 |
| Sizes | -30°C, MM, LD |
| Order unit | PC | PC | PC | PC | PC | PC |
| Outer packaging | 8 PC per CT |

uvex pronamic alpine

| Art. no. | 9735530 | 9735930 | 9735031 | 9735131 | 9735231 |
|-----------------|------------------|------------------|------------------|------------------|------------------|
| Colour | blue | black | white | hi-viz yellow | hi-viz orange |
| Version | | | Mips® | Mips® | Mips® |
| Material | ABS | ABS | ABS | ABS | ABS |
| Standard | EN 12492, EN 397 |
| Sizes | -30°C, MM, LD |
| Order unit | PC | PC | PC | PC | PC |
| Outer packaging | 8 PC per CT |



9736030



9736130



9736230

LD-tested

uvex pronamic alpine E

- multi-standard helmet that meets the requirements of EN 397, EN 50365 and EN 12492 (except ventilation 4.1.4)
- optionally with Mips® brain protection system
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- four retaining clips for fitting head torches or goggles
- additional elements allow our wide range of accessories to be attached to the helmet
- fully closed helmet shell suitable for use by electricians

- versatile and adjustable suspension harness with variable wheel ratchet system
- EPS inner shell ensures excellent fit and comfort
- forked chin strap EN 12492 (art. no. 9790351) included in the standard scope of delivery, EN 397 version (art. no. 9790021) sold separately as an accessory
- replaceable hygiene kits 9790350 and 9790352 (Mips®)

uvex pronamic alpine E

| Art. no. | 9736030 | 9736130 | 9736230 | 9736031 | 9736131 | 9736231 |
|-----------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Colour | white | hi-viz yellow | hi-viz orange | white | hi-viz yellow | hi-viz orange |
| Version | | | | Mips® | Mips® | Mips® |
| Material | ABS | ABS | ABS | ABS | ABS | ABS |
| Standard | EN 50365 |
| | EN 12492 (except 4.1.4) |
| | EN 397 |
| | -30 °C, MM, LD |
| Sizes | 51 to 63 cm |
| Order unit | PC | PC | PC | PC | PC | PC |
| Outer packaging | 8 PC per CT |

Safety Helmets

uvex pheos S-KR Mips®



Mips® inner shell

The additional Mips® brain protection system is integrated into the suspension harness.



Large neck piece

The additional neck piece increases the contact surface, reducing pressure on the back of the wearer's head. This improves the wearing comfort.



Pre-mounted forked chin strap


The comfortable forked chin strap secures the helmet and guarantees optimum protection, especially when carrying out overhead work

Safety Helmets

uvex pheos S-KR Mips®

Mips® brain protection system for industrial safety helmets

- designed to reduce the rotational energy acting on the head during certain oblique and off-centre impacts
- such rotational movements can stretch or damage the brain tissue
- multi-directional movement of the safety system in all directions




Linear impacts

Conventional safety helmets are designed for straight and central impacts (DIN EN 397).



Further information can be found at
uvex-safety.com/en/mips/
(or scan the QR code).

- the low-friction layer of the helmet increases wearer comfort
- improved helmet weight distribution when accessories are attached



Angled impacts

In most cases, however, the impact is lateral or results in an oblique-acting force. The Mips® brain protection system complements the impact absorption of a conventional helmet with its ability to also deflect rotational forces away from the head.



uvex pheos S-KR Mips®

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- Mips® inner shell absorbs rotational forces
- three adjustable air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort

- pre-mounted forked chin strap (9790021)
- large neck piece (9790149) increases wearing comfort
- fitted with a sweatband (9760260)
- also available as a planet version, see page 135
- products that are eligible for grants according to BG-Bau (German employer's liability insurance association for the construction industry) are available on request

| uvex pheos S-KR Mips® | | | |
|-----------------------|-----------------|-----------------|-----------------|
| Art. no. | 9772090 | 9772190 | 9772260 |
| Colour | white | yellow | hi-vis orange |
| Version | with short brim | with short brim | with short brim |
| Material | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 |
| | -30°C, MM | -30°C, MM | -30°C, MM |
| Sizes | 52 to 61 cm | 52 to 61 cm | 52 to 61 cm |
| Order unit | PC | PC | PC |
| Outer packaging | 20 PC per CT | 20 PC per CT | 20 PC per CT |

Safety Helmets

uvex airwing B · uvex airwing B-WR · uvex super boss



uvex airwing B · uvex airwing B-WR

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- three variable air vents for maximum ventilation

- conventional suspension harness for comfortable adjustable fit (uvex airwing B)
- suspension harness with wheel ratchet for variable width adjustment (uvex airwing B-WR)
- fitted with the 9760005 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex airwing B with conventional suspension harness

| Art. no. | 9762020 | 9762120 | 9762220 | 9762320 | 9762420 | 9762520 | 9762920 |
|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Colour | white | yellow | orange | red | green | blue | black |
| Version | with long brim |
| Material | HDPE |
| Standard | EN 397, -30 °C |
| Sizes | 51 to 61 cm |
| Order unit | PC |
| Outer packaging | 25 PC per CT |

uvex airwing B-WR with wheel ratchet system

| Art. no. | 9762030 | 9762130 | 9762230 | 9762330 | 9762430 | 9762530 |
|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Colour | white | yellow | orange | red | green | blue |
| Version | with long brim |
| Material | HDPE | HDPE | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397, -30 °C |
| Sizes | 52 to 61 cm |
| Order unit | PC | PC | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT |



uvex super boss

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-20 °C)
- conventional suspension harness for comfortable adjustable fit
- fitted with the 9790004 sweatband
- adjustable side ventilation slits
- six-point textile band attachment ensures optimal fit and comfort

uvex super boss with conventional suspension harness

| Art. no. | 9750020 | 9750120 | 9750520 |
|-----------------|----------------|----------------|----------------|
| Colour | white | yellow | blue |
| Version | with long brim | with long brim | with long brim |
| Material | HDPE | HDPE | HDPE |
| Standard | EN 397, -20 °C | EN 397, -20 °C | EN 397, -20 °C |
| Sizes | 52 to 61 cm | 52 to 61 cm | 52 to 61 cm |
| Order unit | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT |

Safety Helmets

uvex airwing B-S · uvex airwing B-S-WR · uvex thermo boss



9762021



9762121



9762221



9762331



9762431



9762531



uvex airwing B-S · uvex airwing B-S-WR

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex airwing B-S)

- suspension harness with wheel ratchet for variable width adjustment (uvex airwing B-S-WR)
- fitted with the 9760005 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex airwing B-S with conventional suspension harness

| Art. no. | 9762021 | 9762121 | 9762221 | 9762321 | 9762421 | 9762521 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Colour | white | yellow | orange | red | green | blue |
| Version | with short brim |
| Material | HDPE | HDPE | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397, -30 °C |
| Sizes | 51 to 61 cm |
| Order unit | PC | PC | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT |

uvex airwing B-S-WR with wheel ratchet system

| Art. no. | 9762031 | 9762131 | 9762231 | 9762331 | 9762431 | 9762531 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Colour | white | yellow | orange | red | green | blue |
| Version | with short brim |
| Material | HDPE | HDPE | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397, -30 °C |
| Sizes | 52 to 61 cm |
| Order unit | PC | PC | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT |



9754000



9754100



9754300

uvex thermo boss

- safety helmet with slots for uvex visors and earmuffs
- the helmet shell is made from heat-resistant polycarbonate and is suitable for use in high ambient temperatures.
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement (440 V AC) +150 °C
- conventional suspension harness for comfortable adjustable fit
- fitted with the 9790004 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex thermo boss

| Art. no. | 9754000 | 9754100 | 9754300 |
|-----------------|-------------------------------|-----------------------------|-----------------------------|
| Colour | white | yellow | red |
| Version | with long brim | with long brim | with long brim |
| Material | PC reinforced with fibreglass | | |
| Standard | EN 397 +150 °C, 440 V AC | EN 397 +150 °C, 440 V AC | EN 397 +150 °C, 440 V AC |
| Sizes | 52 to 61 cm | 52 to 61 cm | 52 to 61 cm |
| Order unit | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT |

MADE IN GERMANY



Safety Helmets

uvex pheos alpine



uvex pheos alpine

- multifunctional helmet for working at heights and rescue operations
- combines the features of an industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- light ABS helmet shell offers a high level of protection and durability
- shorter brim for a wider field of upward vision
- side Euroslot adapters (30 mm) for attaching earmuffs and visor
- options for attaching head torches and goggles
- permanently opened air vents
- meets standard EN 397 and additional requirements for very low temperatures (-30°C)
- firmy riveted chin strap for use in accordance with EN 12492

- six-point textile band attachment ensures ideal fit and great comfort
- suspension harness with wheel ratchet system for variable width adjustment
- the helmet is delivered as standard with a black PU sweatband (art. no. 9760009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760005)



2013 ■

| uvex pheos alpine with wheel ratchet system | | | | | | | |
|---|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Art. no. | 9773050 | 9773150 | 9773250 | 9773350 | 9773450 | 9773550 | 9773950 |
| Colour | white | yellow | orange | red | green | blue | black |
| Version | with short brim |
| Material | ABS |
| Standard | EN 397, -30 °C EN 12492 |
| Sizes | 52 to 61 cm |
| Order unit | PC, individually packed in CT |
| Outer packaging | 6 PC per CT |

LD-tested

9720940



9720950



9720040



9720050



uvex perfexxion

- unique combination of the standards EN 397 (meets partly), EN 12492 and EN 1078
- side Euroslot adapters (30 mm) for attaching earmuffs
- additional slots allow for a wide variety of accessories to be attached
- complies with the following standards:
 - EN 397 (in part) – Industrial safety helmet standard
 - optional requirements: LD, -30°C
 - EN 12492 – Mountaineering helmet standard
 - EN 1078 – Cycling helmet standard

- increased resistance to lateral deformation (LD) provides additional protection
- adjustable and convenient air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment and height adjustment
- suspension harness with convenient inner mesh for added wearer comfort
- optimal fit thanks to two different sizes (M and L)
- additional clip-on brim included in the scope of delivery

| uvex perfexxion | | | | |
|-----------------|---|---|---|---|
| Art. no. | 9720940 | 9720950 | 9720040 | 9720050 |
| Colour | black | black | white | white |
| Version | with short brim | with short brim | with short brim | with short brim |
| Material | ABS | ABS | ABS | ABS |
| Standard | EN 397, -30 °C, LD EN 12492, EN 1078 | EN 397, -30 °C, LD EN 12492, EN 1078 | EN 397, -30 °C, LD EN 12492, EN 1078 | EN 397, -30 °C, LD EN 12492, EN 1078 |
| Sizes | M (52 to 58 cm) | L (59 to 63 cm) | M (52 to 58 cm) | L (59 to 63 cm) |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 6 PC per CT |

Safety Helmets

uvex pheos forestry · uvex pheos ABS



Further information can be found at uvex-safety.com/forestryset
(or scan the QR code).



uvex pheos forestry

- set specially developed to meet the needs of forestry workers, consisting of the uvex pheos ABS B-S-WR, uvex pheos forestry visor and uvex pheos K2P mechanical
- labelled with label set, including pre-attached chin strap and signal whistle
- meets standards EN 166, 1731, 352-1 and 397 and additional requirement for very low temperatures (-30 °C)
- fully integrated metal mesh visor with high transmission (transparency) protects against foreign objects and ensures a clear view
- high-insulation earmuffs (SNR: 30 dB) round off the system perfectly and reliably protect against noise produced by chainsaws and brush cutters
- three variable air vents for maximum ventilation, offering ventilation in the direction of movement
- suspension harness with wheel ratchet system enables the width to be variably adjusted with just one hand

uvex pheos forestry - pre-assembled set

| Art. no. | 9774236 | 9774237 | 9774238 |
|-----------------|--|--|--|
| Colour | yellow | orange | red |
| Version | with short brim | with short brim | with short brim |
| Material | ABS | ABS | ABS |
| Standard | EN 397, -30 °C, MM EN 1731:2006-F EN 352-3 | EN 397, -30 °C, MM EN 1731:2006-F EN 352-3 | EN 397, -30 °C, MM EN 1731:2006-F EN 352-3 |
| Sizes | 52 to 61 cm | 52 to 61 cm | 52 to 61 cm |
| Order unit | PC | PC | PC |
| Outer packaging | 15 PC per CT | 15 PC per CT | 15 PC per CT |

uvex pheos forestry - spare parts

| Art. no. | | Order unit |
|----------|--|------------|
| 9790210 | Replacement visor (metal) | PC |
| 2600214 | uvex K2P mechanical | PR |
| 9760106 | Replacement suspension harness pheos ABS | PC |
| 9760009 | Sweatband pheos ABS | PC |
| 9790021 | Four-point chin strap | PC |
| 9790146 | Signal whistle | PC |
| 9790219 | uvex pheos mesh visor with adapter | PC |



9772071



9772171



9772271



9772371

uvex pheos ABS

- ABS safety helmet with slots for uvex visors, earmuffs and helmet lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets EN 397 standards and additional requirements for very low temperatures (-30°C)
- high lateral rigidity
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet system (9760106) and sweatband (9760009)
- six-point textile band attachment ensures optimum fit and comfort

uvex pheos ABS B-S-WR with wheel ratchet system

| Art. no. | 9772071 | 9772171 | 9772271 | 9772371 |
|-----------------|----------------------|----------------------|----------------------|----------------------|
| Colour | white | yellow | orange | red |
| Version | with short brim | with short brim | with short brim | with short brim |
| Material | ABS | ABS | ABS | ABS |
| Standard | EN 397 -30 °C, MM |
| Sizes | 52 to 61 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 24 PC per CT |

MADE IN GERMANY



Safety Helmets

uvex pheos E · uvex pheos E-WR · uvex pheos E-S-WR



9772020



9772120



9772220



9772430



9772530

uvex pheos B · uvex pheos B-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos B-WR)
- fitted with the 9760005 sweatband
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B with conventional suspension harness

| Art. no. | 9772020 | 9772120 | 9772220 | 9772320 | 9772520 | 9772920 |
|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Colour | white | yellow | orange | red | blue | black |
| Version | with long brim |
| Material | HDPE | HDPE | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 |
| | -30 °C, MM |
| Sizes | 51 to 61 cm |
| Order unit | PC | PC | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT |

uvex pheos B-WR with wheel ratchet system

| Art. no. | 9772030 | 9772130 | 9772230 | 9772330 | 9772430 | 9772530 | 9772930 |
|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Colour | white | yellow | orange | red | green | blue | black |
| Version | with long brim |
| Material | HDPE |
| Standard | EN 397 |
| | -30 °C, MM |
| Sizes | 52 to 61 cm |
| Order unit | PC |
| Outer packaging | 25 PC per CT |



9772332
Construction



9772832
Construction



9772932
Construction

uvex pheos B-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment

- fitted with the 9760005 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B-S-WR with wheel ratchet system

| Art. no. | 9772031 | 9772131 | 9772231 | 9772332 | 9772431 | 9772531 | 9772832 | 9772932 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Colour | white | yellow | orange | red | green | blue | dark grey | black |
| Version | with short brim |
| Material | HDPE |
| Standard | EN 397 |
| | -30 °C, MM |
| Sizes | 52 to 61 cm |
| Order unit | PC |
| Outer packaging | 25 PC per CT |

protecting planet

To help raise awareness of its commitment to achieving increased sustainability, uvex has developed the **protecting planet** icon.

For uvex, **protecting planet** is more than a label. Based on the brand claim, **protecting people**, our sustainable approach integrates three core interlinked pillars – **ecology, economy** and **social responsibility**, that are incorporated throughout the business to improve our sustainability performance.

This explains the comprehensive audit, measurement and evaluation management process uvex undertakes along the entire value chain to ensure its products are as sustainable as possible.



uvex pheos planet B-WR · pheos planet B-S-WR · pheos planet S-KR Mips®

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- helmet shell partially made of bio-based plastic
- head rings made of regranulated helmet shells
- Mips® inner shell absorbs rotational forces on the uvex pheos planet S-KR Mips®
- three adjustable air vents for maximum ventilation
- suspension harness with wheel ratchet system for variable width adjustment

The **uvex pheos planet** is an example of the **planet series** product system.



The helmet shell is made of up to 30 percent bioplastic. The organic raw material, sugar cane, is converted using a process that complies with the strictest quality requirements and achieves high stability and strength. 50 percent of the material for the headband is made of helmet shells. This significantly reduces process-related waste during production.



All individual packaging is made of regranulated material and has been taken from the recycling economy. The packaging is single-grade and can be returned to the recycling chain after use. This also saves fossil resources. The user instructions are printed on 100 percent recycled paper.

- six-point textile band attachment ensures excellent fit and comfort
- pre-assembled four-point forked chin strap (9790021) for uvex pheos planet S-KR Mips®
- large neck piece (9790149) increases the wearer comfort of the uvex pheos planet S-KR Mips®
- equipped with sweatband 9760005 or 9760260 in the case of uvex pheos planet S-KR Mips®

| | uvex pheos planet B-WR | uvex pheos planet B-S-WR | uvex pheos planet S-KR Mips® |
|-----------------|------------------------|--------------------------|---|
| Art. no. | 9772042 | 9772043 | 9772092 |
| Colour | white | white | white |
| Version | with long brim | with short brim | with short brim and Mips® brain protection system |
| Material | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 |
| | -30 °C, MM | -30 °C, MM | -30°C, MM |
| Sizes | 52 to 61 cm | 52 to 61 cm | 52 to 61cm |
| Order unit | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT |

Safety Helmets

uvex pheos E · uvex pheos E-WR · uvex pheos E-S-WR



uvex pheos E · uvex pheos E-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- conventional suspension harness for comfortable adjustable fit (uvex pheos E)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos E-WR)
- fitted with the 9760005 (uvex pheos E) or 9760009 (uvex pheos E-WR) sweatband
- six-point textile band attachment ensures optimal fit and comfort

| uvex pheos E with conventional suspension harness | |
|---|---|
| Art. no. | 9770020 |
| Colour | white |
| Version | with long brim |
| Material | HDPE |
| Standard | EN 397 -30 °C, MM EN 50365, 1000 V AC |
| Sizes | 51 to 61 cm |
| Order unit | PC |
| Outer packaging | 25 PC per CT |
| | 9770120 |
| | yellow |
| | with long brim |
| | HDPE |
| | EN 397 -30 °C, MM EN 50365, 1000 V AC |
| | 51 to 61 cm |
| | PC |
| | 25 PC per CT |

uvex pheos E-WR with wheel ratchet system

| Art. no. | 9770030 | 9770130 | 9770230 | 9770330 | 9770430 | 9770530 | 9770830 |
|-----------------|---|---|---|---|---|---|---|
| Colour | white | yellow | orange | red | green | blue | dark grey |
| Version | with long brim |
| Material | HDPE |
| Standard | EN 397 -30 °C, MM EN 50365, 1000 V AC | EN 397 -30 °C, MM EN 50365, 1000 V AC | EN 397 -30 °C, MM EN 50365, 1000 V AC | EN 397 -30 °C, MM EN 50365, 1000 V AC | EN 397 -30 °C, MM EN 50365, 1000 V AC | EN 397 -30 °C, MM EN 50365, 1000 V AC | EN 397 -30 °C, MM EN 50365, 1000 V AC |
| Sizes | 52 to 61 cm |
| Order unit | PC |
| Outer packaging | 25 PC per CT |



uvex pheos E-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)

- suspension harness with wheel ratchet for variable width adjustment
- fitted with the 9760009 sweatband
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E-S-WR with wheel ratchet system

| Art. no. | 9770031 | 9770131 | 9770231 | 9770331 | 9770431 | 9770531 | 9770832 | 9770931 |
|-----------------|---|---|---|---|---|---|---|---|
| Colour | white | yellow | orange | red | green | blue | dark grey | black |
| Version | with short brim |
| Material | HDPE |
| Standard | EN 397 -30 °C, MM EN 50365 1000 V AC |
| Sizes | 52 to 61 cm |
| Order unit | PC |
| Outer packaging | 25 PC per CT |

**uvex**

Safety Helmets

uvex pheos IES · uvex pheos S-KR · reflex set



uvex pheos IES

- safety helmet with slots for uvex visors, earmuffs, lamps and Integrated Eyewear System (IES)
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment – also has the option to mount uvex pheos, uvex pheos or uvex i-works safety spectacles
- fitted with the 9760007 sweatband
- six-point textile band attachment ensures optimal fit and comfort

| uvex pheos IES with wheel ratchet system | | | | |
|--|----------------|--------------|--------------|--------------|
| Art. no. | 9772040 | 9772140 | 9772240 | 9772340 |
| Colour | white | yellow | orange | red |
| Version | with long brim | | | |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| Sizes | 55 to 61 cm | 55 to 61 cm | 55 to 61 cm | 55 to 61 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT | 25 PC per CT |

MADE IN GERMANY 

uvex pheos S-KR

- safety helmet with slots for uvex visors, helmet earmuffs and helmet torches
- side Euroslot adapters (30 mm) for attaching earmuffs
- three adjustable air vents for maximum ventilation
- fitted with the sweatband 9760005
- suspension harness with wheel ratchet system for variable width adjustment
- six-point textile band attachment ensures excellent fit and comfort
- pre-fitted four-point forked chin strap
- attachment clip (9790022) for positioning the forked chin strap in the resting position or as a holder for goggles
- products that are eligible according to BG-Bau (German employer's liability insurance association for the construction industry) are available on request

| uvex pheos S-KR | | | | |
|-----------------|-----------------|--------------|--------------|--------------|
| Art. no. | 9772034 | 9772134 | 9772234 | 9772335 |
| Colour | white | yellow | orange | red |
| Version | with short brim | | | |
| Material | HDPE | HDPE | HDPE | HDPE |
| Standard | EN 397 | EN 397 | EN 397 | EN 397 |
| -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM | -30 °C, MM |
| Sizes | 52 to 61 cm | 52 to 61 cm | 52 to 61 cm | 52 to 61 cm |
| Order unit | PC | PC | PC | PC |
| Outer packaging | 25 PC per CT | 25 PC per CT | 25 PC per CT | 25 PC per CT |

MADE IN GERMANY

uvex pheos reflex set L

- safety helmet with highly reflective sticker set
- helmets are delivered with the stickers already applied

| uvex pheos reflex set L | | | | | |
|-------------------------|--------|---|----------|--------|---|
| Art. no. | Colour | Version | Art. no. | Colour | Version |
| 9770026 | white | uvex pheos E with reflective sticker | 9772526 | blue | uvex pheos B with reflective sticker |
| 9770126 | yellow | uvex pheos E with reflective sticker | 9772035 | white | uvex pheos B-WR with reflective sticker |
| 9770036 | white | uvex pheos E-WR with reflective sticker | 9772138 | yellow | uvex pheos B-WR with reflective sticker |
| 9770136 | yellow | uvex pheos E-WR with reflective sticker | 9772236 | orange | uvex pheos B-WR with reflective sticker |
| 9770536 | blue | uvex pheos E-WR with reflective sticker | 9772437 | green | uvex pheos B-WR with reflective sticker |
| 9772045 | white | uvex pheos IES with reflective sticker | 9772538 | blue | uvex pheos B-WR with reflective sticker |
| 9772246 | orange | uvex pheos IES with reflective sticker | 9772936 | black | uvex pheos B-WR with reflective sticker |
| 9772343 | red | uvex pheos IES with reflective sticker | 9772038 | white | uvex pheos B-S-WR with reflective sticker |
| 9772046 | white | uvex pheos S-KR with reflective sticker | 9772137 | yellow | uvex pheos B-S-WR with reflective sticker |
| 9772541 | blue | uvex pheos S-KR with reflective sticker | 9772334 | red | uvex pheos B-S-WR with reflective sticker |
| 9772026 | white | uvex pheos B with reflective sticker | 9772433 | green | uvex pheos B-S-WR with reflective sticker |
| 9772126 | yellow | uvex pheos B with reflective sticker | 9772537 | blue | uvex pheos B-S-WR with reflective sticker |
| 9772226 | orange | uvex pheos B with reflective sticker | 9772937 | black | uvex pheos B-S-WR with reflective sticker |
| 9772326 | red | uvex pheos B with reflective sticker | | | |

Order quantity multiples/ Order unit 25 PC

uvex pheos reflex set L
(select preferred helmet colour)

► Please contact our
service hotline on
+49 911 9736-0.

Safety Helmets

Accessories



9790065
with safety helmet
(helmet not included)



9790075
with safety helmet
(helmet not included)



9790076
with safety helmet
(helmet not included)



9790068



9790066



9790086
with safety helmet
(helmet not included)



9790086

uvex winter cap

- winter cap for use in all uvex helmets
- windproof and waterproof outer material
- all-around reflective strip
- side mesh to increase the wearer's attention to environmental influences (ear area)
- warming fleece lining

uvex balaclava

- uvex balaclava is the ideal addition to the winter cap – with continuous size adjustment through hinged Velcro fastening

| | uvex winter cap | | uvex balaclava | | uvex neck protection | | uvex cooling neck protection |
|------------|-----------------|----------------|----------------|--|----------------------|----------------|------------------------------|
| Art. no. | 9790065 | 9790068 | 9790066 | | 9790075 | 9790076 | 9790086 |
| Version | 100% polyester | 100% polyester | 100% polyester | | 100% polyester | 100% polyester | 100% polyester |
| Colour | hi-viz yellow | hi-viz orange | black | | orange | yellow | yellow |
| Sizes | unisize | unisize | unisize | | unisize | unisize | unisize |
| Order unit | PC | PC | PC | | PC | PC | PC |



9790006



9790010



9790012



9790015



9790016

Hygienic caps · Winter caps

| | Hygienic cap | Winter caps | | | |
|--------------------------|--------------|-------------|-------------------------|-----------------|-------------------------|
| Art. no. | 9790006 | 9790010 | 9790012 | 9790015 | 9790016 |
| Version | 100% fleece | 50% cotton | 60% polyester, 30% wool | 50% cotton | 60% polyester, 30% wool |
| Colour | white | 50% wool | 8% nylon, 2% elastane | 50% virgin wool | 8% nylon, 2% elastane |
| Sizes | unisize | unisize | navy blue | black | black |
| Order unit | 80 PC | PC | PC | S to M | L to XL |
| Order quantity multiples | 80 PC | 10 PC | 10 PC | PC | 10 PC |

Safety Helmets

Accessories



Accessories for uvex super boss and uvex thermo boss

| | |
|---|--|
| Suspension harness for uvex super boss and uvex thermo boss | Sweatband for uvex super boss and uvex thermo boss |
| Art. no. 9790000 | 9790004 |
| Version Six-point textile attachment with sweatband | Artificial leather (leatherette) |
| Order unit PC | 10 PC |



Accessories for uvex pheos and uvex airwing

| | |
|---|--|
| Conventional suspension harness for uvex pheos and uvex airwing | Suspension harness for uvex pheos and uvex airwing (not for uvex pheos E) with wheel ratchet |
| Art. no. 9760000 | 9760001 |
| Version Six-point textile attachment with sweatband | Six-point textile attachment with sweatband |
| Order unit PC | PC |

| | |
|--|---|
| Sweatband for uvex pheos, uvex airwing and uvex pheos alpine | Wheel ratchet padding |
| Art. no. 9760005 | 9760012 |
| Version Artificial leather (leatherette) | Six-point textile attachment with sweatband |
| Order unit 10 PC | PC |



uvex pheos helmet sticker

- ideal for identifying different trades
- durable and weather-resistant high-performance PVC film

| uvex pheos helmet sticker | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|
| Art. no. | 9790150 | 9790151 | 9790152 | 9790153 | 9790154 | 9790155 |
| Colour | silver | yellow | orange | red | green | blue |
| Material | PVC film |
| Order unit | PC | PC | PC | PC | PC | PC |




Accessories for uvex pheos IES

| | |
|--|-------------------------|
| Suspension harness for IES | Sweatband for pheos IES |
| For uvex pheos (Not pheos E and pheos alpine) | |
| Art. no. 9772001 | 9760007 |
| Version Six-point textile suspension with textile sweatband with uvex pheos glasses clip | textile/foam material |
| Order unit PC | 10 PC |



Accessories for uvex pheos E-WR and uvex pheos alpine

| | |
|---|---|
| Suspension harness for uvex pheos E-WR | Suspension harness for uvex pheos alpine |
| Art. no. 9760012 | 9760011 |
| Version Six-point textile attachment with sweatband | Six-point textile attachment with sweatband |
| Order unit PC | PC |
| Sweatband for uvex pheos alpine and uvex pheos E-WR | Wheel ratchet padding |
| Art. no. 9760009 | 9760014 |
| Version PU, leather | polyester |
| Order unit 10 PC | 10 PC |



uvex pheos reflex set M

- highly reflective sticker set
- extremely high brightness with prism film
- easy to affix
- suitable for all uvex pheos and uvex pheos alpine safety helmets

| uvex pheos reflex set M | | |
|-------------------------|---------|--|
| Art. no. | 9790018 | |
| Order unit | PC | |

Safety Helmets

Accessories



Additional helmet accessories*

| | |
|--|---|
| Leather chin strap for attaching to the suspension harness | Elasticated chin strap for attaching to the suspension harness |
| Art. no. | 9790005 |
| Version | robust leather design with plastic eyelets with metal rivets, adjustable length |
| Order unit | PC |

| | |
|--|---|
| Leather chin strap for attaching to the helmet shell | Elasticated chin strap for attaching to the helmet shell |
| Art. no. | 9790035 |
| Version | robust leather design with plastic hooks with metal rivets, adjustable length |
| Order unit | PC |

| | |
|---|---|
| Forked chin strap for attaching to the suspension harness | Forked chin strap for attaching to the helmet shell |
| Art. no. | 9790007 |
| Version | textile strap with press clip quick-release fastener, plastic eyelets and chin pad, adjustable length |
| Order unit | PC |

| | |
|------------------------------|--|
| Goggles clip/chin strap clip | uvex spiderneck neck support |
| Art. no. | 9790022 |
| Version | plastic clip for attaching the goggles strap or the chin strap to the helmet |
| Order unit | PC |

| | | |
|--|--|--|
| IES spectacle clip with slider for attaching uvex pheos spectacles | IES spectacle clip with slider for attaching uvex pheos s spectacles | IES spectacle clip with slider for attaching uvex i-works spectacles |
| Art. no. | 9772002 | 9790084 |
| Version | plastic | plastic |
| Order unit | 10 PC | 10 PC |

| | |
|---|---|
| Business card holder for mounting in the front slot | Pen holder for mounting in the 30 mm front slot |
| Art. no. | 9790166 |
| Version | 10 holders + 20 PVC cards |
| Order unit | 10 PC |

| | |
|---|------------------------------|
| uvex helmet bag for storing and transporting the uvex safety helmet | Helmet slot sealing plug set |
| Art. no. | 9790071 |
| Version | polyester |
| Order unit | PC |

* Detailed information on compatibility can be found on pages 142-144 (accessories table)

Safety Helmets

Accessories: Head torches

- All torches fit
in the front slot of
our uvex helmets. 9790062
9790063



uvex head torch pheos Lights · pheos Lights EX

- LED helmet torch with two separate reflectors for distance and area lighting
- compact design, very low weight (80 g), extremely robust
- power source: 1.7 Ah-Li-Ion battery
- illuminance: max. 6500 lux
- operating temperature: -20 °C to +60 °C
- charge adapter and micro-USB charger included
- protection class IP 67 (dust-tight and waterproof)
- 9790063: ATEX certification II 2G Ex ib IIC T4

| Press switch | Modes | Lumen | Range | Light duration |
|----------------|-------|-------|-------|----------------|
| Area light | low | 55 | 5 m | 11 h |
| | high | 115 | 10 m | 5.5 h |
| Distance light | low | 55 | 50 m | 11 h |
| | high | 115 | 100 m | 5.5 h |

| | | |
|------------|-----------------------------|--------------------------------|
| Art. no. | LED head torch pheos Lights | LED head torch pheos Lights EX |
| Version | 9790062 | 9790063 |
| Order unit | for uvex pheos helmets | for uvex pheos helmets – ATEX |
| | PC | PC |

9790029



KS-6003-DUO

- LED helmet torch with two separate precision lenses for distance and area lighting
- boost mode (420 lumen) by pressing and holding the button for 5 seconds
- compact design
- Beam can be infinitely adjusted to suit the area to be lit
- power source: lithium-Ion battery, 3.7 V, 1.7 Ah
- operating temperature: -20°C to +60°C
- protection class: IP 68 (dust-tight and waterproof)
- charger included
- charging time: approx. 3 hours

| Press switch | Modes | Lumen | Range | Light duration |
|----------------|--------|-------|-------|----------------|
| Area light | normal | 70 | 5 m | 10 h |
| | strong | 260 | 10 m | 2.5 h |
| Distance light | normal | 130 | 100 m | 10 h |
| | strong | 260 | 200 m | 2.5 h |

| | |
|------------|----------------------------|
| Art. no. | LED head torch KS-6003-DUO |
| Version | 9790029 |
| Order unit | for uvex pheos helmets |

9790064



9790069



LED head torch u-cap sport · uvex pheos helmet adapter

- LED head torch with two separate reflectors for distance and area lighting
- sturdy design, with very low weight (55 g without batteries)
- power source: 3 x AAA batteries (not included)
- illuminance: approx. 4000 lux
- operating temperature: -20 °C to +45 °C
- protection class IP 66 (complete protection against dust and powerful water jets)
- Adapter for the LED head torch u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets

| Press switch for 1 s | Modes | Lumen | Range | Light duration |
|----------------------|--------|-------|-------|----------------|
| Area light | high | 30 | 7 m | 80 h |
| | low | 10 | 3 m | 150 h |
| Distance light | medium | 40 | 80 m | 70 h |
| | high | 100 | 110 m | 30 h |
| | low | 5 | 10 m | 150 h |

| | | |
|------------|---------------------------------|---|
| Art. no. | LED head torch uvex u-cap sport | uvex pheos helmet adapter |
| Version | 9790064 | 9790069 |
| Order unit | for uvex u-cap sport | for LED head torch uvex u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets |

9790028



KS-7630-MCII

- compact design
- protection class IP 67 (dust-tight and waterproof)
- operating temperature -15 °C to 50 °C
- power source: lithium-ion battery
- charging time: approx. 9 hours
- >80% capacity after 500 charging cycles
- ATEX approval (Directive 2014/34/EU)

| Mode | Lumen | Strength** | Range | Light duration |
|-----------------|--------|------------|-------|----------------|
| Emergency light | 70 lm | ≥ 3000 lx | 80 m | ≥ 30 h |
| Work light | 180 lm | ≥ 5500 lx | 140 m | ≥ 14 h |
| Strong light* | 230 lm | ≥ 10000 lx | 190 m | ≥ 6 h |

** measured at distance of 1 m

| | |
|------------|------------------------|
| Art. no. | KS-7630-MCII |
| Version | 9790028 |
| Order unit | for uvex pheos helmets |



Accessories

uvex pronamic · uvex perfexxion

| | uvexpronamic B-WR | uvexpronamic B-S-WR | uvexpronamic S-XR | uvexpronamic E-WR | uvexpronamic E-S-WR | uvexpronamic alpine | uvexpronamic alpine Mips® | uvexpronamic alpine E | uvexpronamic alpine E-Mips® | uvexperfexxion |
|---------|--|---------------------|-------------------|-------------------|---------------------|---------------------|---------------------------|-----------------------|-----------------------------|----------------|
| 9790310 | Suspension harness for pronamic | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790311 | Sweatband for pronamic | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790350 | Hygiene kit for pronamic alpine | - | - | - | - | ■ | - | ■ | - | - |
| 9790352 | Mips® hygiene kit for pronamic alpine | - | - | - | - | - | ■ | - | ■ | - |
| 9790109 | Hygiene kit for perfexxion | - | - | - | - | - | - | - | - | ■ |
| 9790021 | Forked chin strap | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9790351 | Forked chin strap EN 12492 for pronamic alpine | - | - | - | - | ■ | ■ | ■ | ■ | - |
| 9790035 | Leather chin strap IES | ■ | ■ | ■ | - | ■ | ■ | ■ | ■ | - |
| 9772002 | IES spectacle clip | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790084 | IES spectacle clip for uvex pheos s spectacles | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790085 | IES spectacle clip for uvex i-works spectacles | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790022 | Goggle clip | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9790065 | Winter cap, yellow | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790068 | Winter cap, orange | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790066 | Balaclava | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790075 | Neck protection, orange | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9790076 | Neck protection, yellow | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9790086 | Cooling neck protection | ■ | ■ | ■ | ■ | - | - | - | - | - |
| 9790166 | Business card holder | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 2600201 | Earmuffs K1H/K2H | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 2600202 | Earmuffs K10H/K20H/K30H | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 2600214 | Earmuffs K1P/K2P bayonet (in combination with 2600236 or pronamic visor) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 2600216 | Earmuffs K1P/K2P bayonet (in combination with 2600236 or pronamic visor) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9916000 | uvex pronamic visor clear sv exc | ■ | ■ | ■ | ■ | ■ | ■ | - | - | - |
| 9916001 | uvex pronamic visor with chin guard | ■ | ■ | ■ | ■ | ■ | ■ | - | - | - |
| 9916002 | uvex pronamic visor clear sv exc. SLB 1 | - | - | - | ■ | ■ | ■ | ■ | ■ | - |
| 9916003 | uvex pronamic visor sv exc. SLB 2 | - | - | - | ■ | ■ | ■ | ■ | ■ | - |
| 9916100 | uvex pronamic mesh visor | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9916200 | uvex pronamic half visor clear | - | ■ | ■ | - | ■ | - | ■ | - | - |
| 9916201 | uvex pronamic half visor grey | - | ■ | ■ | - | ■ | - | ■ | - | - |
| 9920001 | uvex vimox visor | ■ | ■ | ■ | ■ | ■ | - | - | - | - |
| 9790062 | LED head torch pheos Lights | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790063 | LED head torch pheos Lights EX | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790028 | KS 7630 MC II | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790029 | LED head torch KS-6003 Duo | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790064 | LED head torch for u-cap sport | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790069 | uvex pheos helmet adapter for u-cap LED | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |

■ supplied as standard

■ compatible

- not compatible

Accessories

uvex pheos



| | <i>uvex pheos B</i> | <i>uvex pheos B-WR</i> | <i>uvex pheos B-S-WR</i> | <i>uvex pheos E</i> | <i>uvex pheos E-WR</i> | <i>uvex pheos E-S-WR</i> | <i>uvex pheos IES</i> | <i>uvex pheos S-KR</i> | <i>uvex pheos S-KR Mips®</i> | <i>uvex pheos alpine</i> |
|-----------------|---|---|--------------------------|---------------------|------------------------|--------------------------|-----------------------|------------------------|------------------------------|--------------------------|
| 9760000 | Conventional suspension harness | ■ | | | | | | | | - |
| 9760001 | Suspension harness with rotating size adjusters | ■ | ■ | ■ | - | - | - | ■ | ■ | - |
| 9760011 | Suspension harness for pheos alpine | - | - | - | - | - | - | - | - | ■ |
| 9760012 | Suspension harness for uvex pheos E-WR | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9772001 | Suspension harness IES | ■ | ■ | ■ | - | - | - | ■ | ■ | - |
| 9760009 | Sweatband uvex pheos alpine and uvex pheos E-WR | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9760007 | Sweatband IES | - | - | - | - | - | - | ■ | - | - |
| 9760005 | Sweatband, synthetic leather | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9760260 | Sweatband pheos S-KR Mips® | - | - | - | - | - | - | - | ■ | - |
| 9790035 | Leather chin straps IES | ■ | ■ | ■ | - | - | - | ■ | - | - |
| 9790005 | Leather chin straps | ■ | ■ | ■ | - | - | - | ■ | - | ■ |
| 9790021 | Forked chin straps | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9790023 | Pen holder | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9772002 | IES spectacle clip for uvex pheos spectacles | - | - | - | - | - | - | ■ | - | - |
| 9790084 | IES spectacle clip for uvex pheos s spectacles | - | - | - | - | - | - | ■ | - | - |
| 9790085 | IES spectacle clip for uvex i-works spectacles | - | - | - | - | - | - | ■ | - | - |
| 9790022 | Goggles clip, chin strap clip | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790065 | Winter cap, hi-viz yellow | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790068 | Winter cap, hi-viz orange | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790066 | Balaclava | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790075 | Neck protection, orange | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790076 | Neck protection, yellow | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790086 | uvex cooling neck protection | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790166 | Business card holder | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790018 | uvex pheos reflex set M | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790151-9790156 | uvex pheos helmet sticker | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 9906002 | uvex pheos visor | - | - | ■ | - | - | ■ | - | ■ | ■ |
| 9906003 | 9906005 | uvex pheos visor SLB1 | - | - | - | - | - | - | - | - |
| 9906006 | 9906007 | uvex pheos visor SLB2 | - | - | - | - | - | - | - | - |
| 9906008 | 9790219 | uvex pheos mesh visor | - | - | ■ | - | - | ■ | ■ | ■ |
| 9920001 | uvex vimeo visor | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | - |
| 2600201 | Earmuffs K1H/K2H | ■ | ■ | ■ | - | - | ■ | ■ | ■ | ■ |
| 2600202 | 2630210 | 2630220 | Earmuffs K10H/K20H/K30H | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 2600214 | 2600216 | Earmuffs K1P/K2P, bayonet (in combination with 2600235 or mech. uvex pheos visor) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 2600215 | Earmuffs K2P, magnetic (in combination with 9790078 or mag. uvex pheos visor) | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790062 | LED head torch pheos Lights | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790063 | LED head torch pheos Lights EX | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790028 | LED head torch KS-7630MCII | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790029 | LED head torch KS-6003 DUO | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790064 | LED head torch u-cap sport | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9790069 | uvex pheos helmet adapter | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |

■ supplied as standard

■ compatible

- not compatible

Accessories

uvex airwing · uvex super boss · uvex thermo boss




| | uvex airwing B | uvex airwing B-WR | uvex airwing B-S | uvex airwing B-S-WR | uvex super boss | uvex thermo boss |
|-------------------------------|---|-------------------|------------------|---------------------|-----------------|------------------|
| 9760000 | Conventional suspension harness | ■ | ■ | ■ | — | — |
| 9760001 | Suspension harness with rotating size adjusters | ■ | ■ | ■ | ■ | — |
| 9790000 | Suspension harness for uvex super boss / uvex thermo boss | — | — | — | ■ | ■ |
| 9760005 | Sweatband | ■ | ■ | ■ | ■ | — |
| 9790004 | Sweatband for uvex super boss / uvex thermo boss | — | — | — | ■ | ■ |
| 9790005 | Leather chin straps | ■ | ■ | ■ | ■ | ■ |
| 9790007 | Forked chin straps | ■ | ■ | ■ | ■ | ■ |
| 9790065 | Winter cap, yellow | ■ | ■ | ■ | ■ | ■ |
| 9790068 | Winter cap, orange | ■ | ■ | ■ | ■ | ■ |
| 9790066 | Balaclava | ■ | ■ | ■ | ■ | ■ |
| 9790075 | Neck protection, orange | ■ | ■ | ■ | ■ | ■ |
| 9790076 | Neck protection, yellow | ■ | ■ | ■ | ■ | ■ |
| 9790086 | uvex cooling neck protection | ■ | ■ | ■ | ■ | ■ |
| 9920001 | uvex vimox visor | ■ | ■ | ■ | ■ | — |
| 2600201 2600202 | uvex K1H/ uvex K2H | ■ | ■ | ■ | ■ | ■ |
| 2630210 2630220 2630230 | uvex K10H/ uvex K20H/ uvex K30H | ■ | ■ | ■ | ■ | ■ |

Legend:

- supplied as standard
- compatible
- not compatible





Visors and Face Protection

Visor lenses, certification and norms

The right solution for every requirement



Polycarbonate lenses with uvex supravision excellence coating

Polycarbonate has a high mechanical impact strength. Coated lenses are anti-fog on the inside, and scratch- and chemical-resistant on the outside. The anti-fogging properties are permanent even after repeated cleaning. The lenses are especially easy to clean and less susceptible to dirt due to the non-stick nanotechnology.

Cellulose acetate lenses

Face protection visors made of cellulose acetate are ideally suited for protection against chemicals.

Stainless steel mesh

is robust and has excellent stability and long life. Stainless steel mesh visors offer a higher light transmission than nylon mesh visors and are used for more rugged work in agriculture and forestry.


Standards at a glance

EN 166 – Personal eye protection

The European standard EN166 applies to all types of eye protection. EN 166 visors are made of frames and lenses.


Certification according to DIN EN 166

Marking
on frame



Marking
on lenses

A detailed
description of frame
and lens markings
can be found
on pages 24/25.



Labelling and norms

EN 170 – Ultraviolet protection filters

In the standards for special product requirements, the standard EN 170 sets out levels of protection and transmission requirements for ultraviolet protection filters. Excessive exposure to ultraviolet light can cause the lens of the eye to lose its transparency, which may cause

visual impairment or loss of vision. Visor lenses in accordance with EN 170 therefore meet performance requirements to protect the eye from ultraviolet radiation during hazardous work.

EN 1731 – Mesh face protection

The European standard EN 1731 describes all requirements for personal eye and face protection made of mesh material. EN 1731 visors consist of frames and lenses.

Technical information on the frame and the lens are specified according to EN 1731 in the following order:

- Identification of the manufacturer
- Number of European standard
- Symbol for mechanical strength


| Mechanical strength | |
|---------------------|---|
| none | without mechanical strength (filters only) |
| S | increased strength (filters only) |
| F | low energy impact (45 m/s) |
| B | medium energy impact (120 m/s) |
| A | high energy impact (190 m/s) |
| T | tested at extreme temperatures (-5°C and +55°C) |

GS-ET 29

When working on energised electrical systems and equipment, the risk of a short circuit electric arc must be assessed. Short circuit electric arcs are usually caused by a short circuit between the electrical lines. The GS-ET 29 test principle is an additional requirement for the testing and certification of electrician face protection. These visors are a category 3 product, which means there is a risk of physical injury and

death. With regards to different intensities of short circuit electric arcs, the certified products must be assessed for their suitability for the respective application. Here, there are distinctions between two classes, Class 1 – up to 4 kA – and Class 2, up to 7 kA.

Certification according to GS-ET 29



Previously



According to 7 kA short circuit electric arc

*It is obligatory to use an additional illumination, to reach a minimum illuminance of 30 lux behind the faceshield.

Visors and face protection

uvex pronamic visor system

uvex pronamic – the sustainable visor system. We use a mass-balanced polycarbonate for our visor lens. The result: a reduction in CO₂ emissions by over 13% for 100% protection.

Unique uvex click & pull system

In the release position, the visor can be pulled off the connection system at any time and reattached with a click.
- perfect for making the helmet a little easier to use when the visor is not needed.



The anti-fog and scratch-resistant visor is made of high-quality, mass-balanced polycarbonate that meets the highest optical quality class. The anti-fogging properties are permanent, even after repeated cleaning. Easy to clean thanks to non-stick nanotechnology. All lenses offer UV 400 protection. The visor fits the helmet seamlessly, leaving no gaps. The injection-moulded transparent peak provides protection against any particles penetrating the inside of the visor.

Suitable for areas of application 3 (liquids) and 9 (molten metal and hot solids). SLB 1 and SLB 2 visors for protection from electrical arcs certified in accordance with GS-ET 29.

Change of lens is possible for an even more sustainable and durable product

The visor can be locked above the helmet shell when not required and the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced over the body's centre of gravity. This means the neck muscles are not placed under strain by any unnecessary weight, ensuring excellent wearer comfort and maximum freedom of movement.

All visors come pre-assembled with a helmet adapter. This is clicked into the side helmet slot and remains attached there. The visor and visor arm can be removed from the helmet at any time when in click-stop positions 3 and 4 (release position). In the wearing position, the visor is locked and cannot be removed (locked working position).



uvex pronamic

| | uvex pronamic | uvex pronamic with chin guard | uvex pronamic SLB 1 | uvex pronamic SLB 2 | uvex pronamic mesh visor | uvex pronamic adapter pull bayonet |
|-------------------------|--|--|---|---|--|---|
| Art. no. | 9916000 | 9916001 | 9916002 | 9916003 | 9916100 | 2600236 |
| Version | uvex supravision excellence coating | uvex supravision excellence coating | uvex supravision excellence coating | uvex supravision excellence coating | uvex supravision excellence coating | helmet adapter for use on the pronamic full visor and the uvex earmuffs with bayonet connection |
| | click & pull system for removable visor arms | click & pull system for removable visor arms | classification short circuit electric arc class 1 | classification short circuit electric arc class 2 | removable visor arms | |
| | bayonet connection for hearing protection | bayonet connection for hearing protection | click & pull system for removable visor arms | click & pull system for removable visor arms | bayonet connection for hearing protection | |
| Standard Frame | EN 166, EN 170 black | EN 166, EN 170 black | EN 166, EN 170, GS-ET 29 black | EN 166, EN 170, GS-ET 29 black | EN 1731 black | |
| Lens | W 166 3 9 8-2 B CE 0196 | W 166 3 9 8-2 B CE 0196 | W 166 3 9 8-2 B CE 0196 | W 166 3 9 8-2 B CE 0196 | W EN 1731:2006 F CE stainless steel mesh | |
| | PC clear, UV 400 | PC clear, UV 400 | PC clear, UV 400 | PC blue, UV 400 | | |
| | 2C - 1.2 W 1 B 9 KN CE | 2C - 1.2 W 1 B 9 KN CE | 2C - 1.2 W 1 B 8-1-0 9 KN CE 0196 | 2C - 1.2 W 1 B 8-2-0 9 KN CE 0196 | W EN 1731:2006 F CE | |
| Order unit | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | BG, packed in pairs in polythene bags |
| Outer packaging | 24 PC per CT | 24 PC per CT | 24 PC per CT | 14 PC per CT | 24 PC per CT | |
| Replacement lens | 9906013, individually packed in polythene bags | 9906014, individually packed in polythene bags | 9906012, individually packed in polythene bags | 9906017, individually packed in polythene bags | 9916191, individually packed in polythene bags | |

Visors and face protection

uvex pronamic visor system

The uvex pronamic half visor completes the pronamic visor family. With two different lens tints, it offers optimum protection and, because of its design, it allows prescription spectacles to be worn at the same time.

If the visor is not needed, it can be locked above the helmet shell, ensuring excellent wearer comfort and maximum freedom of movement.

The polycarbonate half visor has an anti-fog and scratch-resistant coating. Thanks to its design, it offers enough room to wear prescription spectacles as well. The injection-moulded transparent peak fits the helmet seamlessly and provides protection against any particles penetrating the inside of the visor.



The Euroslot remains free for the use of earmuffs or other accessories.

All visors are pre-assembled with a helmet adapter. This is clicked into the front side helmet slot and remains attached there. The visor can be removed from the helmet at any time thanks to a push button.



9916200

9916201

2600237



uvex pronamic half visor

| Art. no. | uvex pronamic half visor 9916200 | uvex pronamic half visor 9916201 | uvex pronamic adapter push bayonet 2600237 |
|-----------------|---|---|---|
| Version | anti-fog and scratch-resistant coating removable visor via push button | anti-fog and scratch-resistant coating removable visor via push button | helmet adapter for use with the half visor and the uvex earmuffs with bayonet connection |
| Standard | EN 166, EN 170 | EN 166, EN 172 | |
| Frame | black | black | |
| | W 166 3 F CE | W 166 3 F CE | |
| Lens | PC clear, UV 400 2C - 1.2 W 1 F KN CE | PC grey 23%, UV 400 5-2.5 W 1 F KN CE | |
| Order unit | PC, individually packed in polythene bags | PC, individually packed in polythene bags | BG, packed in pairs in polythene bags |
| Outer packaging | 50 PC per CT | 50 PC per CT | |

Combination options

| | pronamic visor 9916000 | pronamic visor with chin guard 9916001 | pronamic visor SLB 1 9916002 | pronamic visor SLB 2 9916003 | pronamic mesh visor 9916100 | pronamic half visor clear 9916200 | pronamic half visor grey 9916201 |
|------------------------------|------------------------|--|------------------------------|------------------------------|-----------------------------|-----------------------------------|----------------------------------|
| uvex pronamic B-WR | ■ compatible | ■ compatible | - | - | ■ compatible | - | - |
| uvex pronamic B-S-WR | ■ compatible | ■ compatible | - | - | ■ compatible | ■ compatible | ■ compatible |
| uvex pronamic S-KR | ■ compatible | ■ compatible | - | - | ■ compatible | ■ compatible | ■ compatible |
| uvex pronamic alpine | ■ compatible | ■ compatible | - | - | ■ compatible | ■ compatible | ■ compatible |
| uvex pronamic alpine Mips® | ■ compatible | ■ compatible | - | - | ■ compatible | - | - |
| uvex pronamic alpine E | - | - | ■ compatible | ■ compatible | - | - | - |
| uvex pronamic alpine E Mips® | - | - | ■ compatible | ■ compatible | - | - | - |

■ compatible

- not compatible

Visors and face protection

uvex vimox visor system

One for all - uvex comfort for a wide variety of helmet models

Don't use a uvex helmet, but still want our unique lens technology? Then uvex vimox is the solution for you. Because we're bringing the most popular features of our visors to (almost) all common helmet models on the market.

Outstanding ergonomics are at the heart of every single product we develop. A comfortable fit should provide the wearer with relief. That's why we integrated a key feature of our pheos visor range into the uvex vimox visor system - the resting position.

If the visor is not actively in use, it can either be removed completely using the uvex click & pull system or alterna-

tively pushed into the resting position - no matter which helmet the vimox is used with. The optimal centre of gravity is located in the middle of the head to support the natural posture of the neck and significantly reduce strain.



Unique uvex click & pull system

In the release position, the visor can be pulled off the connection system at any time and reattached with a click.

Intelligent connection system

The uvex vimox's unique connection system optimally adapts to a wide range of helmets and is easy to fit. Simply snap it onto the front brim of your helmet, secure it and you're on your way.

Extra clarity

Our extra-large visor lens offers maximum all-round visibility and is even scratch-resistant on the outside and anti-fog on the inside thanks to the uvex supravision excellence coating. UV 400 protection and the highest optical class are included as standard.

Additional protection

Every helmet is different. The additional soft sealing lip means that the vimox always seals completely on a variety of helmets - so nothing can come between the helmet and visor.

Secure hold

The durable non-slip elastic strap provides a secure fit on any helmet and can be easily adjusted in size.



Ready to try one for all?

Over 20 helmets are compatible with the uvex vimox. Find out here if your current helmet is among them.

Visors and face protection

uvex vimox visor system



Click & pull system

The visor and visor arm can be removed from the helmet at any time when in click-stop positions 3 and 4 (release position). In the wearing position, the visor is locked and cannot be removed (locked working position). Ideal for making the helmet a little easier to use when the visor is not needed.

Ergonomic relief

If the visor is not needed, it can be pushed out of the field of vision into a resting position. The visor then rests in a well-balanced and ergonomically secure position on the helmet.

Smart lens changing system

If the visor is damaged or has been in use for too long, it can be removed from the connection system by means of a screw and replaced.



| | |
|------------------|---|
| uvex vimox | |
| Art. no. | 9920001 |
| Version | universal visor system for a wide range of helmets uvex supravision excellence coating click & pull system for visor arms |
| Standard | EN 166, EN 170 |
| Frame | black W 166 3 9 B CE |
| Lens | PC clear, UV 400 2C - 1.2 W 1 B 9 KN CE |
| Order unit | PC, individually packed in polythene bags |
| Outer packaging | 16 PC per CT |
| Replacement lens | 9921001, individually packed in polythene bags |

Visors and face protection

uvex pheos visor system

uvex pheos visor

- polycarbonate visors with uvex supravision excellence coating technology
- visor is anti-fog on the inside and exceptionally scratch- and chemical-resistant on the outside. The anti-fogging properties are permanent, even after repeated cleaning
- easy to clean thanks to non-stick nanotechnology
- available with two mounting options: mechanical levers or automatic magnetic locks

- visors 9906002, 9906003 and 9906009 can be combined with the industrial protection helmets:
 - uvex pheos B-S-WR
 - Helmet for working at height uvex pheos alpine (visor adapter art. no. 9790067 required)
- visors uvex pheos SLB 1 (9906005 and 9906006) and uvex pheos SLB 2 (9906007 and 9906008) can be combined with the uvex pheos E-S-WR industrial safety helmet

- lenses can be changed
- fulfils standards EN 166 and EN 170
- certified for areas of application 3 (liquids) and 9 (molten metal and hot solids)
- uvex pheos SLB 1 visors are certified in accordance with GS-ET 29 as Class 1 visors for protection from electrical arcs (4kA)
- uvex pheos SLB 2 visors are certified in accordance with GS-ET 29 as Class 2 visors for protection from electrical arcs (7kA)
- you can find the combination options on the next page (on page 154)

Perfect 'resting position' for the visor and hearing protection

The visor can be locked above the helmet shell when not required and the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced over the body's centre of gravity. This

means the neck muscles are not placed under strain by any unnecessary weight, ensuring excellent wearer comfort and maximum freedom of movement.

Reliable face protection

The anti-fog and scratch-resistant visor is made of high-quality polycarbonate that meet the highest optical quality class. The visor fits the helmet seamlessly, leaving no gaps.


The injection-moulded transparent peak provides protection against any particles penetrating the inside of the visor.

Magnetic and mechanical locking system

All visors are pre-assembled with a helmet adapter. This is clicked into the side helmet slot and remains permanently attached there. With the magnetic locking system, the attachment parts, visor and earmuffs can be removed easily at any time without having to remove the helmet. The visor is released with a click of the lateral locking system. When re-assembled, the parts automatically snap back

into place. This allows the helmet to remain comfortably on your head.

If the product is equipped with a mechanical locking system, the earmuffs can be removed at any time via a bayonet connection. The mechanical visor remains permanently attached to the helmet.



Magnetic
locking system for visors and earmuffs with a magnetic connection



Mechanical
locking system for visors and earmuffs with a bayonet connection

Visors and face protection

uvex pheos visor system



| | uvex pheos | uvex pheos SLB 1 | uvex pheos SLB 2 | |
|-------------------------|---|--|---|--|
| Art. no. | 9906002 | 9906005 | 9906007 | |
| Version | uvex supravision excellence with mechanical levers and bayonet connection for hearing protection | uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with mechanical levers and bayonet connection for hearing protection | uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with mechanical levers and chin protection and bayonet connection for hearing protection | |
| Standard Frame | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 | |
| Lens | PC clear UV 400 | PC clear UV 400 | PC blue UV 400 | |
| Order unit | 2C-1.2 W 1 B 9 KN CE 0196 | 2C-1.2 W 1 B 8-1-0 9 KN CE 0196 | 2C-1.2 W 1 B 8-2-0 9 KN CE 0196 | |
| Outer packaging | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | |
| Replacement lens | 24 PC per CT 9906013, individually packed in polythene bags | 24 PC per CT 9906012, individually packed in polythene bags | 14 PC per CT 9906017, individually packed in polythene bags | |

| | uvex pheos magnetic | uvex pheos SLB 1 magnetic | uvex pheos SLB 2 magnetic | uvex pheos magnetic with chin guard |
|-------------------------|---|---|--|---|
| Art. no. | 9906003 | 9906006 | 9906008 | 9906009 |
| Version | uvex supravision excellence with magnetic levers | uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with magnetic levers | uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with magnetic levers and chin protection | uvex supravision excellence with small chin guard and magnetic lever arms |
| Standard Frame | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 | EN 166, EN 170 black W 166 3 8-2 9 B CE 0196 |
| Lens | PC clear UV 400 | PC clear UV 400 | UV 400 | UV 400 |
| Order unit | 2C-1.2 W 1 B 9 KN CE 0196 | 2C-1.2 W 1 B 8-1-0 9 KN CE 0196 | 2C-1.2 W 1 B 8-2-0 9 KN CE 0196 | 2C-1.2 W 1 B 9 KN CE |
| Outer packaging | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags |
| Replacement lens | 20 PC per CT 9906013, individually packed in polythene bags | 20 PC per CT 9906012, individually packed in polythene bags | 14 PC per CT 9906017, individually packed in polythene bags | 20 PC per CT 9906014, individually packed in polythene bags |

Visors and face protection

Combination options and accessories

Combination options uvex pheos visors

| Art. no. | Visor frame | Visor | Protection | Suitable helmets | Earmuffs |
|----------|-------------|---|---|--|----------|
| 9906002 | mechanical | polycarbonate, clear | against mechanical influences (e.g. sparks, splinters) | all uvex pheos helmets with short brim | 2600214 |
| 9906003 | magnetic | polycarbonate, clear | | | |
| 9906009 | magnetic | polycarbonate, clear with chin guard | | uvex pheos alpine (with visor adapter 9790067) | 2600215 |
| 9906005 | mechanical | polycarbonate, clear with UV absorber | against electrical arcs up to 4 kA (kilo-amperes) | uvex pheos E-S-WR | 2600214 |
| 9906006 | magnetic | polycarbonate, clear with UV absorber | | | 2600215 |
| 9906007 | mechanical | polycarbonate, blue with UV absorber and chin section | against electrical arcs up to 7 kA (kilo-amperes) | uvex pheos E-S-WR | 2600214 |
| 9906008 | magnetic | polycarbonate, blue with UV absorber and chin section | | | 2600215 |

uvex pheos visor system accessories

| | |
|---|--|
|  | Visor adapter Art. no. 9790067 Version for combining with the helmet for working at height uvex pheos alpine for inserting on the inside of the visor's face cover (visor not included) Order unit PC, individually packed in polythene bags |
|  | Helmet adapter Art. no. 9790078 Version helmet adapter for use with uvex pheos K2P magnet earmuffs (2600215) without visor, is only required if no visor is used Order unit PR, individually packed in polythene bags |
|  | Sunglare filter/rain cover Art. no. 9790074 Version to protect against sun and rain, for insertion on the inside of the face cover of the visor, cannot be combined with the visors uvex pheos SLB 1 and uvex pheos SLB 2 Order unit PC, individually packed in polythene bags |
|  | Microfibre case Art. no. 9954362 Version cloth bag to store and transport uvex visors and uvex helmets, black Order unit PC, loose |
|  | uvex pheos Adapter Magnet-Bajonett Art. no. 2600235 Version helmet adapter for use with uvex earmuffs with bayonet connection and magnetic pheos visor Order unit PR, packed in pairs in polythene bags |

Visors and face protection

uvex pheos forestry worker visor · uvex pheos mesh visor · 9725 · 9726



9790219



9725514
9726014

uvex pheos forestry worker visor

- metal mesh visor for forestry work
- suitable for helmet uvex pheos ABS
- lens certification: W EN 1731:2006-F

Further information can be found on page 133.



uvex pheos mesh visor

- suitable for uvex pheos industrial safety helmet B-S-WR, uvex pheos ABS and uvex pheos alpine (visor adapter 9790067 required when the visor is combined with the uvex pheos alpine helmet)
- with mechanical levers and bayonet connection for hearing protection

uvex pheos mesh visor

| | |
|-----------------|---|
| Art. no. | 9790219 |
| Version | Stainless steel mesh with high level of light transmission and adapter |
| Standard | EN 1731 |
| Frame | W EN 1731:2006 F CE |
| Lens | Stainless steel mesh visor, light transmission > 60% W EN 1731:2006 F CE |
| Order unit | PC, individually packed in polythene bags |
| Outer packaging | 20 PC per CT |

uvex 9725 · uvex 9726

- polycarbonate and cellulose acetate visors with adapters for attaching on the side helmet slots
- easy to change lenses
- not combinable with earmuffs
- suitable for helmets uvex airwing and uvex superboss

► Helmet not included!

| | | |
|------------------|--|---|
| Art. no. | 9725 | 9726 |
| Replacement lens | 9725514 | 9726014 |
| Version | 9050517 | 9723017 |
| Standard | anti-fog on the inside Material thickness: 1 mm | uncoated Material thickness: 1 mm |
| Frame | EN 166, EN 170 black | EN 166, EN 170 black |
| Lens | W 166 3-F CE CA clear, UV 380 2C-1.2 W 1 FN CE | W 166 3-B CE PC clear, UV 400 2C-1.2 W 1 B CE |
| Order unit | PC, individually packed in polythene bags | 20 PC per CT |
| Outer packaging | 20 PC per CT | 20 PC per CT |

uvex pheos faceguard Face protection system

This innovative face protection system consists of a height- and width-adjustable head strap and a choice of two different visor lenses. The high-quality polycarbonate visor features uvex coating technology to ensure that the wearer's field of vision remains fog-free for a long period of time and that the outside of the visor is scratch-resistant. The mesh visor is made of robust stainless steel and provides reliable protection when working outdoors. The earmuffs can be attached and removed quickly using a rotating mechanism. The system can be expanded with a wide range of accessories and adapted to suit the application.



The uvex multi-system in detail



The benefits of the uvex pheos faceguard at a glance:

- fully pre-assembled face protection system — ready to use at any time
- wide field of vision with the highest optical quality
- robust polycarbonate visor with anti-fog and scratch-resistant uvex supervision excellence coating or stainless steel mesh visor
- low weight and balanced centre of gravity to relieve the spine

- expandable system with high modularity
- unique combination: visor and bump cap
- replaceable individual parts
- comfortable fit even with glasses and respirators



Further information can be found at uvex-safety.com/en/pheosfaceguard (or scan the QR code).

uvex pheos faceguard

Face protection system

Designed to protect the face and neck

The uvex pheos faceguard has been ergonomically designed. The face protection system has been designed to evenly distribute the weight across the body's centre of gravity. The low weight and ergonomic centre of gravity supports a natural head posture, minimising strain on the neck and back. The narrow design and wide field of vision help to support the natural posture of the head and neck.



9790211



9790212



9790215

| | | | |
|-------------------|---|--|--|
| Art. no. | uvex pheos faceguard 9790211 | uvex pheos faceguard with hearing protection 9790212 | uvex pheos faceguard mesh visor with hearing protection 9790215 |
| Version | Pre-assembled system for head sizes 52–64 cm, Polycarbonate lens, uvex supravision excellence coating, Without hearing protection | Pre-assembled system for head sizes 52–64 cm, Polycarbonate lens, uvex supravision excellence coating, With earmuffs K1P (SNR: 28 dB), further information can be found on page 110 | Pre-assembled system for head sizes 52–64 cm stainless steel mesh visor with high light transmission with hearing protectors K1P (SNR: 28 dB), further information can be found on page 110 |
| Standard | EN 166, EN 170 | EN 166, EN 170, EN 352 | EN 1731, EN 352 |
| Frame | W 166 39B CE | W 166 39B CE | W EN 1731:2006 F CE |
| Lens | PC, clear, UV 400 2C-1.2 W 1 B 9 KN CE 0196 | PC, clear, UV 400 2C-1.2 W 1 B 9 KN CE 0196 | Stainless steel mesh visor, light transmission > 60% W EN 1731:2006 F CE |
| Order unit | PC, individually packed in CT | PC, individually packed in CT | PC, individually packed in CT |

Accessories



9760107

9760108



9906013

9790074



2600216

9790159



9790160



9790170

| | | | | | | | | |
|-------------------|---|---|--|--|---|---|---|--|
| Art. no. | replacement suspension harness 9760107 | replacement sweatband 9760108 | replacement lens visor 9906013 | sun protection 9790074 | hearing protection earplugs K1P 2600216 | uvex pheos faceguard bump cap 9790159 | Replacement lens Mesh visor 9790160 | Sun/ Neck protection 9790170 |
| Version | Plastic suspension harness for head sizes 52–64 cm | Textile | Polycarbonate lens uvex supravision excellence coating | Protects against sun and rain is inserted on the visor | Earmuffs for uvex pheos faceguard SNR 28 dB | Bump cap for the uvex pheos faceguard system, hard shell ABS, black, 52–64 cm EN 812 | replacement lens stainless steel mesh visor for uvex pheos faceguard | Textile with cooling function to protect against sunlight |
| Order unit | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PR, in pairs in CT | PC, individually packed in polythene bags | PC, individually packed in polythene bags | PC, individually packed in polythene bags |

Safety Helmets

uvex Visors · safety Goggles



9705014



9707014



9706514



9708514

uvex 9705 · uvex 9706

- cellulose acetate visor with integrated forehead cover
- easy to change lenses
- cannot be combined with safety helmets
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

uvex 9707 · uvex 9708

- cellulose acetate visor with integrated fore-head cover and additional protective cap made from impact-resistant polystyrene
- easy to change lenses
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

| | visor 9705 9705014 | visor 9706 9706514 | visor 9707 9707014 | visor 9708 9708514 |
|------------------|--|---|--|--|
| Art. no. | | | | |
| Version | uncoated | anti-fog on the inside | uncoated | anti-fog on the inside |
| Standard | EN 166, EN 170 | EN 166, EN 170 | EN 166, EN 170 | EN 166, EN 170 |
| Frame | black | black | black | black |
| Lens | W166 3-F DIN CE 0196 CA clear, UV 380 W 1 F DIN CE | W166 3-F DIN CE 0196 CA clear, UV 380 W 1 FN DIN CE | W166 3 F DIN CE 0196 CA clear, UV 380 W 1 F DIN CE | W166 3 F DIN CE 0196 CA clear, UV 380 W 1 F DIN CE |
| Order unit | PC, individually packed in polythene bags | | | |
| Outer packaging | 15 PC per CT | 15 PC per CT | 10 PC per CT | 10 PC per CT |
| Replacement lens | 9060017 | 9050517 | 9060017 | 9050517 |



Bump Caps

uvex u-cap sport

A wide range for many applications



**LED lamp uvex u-cap sport,
suitable for all u-cap sport
variants available on page 141.**

uvex u-cap sport

| uvex u-cap sport | | | | | |
|------------------------|---|--------------|--------------|---|--------------|
| Art. no. | 9794409 | 9794403 | 9794404 | 9794442 | 9794422 |
| Version | with short brim (4 cm), hard case made of ABS, textile cap made of cotton | | | with short brim (4 cm) and mesh webbing suspension harness, hard case made of ABS, textile cap made of cotton | 9794424 |
| Standard | EN 812 | EN 812 | EN 812 | EN 812 | EN 812 |
| Colour | black | black | black | black | black |
| Sizes | 52 to 54 cm | 55 to 59 cm | 60 to 63 cm | 52 to 54 cm | 55 to 59 cm |
| Order unit | PC | PC | PC | PC | PC |
| Outer packaging | 60 PC per CT | 60 PC per CT | 60 PC per CT | 60 PC per CT | 60 PC per CT |
| Art. no. | 9794400 | 9794401 | 9794402 | 9794443 | 9794423 |
| Version | with long brim (7 cm), hard case made of ABS, textile cap made of cotton | | | with long brim (7 cm) and mesh webbing suspension harness, hard case made of ABS, textile cap made of cotton | 9794425 |
| Standard | EN 812 | EN 812 | EN 812 | EN 812 | EN 812 |
| Colour | black | black | black | black | black |
| Sizes | 52 to 54 cm | 55 to 59 cm | 60 to 63 cm | 52 to 54 cm | 55 to 59 cm |
| Order unit | PC | PC | PC | PC | PC |
| Outer packaging | 60 PC per CT | 60 PC per CT | 60 PC per CT | 60 PC per CT | 60 PC per CT |

uvex u-cap sport suspension harness

| uvex u-cap sport suspension harness | | |
|-------------------------------------|--|--|
| Art. no. | 9794415 | |
| Version | soft, comfortable mesh webbing suspension harness | |
| | increased wearer comfort in uvex u-cap sport bump caps | |
| Standard | EN 812 | |
| Colour | black | |
| Sizes | unisize | |
| Order unit | PC | |
| Outer packaging | 60 PC per CT | |

Baseball cap

| Baseball cap | | |
|------------------------|----------------------------|----------------------------|
| Art. no. | 9794110 | 9794111 |
| Version | with long brim (7 cm) | with short brim (4 cm) |
| | without hard shell element | without hard shell element |
| Colour | black | black |
| Sizes | 55 to 63 cm | 55 to 63 cm |
| Order unit | PC | PC |
| Outer packaging | 60 PC per CT | 60 PC per CT |

uvex u-cap

uvex u-cap sport · uvex u-cap sport vent · uvex u-cap sport hi-viz

9794407
97944089794430
9794420
9794421
9794444
9794416
97944179794480
9794481
97944829794490
9794491
9794492

**LED lamp uvex u-cap sport,
suitable for all u-cap sport
variants available on page 141.**

uvex u-cap sport

| uvex u-cap sport | | |
|------------------|---|--------------|
| Art. no. | 9794407 | 9794408 |
| Version | with long brim (7 cm), hard case made of ABS, textile cap made of cotton | |
| Standard | EN 812 | EN 812 |
| Colour | navy blue | navy blue |
| Sizes | 55 to 59 cm | 60 to 63 cm |
| Order unit | PC | PC |
| Outer packaging | 60 PC per CT | 60 PC per CT |

uvex u-cap sport vent

| uvex u-cap sport vent | | |
|-----------------------|---|--------------|
| Art. no. | 9794430 | 9794420 |
| Version | with short brim (4 cm), hard case made of ABS, textile cap made of cotton and mesh fibre | 9794421 |
| Standard | EN 812 | EN 812 |
| Colour | black | black |
| Sizes | 52 to 54 cm | 55 to 59 cm |
| Order unit | PC | PC |
| Outer packaging | 60 PC per CT | 60 PC per CT |
| Art. no. | 9794444 | 9794416 |
| Version | with short brim (4 cm) and mesh webbing and mesh webbing interior, ABS hard shell, textile cap made of cotton and mesh fibre | 9794417 |
| Standard | EN 812 | EN 812 |
| Colour | black | black |
| Sizes | 52 to 54 cm | 55 to 59 cm |
| Order unit | PC | PC |
| Outer packaging | 60 PC per CT | 60 PC per CT |

uvex u-cap sport hi-viz

| uvex u-cap sport hi-viz | | | | | |
|---|---------------|---------------|---------------|---------------|---------------|
| Art. no. | 9794482 | 9794480 | 9794481 | 9794492 | 9794490 – |
| Version | | | | | |
| with short brim (4 cm), ABS hard shell, textile cap made of cotton in fluorescent colours, according to requirements with EN 471 – increased visibility and security for the user | | | | | |
| Standard | EN 812 |
| Colour | hi-viz yellow | hi-viz yellow | hi-viz yellow | hi-viz orange | hi-viz orange |
| Sizes | 52 to 54 cm | 55 to 59 cm | 60 to 63 cm | 52 to 54 cm | 55 to 59 cm |
| Order unit | PC | PC | PC | PC | PC |
| Outer packaging | 60 PC per CT |

Safety helmets to match your corporate identity

Individual safety helmets

uvex gives you the option to customise all uvex helmets and bump caps so that your employees' equipment matches your corporate identity specifications.

Please contact the uvex service centre with your requests at any time.


Tel. +49 911 9736-0 · Email: Individualisierung@uvex.de



Pad printing on the helmet

(1 to 5 colours)

Printable areas based on uvex pheos.



Embroidery

Areas that can be embroidered based on uvex u-cap sport.

Customisation on the helmet

| | |
|------------------------------------|--|
| Special colour | from 600 units: uvex prismatic, uvex perfexxion, uvex pheos, uvex pheos alpine, uvex airwing, uvex super boss, uvex thermo boss |
| | from 1,500 units: uvex prismatic alpine |
| new variant | from 600 units |
| Finish*: Printed, reflex set | from 25 units reorder quantity: from 25 units except uvex prismatic alpine, uvex perfexxion, uvex pheos alpine from 24 units respectively |

*vector file (.eps, .ai) and image file (.jpg, .pdf) required as template

Customisation of bump caps / textile caps

| | |
|-------------------------------------|--|
| Special colour | from 1,000 units |
| new variant | from 1,000 units |
| Finish*: Printed, embroidered | from 25 units reorder quantity: from 25 units |

*vector file (.eps, .ai) and image file (.jpg, .pdf) required as template

How individual can you be?

We will be happy to advise you on the technical options for customising our safety helmets.

Safety Helmets

Overview

| Art. no. | Name | Description | Colour | Page | Art. no. | Name | Description | Colour | Page |
|----------|----------------------------|---|---------------|---------|----------|------------------------------|---------------------------------------|-----------|------|
| 2600235 | Accessories | uvex pheos Adapter Magnet-Bajonett | black | 154 | 9762031 | uvex airwing B-S-WR | Safety helmet | white | 131 |
| 2600236 | Accessories | uvex pronamic Adapter Pull-Bajonett | clear | 148 | 9762120 | uvex airwing B | Safety helmet | yellow | 130 |
| 2600237 | Accessories | uvex pronamic Adapter Push-Bajonett | clear | 149 | 9762121 | uvex airwing B-S | Safety helmet | yellow | 131 |
| 9050517 | Accessories | Replacement lens, CA, non-fogging | clear | 155/158 | 9762130 | uvex airwing B-WR | Safety helmet | yellow | 130 |
| 9060017 | Accessories | Replacement lens, CA | clear | 158 | 9762131 | uvex airwing B-S-WR | Safety helmet | yellow | 131 |
| 9705014 | Accessories | Cellulose acetate protective visor | clear | 158 | 9762220 | uvex airwing B | Safety helmet | orange | 130 |
| 9706514 | Accessories | Antifog cellulose acetate protective visor | clear | 158 | 9762221 | uvex airwing B-S | Safety helmet | orange | 131 |
| 9707014 | Accessories | Cellulose acetate protective visor | clear | 158 | 9762230 | uvex airwing B-WR | Safety helmet | orange | 130 |
| 9708514 | Accessories | Antifog cellulose acetate protective visor | clear | 158 | 9762231 | uvex airwing B-S-WR | Safety helmet | orange | 131 |
| 9720040 | uvex perfexion | Safety helmet | white | 132 | 9762320 | uvex airwing B | Safety helmet | red | 130 |
| 9720050 | uvex perfexion | Safety helmet | white | 132 | 9762321 | uvex airwing B-S | Safety helmet | red | 131 |
| 9720090 | uvex perfexion | Safety helmet | black | 132 | 9762330 | uvex airwing B-WR | Safety helmet | red | 130 |
| 9723017 | Accessories | Replacement lens, PC | clear | 155 | 9762331 | uvex airwing B-S-WR | Safety helmet | red | 131 |
| 9725514 | Accessories | Antifog cellulose acetate visor | clear | 155 | 9762420 | uvex airwing B | Safety helmet | green | 130 |
| 9726014 | Accessories | Polycarbonate visor | clear | 155 | 9762421 | uvex airwing B-S | Safety helmet | green | 131 |
| 9730030 | uvex pronamic E-WR | Safety helmet | weiß | 125 | 9762430 | uvex airwing B-WR | Safety helmet | green | 130 |
| 9730031 | uvex pronamic E-S-WR | Safety helmet | weiß | 125 | 9762431 | uvex airwing B-S-WR | Safety helmet | green | 131 |
| 9730130 | uvex pronamic E-WR | Safety helmet | gelb | 125 | 9762520 | uvex airwing B | Safety helmet | blue | 130 |
| 9730131 | uvex pronamic E-S-WR | Safety helmet | gelb | 125 | 9762521 | uvex airwing B-S | Safety helmet | blue | 131 |
| 9730330 | uvex pronamic E-WR | Safety helmet | rot | 125 | 9762530 | uvex airwing B-WR | Safety helmet | blue | 130 |
| 9730331 | uvex pronamic E-S-WR | Safety helmet | rot | 125 | 9762531 | uvex airwing B-S-WR | Safety helmet | blue | 131 |
| 9730530 | uvex pronamic E-WR | Safety helmet | blau | 125 | 9762920 | uvex airwing B | Safety helmet | black | 130 |
| 9730531 | uvex pronamic E-S-WR | Safety helmet | blau | 125 | 9770020 | uvex pheos E | Safety helmet | white | 136 |
| 9731030 | uvex pronamic B-WR | Safety helmet | white | 123 | 9770026 | uvex pheos E | Safety helmet with reflective sticker | white | 137 |
| 9731130 | uvex pronamic B-WR | Safety helmet | yellow | 123 | 9770030 | uvex pheos E-WR | Safety helmet | white | 136 |
| 9731330 | uvex pronamic B-S-WR | Safety helmet | red | 123 | 9770031 | uvex pheos E-S-WR | Safety helmet | white | 136 |
| 9731530 | uvex pronamic B-S-WR | Safety helmet | blue | 123 | 9770036 | uvex pheos E-WR | Safety helmet with reflective sticker | white | 137 |
| 9731530 | uvex pronamic B-WR | Safety helmet | blue | 123 | 9770120 | uvex pheos E | Safety helmet | yellow | 136 |
| 9731031 | uvex pronamic B-S-SWR | Safety helmet | white | 123 | 9770126 | uvex pheos E | Safety helmet with reflective sticker | yellow | 137 |
| 9731131 | uvex pronamic B-S-WR | Safety helmet | yellow | 123 | 9770130 | uvex pheos E-WR | Safety helmet | yellow | 136 |
| 9731331 | uvex pronamic B-S-WR | Safety helmet | red | 123 | 9770131 | uvex pheos E-S-WR | Safety helmet | yellow | 136 |
| 9731531 | uvex pronamic B-S-WR | Safety helmet | blue | 123 | 9770136 | uvex pheos E-WR | Safety helmet with reflective sticker | yellow | 137 |
| 9731033 | uvex pronamic S-KR | Safety helmet | white | 123 | 9770230 | uvex pheos E-WR | Safety helmet | orange | 136 |
| 9731133 | uvex pronamic S-KR | Safety helmet | yellow | 123 | 9770231 | uvex pheos E-S-WR | Safety helmet | orange | 136 |
| 9731333 | uvex pronamic S-KR | Safety helmet | red | 123 | 9770330 | uvex pheos E-WR | Safety helmet | red | 136 |
| 9731533 | uvex pronamic S-KR | Safety helmet | blue | 123 | 9770331 | uvex pheos E-S-WR | Safety helmet | red | 136 |
| 9735030 | uvex pronamic alpine | Safety helmet | white | 127 | 9770430 | uvex pheos E-WR | Safety helmet | green | 136 |
| 9735031 | uvex pronamic alpine Mips® | Safety helmet | white | 127 | 9770431 | uvex pheos E-S-WR | Safety helmet | green | 136 |
| 9735130 | uvex pronamic alpine | Safety helmet | hi-viz yellow | 127 | 9770530 | uvex pheos E-WR | Safety helmet | blue | 136 |
| 9735131 | uvex pronamic alpine Mips® | Safety helmet | hi-viz yellow | 127 | 9770531 | uvex pheos E-S-WR | Safety helmet | blue | 136 |
| 9735134 | uvex pronamic alpine | Safety helmet | gelb | 127 | 9770536 | uvex pheos E-WR | Safety helmet with reflective sticker | blue | 137 |
| 9735230 | uvex pronamic alpine | Safety helmet | hi-viz orange | 127 | 9770830 | uvex pheos E-WR | Safety helmet | dark grey | 136 |
| 9735231 | uvex pronamic alpine Mips® | Safety helmet | hi-viz orange | 127 | 9770832 | uvex pheos E-S-WR | Safety helmet | dark grey | 136 |
| 9735330 | uvex pronamic alpine | Safety helmet | rot | 127 | 9770931 | uvex pheos E-S-WR | Safety helmet | black | 136 |
| 9735430 | uvex pronamic alpine | Safety helmet | grün | 127 | 9772001 | Accessories | Suspension harness IES | | 139 |
| 9735530 | uvex pronamic alpine | Safety helmet | blau | 127 | 9772002 | Accessories | Mount | | 140 |
| 9735930 | uvex pronamic alpine | Safety helmet | schwarz | 127 | 9772020 | uvex pheos B | Safety helmet | white | 134 |
| 9736030 | uvex pronamic alpine E | Safety helmet | white | 127 | 9772026 | uvex pheos B | Safety helmet with reflective sticker | white | 137 |
| 9736031 | uvex pronamic alpine E | Safety helmet | hi-viz yellow | 127 | 9772030 | uvex pheos B-WR | Safety helmet | white | 134 |
| 9736130 | uvex pronamic alpine E | Safety helmet | hi-viz orange | 127 | 9772031 | uvex pheos B-S-WR | Safety helmet | white | 134 |
| 9736131 | uvex pronamic alpine E | Safety helmet | white | 127 | 9772034 | uvex pheos S-KR | Safety helmet | white | 137 |
| 9736230 | uvex pronamic alpine E | Safety helmet | hi-viz yellow | 127 | 9772035 | uvex pheos B-WR | Safety helmet with reflective sticker | white | 137 |
| 9736231 | uvex pronamic alpine E | Safety helmet | hi-viz orange | 127 | 9772038 | uvex pheos B-S-WR | Safety helmet with reflective sticker | white | 137 |
| 9750020 | uvex super boss | Safety helmet | white | 130 | 9772040 | uvex pheos IES | Safety helmet | white | 137 |
| 9750120 | uvex super boss | Safety helmet | yellow | 130 | 9772042 | uvex pheos planet B-WR | Safety helmet | white | 135 |
| 9750520 | uvex super boss | Safety helmet | blue | 130 | 9772043 | uvex pheos planet B-S-WR | Safety helmet | white | 135 |
| 9754000 | uvex thermo boss | Safety helmet | white | 131 | 9772045 | uvex pheos IES | Safety helmet with reflective sticker | white | 137 |
| 9754100 | uvex thermo boss | Safety helmet | yellow | 131 | 9772046 | uvex pheos S-KR | Safety helmet with reflective sticker | white | 137 |
| 9754300 | uvex thermo boss | Safety helmet | red | 131 | 9772071 | uvex pheos ABS B-S-WR | Safety helmet | white | 133 |
| 9760000 | Accessories | Conventional suspension harness | | 139 | 9772090 | uvex pheos S-KR Mips® | Safety helmet | white | 129 |
| 9760001 | Accessories | Suspension harness with rotating size adjusters | | 139 | 9772092 | uvex pheos planet S-KR Mips® | Safety helmet | white | 135 |
| 9760005 | Accessories | Sweatband, synthetic leather | | 139 | 9772120 | uvex pheos B | Safety helmet | yellow | 134 |
| 9760007 | Accessories | Sweatband, textile/foam material | | 139 | 9772126 | uvex pheos B | Safety helmet with reflective sticker | yellow | 137 |
| 9760009 | Accessories | Sweatband pheos alpine and pheos E-WR | | 133/139 | 9772130 | uvex pheos B-WR | Safety helmet | yellow | 134 |
| 9760011 | Accessories | Suspension harness | | 139 | 9772131 | uvex pheos B-S-WR | Safety helmet | yellow | 134 |
| 9760012 | Accessories | Suspension harness | | 139 | 9772134 | uvex pheos S-KR | Safety helmet | yellow | 137 |
| 9760014 | Accessories | Wheel ratchet padding | | 139 | 9772137 | uvex pheos B-S-WR | Safety helmet with reflective sticker | yellow | 137 |
| 9760106 | Accessories | Replacement suspension harness pheos ABS | | 133 | 9772138 | uvex pheos B-WR | Safety helmet with reflective sticker | yellow | 137 |
| 9760107 | Accessories | Suspension harness pheos faceguard | | 157 | 9772140 | uvex pheos IES | Safety helmet | yellow | 137 |
| 9760108 | Accessories | Sweatband for suspension harness | | 157 | 9772171 | uvex pheos ABS B-S-WR | Safety helmet | yellow | 133 |
| 9762020 | uvex airwing B | Safety helmet | white | 130 | 9772190 | uvex pheos S-KR Mips® | Safety helmet | yellow | 129 |
| 9762021 | uvex airwing B-S | Safety helmet | white | 131 | 9772220 | uvex pheos B | Safety helmet | orange | 134 |
| 9762030 | uvex airwing B-WR | Safety helmet | white | 130 | 9772226 | uvex pheos B | Safety helmet with reflective sticker | orange | 137 |



Safety Helmets

Overview

| Art. no. | Name | Description | Colour | Page | Art. no. | Name | Description | Colour | Page |
|----------|-------------------------|--|---------------|---------|----------|-------------------------|---|---------------|---------|
| 9772230 | uvex pheos B-WR | Safety helmet | orange | 134 | 9790075 | Accessories | Neck protection | orange | 138 |
| 9772231 | uvex pheos B-S-WR | Safety helmet | orange | 134 | 9790076 | Accessories | Neck protection | yellow | 138 |
| 9772234 | uvex pheos S-KR | Safety helmet | orange | 137 | 9790077 | Accessories | Helmet slot sealing plug set | | 140 |
| 9772236 | uvex pheos B-WR | Safety helmet with reflective sticker | orange | 137 | 9790078 | Accessories | Helmet adapter | | 154 |
| 9772240 | uvex pheos IES | Safety helmet | orange | 137 | 9790086 | Accessories | cooling neck protection | | 138 |
| 9772246 | uvex pheos IES | Safety helmet with reflective sticker | orange | 137 | 9790146 | Accessories | Signal whistle | | 133 |
| 9772260 | uvex pheos S-KR Mips® | Safety helmet | hi-viz orange | 129 | 9790149 | Accessories | Neck support | | 140 |
| 9772271 | uvex pheos ABS B-S-WR | Safety helmet | orange | 133 | 9790150 | Accessories | uvex pheos helmet sticker | silver | 139 |
| 9772320 | uvex pheos B | Safety helmet | red | 134 | 9790151 | Accessories | uvex pheos helmet sticker | yellow | 139 |
| 9772326 | uvex pheos B | Safety helmet with reflective sticker | red | 137 | 9790152 | Accessories | uvex pheos helmet sticker | orange | 139 |
| 9772330 | uvex pheos B-WR | Safety helmet | red | 134 | 9790153 | Accessories | uvex pheos helmet sticker | red | 139 |
| 9772332 | uvex pheos B-S-WR | Safety helmet | red | 134 | 9790154 | Accessories | uvex pheos helmet sticker | green | 139 |
| 9772334 | uvex pheos B-S-WR | Safety helmet with reflective sticker | red | 137 | 9790155 | Accessories | uvex pheos helmet sticker | blue | 139 |
| 9772335 | uvex pheos S-KR | Safety helmet | red | 137 | 9790156 | Accessories | uvex pheos helmet sticker | black | 139 |
| 9772340 | uvex pheos IES | Safety helmet | red | 137 | 9790159 | Accessories | uvex pheos faceguard bump cap | black | 157 |
| 9772343 | uvex pheos IES | Safety helmet with reflective sticker | red | 137 | 9790160 | Accessories | Replacement lens mesh visor | | 157 |
| 9772371 | uvex pheos ABS B-S-WR | Safety helmet | red | 133 | 9790166 | Accessories | Business card holder | | 140 |
| 9772430 | uvex pheos B-WR | Safety helmet | green | 134 | 9790170 | Accessories | Sun/Neck protection | | 157 |
| 9772431 | uvex pheos B-S-WR | Safety helmet | grün | 134 | 9790210 | Accessories | Replacement visor (metal) | | 133 |
| 9772433 | uvex pheos B-S-WR | Safety helmet with reflective sticker | green | 137 | 9790211 | uvex pheos faceguard | uvex pheos faceguard face protection system | | 157 |
| 9772437 | uvex pheos B-WR | Safety helmet with reflective sticker | green | 137 | 9790212 | uvex pheos faceguard | uvex pheos faceguard face protection system with hearing protection | | 157 |
| 9772520 | uvex pheos B | Safety helmet | blue | 134 | 9790215 | uvex pheos faceguard | uvex pheos faceguard mesh visor with hearing protection | | 157 |
| 9772526 | uvex pheos B | Safety helmet with reflective sticker | red | 137 | 9790219 | Accessories | uvex pheos mesh visor | | 133 |
| 9772530 | uvex pheos B-WR | Safety helmet | blue | 134 | 9790310 | Accessories | Suspension harness for uvex pronamic | | 125 |
| 9772531 | uvex pheos B-S-WR | Safety helmet | blue | 134 | 9790311 | Accessories | Synthetic leather sweatband for uvex pronamic | | 125 |
| 9772534 | uvex pheos S-KR | Safety helmet | blue | 137 | 9794110 | Baseball cap | with long brim, size 55 – 63 cm | black | 160 |
| 9772537 | uvex pheos B-S-WR | Safety helmet with reflective sticker | blue | 137 | 9794111 | Baseball cap | with short brim, size 55 – 63 cm | black | 160 |
| 9772538 | uvex pheos B-WR | Safety helmet with reflective sticker | blue | 137 | 9794400 | uvex u-cap sport | Impact cap, size 52 – 54 cm | black | 160 |
| 9772540 | uvex pheos IES | Safety helmet | blue | 137 | 9794401 | uvex u-cap sport | Impact cap, size 55 – 59 cm | black | 160 |
| 9772541 | uvex pheos S-KR | Safety helmet with reflective sticker | blue | 137 | 9794402 | uvex u-cap sport | Impact cap, size 60 – 63 cm | black | 160 |
| 9772832 | uvex pheos B-S-WR | Safety helmet | dark grey | 134 | 9794403 | uvex u-cap sport | Impact cap, size 55 – 59 cm | black | 160 |
| 9772920 | uvex pheos B | Safety helmet | black | 134 | 9794404 | uvex u-cap sport | Impact cap, size 60 – 63 cm | black | 160 |
| 9772930 | uvex pheos B-WR | Safety helmet | black | 134 | 9794407 | uvex u-cap sport | Impact cap, size 55 – 59 cm | navy blue | 161 |
| 9772932 | uvex pheos B-S-WR | Safety helmet | black | 134 | 9794408 | uvex u-cap sport | Impact cap, size 60 – 63 cm | navy blue | 161 |
| 9772936 | uvex pheos B-WR | Safety helmet with reflective sticker | black | 137 | 9794409 | uvex u-cap sport | Impact cap, size 52 – 54 cm | black | 160 |
| 9772937 | uvex pheos B-S-WR | Safety helmet with reflective sticker | black | 137 | 9794415 | uvex u-cap sport | Suspension harness | black | 160 |
| 9773050 | uvex pheos alpine | Safety helmet | white | 132 | 9794416 | uvex u-cap sport vent | Impact cap, size 55 – 59 cm | black | 161 |
| 9773150 | uvex pheos alpine | Safety helmet | yellow | 132 | 9794417 | uvex u-cap sport vent | Impact cap, size 60 – 63 cm | black | 161 |
| 9773250 | uvex pheos alpine | Safety helmet | orange | 132 | 9794420 | uvex u-cap sport vent | Impact cap, size 55 – 59 cm | black | 161 |
| 9773350 | uvex pheos alpine | Safety helmet | red | 132 | 9794421 | uvex u-cap sport vent | Impact cap, size 60 – 63 cm | black | 161 |
| 9773450 | uvex pheos alpine | Safety helmet | green | 132 | 9794422 | uvex u-cap sport | Impact cap, size 55 – 59 cm | black | 160 |
| 9773550 | uvex pheos alpine | Safety helmet | blue | 132 | 9794423 | uvex u-cap sport | Impact cap, size 55 – 59 cm | black | 160 |
| 9773950 | uvex pheos alpine | Safety helmet | black | 132 | 9794424 | uvex u-cap sport | Impact cap, size 60 – 63 cm | black | 160 |
| 9774236 | uvex pheos forestry | Forestryset | yellow | 133 | 9794425 | uvex u-cap sport | Impact cap, size 60 – 63 cm | black | 160 |
| 9774237 | uvex pheos forestry | Forestryset | orange | 133 | 9794430 | uvex u-cap sport vent | Impact cap, size 52 – 54 cm | black | 161 |
| 9774238 | uvex pheos forestry | Forestryset | red | 133 | 9794442 | uvex u-cap sport | Impact cap, size 52 – 54 cm | black | 160 |
| 9790000 | Accessories | Suspension harness thermo boss, super boss | | 139 | 9794443 | uvex u-cap sport | Impact cap, size 52 – 54 cm | black | 160 |
| 9790004 | Accessories | Sweatband artificial leather for thermo boss, super boss | | 139 | 9794444 | uvex u-cap sport vent | Impact cap, size 52 – 54 cm | black | 161 |
| 9790005 | Accessories | Leather chin straps | | 140 | 9794480 | uvex u-cap sport hi-viz | Impact cap, size 55 – 59 cm | hi-viz yellow | 161 |
| 9790006 | Accessories | Hygienic cap | white | 138 | 9794481 | uvex u-cap sport hi-viz | Impact cap, size 60 – 63 cm | hi-viz yellow | 161 |
| 9790007 | Accessories | Forked chin straps | | 140 | 9794482 | uvex u-cap sport hi-viz | Impact cap, size 52 – 54 cm | hi-viz yellow | 161 |
| 9790008 | Accessories | Elasticated chin strap | | 140 | 9794490 | uvex u-cap sport hi-viz | Impact cap, size 55 – 59 cm | hi-viz orange | 161 |
| 9790010 | Accessories | Winter cap | black | 138 | 9794491 | uvex u-cap sport hi-viz | Impact cap, size 60 – 63 cm | hi-viz orange | 161 |
| 9790012 | Accessories | Winter cap | black | 138 | 9794492 | uvex u-cap sport hi-viz | Impact cap, size 52 – 54 cm | hi-viz orange | 161 |
| 9790015 | Accessories | Winter cap | black | 138 | 9906002 | Accessories | uvex pheos Visor | clear | 153 |
| 9790016 | Accessories | Winter cap | black | 138 | 9906003 | Accessories | uvex pheos magnetic Visor | clear | 153 |
| 9790018 | uvex pheos reflex set M | Reflective set | | 139 | 9906005 | Accessories | uvex pheos SLB 1 Visor | clear | 153 |
| 9790021 | Accessories | Four-point chin strap | | 133/140 | 9906006 | Accessories | uvex pheos SLB 1 magnetic Visor | clear | 153 |
| 9790022 | Accessories | Goggles clip/chin strap clip | | 140 | 9906007 | Accessories | uvex pheos SLB 2 Visor | blue | 153 |
| 9790023 | Accessories | Pen holder | | 140 | 9906008 | Accessories | uvex pheos SLB 2 magnetic Visor | blue | 153 |
| 9790028 | Accessories | LED head torch KS-7630-MCII | | 141 | 9906009 | Accessories | uvex pheos magnetic with chin guard | black | 153 |
| 9790029 | Accessories | LED head torch KS-6003-DUO | | 141 | 9906012 | Accessories | Replacement lens pheos Visor | clear | 148/153 |
| 9790031 | Accessories | Elasticated chin strap | | 140 | 9906013 | Accessories | Replacement lens pheos SLB 1 Visor | clear | 153/157 |
| 9790035 | Accessories | Leather chin straps | | 140 | 9906014 | Accessories | Replacement lens pheos Visor with chin guard | clear | 148/153 |
| 9790062 | Accessories | LED head torch pheos Lights | | 141 | 9916000 | Accessories | uvex pronamic | clear | 135/148 |
| 9790063 | Accessories | LED head torch pheos Lights EX | | 141 | 9916001 | Accessories | uvex pronamic with chin guard | clear | 148 |
| 9790064 | Accessories | LED head torch u-cap sport | | 141 | 9916002 | Accessories | uvex pronamic SLB 1 | clear | 148 |
| 9790065 | Accessories | Winter cap | hi-viz yellow | 138 | 9916003 | Accessories | uvex pronamic SLB 2 | blue | 148 |
| 9790066 | Accessories | Balaclava | black | 138 | 9916100 | Accessories | uvex pronamic mesh visor | black | 148 |
| 9790067 | Accessories | Visor adapter | black | 154 | 9916200 | Accessories | uvex pronamic half visor | clear | 148 |
| 9790068 | Accessories | Winter cap | hi-viz orange | 138 | 9916201 | Accessories | uvex pronamic half visor | grey | 149 |
| 9790069 | Accessories | Helmet adapter for LED head torch u-cap sport | | 141 | 9906017 | Accessories | Replacement lens pheos SLB 2 Visor | blue | 149 |
| 9790071 | Accessories | Helmet bag | | 140 | 9954362 | Accessories | Cloth bag for uvex visors | black | 154 |
| 9790074 | Accessories | Sunglare filter/rain cover | | 154/157 | | | | | |