

Elastic cuff for a comfortable fit

High dexterity Coretek[®] fiber keeps hands cool and comfortable

Meets European food migration testing (EN 1186:2002 SI 1998 No 1376*)

SuperFabric[®]* brand materials provide industry-leading cut resistance

Shielding design of fibers and guardplates reduces the ability of fibers to "window," or separate



3-finger coverage targets primary area for knife strikes

Designed to be worn under standard nitrile, latex, or vinyl glove

Launderable/sanitizeable

10-302 NXT[®] Food Service

PROTECTION ZONES:

	Coretek [®] Performance Fiber	SuperFabric [®] Protection Zone
	ANSI/ISEA CUT A7 SuperFabric [®]	GRAM SCORE 4196 SuperFabric [®]
	CUT NEWTONS 45 Coretek [®]	CE  4X42A

ATTRIBUTES:

Style:	Knit
Grip:	Dry
Cuff Style:	Elastic
Sizes:	5/XXS through 12/3XL Ambidextrous, sold in eaches

FEATURES:

HexArmor[®] set out with the mission of protecting workers from the constant threat of cut injuries while maintaining the dexterity and comfort that is required to perform everyday tasks. Our team was able to develop, through extensive trialing and testing, this revolutionary technology. Our proprietary Coretek[®] blend of fibers creates a high-performance glove structure that is specially designed to house SuperFabric[®]* guardplates, providing industry leading cut resistance on the exterior of the hand while preserving all the dexterity of an ordinary knit glove.

*This product meets the FDA criteria covering safe use of rubber article intended for repeated for both aqueous and fatty foods. Note: the above analyses were performed by the FDA and California Department of Health Services (DOHS) certified laboratories. The above test parameters are hereby certified and confirmed.

HexArmor[®] + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.


Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.



400R6E Heavy Duty

PROTECTION ZONES:



FEATURES:

Some job sites require more protection – they demand the strongest, toughest, and most resilient safety gloves. HexArmor® has spent many years on sites like this – it's how we created the heavy-duty line of products. Built to handle the most extreme occupational hazards, HexArmor® heavy duty gloves are built from the inside out, with technologies that provide industry-leading cut and industrial puncture resistance. We put everything we have into building our heavy-duty line of safety gloves, and the result is purpose-built PPE you can trust.

ATTRIBUTES:

Style:	Heavy Duty
Grip:	Wet or dry
Cuff Style:	Gauntlet
Sizes:	8/M through 11/XXL

HexArmor + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

HELIX®

Knit wrist helps prevent dirt and debris from entering the glove

Ultimate dexterity and tactility

Flexible sandy nitrile palm coating provides superior grip and abrasion resistance

15g High-performance nylon blend shell

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 1 protection on knuckles and fingers

Seamless construction for enhanced comfort and breathability

Black palm coating hides dirt and soil

Launderable for extended life

1095 Helix® Series

ATTRIBUTES:

Shell:		Nylon blend
Coating:	Material:	Sandy Nitrile
	Finish:	Smooth
	Weight:	Light weight
	Breathability:	Fair
	Flexibility:	Good
	Grip:	Dry or oil
Sizes:		5/XXS through 12/3XL

FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

REACH
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

PROTECTION ZONES:

	Impact Protection		Nylon Blend Shell	
	ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS	
	A1	255	1.5	
	ANSI/ISEA 138	ANSI/ISEA PUNCTURE	CE 4	
		1	2	4121XP

HexArmor® + uvex


Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.



2021X
Rig Lizard®

PROTECTION ZONES:



FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	6/XS through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389



SlipFit® cuff with Velcro® closure for a secure fit

Pull tab

Additional IR-X® guard between thumb and index finger

Durable TP-X® palm with reinforced stitching provides superior wet/dry grip and abrasion resistance

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 1 protection on knuckles and fingers

Form-fitting, quality materials

High dexterity

H2X® waterproof liner and C40 Thinsulate™ interior liners keep hands warm and dry

Launderable

Reinforced TP-X® thumb saddle, index finger and fingertips

Goatskin leather fourchettes and finger crotches for dexterity and durability

2023X Rig Lizard Arctic®

PROTECTION ZONES:

Impact Protection	TP-X® Technology	ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
		A3	1040	3 COUP
		ANSI/ISEA 138	ANSI/ISEA PUNCTURE	
		1	5	
		EN388: 2016	EN511: 2006	
		4244XP	111	

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	SlipFit® with Velcro®
Sizes:	7/S through 12/3XL

HexArmor + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.


Protected by U.S. Patent No. D703,389



2025X

Rig Lizard®

PROTECTION ZONES:



FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	6/XS through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389

*SuperFabric® is a registered Trademark of HDM, Inc.



SlipFit® cuff with Velcro® closure for a secure fit

Pull tab and name tag

Additional IR-X® guard between thumb and index finger

Durable synthetic leather palm with silicone pattern provides superior grip and abrasion resistance

Hi-vis color scheme

Back-of-hand sewn-on IR-X® Impact Exoskeleton™ with high-flex, pre-curved design provide ANSI/ISEA 138 Level 2 protection on knuckles and fingers

SuperFabric®** brand materials provide industry-leading cut resistance (interior layer)

Reinforced seams

Reinforced index finger and thumb saddle


High dexterity

Launderable

2030X

Rig Lizard®

PROTECTION ZONES:



FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry
Cuff Style:	SlipFit® with Velcro®
Sizes:	7/S through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389

*SuperFabric® is a registered Trademark of HDM, Inc.

HELIX®

Knit wrist helps prevent dirt and debris from entering the glove

Black palm coating hides dirt and soil

Ultimate dexterity and tactility

Reinforced thumb crotch area

HPPE, Steel, and fiberglass blend shell for industry-leading 360° cut resistance

Flexible sandy nitrile palm coating provides superior grip and abrasion resistance

Seamless construction for enhanced comfort and breathability

Sanitized

Launderable for extended life




2054U Helix® Series

ATTRIBUTES:

Shell:		HPPE, Fiberglass, Steel blend
Coating:	Material:	NBR foam coating
	Finish:	Textured
	Weight:	Medium
	Breathability:	Poor
	Flexibility:	Very good
	Grip:	Dry, oil, or wet
Sizes:		5/XXS through 12/3XL

PROTECTION ZONES:



HPPE Blend Shell

ANSI/ISEA CUT

A6

GRAM SCORE

3714

CE

4X43F

FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

HELIX®

Hi-vis color on back-of-hand enhances visibility and compliance

Ultimate dexterity and tactility

Knit wrist helps prevent dirt and debris from entering the glove

Flexible sandy nitrile palm coating provides superior grip and abrasion resistance

Coretex™ (13G HPPE, steel, and fiberglass blend) shell for industry-leading 360° cut resistance

Seamless construction for enhanced comfort and breathability

Launderable for extended life



2062 Helix® Series

ATTRIBUTES:

Shell:		13G HPPE, Fiberglass, Steel blend
Coating:	Material:	Sandy Nitrile
	Finish:	Textured
	Weight:	Medium
	Breathability:	Fair
	Flexibility:	Good
	Grip:	Wet or Dry
Sizes:		5/XXS through 12/3XL


FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. The Helix® Series of gloves with Coretex™ technology are tightly knit with strong, dexterous fibers that offers industry-leading, 360°, A9 cut protection and feels like a second skin without compromising durability. These hand-formed knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

REACH
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

PROTECTION ZONES:

		Coretex™ Shell
ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A9	6437	48
ANSI/ISEA PUNCTURE	CE	
5	4X44F	

HexArmor + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

HELIX®

Knit wrist helps prevent dirt and debris from entering the glove

Ultimate dexterity and tactility

13-gauge HPPE and fiberglass blend shell

Flexible sandy nitrile palm coating provides superior grip and abrasion resistance

Full flat nitrile coating offers 360° water resistance

Seamless construction for enhanced comfort and breathability

Launderable for extended life



2065 Helix® Series

ATTRIBUTES:

Shell:		13G HPPE/fiberglass
Coating:	Material:	Sandy Nitrile
	Finish:	Textured
	Weight:	Medium weight
	Breathability:	Poor
	Flexibility:	Good
	Grip:	Dry, oil, or wet
Sizes:		5/XXS through 12/3XL

FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

REACH
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

PROTECTION ZONES:

		HPPE Blend Shell		
ANSI/ISEA CUT		GRAM SCORE	CUT NEWTONS	
A3		1274	16.5	
ANSI/ISEA PUNCTURE		CE	4X42D	
3				

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

HELIX®

Knit wrist helps prevent dirt and debris from entering the glove

Ultimate dexterity and tactility

Reinforced thumb crotch area

Flexible polyurethane palm coating provides superior grip and abrasion resistance

13-gauge HPPE, steel, and fiberglass blend shell

Seamless construction for enhanced comfort and breathability

Launderable for extended life



2076 Helix® Series

ATTRIBUTES:

Shell:		13G HPPE/Steel/Fiberglass
Coating:	Material:	Polyurethane
	Finish:	Smooth
	Weight:	Medium weight
	Breathability:	Fair
	Flexibility:	Good
	Grip:	Dry or oil
Sizes:		4/3XS through 13/4XL

FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

PROTECTION ZONES:

HPPE Blend Shell

ANSI/ISEA CUT **A6**

ANSI/ISEA PUNCTURE **5**

GRAM SCORE **3276**

CE **4X44F**

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

HELIX®

Knit wrist helps prevent dirt and debris from entering the glove

Ultimate dexterity and tactility

13-gauge flame-resistant aramid and wool blend shell

Flexible FR-compliant neoprene/nitrile blend palm coating provides superior grip and abrasion resistance

Seamless construction for enhanced comfort and breathability

Black palm coating hides dirt and soil

Hazard risk category HRC 1 Arc Flash protection

ATPV 7.7 cal/cm2, as per ASTM international draft standard test method: Work item F18.65 WK14928, determining arc flash rating of hand protective devices

Launderable for extended life

2082 Helix® Series

ATTRIBUTES:

Shell:		13G aramid/wool
Coating:	Material:	Neoprene/Nitrile
	Finish:	Particle
	Weight:	Medium weight
	Breathability:	Low
	Flexibility:	Good
	Grip:	Dry, oil, or wet
Sizes:		7/S through 11/XXL


FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

REACH
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

PROTECTION ZONES:

	Aramid Blend Shell		
	ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
	A3	1147	56.8
	ANSI/ISEA PUNCTURE	EN388	EN407
	4	3X43D	42312X

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.



Elastic cuff for a comfortable fit

13-gauge HPPE and fiberglass blend shell provides industry-leading cut resistance

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

Launderable

Sandy nitrile palm coating provides superior grip and abrasion resistance

Reinforced thumb crotch patch

High dexterity



2090X

Thin Lizzie™

PROTECTION ZONES:

Impact Protection

HPPE Blend Shell

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A4	2053	24

ANSI/ISEA 138	ANSI/ISEA PUNCTURE	CE	EN
1	5	4X44EP	

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	5/XXS through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389



Elastic cuff for a comfortable fit

Hi-vis color scheme

13-gauge acrylic and fiberglass blend shell with cut resistant fabric liner

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

Launderable

Sandy nitrile palm coating provides superior grip and abrasion resistance

Fleece lining for warmth and insulation (interior layer)

High dexterity



2091 Thin Lizzie™ Thermal

PROTECTION ZONES:

Impact Protection

Acrylic Blend Shell

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A6	3132	29.12

ANSI/ISEA 138	ANSI/ISEA PUNCTURE	CE
1	4	4X43EP

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	6/XS through 11/XXL

HexArmor + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389



Elastic cuff for a comfortable fit

Polyurethane palm coating provides superior grip and abrasion resistance

13-gauge HPPE, steel, and fiberglass blend shell

Reinforced thumb saddle


Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

High dexterity

Laundryable

2095
Thin Lizzie™

PROTECTION ZONES:



FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	5/XXS through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389

Elastic cuff for a comfortable fit

Polyurethane palm coating provides superior grip and abrasion resistance

13-gauge HPPE, steel, and fiberglass blend shell

Reinforced thumb crotch patch

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

High dexterity


Laundryable

2095K


Thin Lizzie™

PROTECTION ZONES:

Impact Protection



HPPE Blend Shell



ANSI/ISEA CUT	GRAM SCORE	CE	4+
A6	3276	4X44FP	
ANSI/ISEA 138	ANSI/ISEA PUNCTURE		
1	5		

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. And with options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	5/XXS through 12/3XL

HexArmor

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389



Elastic cuff for a comfortable fit

Hi-vis color scheme

Sandy Nitrile full coating provides superior grip and abrasion resistance

13-gauge acrylic and fiberglass blend shell offers 360° cut resistance

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

Fleece lining for warmth and insulation (interior layer)





High dexterity

Full double-dipped coating offers liquid resistance

Launderable

2099 Thin Lizzie™ Thermal

PROTECTION ZONES:

	Impact Protection		Acrylic Blend Shell
			
ANSI/ISEA CUT		GRAM SCORE	
A6		3132	
CUT NEWTONS		29.12	
ANSI/ISEA 138		ANSI/ISEA PUNCTURE	
1		4	
EN388: 2016		EN511: 2006	
CE 4X43FP		CE 12X	

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	6/XS through 11/XXL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389



Neoprene cuff with Velcro® closure for a secure fit

Name tag

Superior wet/dry grip and abrasion resistance

Durable TP-X® palm with reinforced stitching pattern

Full back-of-hand impact protection against bumps and tool slips

Reinforced index finger and thumb saddle

Hi-vis color scheme

High dexterity

Form-fitting, quality materials

Launderable



2131 Hex1® Series

PROTECTION ZONES:

Impact Protection

TP-X® Technology



ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A1	413	1.9

ANSI/ISEA PUNCTURE 2	CE	4121XP
--------------------------------	----	---------------

FEATURES:

From the leader in industrial hand protection comes the Hex1® Series, because we know that not all jobs require heavy-duty safety gloves. Sometimes you need a pair of gloves that look great, feel great, work great, and last. Hex1® gloves are made with the same high-quality materials as our high-performance safety gloves and perform better than any mechanic's glove you've ever worn. Whether you're looking for impact protection, wet or dry grip, cold weather, or simply a shop-glove, you're sure to find a Hex1® to fit your needs.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Neoprene with Velcro®
Sizes:	6/XS through 12/XXXL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

HELIX®

Knit wrist helps prevent dirt and debris from entering the glove

Ultimate dexterity and tactility

Flexible sandy nitrile palm coating provides superior grip and abrasion resistance

Reinforced thumb crotch area

Black palm coating hides dirt and soil

13G HPPE/Fiberglass blend shell

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design

Seamless construction for enhanced comfort and breathability

Laundryable for extended life

3000
Helix® Series

ATTRIBUTES:

Shell:		13G HPPE/Fiberglass blend
Coating:	Material:	Sandy Nitrile
	Finish:	Smooth
	Weight:	Light weight
	Breathability:	Fair
	Flexibility:	Good
	Grip:	Dry or oil
Sizes:		7/S through 11/XXL

FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

REACH
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

PROTECTION ZONES:



HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

HELIX®

Elastic cuff for a comfortable fit

Sandy nitrile coating provides superior grip and abrasion resistance

Reinforced thumb saddle

13-gauge HPPE hi-vis shell

High dexterity


Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 1 protection

Launderable

Launderable for extended life

3002 Helix® Series

PROTECTION ZONES:



FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

ATTRIBUTES:

Shell:	13G HPPE
Coating Material	Sandy Nitrile
Grip:	Wet or dry
Cuff Style:	Elastic

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

HELIX®

Elastic cuff with Velcro® closure for a secure fit

Ultimate dexterity and tactility

Flexible sandy nitrile palm coating provides superior grip and abrasion resistance

13G HPPE/steel blend shell

Reinforced thumb crotch area

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design

Black palm coating hides dirt and soil

Seamless construction for enhanced comfort and breathability

Laundryable for extended life

3003 Helix® Series

ATTRIBUTES:

Shell:		13G HPPE/steel blend
Coating:	Material:	Sandy Nitrile
	Finish:	Smooth
	Weight:	Light weight
	Breathability:	Fair
	Flexibility:	Good
	Grip:	Dry or oil
Sizes:		7/S through 11/XXL

FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs, these high-comfort knit gloves feature consistent sizing and fit across the line, with a variety of palm coatings that can be used for everything from wet and oil situations to dry applications.

REACH
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

PROTECTION ZONES:



Impact Protection

HPPE Blend Shell

EN388

CE

4X42DP

EN407

CE

X1XXXX

ANSI/ISEA PUNCTURE

3

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

SlipFit[®] cuff assists a quick on and off between tasks

Full coverage design and pre-curved shape for maximum comfort and ultimate protection

Quality materials


Launderable

Layering of SuperFabric[®]* brand materials provide 360° industry-leading cut resistance (interior layer)

Specialized silicone gripping surface on palm

3041 Hercules[®] NSR

PROTECTION ZONES:

2 Layers SuperFabric [®] Protection	3 Layers SuperFabric [®] Protection																		
	<table border="1"> <tr> <td>ANSI/ISEA CUT</td> <td>GRAM SCORE</td> <td>CUT NEWTONS</td> </tr> <tr> <td>A9</td> <td>8668</td> <td>67.91</td> </tr> <tr> <td>NEEDLESTICK</td> <td>NEEDLESTICK NEWTONS</td> <td></td> </tr> <tr> <td>LEVEL 5</td> <td>11.59</td> <td></td> </tr> <tr> <td>ANSI/ISEA PUNCTURE</td> <td>CE</td> <td>4</td> </tr> <tr> <td>3</td> <td>4X12F</td> <td></td> </tr> </table>	ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS	A9	8668	67.91	NEEDLESTICK	NEEDLESTICK NEWTONS		LEVEL 5	11.59		ANSI/ISEA PUNCTURE	CE	4	3	4X12F	
ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS																	
A9	8668	67.91																	
NEEDLESTICK	NEEDLESTICK NEWTONS																		
LEVEL 5	11.59																		
ANSI/ISEA PUNCTURE	CE	4																	
3	4X12F																		

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	SlipFit [®]
Sizes:	7/S through 11/XXL

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.



Airprene cuff with Velcro® closure for a secure fit

Grip in dry or light oil situations

Durable TP-X® palm provides superior grip and abrasion resistance

Breathable HexVent® panel on the back-of-hand helps keep you cool

Three layers of SuperFabric®* brand material in the palm and partial index finger wrap provides industry-leading cut resistance (interior layer)

Reinforced fingertips


Launderable



3092
ThornArmor®

PROTECTION ZONES:

3 Layers SuperFabric® Protection



ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A9	7668	95.3
NEEDLESTICK	NEEDLESTICK NEWTONS	
LEVEL 5	11.94	
ANSI/ISEA PUNCTURE	CE	4X33F
4		

FEATURES:

For serious gardeners, hobbyists and professional landscapers, ThornArmor™ gives workers the ability to pick up and move cactus and thorny bushes by hand without having to worry about harmful pokes. Three layers of SuperFabric®* brand material are built into ThornArmor™ gloves, creating a highly puncture-resistant palm lining that acts as a barrier between your hands and sharp thorns and needles.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Airprene with Velcro®
Sizes:	5/XXS through 11/XXL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.


Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.



4011
EXT Rescue®

PROTECTION ZONES:



FEATURES:

When we took on the mission of creating the world's safest rescue glove, we knew we couldn't do it alone. Building the perfect safety glove for the toughest first responders takes a lot of work, so we put it back on the hardest workers we know. We asked the heroes in the field what they needed out of their rescue gloves. It's a good thing we did; they helped us create a line of products that we are proud to call the HexArmor® EXT Rescue® Series.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Neoprene with Velcro®
Sizes:	7/S through 11/XXL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

Hi-vis elastic cuff with Velcro® closure for a secure fit

Hi-vis color and reflective tape on back-of-hand

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

High dexterity

Form-fitting, quality materials

Launderable

Pull tab loop

Superior wet/dry grip and abrasion resistance

Durable TP-X® palm with reinforced stitching


SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Reinforced index finger and thumb saddle

Durable, abrasion resistant TP-X® fingertips

4012 EXT Rescue®

PROTECTION ZONES:



FEATURES:

When we took on the mission of creating the world's safest rescue glove, we knew we couldn't do it alone. Building the perfect safety glove for the toughest first responders takes a lot of work, so we put it back on the hardest workers we know. We asked the heroes in the field what they needed out of their rescue gloves. It's a good thing we did; they helped us create a line of products that we are proud to call the HexArmor® EXT Rescue® Series.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Elastic with Velcro® closure
Sizes:	6/XS through 11/XXL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

SlipFit® and anti-debris cuff

Superior wet/dry grip and abrasion resistance

Durable TP-X® palm with reinforced stitching

Hi-vis color and reflective tape on back-of-hand

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

Reinforced index finger and thumb saddle


High dexterity

Form-fitting, quality materials

Launderable

4013 EXT Rescue®

PROTECTION ZONES:



FEATURES:

When we took on the mission of creating the world's safest rescue glove, we knew we couldn't do it alone. Building the perfect safety glove for the toughest first responders takes a lot of work, so we put it back on the hardest workers we know. We asked the heroes in the field what they needed out of their rescue gloves. It's a good thing we did; they helped us create a line of products that we are proud to call the HexArmor® EXT Rescue® Series.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	SlipFit® and anti-debris
Sizes:	7/S through 11/XXL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

Neoprene cuff with Velcro® closure for a secure fit

Pull tab

Superior wet/dry grip and abrasion resistance

Durable TP-X® palm with reinforced stitching

Hi-vis color and reflective tape on back-of-hand

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

Form-fitting, quality materials

Reinforced index finger and thumb saddle


H2X® waterproof barrier (interior liner) meets ASTM F1670/F1671 for bloodborne pathogen resistance and fluid-borne viral resistance

High dexterity

Launderable

4014 EXT Rescue® Barrier

PROTECTION ZONES:



FEATURES:

When we took on the mission of creating the world's safest rescue glove, we knew we couldn't do it alone. Building the perfect safety glove for the toughest first responders takes a lot of work, so we put it back on the hardest workers we know. We asked the heroes in the field what they needed out of their rescue gloves. It's a good thing we did; they helped us create a line of products that we are proud to call the HexArmor® EXT Rescue® Series.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Neoprene with Velcro®
Sizes:	7/S through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.


CHROME SERIES®



4018
Chrome Series®

Launderable

PROTECTION ZONES:



FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core™ gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Neoprene with Velcro® closure
Sizes:	5/XXS through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.


Protected by patents and patents pending

*SuperFabric® is a registered trademark of HDM, Inc.



4021X GGT5® Series

PROTECTION ZONES:



FEATURES:

The GGT5® Series was built to be the toughest oil, gas, and mining glove on the market. With such a high level of safety hazards on these job sites, we made sure that the GGT5® Series was complete with industry-leading cut protection and an IR-X® Impact Exoskeleton. Our specialized grips are designed to handle long days working with heavy tools, pipes, and machinery, to give workers the protection needed to get the job done.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	SlipFit®
Sizes:	7/S through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

CHROME SERIES®

Elastic cuff with Velcro® closure for a secure fit

Grip in dry or light oil situations

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Synthetic leather palm with PVC print

Cut and abrasion resistant SuperFabric® knuckle patch

Touchscreen-compatible thumb and index fingertip

High dexterity

Reinforced Seams


Form-fitting, quality materials

Launderable



4022 Chrome Series®

PROTECTION ZONES:



FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core™ gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Elastic with Velcro® closure
Sizes:	7/S through 11/XXL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered trademark of HDM, Inc.

CHROME SERIES®

Elastic cuff with Velcro® closure for a secure fit

Superior wet/dry grip and abrasion resistance

Durable TP-X® palm

SuperFabric®* brand materials provide 360° industry-leading cut resistance (interior layer)

High dexterity

Form-fitting, quality materials

Reinforced Seams


Launderable



4023 Chrome Series® 360°

PROTECTION ZONES:

SuperFabric® Protection Zone



ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A8	5374	52.7

ANSI/ISEA PUNCTURE	CE	EN
2	4X21F	

FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core™ gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Elastic with Velcro® closure
Sizes:	7/S through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered trademark of HDM, Inc.

CHROME SERIES®

Elastic cuff with Velcro® closure for a secure fit

Pull tab

Grip in dry or light oil situations

Synthetic leather palm with abrasion-resistant PVC dots

Hi-vis color and reflective tape on back-of-hand

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

High dexterity

Reinforced Seams

Form-fitting, quality materials

Launderable



4026 Chrome Series®

PROTECTION ZONES:

■ Impact Protection

■ SuperFabric® Protection Zone

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A8	5486	42.7

ANSI/ISEA 138

1

ANSI/ISEA PUNCTURE

2

CE

4X21FP

* Lab tested in accordance with EN407 contact heat for a level 1 performance

FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core™ gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Elastic with Velcro® closure
Sizes:	6/XS through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered trademark of HDM, Inc.

CHROME SERIES®

Elastic cuff with Velcro® closure for a secure fit

Pull tab

Superior wet/dry grip and abrasion resistance

Durable TP-X® palm with reinforced stitching pattern

Hi-vis color and reflective tape on back-of-hand

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

Enhanced palm construction for increased durability between fingers

High dexterity


Form-fitting, quality materials

Launderable



4027 Chrome Series®

PROTECTION ZONES:



FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core™ gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or dry
Cuff Style:	Elastic with Velcro® closure
Sizes:	7/S through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered trademark of HDM, Inc.

Neoprene cuff with Velcro[®] closure for a secure fit

Back-of-hand knuckle padding for incidental bumps/impact

Form-fitting, quality materials

Launderable

Layering of SuperFabric[®]* brand materials provide industry-leading cut and needlestick resistance (interior layer) and high pressure fluid resistance – fluid injection resistant up to 700 bar (10150 PSI)





Silicone pattern palm grip

Reinforced fingertips

4041

PointGuard[®] Ultra

PROTECTION ZONES:

	3 Layers SuperFabric[®] Protection		SuperFabric[®] Protection Zone
			
ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS	
A9	6679	54.2	
NEEDLESTICK	NEEDLESTICK NEWTONS		
LEVEL 5	11.546		
ANSI/ISEA PUNCTURE	CE		
3	4X42F		

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Neoprene with Velcro [®]
Sizes:	6/XS through 11/XXL

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. Product is fluid injection resistant, NOT FLUID INJECTION PROOF. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.

Neoprene cuff with Velcro[®] closure for a secure fit

Back-of-hand knuckle padding for incidental bumps/impact

2 Layers of SuperFabric[®]* brand materials on the back-of-hand provide additional needlestick resistance (interior layer)

Form-fitting, quality materials

3 Layers of SuperFabric[®]* brand materials on the palm provide industry-leading cut and needlestick resistance (interior layer)

Synthetic leather palm

Reinforced fingertips







1 layer of SuperFabric[®]* in finger forchettes

Launderable

4043U

PointGuard[®] Ultra

PROTECTION ZONES:

	3 Layers SuperFabric[®] Protection	ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
	2 Layers SuperFabric[®] Protection	A9	6679	87.76
	SuperFabric[®] Protection Zone	NEEDLESTICK	NEWTONS	
	LEVEL 5	11.546		
	3 Layers SuperFabric [®]	3 Layers SuperFabric [®]		
	LEVEL 3	6.9		
	2 Layers SuperFabric [®]	2 Layers SuperFabric [®]		
	ANSI/ISEA PUNCTURE	CE		
	3	4X42F		

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Neoprene with Velcro [®]
Sizes:	7/S through 11/XXL

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.

Neoprene cuff with Velcro[®] closure for a secure fit

SuperFabric[®]* brand materials provide industry-leading cut resistance (interior layer)

Back-of-hand knuckle padding for incidental bumps/impact

Silicone palm pattern for enhanced grip

Form-fitting, quality materials

Reinforced fingertips

Launderable



4045 PointGuard[®] Ultra

PROTECTION ZONES:

<div></div> SuperFabric® Protection Zone	<div></div> 2 Layers SuperFabric® Protection	
<div><div></div><div></div></div>		
<div>ANSI/ISEA CUT</div>	<div>GRAM SCORE</div>	<div>CUT NEWTONS</div>
A7	4321	41.7
<div>NEEDLESTICK</div>	<div>NEEDLESTICK NEWTONS</div>	
LEVEL 2	5.284	
SuperFabric®	SuperFabric®	
LEVEL 3	6.9	
2 Layers SuperFabric®	2 Layers SuperFabric®	
<div>ANSI/ISEA PUNCTURE</div>	<div>CE</div>	<div></div>
3	4X22F	

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Neoprene with Velcro [®]
Sizes:	6/XS through 12/3XL

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.

SlipFit[®] cuff assists a quick on and off between tasks

Aramid liner for back-of-hand protection (interior layer)

High dexterity

Form-fitting, quality materials

Layering of SuperFabric[®]* brand materials provide industry-leading cut resistance (interior layer)






Premium goatskin leather

Reinforced fingertips



4046 PointGuard[®] Ultra

PROTECTION ZONES:

	2 Layers SuperFabric[®] Protection	ANSI/ISEA CUT A7	GRAM SCORE 4064 SuperFabric [®]	CUT NEWTONS 32.8
	SuperFabric[®] Protection Zone		804 Aramid	
	Aramid Liner		NEEDLESTICK 5.8 SuperFabric [®]	
		LEVEL 2 SuperFabric [®]	NEEDLESTICK 8.42 2 Layers SuperFabric [®]	
		LEVEL 4 2 Layers SuperFabric [®]	2 Layers SuperFabric[®]	
		ANSI/ISEA PUNCTURE 3	CE 4X12F	

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	SlipFit [®]
Sizes:	7/S through 11/XXL

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

HexArmor[®] + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.

CHROME SLT®

SlipFit® cuff assists a quick on and off between tasks

Goatskin leather palm provides a traditional style of comfort

Aramid liner for 360° cut protection (interior layer)

Grip in dry or light oil situations

Form-fitting, quality materials


Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

High dexterity

4060

Chrome SLT®

PROTECTION ZONES:



ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	SlipFit®
Sizes:	6/XS through 14/5XL

FEATURES:

HexArmor® Chrome SLT® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With multiple styles and various safety features, you can be confident that the Chrome SLT® will keep your hands protected against almost any hazard. Our Chrome SLT® gloves were designed with ultimate comfort in mind, providing unsurpassed dexterity while maintaining cut and puncture resistance. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

CHROME SLT®

SlipFit® cuff assists a quick on and off between tasks

Goatskin leather palm provides a traditional style of comfort

Aramid liner for 360° cut protection (interior layer)

Grip in dry or light oil situations

Form-fitting, quality materials

High dexterity



4061 Chrome SLT®

PROTECTION ZONES:

Aramid Liner

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A5	2509	27.5

ANSI/ISEA PUNCTURE

4

EN388: 2016

CE

2X23E

EN407: 2004

CE

422141

* Lab tested in accordance with HRC ATPV: 46 Cal/cm2 for a level 4 performance

FEATURES:

HexArmor® Chrome SLT® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With multiple styles and various safety features, you can be confident that the Chrome SLT® will keep your hands protected against almost any hazard. Our Chrome SLT® gloves were designed with ultimate comfort in mind, providing unsurpassed dexterity while maintaining cut and puncture resistance. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	SlipFit®
Sizes:	6/XS through 14/5XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending


CHROME SLT®



4062
Chrome SLT®

PROTECTION ZONES:

Aramid Liner



ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A5	2509	27.5

ANSI/ISEA PUNCTURE
4

EN388: 2016 **CE** **2X23E** EN407: 2004 **CE** **422141**

• Lab tested in accordance with **HRC ATPV**: 46 Cal/cm2 for a **level 4** performance

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Extended Safety Cuff
Sizes:	6/XS through 13/4XL

FEATURES:

HexArmor® Chrome SLT® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With multiple styles and various safety features, you can be confident that the Chrome SLT® will keep your hands protected against almost any hazard. Our Chrome SLT® gloves were designed with ultimate comfort in mind, providing unsurpassed dexterity while maintaining cut and puncture resistance. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

Elastic cuff with Velcro® closure for a secure fit

Pull tab

Grip in dry or light oil situations

Synthetic leather palm with abrasion-resistant PVC dots

Hi-vis color on back-of-hand

HPPE blend liner provides 360° industry-leading cut resistance (interior layer)

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

High dexterity

Reinforced Seams


Form-fitting, quality materials

Launderable



4070
Chrome SLT® 360°

PROTECTION ZONES:



FEATURES:

HexArmor® Chrome SLT® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With multiple styles and various safety features, you can be confident that the Chrome SLT® will keep your hands protected against almost any hazard. Our Chrome SLT® gloves were designed with ultimate comfort in mind, providing unsurpassed dexterity while maintaining cut and puncture resistance. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Elastic with Velcro® closure
Sizes:	6/XS through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com


HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending



4071 Chrome SLT® 360°

PROTECTION ZONES:



FEATURES:

HexArmor® Chrome SLT® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With multiple styles and various safety features, you can be confident that the Chrome SLT® will keep your hands protected against almost any hazard. Our Chrome SLT® gloves were designed with ultimate comfort in mind, providing unsurpassed dexterity while maintaining cut and puncture resistance. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or Dry
Cuff Style:	Elastic with Velcro® closure
Sizes:	6/XS through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

SlipFit® cuff assists a quick on and off between tasks

Superior wet/dry grip and abrasion resistance

Synthetic leather palm

HPPE blend liner provides 360° industry-leading cut resistance (interior layer)

Reinforced Seams

Hi-vis color on back-of-hand

High dexterity

Form-fitting, quality materials

Launderable



4072
Chrome SLT® 360°

PROTECTION ZONES:

HPPE blend Liner

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A6	3011	27.5

ANSI/ISEA PUNCTURE 3

CE 3X42F

FEATURES:

HexArmor® Chrome SLT® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With multiple styles and various safety features, you can be confident that the Chrome SLT® will keep your hands protected against almost any hazard. Our Chrome SLT® gloves were designed with ultimate comfort in mind, providing unsurpassed dexterity while maintaining cut and puncture resistance. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Mechanics
Grip:	Wet or Dry
Cuff Style:	SlipFit®
Sizes:	6/XS through 12/3XL

HexArmor + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

CHROME SERIES®

Velcro® cuff for a comfortable and precise fit

Grip in dry or light oil situations

Goatskin leather palm provides a traditional style of comfort

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

Back-of-hand impact guards provide ANSI/ISEA 138 Level 1 protection on knuckles and fingers

High dexterity

Reinforced Seams

Form-fitting, quality materials



4080 Chrome Series®

PROTECTION ZONES:

■ Impact Protection

■ SuperFabric® Protection Zone

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A8	5248	54

ANSI/ISEA 138	ANSI/ISEA PUNCTURE	CE	4+
1	4	4X13FP	

FEATURES:

HexArmor® Chrome Series® gloves are built for a wide array of applications. Each product in the series was crafted to fit the hand with a specific purpose. With over 14 styles and various features such as impact protection, an abrasion-resistant knuckle patch, or a PVC printed palm, you can be confident that the Chrome Series® will keep your hands protected in any hazardous condition. Our Chrome Core™ gloves were designed with comfort in mind, providing unsurpassed dexterity while maintaining industry leading cut resistance.

ATTRIBUTES:

Style:	Mechanics
Grip:	Dry or light oil
Cuff Style:	Velcro®
Sizes:	6/XS through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered trademark of HDM, Inc.

Elastic cuff for a comfortable fit

Lightweight spandex shell

Launderable

Layering of SuperFabric[®]* brand materials provide industry-leading cut resistance (interior layer)

Recommended as an underglove solution with appropriate top-glove combination



6044 PointGuard[®] Ultra

PROTECTION ZONES:

3 Layers SuperFabric[®] Protection

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A9	6408	70.4
NEEDLESTICK	NEEDLESTICK NEWTONS	
LEVEL 4	8.6	
ANSI/ISEA PUNCTURE	CE	4X33F
4		

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Elastic
Sizes:	5/XXS through 11/XXL

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.

Elastic cuff for a comfortable fit

Flat nitrile three-quarter knuckle coating

Layering of SuperFabric[®]* brand materials provide industry-leading cut resistance (interior layer)


Single-glove needle solution with incredible comfort



7082 SharpsMaster HV[®]

PROTECTION ZONES:

3 Layers SuperFabric[®] Protection



ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A9	7345	84.9
NEEDLESTICK	NEEDLESTICK NEWTONS	
LEVEL 4	9.87	
ANSI/ISEA PUNCTURE		
4	CE	4X33F

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Elastic
Sizes:	7/S through 10/XL

HexArmor[®] + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.



Nylon blend shell

Elastic cuff for a comfortable fit

Sandy nitrile full coating provides superior grip and abrasion resistance

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

Hi-vis color on back-of-hand enhances visibility and compliance

Full double dip for fluid/water resistance

High dexterity



7101 Rig Lizard® Fluid

PROTECTION ZONES:

Impact Protection

ANSI/ISEA CUT **A1** GRAM SCORE **257** CE **4121XP**

ANSI/ISEA 138 **1** ANSI/ISEA PUNCTURE **2**

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	5/XXS through 12/3XL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389



13-gauge HPPE and fiberglass blend shell provides industry-leading cut resistance

Elastic cuff for a comfortable fit

Sandy nitrile palm coating provides superior grip and abrasion resistance

Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides ANSI/ISEA 138 Level 2 protection on knuckles and Level 1 protection on fingers

Full double dip for fluid/water resistance

High dexterity

7102 Rig Lizard® Fluid

PROTECTION ZONES:

Impact Protection

HPPE Blend Shell

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A3	1274	13

ANSI/ISEA 138	ANSI/ISEA PUNCTURE	CE	4X42CP
1	3		

FEATURES:

The Rig Lizard® Series is purpose-built to provide maximum grip in tough situations – with over five grip options for water, oils, muds, and lubricants. Each glove is also equipped with our highly flexible IR-X® Impact Exoskeleton™, keeping hands protected from smash and pinch injuries. This combination of multiple technologies and features makes the Rig Lizard® the ideal solution for common oil, gas, and mining hazards. With options for cold weather protection, your hands can stay safe and comfortable in any environment.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	5/XXS through 12/3XL

HexArmor® + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by U.S. Patent No. D703,389

9000 Series™

Elastic cuff for a comfortable fit

Superior grip and abrasion resistance

Wrinkle rubber palm coating

Comfortable cotton blend shell

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)

High dexterity



9011

9000 Series™

PROTECTION ZONES:

SuperFabric® Protection Zone

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A7	4818	55

ANSI/ISEA PUNCTURE	CE	4+
5	4X44F	

FEATURES:

The versatile 9000 Series™ offers a line of palm-coated knit gloves, supplemented with SuperFabric®* brand materials for industry-leading cut resistance, and purpose-built for a variety of industrial applications. Most of the 9000 Series™ gloves feature a unique palm coating, maintaining the highest grip in varying conditions while providing increased abrasion resistance to extend product life.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Dry
Cuff Style:	Elastic
Sizes:	7/S through 11/XXL

HexArmor® + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

9000 Series™

Elastic cuff for a comfortable fit

Superior wet/dry grip

Abrasion-resistant sandy nitrile palm coating

HPPE and fiberglass blend shell

SuperFabric®* brand materials provide industry-leading cut resistance (interior layer)


High dexterity

Launderable



9013
9000 Series™

PROTECTION ZONES:



FEATURES:

The versatile 9000 Series™ offers a line of palm-coated knit gloves, supplemented with SuperFabric®* brand materials for industry-leading cut resistance, and purpose-built for a variety of industrial applications. Most of the 9000 Series™ gloves feature a unique palm coating, maintaining the highest grip in varying conditions while providing increased abrasion resistance to extend product life.

ATTRIBUTES:

Style:	Seamless Coated
Grip:	Wet or dry
Cuff Style:	Elastic
Sizes:	7/S through 11/XXL

HexArmor + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

Elastic cuff for a comfortable fit

Single-glove needle solution with incredible comfort

Cotton blend shell

Layering of SuperFabric[®]* brand materials provide industry-leading cut resistance (interior layer)

Wrinkle rubber palm coating



9014 SharpsMaster II[®]

PROTECTION ZONES:

 3 Layers SuperFabric[®] Protection		ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
		A9	7167	81.4
		NEEDLESTICK	NEEDLESTICK NEWTONS	
		LEVEL 5	10.279	
		ANSI/ISEA PUNCTURE	CE	4X44F
		5		

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Elastic
Sizes:	6/XS through 10/XL

HexArmor + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.

Elastic cuff for a comfortable fit

15g hi-vis polyester shell enhances visibility and compliance


Sandy nitrile three-quarter knuckle coating

Layering of SuperFabric[®]* brand materials provide industry-leading cut and needlestick resistance (interior layer) and high pressure fluid resistance – fluid injection resistant up to 700 bar (10150 PSI)

Single-glove needle solution with incredible comfort

9032 PointGuard[®] Ultra

PROTECTION ZONES:

		3 Layers SuperFabric[®] Protection	
ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS	
A9	7167	83.3	
NEEDLESTICK	NEEDLESTICK NEWTONS		
5	11.143		
ANSI/ISEA PUNCTURE	CE	4	
4	4X43F		

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Grip:	Dry or light oil
Cuff Style:	Elastic
Sizes:	7/S through 10/XL

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric[®] is a registered Trademark of HDM, Inc.



AG8TW 8" Needle Resistant Arm Guard

PROTECTION ZONES:

2 Layers SuperFabric[®] Protection

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A8	5254	55
NEEDLESTICK	NEEDLESTICK NEWTONS	
LEVEL 2	5.5125	
ANSI/ISEA PUNCTURE	CE	4X11F
2		

FEATURES:

HexArmor[®] sets the industry standard for needle protection with solutions for a variety of applications. Our needlestick-resistant products do more than pass industry-accepted testing methods; we put them through real-world applications countless times, with a history of undeniable success. The accepted standards of testing do not account for the many variables employees face on the jobsite, so we created our own tests, mirroring the conditions and hazards that our users face.

ATTRIBUTES:

Style:	Needlestick-resistant
Sizes:	7/S through 12/3XL

HexArmor[®] + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor[®] products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending


*SuperFabric[®] is a registered Trademark of HDM, Inc.

Arm & Body Protection



AG10009S 9" Arm Guard

PROTECTION ZONES:



FEATURES:

No more snags, punctures, abrasions, or cuts to your arms and torso. HexArmor® industrial aprons and body protection outperform, outlast, and fit better than the competition. HexArmor® is an exclusive licensee of SuperFabric® brand material. HexArmor® body protection with SuperFabric®* technology provides industry-leading cut resistance, giving you the protection you need most, where you need it.

ATTRIBUTES:

Style:	Arm Guard
Sizes:	6/XS through 12/3XL

HexArmor + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

Arm & Body Protection

Industrial puncture protection from wires, metal, wood, and glass

SuperFabric® brand materials provide industry-leading cut resistance

Constructed with 2 layers for heavy duty protection


Launderable



AP322

24" x 30" Apron

PROTECTION ZONES:



FEATURES:

No more snags, punctures, abrasions, or cuts to your arms and torso. HexArmor® industrial aprons and body protection outperform, outlast, and fit better than the competition. HexArmor® is an exclusive licensee of SuperFabric® brand material. HexArmor® body protection with SuperFabric®* technology provides industry-leading cut resistance, giving you the protection you need most, where you need it.

ATTRIBUTES:

Style:	Industrial Apron
Sizes:	One Size

HexArmor + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

MADE IN USA 

Arm & Body Protection

Industrial puncture protection from wires, metal, wood, and glass

SuperFabric® brand materials provide industry-leading cut resistance

Double layer belly patch for heavy duty protection


Split leg design

Launderable



AP361 36" Apron

PROTECTION ZONES:



2 Layers SuperFabric® Protection

SuperFabric® Protection Zone

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A7	4425	33.2

ANSI/ISEA PUNCTURE	CE	4+
3	4X42F	

FEATURES:

No more snags, punctures, abrasions, or cuts to your arms and torso. HexArmor® industrial aprons and body protection outperform, outlast, and fit better than the competition. HexArmor® is an exclusive licensee of SuperFabric® brand material. HexArmor® body protection with SuperFabric®* technology provides industry-leading cut resistance, giving you the protection you need most, where you need it.

ATTRIBUTES:

Style:	Industrial Apron
Sizes:	One Size

HexArmor + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

MADE IN USA 

Arm & Body Protection

Industrial puncture protection from wires, metal, wood, and glass

SuperFabric® brand materials provide industry-leading cut resistance

Double layer belly patch for heavy duty protection


Split leg design

Launderable



AP391
36" x 36" Apron

PROTECTION ZONES:



2 Layers SuperFabric® Protection

SuperFabric® Protection Zone

ANSI/ISEA CUT	GRAM SCORE	CUT NEWTONS
A7	4425	33.2

ANSI/ISEA PUNCTURE	CE	4+
3	4X42F	

FEATURES:

No more snags, punctures, abrasions, or cuts to your arms and torso. HexArmor® industrial aprons and body protection outperform, outlast, and fit better than the competition. HexArmor® is an exclusive licensee of SuperFabric® brand material. HexArmor® body protection with SuperFabric®* technology provides industry-leading cut resistance, giving you the protection you need most, where you need it.

ATTRIBUTES:

Style:	Industrial Apron
Sizes:	One Size

HexArmor + uvex

Call **1-877-MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

MADE IN USA 

Arm & Body Protection

Won't fall down like knit sleeves

Industrial puncture protection from wires, metal, wood, and glass

SuperFabric® brand materials provide 360° industry-leading cut resistance

Thumb loop keeps arm guard in place


Sleeve clip keeps arm guard in place

Launderable



AS019S 19" Arm Sleeve

PROTECTION ZONES:



FEATURES:

No more snags, punctures, abrasions, or cuts to your arms and torso. HexArmor® industrial aprons and body protection outperform, outlast, and fit better than the competition. HexArmor® is an exclusive licensee of SuperFabric® brand material. HexArmor® body protection with SuperFabric®* technology provides industry-leading cut resistance, giving you the protection you need most, where you need it.

ATTRIBUTES:

Style:	Arm Sleeve
Sizes:	6/XS through 12/3XL

HexArmor + uvex

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.