



Safety Eyewear

uvex

polypropylene 3.0



MADE IN GERMANY



CE 19

uvex

uvex i-gonomics


Measurable stress reduction for safety goggles

The innovative uvex i-gonomics product system sets new standards in ergonomics, delivering perfect fit, light weight and optimum temperature. Goggles are comfortable and remain fog free even during periods of physical exertion which increases wearer well-being and enables you to get on with the job at hand.

uvex u-sonic



The uvex u-sonic innovative soft seal adapts to the face for a customised, non-irritating fit without pressure points. The unrivalled anti-fog lens coating ensures that the compact wide-vision goggle boasts an impressive RI value of 4.40 in comparison with other wide-vision safety eyewear.



force

- Test method: tensile force of headband*
- Test result: seal pressure: 21 N (IV 4.2)

• **Perfect fit without any irritating pressure points**




* independently tested by the Chemnitz Technical University

Relief-Index

4.40

The relief index is calculated using the mean value of the three index values (IV) for force, weight and temperature – ranging from 0 (= poor) to 5 (=perfect).



weight

- Test method: weighing the product
- Test result: product weight = 69 g (IV 4.2)

• Comfortable to wear, reducing onset of fatigue



clima

- Test method: uvex "Anti-fog" benchmark test
- Test result: AntiFog performance = 29 points (IV 4.8)

• Fog-free view even under extreme conditions



dry 0% RH



uvex supravision excellence

cold -20°C



uvex supravision plus

Core Coatings



uvex supravision sapphire

Coated lenses are extremely scratch resistant on both sides and offer excellent resistance to chemicals. The coating system, which has been enhanced using nanotechnology, offers significantly increased non-stick properties and subsequently are easier to clean. Aqueous and oily dirt can be removed effortlessly.



uvex supravision excellence

Coated lenses are anti-fog (for at least 16 seconds) on the inside, while the outside offers extreme scratch and chemical resistance. The anti-fogging properties are permanent even after repeated cleaning. The lenses are also easy to clean and less susceptible to dirt due to the non-stick nanotechnology.




uvex supravision plus

Coated lenses have advanced anti-fog performance (at least 30 seconds) on both sides, scratch-resistant and antistatic. The anti-fogging properties are permanent, even after being repeatedly cleaned. This lens coating is suitable for areas with high humidity.



Coating technology

dirty



Find your perfect coating

1. Select the temperature which best represents your working environment on the horizontal temperature axis.
2. Define the air humidity of the surroundings in percentage terms and find the figure on the diagonal axis.
3. Determine the degree of dirt on the vertical axis.
4. Join these three points to form a triangle.

The part of the triangle with the largest area will show you the appropriate coating for your defined area of use.

uvex supravision sapphire

hot +35°C



clean

wet 100% RH

Special coatings



uvex supravision extreme

Coated lenses are scratch-resistant on the outside and permanently anti-fog on the inside. Lenses will not fog up as the coating never reaches the point of saturation. Ideally suited for workplace environments with long-lasting exposure to condensation and a high degree of dirt.



uvex supravision variomatic

Coated lenses are self-tinting filters, which automatically become darker when exposed to UV (within 10 seconds) and become lighter when exposure is reduced (after 30 seconds). Now available with the tried and tested uvex supravision excellence technology (permanently anti-fog on the inside and extremely scratch-resistant on the outside). Particularly suitable for workplaces where you frequently move between indoor and outdoor environments, from light to dark.



uvex supravision clean

Coated lenses are autoclavable and resistant to chemicals. Anti-fog on the inside, extremely scratch-resistant on the outside. The anti-fog properties last for at least 10 autoclave cycles. The coating ensures complete fog protection and maximum vision.



uvex infradur

Coated lenses are scratch-resistant on both sides and minimise damage from welding sparks.

uvex infradur plus

Coated lenses are anti-fog on the inside, extremely scratch-resistant on the outside and minimise damage from welding sparks.



Lens tinting

Characteristics

CLEAR



Protection: UV/markung: 2(C)-1.2
Transmission: approx. 91%
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection

AMBER



Protection: UV/markung: 2(C)-1.2
Transmission: approx. 88%
Standards: EN 166, EN 170

Anti-glare mechanical hazard protection with **contrast adjustment**

LIGHT BLUE



Protection: UV/markung: 2(C)-1.2
Transmission: approx. 85%
Standards: EN 166, EN 170

Protection **offering relaxing, focussed vision**

AR (anti-reflective)



Protection: UV/markung: 2(C)-1.2
Transmission: approx. 96.5%
Standards: EN 166, EN 170

Optimum **anti-reflective** protection with high degree of light transmission

SILVER MIRROR 53%



Protection: UV/markung: 5-1.7
Transmission: 53%
Standards: EN 166, EN 172

Protection in **changing light conditions**

SILVER MIRROR 12%



Protection: UV/markung: 5-3.1
Transmission: 12%
Standards: EN 166, EN 172

Protection from both highly **artificial and natural glare conditions**

POLAVISION



Protection: UV/markung: 5-3.1
Transmission: 14%
Standards: EN 166, EN 172

Reduction of irritating surface reflection by **filtering scattered light**

GREY 14% / GREY23%



Protection: UV/markung: 5-3.1/5-2.5
Transmission: 14%/23%
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition**

BROWN



Protection: UV/markung: 5-2.5
Transmission: 20%
Standards: EN 166, EN 172

Protection against **natural glare** with **signal colour recognition** and **increased contrast effect**

VARIOMATIC



Protection: UV/markung: 5-1.1<2
Transmission: 12-86%
Standards: EN 166, EN 172

Fast accommodation of changing UV irradiation conditions: automatic lens darkening (10 s) and lightening (30 s)

WELDING PROTECTION, GREY



Protection: UV/welding shades: 1.7/3/4/5/6
Transmission: 1 - 43%
Standards: EN 166, EN 169

Protection against **IR and UV irradiation (glare)** with **perfect colour recognition**

UV PROTECTION



uv-ex = ultraviolet excluded
Direct integration of UV absorption filters in the raw material 100% protection against UV irradiation up to 400 nm. All uvex lenses offer 100% UVA, UVB and UVC protection.

Safety spectacles – matching your corporate identity

Eye protection with “personality”

Give your team an unmistakable image: uvex safety glasses offer various options for individual design – from printing your company’s logo on the side arms to frames in your company’s colours. You can coordinate your protective equipment perfectly with your corporate identity.

Frames in the company colours

“Your” safety spectacles are recognisable at first glance: the frames are designed in your company colours.



Insert in the side arms

Adding your company name to the soft components of the side arms is bespoke and subtle.



Pad printing on the side arms

(1 to 4 colours)

The direct pad printing process is recommended for printing your logo in colour on the side arms.



How individual can you be?

We are happy to advise you personally on the technical options for customising our safety glasses. You can also use our online product configuration tool at


www.uvex-safety.com/configurator

(or scan the QR code).

You can choose and design the required spectacles model online here.

Please note that the following minimum quantities must be ordered:

- Pad printing – minimum of 500 pairs
- Insert/customised corporate colouring/individual headband/laser engraving – minimum of 5,000 pairs
- Customised accessories on request



Customised accessories

Have your logo printed on your spectacle case.



Laser engraving on the lens

Safety spectacles will retain 100% of their functionality even with customised laser engraving.




Headband embroidery

Customise your spectacles by having your corporate logo embroidered on the headband.



Labelling and norms

Marking on frame



Identification of the manufacturer

Number of the EN standard

Certification mark


Symbol for resistance to high speed particles (where applicable)

Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)

Field(s) of use (where applicable)

Designation	Description of application areas
none	General use Non specific mechanical risks, risks due to UV and/or visible IR light
3	Liquids Liquids (droplets and splashes)
4	Coarse dust particles Dust with > 5 µm grain size
5	Gas and fine dust particles Gas, vapour, mist, smoke, and dust with < 5 µm grain size
8	Short circuit electric arc Electric arc due to short circuit in electrical equipment
9	"Molten metal and hot solids" Splashes of molten metal and penetration of hot solids

Marking on lens



Scale numbers (filters only)

Identification of the manufacturer

Optical class

Symbol for mechanical strength

Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)
T	tested at extreme temperatures (-5°C and +55°C)

Symbol for non adherence of molten metal and resistance to penetration of hot solids (optional)

Symbol for resistance to surface damage by fine particles (optional)

Symbol for resistance to fogging (optional)

Certification mark

uvex sportstyle

23 g, 100% performance

Whatever your industrial workplace environment the uvex sportstyle delivers the perfect combination of performance, safety and style. The distinct close fitting athletic design, unrivalled uvex scratch resistant and anti-fog lens coating technology provides a wide field of vision. The ergonomic fit and extra soft, adjustable noise piece enables wearers to achieve a comfortable customised fit, throughout the day.



Also available with sun protection
in a sporty design (UV 400).

Outstanding wearer comfort

due to uvex duo component technology and the extremely soft.

**A genuine
lightweight**
at only 23 g.



robust outside

soft inside

Optimal vision
with innovative lenses.

Perfect fit
for various head shapes.

**Scratch-resistant outside,
anti-fog on the inside**
thanks to uvex supravision extreme coating.





Safety Spectacles

uvex sportstyle



9193.376



9193.216



9193.226



9193.277



9193.280



9193.838

uvex sportstyle

- featherlight safety spectacles with a sporty design
- optimal vision thanks to the shape of the uvex lens, with scratch-resistant coating on the outside and anti-fog coating on the inside
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit

Areas of application:

- uvex supravision AR: working conditions with strong lighting or mixed lighting

uvex sportstyle						
Art. no.	9193.376	9193.226	9193.216	9193.277	9193.280	9193.838
Design	uvex supravision extreme	uvex supravision extreme	uvex supravision extreme	uvex supravision extreme sunglare filter	uvex supravision extreme sunglare filter	uvex supravision AR super anti-reflective lenses
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	black, petrol W 166 FT CE	black, lime W 166 FT CE	black, white, red W 166 FT CE	black, petrol W 166 FT CE	white, black W 166 FT CE	black, blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FT CE
Retail unit	5	5	5	5	5	5

uvex pheos cx2
Comfort that fits



High wearer comfort and protection

thanks to uvex duo component injection moulded forehead and nose piece

“x” brand
modern, sporty design

Twist-arm technology
for secure fit, comfort and protection



Robust hard components

Comfortable soft components

Perfect fit
for all facial shapes

Excellent ventilation
for healthy eyes

Scratch-resistant outside, anti-fog inside
thanks to uvex supervision excellence coating

Also available with amber or as sunglare filter lens
with UV 400 protection



reddot design award
winner 2016



Safety Spectacles

uvex pheos cx2



9198.256



9198.257



9198.237



9198.258



9198.285

uvex pheos cx2

- “x”-branded safety spectacles with a modern, sporty design
- injection moulded forehead and nose piece further enhances wearer comfort
- twist-arm technology for ultimate non-slip fit, comfort and protection
- duo-spherical lens delivers excellent field of vision
- large field of vision with duo-spherical lens
- innovative uvex duo component technology for maximum wearer comfort
- excellent ventilation around the eye area
- slim arm geometry increases compatibility with ear defenders, helmets and bump caps allowing them to be worn comfortably

uvex pheos cx2					
Art. no.	9198.256	9198.237	9198.285	9198.257	9198.258
Version	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, light blue W 166 FT CE	white, black W 166 FT CE	black, yellow W 166 FT CE	blue, grey W 166 FT CE	red, grey W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC amber UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE
Retail unit	5	5	5	5	5

uvex i-3 AR

Taking the wearer experience to a new level




Nose loops

The extremely soft adjustable Softflex nose loops ensure the spectacles do not slip at any point and sit comfortably on the nose.



Side arm inclination

The variable side arm inclination allows flexible adjustment to individual requirements and optimum coverage of the eyes. The Softflex ear pieces ensure a secure and pressure-free fit.




Coating

The anti-reflective coating on both sides provides 100% protection against UV 400 and a transmission factor of more than 96.5%, which means distracting reflections are effectively prevented.

Ensuring the eyes are also wide awake.

uvex i-3 AR are innovative safety spectacles with anti-reflective coating on both sides of the lenses. The high light conductivity ensures perfect vision at all times, for example when reading test parameters or working with highly reflective components. Strain on the eyes is reduced and the wearer will find it easier to focus.

These spectacles are particularly suitable for workplaces with a combination of artificial and natural light. In combination with exceptional wearer properties, this means the uvex i-3 AR has all the prerequisites of safety spectacles that people enjoy wearing. They always allow a clear view of what matters.



Transmission (transparency)

With the anti-reflective coating, the uvex i-3 AR reaches a higher transmission factor than safety spectacles with regular coating technology – ensuring perfect vision without reflections.



Safety Spectacles

uvex i-3



9190.275



9190.220



9190.880



9190.070



9190.315



9190.885



9190.280



9190.175



9190.281



9190.838
9190.839

uvex i-3

- fashionable, 3-component safety spectacles with innovative features
- 100% metal-free
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- adjustable nose loops prevent complications caused by the spectacles slipping
- soft, adjustable nose loops, soft, anti-slip sidearm pieces and metal-free hinged side arms (3-component technology) for high wearer comfort and to avoid pressure points

Areas of application:

- uvex supravision AR: Working conditions with strong lighting or mixed lighting
- uvex supravision variomatic: Offshore, maritime



uvex i-3						
Art. no.	9190.275	9190.070	9190.280	9190.220	9190.315	9190.281
Design	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 anthracite, blue W 166 FT CE	EN 166, EN 170 graphite, olive W 166 FT CE	EN 166, EN 170 black, light grey W 166 FT CE	EN 166, EN 170 anthracite, yellow W 166 FT CE	EN 166, EN 170 white, lime W 166 FT CE	EN 166, EN 172 black, light grey W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC amber UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN CE
Retail unit	5	5	5	5	5	5

uvex i-3						Replacement lens
Art. no.	9190.880	9190.885	9190.175	9190.838	9190.839	9190.258
Design	uvex supravision variomatic self-tinting lenses	AF on the inside sunglare filter, silver mirror	uvex supravision plus Oil & gas	uvex supravision AR super anti-reflective lenses	uvex supravision AR super anti-reflective lenses	uvex supravision excellence
Standard Frame	EN 166, EN 172 black, anthracite W 166 FT CE	EN 166, EN 172 black, light grey W 166 FT CE	EN 166, EN 170 black, light grey W 166 FT CE	EN 166, EN 170 black, blue W 166 FT CE	EN 166, EN 170 black, blue W 166 FT CE	EN 166, EN 170
Lens	PC light green UV 400 5-1.1<2 W 1 FKN	PC silver mirror grey UV 400 5-3.1 W 1 FT CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FT CE	PC clear UV 400 2C-1.2 W 1 FT CE	PC clear UV 400 2C-1.2 W 1 FTKN CE
Retail unit	5	5	5	1	5	5

Safety Spectacles

uvex i-works



9194.171



9194.175



9194.270



9194.365



9194.885

uvex i-works

- safety spectacles with a sporty design: attractive appearance and robust quality
- metal-free
- panoramic lens for large field of vision
- duo component technology – soft grip side arms, non-slip fit without pressure points
- low profile side arms with practical hang cord attachment option

uvex i-works					
Art. no.	9194.171	9194.175	9194.270	9194.365	9194.885
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence	uvex supravision excellence silver mirror
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue W 166 FT CE	anthracite, green W 166 FT CE	anthracite, grey W 166 FT CE	black, yellow W 166 FT CE	black, grey W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC amber UV 400 2C-1.2 W 1 FTKN CE	PC silver mirror grey UV 400 5-1.7 W 1 FTN CE
Retail unit	5	5	5	5	5



Safety Spectacles

uvex astrospec 2.0



9164.065



9164.275



9164.285



9164.220



9164.387



9164.246



reddot award 2014
winner



9164.187



uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec spectacles
- panoramic polycarbonate lens with integrated side protectors for optimum protection of the whole eye area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, adjustable nose piece and soft, non-slip sidearm pieces (uvex duo component technology) prevent pressure points
- fits easily into breast pocket due to flat-fold design

uvex astrospec 2.0							
Art. no.	9164.065	9164.275	9164.285	9164.220	9164.387	9164.246	9164.187
Design	uvex supravision sapphire	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision plus
Standard Frame	EN 166, EN 170 blue, light blue W 166 FT CE	EN 166, EN 170 anthracite, petrol W 166 FT CE	EN 166, EN 170 black, lime W 166 FT CE	EN 166, EN 170 black, yellow W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 172 neon orange, black W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTK CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE	PC amber UV 400 2C-1.2 W 1 FTKN CE	PC grey 14% UV 400 5-3.1 W 1 FTKN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN CE	PC clear UV 400 2C-1.2 W 1 FTKN CE
Retail unit	5	5	5	5	5	5	5

Safety Spectacles

uvex pheos · uvex pheos blue · uvex pheos s blue



uvex pheos

- modern safety spectacles with a fashionable design and duo-spherical lens technology
- 100% metal-free
- available in standard size or a narrow version
- sustainable version using renewable plant raw materials (uvex pheos blue and uvex pheos s blue)
- set consisting of fitted extra frame with soft padding and adapted headband (uvex pheos guard)

- additional eyebrow protection with Eye plus Protection: a bevelled edge in upper area
- soft, non-slip ear pieces (uvex duo component technology) prevent pressure points
- very large field of vision
- narrow geometry enables ear defenders, helmet and bump caps to be worn comfortably



product design award



German Design Award

2012

WINNER 2013

	uvex pheos					
Art. no.	9192.225	9192.385	9192.285	9192.881	9192.215	9192.245
Design	uvex supravision excellence standard size	uvex supravision excellence standard size, contrast-enhancing	uvex supravision excellence standard size, sunglare filter	AF on the inside standard size, sunglare filter, silver mirror	uvex supravision excellence standard size	uvex supravision excellence standard size, sunglare filter
Standard Frame	EN 166, EN 170 black, green W 166 F CE	EN 166, EN 170 black, yellow W 166 F CE	EN 166, EN 172 black, grey W 166 F CE	EN 166, EN 172 light grey, grey W 166 F CE	EN 166, EN 170 light grey, grey W 166 F CE	EN 166, EN 172 black, orange W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC amber UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC silver mirror grey UV 400 5-1.7 W 1 F CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE
Retail unit	5	5	5	5	5	5

	uvex pheos			uvex pheos blue	uvex pheos s blue
Art. no.	9192.280	9192.281	9192.080	9192.765	9192.726
Design	uvex supravision extreme standard size	uvex supravision extreme standard size, sunglare filter	uvex supravision plus standard size, Oil & gas	uvex supravision excellence standard size, using renewable plant raw materials	uvex supravision excellence narrow version, using renewable plant raw materials
Standard Frame	EN 166, EN 170 black, grey W 166 F CE	EN 166, EN 172 black, grey W 166 F CE	EN 166, EN 170 black, grey W 166 F CE	EN 166, EN 170 sand, blue W 166 F CE	EN 166, EN 170 sand, blue W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE
Retail unit	5	5	5	5	5



Safety Spectacles

uvex pheos s · uvex pheos guard · uvex pheos s guard



9192.725
narrow version



9192.785
narrow version



9192.710
narrow version



9192.745
narrow version



9192.282
narrow version



9192.180
9192.680
narrow version




9192.891
narrow version



9192.283
narrow version



9192.181
9192.681
narrow version



Accessories: 9192.001 / 9192.002
Extra frame / extra frame in narrow version



Accessories: 9958.020
Headband

	uvex pheos s						
Art. no.	9192.725	9192.785	9192.745	9192.891	9192.710	9192.282	9192.283
Design	uvex supervision excellence narrow version	uvex supervision excellence narrow version	uvex supervision excellence narrow version, sunglare filter	AF on the inside narrow version, sunglare filter	uvex supervision excellence narrow version	uvex supervision extreme narrow version	uvex supervision extreme narrow version, sunglare filter
Standard Frame	EN 166, EN 170 white, green W 166 F CE	EN 166, EN 170 anthracite, grey W 166 F CE	EN 166, EN 172 white, orange W 166 F CE	EN 166, EN 172 light grey, grey W 166 F CE	EN 166, EN 170 black, lime W 166 F CE	EN 166, EN 170 black, grey W 166 F CE	EN 166, EN 172 black, grey W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC silver mirror grey UV 400 5-1.7 W 1 F CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE
Retail unit	5	5	5	5	5	5	5

	uvex pheos guard		uvex pheos s guard		Accessories	
Art. no.	9192.180	9192.181	9192.680	9192.681	Art. no.	9192.001
Design	uvex supervision extreme standard size incl. extra frame and headband	uvex supervision extreme standard size, sunglare filter incl. extra frame and headband	uvex supervision extreme narrow version incl. extra frame and headband	uvex supervision extreme narrow version, sunglare filter incl. extra frame and headband	Design	extra frame for uvex pheos standard size
Standard Frame	EN 166, EN 170 black, grey W 166 F CE	EN 166, EN 172 black, grey W 166 F CE	EN 166, EN 170 black, grey W 166 F CE	EN 166, EN 172 black, grey W 166 F CE	Colour	black
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	Retail unit	5
Retail unit	4	4	4	4	Art. no.	9958.020
					Design	headband for uvex pheos and uvex pheos s
					Colour	grey, black
					Retail unit	5

Safety Spectacles

uvex super g



9172.210
9172.110



9172.185



9172.220



9172.881



9172.086



9172.281



9172.085



9172.265

uvex super g

- extremely light protective spectacles with a sporty design and hingeless side arms
- 100% metal-free
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- maximum wear comfort is guaranteed by the lightweight design: just 18 grammes

	uvex super g				
Art. no.	9172.210	9172.881	9172.110	9172.085	9172.185
Design	uvex supravision excellence	AF on the inside sunglare filter, silver mirror	uvex supravision plus	uvex supravision sapphire	uvex supravision plus Oil & gas
Standard Frame	EN 166, EN 170 crystal W 166 FT DIN CE	EN 166, EN 172 crystal W 166 FT DIN CE	EN 166, EN 170 crystal W 166 FT DIN CE	EN 166, EN 170 titanium W 166 FT DIN CE	EN 166, EN 170 black, grey W 166 FT DIN CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC silver mirror grey UV 400 5-1.7 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE
Retail unit	5	5	5	5	5

					Replacement lens
Art. no.	9172.086	9172.265	9172.220	9172.281	9172.255
Design	uvex supravision sapphire sunglare filter	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter	uvex supravision excellence
Standard Frame	EN 166, EN 172 titanium W 166 FT DIN CE	EN 166, EN 170 navy blue W 166 FT DIN CE	EN 166, EN 170 titanium W 166 FT DIN CE	EN 166, EN 172 anthracite, lime W 166 FT DIN CE	EN 166, EN 170 -
Lens	PC grey 23% UV 400 5-2.5 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC amber UV 400 2C-1.2 W 1 FTKN DIN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE
Retail unit	5	5	5	5	5



Safety Spectacles

uvex super fit · uvex super fit ETC



9178.065
9178.265



9178.385



9178.064



9178.286



9178.315



9178.415



9178.185



9178.500

uvex super fit

- lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wearer comfort guaranteed by the lightweight design
- permanent anti-fog coating on both sides – eliminating risk of fogging (uvex super fit ETC)

Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, clean rooms, food production)
- ETC on both sides: high humidity and alternating temperatures (cold stores, tunnel construction, catering and food industry)

uvex ETC-coated lenses do not fog up. Instead of droplets, a film of water forms on the lens.



Anti-fog coating after 8 sec. uvex ETC

uvex super fit				
Art. no.	9178.065	9178.265	9178.286	9178.185
Design	uvex supravision sapphire	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision plus
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	navy blue, transparent W 166 FT CE	navy blue, transparent W 166 FT CE	black, transparent W 166 FT CE	black, transparent W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FT DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC grey 23% UV 400 5-2.5 W 1 FTKN DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE
Retail unit	5	5	5	5

		uvex super fit CR			uvex super fit ETC
Art. no.	9178.385	9178.315	9178.500	9178.064	9178.415
Design	uvex supravision excellence contrast-enhancing	uvex supravision excellence	uvex supravision clean autoclavable	uvex supravision excellence	ETC on both sides
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, transparent W 166 FT CE	white, lime W 166 FT CE	white, light blue W 166 FT CE	blue, transparent W 166 FT CE	white, grey W 166 FT CE
Lens	PC amber UV 400 2C-1.2 W 1 FTKN DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE	PC blue UV 400 2C-1.2 W 1 FTKN DIN CE	PC clear UV 400 2C-1.2 W 1 FTN DIN CE
Retail unit	5	5	5	5	5

Safety Spectacles

uvex i-vo



9160.064



9160.068
9160.268



9160.120



9160.520



9160.076



9160.275



9160.065
9160.265



9160.085
9160.285

uvex i-vo

- fashionable safety spectacles with adjustable side arms
- reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision

Areas of application:

- light blue tint: for extremely brightly lit working environments and high light sensitivity

uvex i-vo						
Art. no.	9160.064	9160.520	9160.065	9160.068	9160.076	9160.085
Design	uvex supravision sapphire light blue tint	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire sunglare filter	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	blue, orange	blue, orange	blue, orange	blue, orange	black, grey	blue, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC blue	PC amber	PC clear	PC clear	PC grey 23%	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FT CE	2C-1.2 W 1 FT CE	2C-1.2 W 1 FT CE	5-2.5 W 1 FT CE	5-2.5 W 1 FT CE	2C-1.2 W 1 FT CE
Retail unit	5	5	5	5	5	5

Art. no.	9160.120	9160.265	9160.275	9160.285	9160.268
Design	uvex supravision excellence with headband	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	blue, grey	blue, orange	black, grey	blue, grey	blue, orange
	-	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear	PC brown
	UV 400	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FTKN 166 F DIN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FTKN CE	5-2.5 W 1 FTKN CE
Retail unit	5	5	5	5	5

Replacement lenses				
Art. no.	9160.055	9160.318	9160.255	9160.052
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision excellence	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
Lens	PC clear	PC grey	PC clear	PC amber
	UV 400	UV 400	UV 400	UV 400
	2C-1.2 W 1 FT CE	5-2.5 W 1 FT CE	2C-1.2 W 1 FTKN CE	2C-1.2 W 1 FT CE
Retail unit	5	5	5	5



uvex CR

Autoclave safety eyewear that goes further

Innovative coating technology – the first autoclavable safety eyewear with anti-fog performance

uvex has developed the first autoclavable safety goggles with anti-fog coating for specialist requirements in laboratories, clinics, cleanrooms and food manufacturing. From ultra-light safety spectacles to goggles with a panorama lens, uvex CR is the ideal safety eyewear for all areas of application and specifically designed for repeated autoclave sterilisation.

uvex CR – professional safety eyewear which compliments hygiene standards.



9178.500

9169.500

9302.500

uvex super fit CR

- lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wear comfort guaranteed by the lightweight design

uvex super fit CR	
Art. no.	9178.500
Design	uvex supravision clean autoclavable
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FTKN DIN CE
Retail unit	5

uvex super f OTG CR

- overspecs for wearers of prescription lenses with arm-hinge concept
- unrestricted peripheral vision
- soft arm ends for added comfort

uvex super f OTG CR	
Art. no.	9169.500
Design	uvex supravision clean autoclavable
Standard	EN 166, EN 170
Frame	white, light blue W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN
Retail unit	5

uvex ultrasonic CR

- goggles in sporty design, also suitable as overspecs
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- no pressure problems with long-term wear thanks to combination of hard and soft components

uvex ultrasonic CR		Replacement lens
Art. no.	9302.500	9302.259
Design	uvex supravision clean autoclavable	uvex supravision clean autoclavable
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent, white W 166 349 B CE	-
Lens	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE
Retail unit	4	4

Safety Spectacles

uvex skyper · uvex skyper s



uvex skyper

- individually adjustable safety spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- frosted sides protect against glare

uvex skyper					
Art. no.	9195.265	9195.075	9195.020	9195.078	9195.278
Design	uvex supravision excellence	uvex supravision sapphire	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire sunglare filter	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	blue	black	black	black	black
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC amber	PC brown	PC brown
	UV 400	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 F DIN CE	2-1.2 W 1 F DIN CE	5-2.5 W 1 F DIN CE	5-2.5 W 1 FKN DIN CE
Retail unit	5	5	5	5	5

Replacement lenses			
Art. no.	9195.055	9195.255	9195.118
Design	uvex supravision sapphire	uvex supravision excellence	uvex supravision sapphire sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Lens	PC clear	PC clear	PC brown
	UV 400	UV 400	UV 400
	2-1.2 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE	5-2.5 W 1 F DIN CE
Retail unit	5	5	5



uvex skyper s

- individually adjustable safety spectacles, narrow version of uvex skyper
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- frosted sides protect against glare

uvex skyper s		
Art. no.	9196.065	9196.265
Design	uvex supravision sapphire narrow version of uvex skyper	uvex supravision excellence narrow version of uvex skyper
Standard	EN 166, EN 170	EN 166, EN 170
Frame	blue	blue
	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear
	UV 400	UV 400
	2-1.2 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE
Retail unit	5	5



Safety Spectacles

uvex skyper sx2 · uvex skybrite sx2



uvex skyper sx2

- safety spectacles with special lens shape for prominent cheekbones
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- frosted sides protect against glare

uvex skyper sx2					Replacement lens
Art. no.	9197.020	9197.265	9197.065	9197.266	9197.055
Design	uvex supravision sapphire contrast-enhancing	uvex supravision excellence	uvex supravision sapphire	uvex supravision excellence sunglare filter	uvex supravision sapphire
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	blue	blue	blue	blue	-
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 F CE	-
Lens	PC amber	PC clear	PC clear	PC grey 23%	PC clear
	UV 400	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 F DIN CE	2-1.2 W 1 FKN DIN CE	2-1.2 W 1 F DIN CE	5-2.5 W 1 FKN DIN CE	2-1.2 W 1 F DIN CE
Retail unit	5	5	5	5	5



uvex skybrite sx2

- safety spectacles with special lens shape for prominent cheekbones in translucent colour
- reliable protection provided by its perfect fit: multi-level side arm inclination and five different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- frosted sides protect against glare

uvex skybrite sx2		
Art. no.	9197.260	9197.880
Design	uvex supravision excellence version of the uvex skyper sx2 in translucent side arm colours	version of the uvex skyper sx2 in translucent side arm colours sunglare filter, silver mirror
Standard	EN 166, EN 170	EN 166, EN 172
Frame	translucent, blue	translucent, silver
	W 166 F CE	W 166 F CE
Lens	PC clear	PC silver mirror grey
	UV 400	UV 400
	2-1.2 W 1 FKN DIN CE	5-1.7 W 1 F DIN CE
Retail unit	5	5

Safety Spectacles

uvex astrospec · uvex x-trend



9168.035



9168.017



9168.065
9168.265

uvex astrospec

- one of the world's best-selling safety spectacles
- reliable protection provided by its perfect fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- integrated side protection
- panoramic polycarbonate lens with a flat lens shape for unrestricted vision
- soft, duo-flex ear pieces

uvex astrospec				
Art. no.	9168.035	9168.017	9168.065	9168.265
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire	uvex supravision excellence
Standard Frame	EN 166, EN 170 yellow, black W 166 F CE	EN 166, EN 172 yellow, black W 166 F CE	EN 166, EN 170 blue W 166 F CE	EN 166, EN 170 blue W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey 23% UV 400 5-2.5 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5	5

Replacement lenses for uvex astrospec				
Art. no.	9168.055	9168.255	9168.517	
Design	uvex supravision sapphire	uvex supravision excellence	uvex supravision sapphire	
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	
Lens	PC clear UV 400 2-1.2 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC grey UV 400 5-2.5 W 1 F DIN CE	
Retail unit	5	5	5	



9177.285



9177.286

uvex x-trend

- safety spectacles with anatomically shaped wrap-around lenses for free visibility in all directions
- large lens for improved safety

uvex x-trend		
Art. no.	9177.285	9177.286
Design	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard Frame	EN 166, EN 170 black W 166 F CE	EN 166, EN 172 black W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 F CE	PC grey 23% UV 400 5-2.5 W 1 F CE
Retail unit	5	5



Safety Spectacles

uvex skyguard NT · uvex skylite



9175.260
9175.160



9175.261



9175.275

uvex skyguard NT

- spectacles with all-round protection
- complete eye protection against flying particles due to injection-moulded, soft TPU seal
- reliable protection provided by its perfect fit: multi-level side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- flexible soft component adapts to the wearer's face contours

uvex skyguard NT				
Art. no.	9175.260	9175.261	9175.160	9175.275
Design	uvex supravision excellence adjustable side arm length	uvex supravision excellence sunglare filter, adjustable side arm length	uvex supravision extreme adjustable side arm length	uvex supravision excellence particularly well-suited for use in combination with helmets
Standard Frame	EN 166, EN 170 blue, grey W 166 F CE	EN 166, EN 172 blue, grey W 166 F CE	EN 166, EN 170 blue, grey W 166 F CE	EN 166, EN 170 grey, orange W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC grey 23% UV 400 5-2.5 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE
Retail unit	5	5	5	5



9174.095



9174.065



9174.096



9174.066

uvex skylite

- spectacles with excellent eye area protection and integrated, frosted side protection

uvex skylite				
Art. no.	9174.095	9174.096	9174.065	9174.066
Design	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision sapphire	uvex supravision sapphire sunglare filter
Standard Frame	EN 166, EN 170 red, metallic W 166 F CE	EN 166, EN 172 red, metallic W 166 F CE	EN 166, EN 170 blue W 166 F CE	EN 166, EN 172 blue W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey 23% UV 400 5-2.5 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey 23% UV 400 5-2.5 W 1 F DIN CE
Retail unit	5	5	5	5

Safety Spectacles

uvex futura · uvex meteor · uvex cosmoflex



9180.015
9180.125
9182.005
narrow version

uvex futura

- classic spectacles with large field of vision
- reliable protection provided by its perfect fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, duo-flex ear pieces

	uvex futura			Replacement lenses		
Art. no.	9180.015	9180.125	9182.005	9180.055	9180.155	9182.055
Design	uvex supravision sapphire standard size	uvex supravision plus standard size	uvex supravision sapphire narrow version	uvex supravision sapphire for the standard size	uvex supravision plus for the standard size	uvex supravision sapphire for the narrow version
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	brown W 166 F CE	brown W 166 F CE	brown W 166 F CE	-	-	-
Lens	PC clear UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400	PC clear UV 400
Retail unit	2-1.2 W 1 FK DIN CE 5	2-1.2 W 1 FKN DIN CE 5	2C-1.2 W 1 FK 5	2-1.2 W 1 FK DIN CE 5	2-1.2 W 1 FKN DIN CE 5	2C-1.2 W 1 FK 5



9134.005



9130.305
9130.302

uvex meteor

- classic, twin-lens spectacles
- reliable protection provided by its perfect fit: adjustable side arms allow the wearer to adjust the spectacles to suit their own face shape
- fit easily into breast pocket due to flat design

uvex meteor	
Art. no.	9134.005
Design	uvex supravision sapphire
Standard	EN 166, EN 170
Frame	grey, transparent W 166 F CE
Lens	PC clear UV 400
Retail unit	2-1.2 W 1 FK DIN CE 5

uvex cosmoflex

- classic, twin-lens spectacles
- integrated brow guard provides protection against falling particles, plus integrated side protection
- reliable protection provided by its perfect fit: four side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, duo-flex ear pieces
- fits easily into breast pocket due to flat design

uvex cosmoflex		
Art. no.	9130.305	9130.302
Design	uvex supravision sapphire	uncoated
Standard	EN 166, EN 170	EN 166, EN 170
Frame	grey, transparent W 166 F CE	grey, transparent W 166 F CE
Lens	PC clear UV 400	HG clear UV 380
Retail unit	2C-1.2 W 1 FK 5	W 1 S DIN CE 5



Safety Spectacles

uvex polavision · uvex cybric · uvex cyberguard



9231.960

uvex polavision

- comfortable safety spectacles with polarisation filter
- polarisation filter to protect against reflections and irritations (e.g. water surfaces and highly polished materials)
- transformation of bright mirroring and annoying reflections into pleasant light

- Areas of application:
- workstations with reflective surfaces (offshore, maritime environment, construction industry)

uvex polavision	
Art. no.	9231.960
Design	scratch-resistant sunglare filter
Standard	EN 166, EN 172
Frame	black, white W 166 F CE
Lens	PC grey 14% UV 400 5-3.1 W 1 F CE
Retail unit	1



9188.020



9188.075
9188.175



9188.121



9188.881



9188.076



9188.001

uvex cybric · uvex cyberguard

- sporty, twin-lens safety spectacles
- large guard area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex quattroflex side arms with four comfort cushions to ensure a comfortable, pressure-free fit around the ears

	uvex cybric		uvex cybric			uvex cyberguard		Extra frame
Art. no.	9188.020	9188.075	9188.076	9188.175	9188.881	9188.121	9188.001	
Design	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision plus	uvex supravision plus sunglare filter	uvex supravision plus uvex cybric without side arms; with headband and all-round soft frame		
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166	
Frame	black, orange W 166 F CE	black, orange W 166 F CE	black, orange W 166 F CE	black, orange W 166 F CE	black, orange W 166 F CE	black W 166 F 34 CE	black W 166 F 34 CE	
Lens	PC amber UV 400 2-1.2 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	PC grey UV 400 5-2.5 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	PC blue mirror UV 400 5-2.5 W 1 F DIN CE	PC clear UV 400 2-1.2 W 1 F DIN CE	- - -	
Retail unit	5	5	5	5	5	5	5	

Safety Spectacles

uvex racer MT · uvex winner MT



9153.105



9153.106



9153.881

uvex racer MT

- sporty, metal-framed spectacles
- lens fixed to frame at three points without screws
- individually adjustable nose pad
- lightweight

uvex racer MT			
Art. no.	9153.105	9153.106	9153.881
Design	scratch-resistant, anti-fog	scratch-resistant, anti-fog sunglare filter	PC silver mirror sunglare filter, silver mirror
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	gun W 166 F CE	gun W 166 F CE	gun W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE	PC silver mirror grey UV 400 5-1.7 W 1 FT CE
Retail unit	5	5	5



9159.005
9159.105



9159.016
9159.116



9159.118

uvex winner MT

- robust, edgeless, metal-framed spectacles with sprung side arms
- large lenses with optimum eye coverage
- anatomically adjustable, soft nose pads
- unrestricted view

uvex winner MT					
Art. no.	9159.005	9159.016	9159.105	9159.116	9159.118
Design	scratch-resistant on both sides	scratch-resistant on both sides	scratch-resistant, anti-fog	scratch-resistant, anti-fog	scratch-resistant, anti-fog sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	gun W 166 F CE	gun W 166 F CE	gun W 166 F CE	gun W 166 F CE	gun W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 F CE	PC green UV 400 2-1.7 W 1 F CE	PC clear UV 400 2-1.2 W 1 FKN CE	PC green UV 400 2-1.7 W 1 FKN CE	PC grey 23% UV 400 5-2.5 W 1 FKN CE
Retail unit	5	5	5	5	5



Safety Spectacles

uvex 9148 · uvex 9149 · uvex mercury



9148.005



9149.005

uvex 9148

- fashionable, aviator-style metal-framed spectacles
- transparent side protection
- anatomically adjustable, soft nose pads
- easily adjustable TPE ear pieces

uvex 9148	
Art. no.	9148.005
Design	uvex supravision sapphire
Standard	EN 166, EN 170
Frame	gun W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FK CE
Retail unit	5

uvex 9149

- metal-framed spectacles with a classic design and double nose pad
- transparent side protection
- anatomically adjustable, soft nose pads
- easily adjustable TPE ear pieces

uvex 9149	
Art. no.	9149.005
Design	uvex supravision sapphire
Standard	EN 166, EN 170
Frame	gun W 166 F CE
Lens	PC clear UV 400 2C-1.2 W 1 FK CE
Retail unit	5



9155.005

uvex mercury

- slim, blue metal-framed men's spectacles
- transparent side protection with excellent peripheral vision
- fit easily into breast pocket due to flat design

uvex mercury	
Art. no.	9155.005
Design	uvex supravision sapphire
Standard	EN 166, EN 170
Frame	steel blue W 166 F CE
Lens	PC clear UV 400 2-1.2 W 1 FK DIN CE
Retail unit	5

Overspecs

uvex 9161 · uvex super OTG



9161.005
9161.305



9161.014

uvex 9161

- overspecs for prescription spectacle wearers
- adjustable side arms adapt to any facial shape for customised fit and optimum protection
- unrestricted peripheral vision
- uvex duoflex side arms for a pressure free fit

uvex 9161			
Art. no.	9161.005	9161.305	9161.014
Version	uvex supravision sapphire	uvex supravision plus	without coating and with polycarbonate arms
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	blue, black	blue, black	clear
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400
	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE	2C-1.2 W 1 F CE
Retail unit	5	5	5



9169.065
9169.260



9169.080



9169.081

uvex super OTG

- overspecs for prescription spectacle wearers
- metal-free
- unrestricted peripheral vision
- highly flexible, hinge less side arms for added comfort and non-slip fit

uvex super OTG			
Art. no.	9169.065	9169.080	9169.081
Version	uvex supravision sapphire	uvex supravision sapphire	uvex supravision sapphire sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	navy blue	black	black
	W 166 F CE	W 166 F CE	W 166 F CE
Lens	PC clear	PC clear	PC grey 23%
	UV 400	UV 400	UV 400
	2C-1.2 W 1 F	2C-1.2 W 1 F	5-2.5 W 1 F
Retail unit	5	5	5



Overspecs

uvex super f OTG



9169.585



9169.580



9169.586



9169.615



9169.500



9169.850

uvex super f OTG

- overspecs for prescription wearers
- unrestricted peripheral vision
- side arms graduate to soft, flexible material for added comfort and grip

Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex super f OTG						
Art. no.	9169.585	9169.586	9169.500	9169.580	9169.615	9169.850
Version	uvex supravision sapphire	uvex supravision sapphire sunglare filter	uvex supravision clean autoclavable	uvex supravision sapphire contrast-enhancing	uvex supravision sapphire	uvex supravision variomatic
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	black, transparent W 166 FT CE	black, transparent W 166 FT CE	white, light blue W 166 FT CE	black, transparent W 166 FT CE	black, transparent W 166 FT CE	black, transparent W 166 FT CE
Lens	PC clear UV 400 2C-1.2 W 1 F	PC grey 23% UV 400 5-2.5 W 1 F	PC clear UV 400 2C-1.2 W 1 FKN	PC amber UV 400 2C-1.2 W 1 FT CE	PC orange UV 525 2-1.4 W FT CE	PC light green UV 400 5-1.1<2 W 1 FKN
Retail unit	5	5	5	5	5	5

uvex u-sonic

Perfect fit, light weight, optimal temperature

As a result of its ergonomic design with flexible soft components, uvex u-sonic adapts perfectly to any face shape – its low weight and the lack of pressure make comfortable for all day wear. The wide panoramic lens with unique integrated magnet technology allows a sun tint lens to be attached quickly and easily



Magnetic 'snap on' lens technology

attaches a sun tint lens in seconds (grey glare protection 16%).

Optimum wearer comfort

evenly distributed, low pressure seal guarantees good fit

Anti-fog lens coating

on the inside – uvex supravision coating technology



Scratch-resistant on the outside

thanks to uvex supravision coating technology

High levels of comfort


thanks to innovative ventilation system

High levels of compatibility with safety helmet

on account of its compact design



MADE IN GERMANY 



Safety Goggles

uvex u-sonic



9308.245



9308.247



9308.240



9308.248



9308.246



9308.048 add-on lens

uvex u-sonic

- small, compact low weight goggle
- highly compatible with other PPE, such as helmets
- ergonomic design with soft flexible components – adapts to any facial shape
- high mechanical strength (B: 120 m/s)
- low pressure, wide fully adjustable head strap for excellent wearer comfort
- low weight – just 69 g
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex u-sonic					
Art. no.	9308.245	9308.240	9308.246	9308.247	9308.248
Version	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision extreme reduced ventilation	uvex supravision excellence reduced ventilation	uvex supravision excellence with add-on lens grey 16% and magnetic headband
Standard Frame	EN 166, EN 170 grey, lime	EN 166, EN 172 grey, lime	EN 166, EN 170 grey, yellow	EN 166, EN 170 black, red	EN 166, EN 170, EN 172 grey, orange
Lens	W 166 34 B DIN 0196 CE PC clear UV 400 2C-1.2 W 1 BKN CE	W 166 34 B DIN 0196 CE PC grey 23% UV 400 5-2.5 W 1 BKN CE	W 166 34 B DIN 0196 CE PC clear UV 400 2C-1.2 W 1 BKN CE	W 166 34 B DIN 0196 CE PC clear UV 400 2C-1.2 W 1 BKN CE	W 166 34 B DIN 0196 CE PC clear UV 400 2C-1.2 W 1 BKN CE uvex supravision sapphire PC grey 16% Sunglare filter, UV 400 5-3.1 W 1 CE
Additional lens					
Retail unit	5	5	5	5	5

Add-on lens		Replacement lenses	
Art. no.	9308.048	9308.242	9308.241
Version	uvex supravision sapphire sunglare filter	uvex supravision excellence	uvex supravision excellence sunglare filter
Standard Lens	EN 166, EN 172 PC grey 16% UV 400 5-3.1 W 1 CE	EN 166, EN 170 PC clear UV 400 2C-1.2 W 1 BKN CE	EN 166, EN 172 PC grey 23% UV 400 5-2.5 W 1 BKN CE
Retail unit	1	5	5



Safety Goggles

uvex ultrasonic



9302.245



9302.286



9302.285



9302.275



9302.247



9302.600

uvex ultrasonic

- goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- hard and soft components create soft, pressure free seal for comfortable all day wear

Areas of application:

- uvex supravision clean: sterile working environments (laboratories, hospitals, cleanrooms, food production)

uvex ultrasonic						
Art. no.	9302.245	9302.285	9302.247	9302.286	9302.275	9302.600
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision extreme	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
Frame	grey, orange W 166 349 B CE	black, grey W 166 349 B CE	grey, orange W 166 349 B CE	black, grey W 166 349 B CE	anthracite, lime W 166 349 B CE	blue, grey W 166 349 B CE
Lens	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE	PC brown UV 400 5-2.5 W 1 B 9 KN DIN CE	PC grey UV 400 5-2.5 W 1 B 9 KN DIN CE	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE	PC clear UV 400 2-1.2 W 1 B 9 KN DIN CE
Retail unit	4	4	4	4	4	4

Art. no.	Replacement lenses			Adapter
9302.255	9302.257	9302.256	9924.010	
Version	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	for attachment to the helmet without ear defenders
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	-
Lens	PC clear UV 400	PC brown UV 400	PC grey UV 400	-
	2-1.2 W 1 B 9 KN DIN CE	5-2.5 W 1 B 9 KN DIN CE	5-2.5 W 1 B 9 KN DIN CE	-
Retail unit	4	4	4	1



Safety Goggles

uvex ultrasonic



9302.601



9302.500



9302.281



9302.510

uvex ultrasonic				
Art. no.	9302.601	9302.281	9302.500	9302.510
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision clean autoclavable	uvex supravision extreme with reduced ventilation for combining with helmet and ear defenders uvex K1H and uvex K2H. Ear defenders are not included! For attaching the uvex ultrasonic without ear defenders, additional adapters (9924.010) are required!
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, red	black, grey	transparent, white	blue, grey
	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE	W 166 349 B CE
Lens	PC clear	PC clear	PC clear	PC clear
	UV 400	UV 400	UV 400	UV 400
	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 B 9 KN DIN CE
Retail unit	4	4	4	4



A practical introductory seminar on the selection, use and benefits of protective eyewear

- The basic applications of safety eyewear, including which products protect against mechanical dangers, chemical and radiation risks (e.g. welding protection), and products designed for specialised applications
- Demonstration and assessment of the dangers posed by mechanical risks, infrared and ultraviolet radiation (e.g. encountered during welding applications or during the use of chemicals), illustrated by case studies
- Assessment of the risk of eye injury in the workplace
- Explanation of how these risks can be dealt with efficiently in each workplace
- Comprehensive overview of the requirements of industrial safety eyewear, standards, applications, risk assessment and how to care for protective eyewear
- Information on the classification of protection products based on their labelling and the areas of application of the various types of equipment

Target group

Those responsible for the work-related health and safety of employees within a company, e.g. health and safety officers, occupational nurses and specialist purchasers

For more information or to book a place, please visit uvex-academy.de, call +49 (0)911 9736 1710 or email academy@uvex.de





Safety Goggles

uvex carbonvision



9307.375



9307.365



9307.276

uvex carbonvision

- low profile wraparound style goggle
- lightweight at just 46 g
- highly compatible with other PPE, such as helmets
- close fitting frame and high mechanical strength (B: 120 m/s)
- panoramic lens for unrestricted field of vision

uvex carbonvision			
Art. no.	9307.375	9307.276	9307.365
Version	uvex supravision extreme	uvex supravision extreme sunglare filter	uvex supravision extreme with neoprene headband
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170
Frame	black, grey W 166 34 B CE	black, grey W 166 34 B CE	black, grey W 166 34 B CE
Lens	PC clear UV 400 2-1.2 W 1 B KN DIN CE	PC grey UV 400 5-2.5 W 1 BTKN CE	PC clear UV 400 2-1.2 W 1 B KN DIN CE
Retail unit	4	4	4



Convenient clip to remove headband for cleaning.



Flexible soft components adapt to your facial shape for the ultimate fit

Safety Goggles

uvex ultravision



Please note:
CA lenses do not fit the PC models and vice-versa.

uvex ultravision

- classic goggles with unrestricted field of vision
- classic style that can be worn over prescription spectacles
- available with polycarbonate or cellulose acetate lenses
- lenses can be changed

- high mechanical strength of the polycarbonate (B: 120 m/s) or cellulose acetate lens (F: 45 m/s)
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision					
Art. no.	9301.714	9301.716	9301.906	9301.105	9301.116
Version	anti-fog	anti-fog with foam layer	anti-fog wide nose piece, particularly well suited in combination with dust masks	uvex supravision excellence	uvex supravision plus with foam layer
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	transparent grey W 166 34 F CE	transparent grey W 166 3 F CE	transparent grey W 166 349 B CE	transparent grey W 166 34 B CE
Lens	CA clear UV 380	CA clear UV 380	CA clear UV 380	PC clear UV 400	PC clear UV 400
Retail unit	2-1.2 W 1 FN DIN CE 1	2-1.2 W 1 FN DIN CE 1	2-1.2 W 1 FN DIN CE 1	2C-1.2 W 1 B 9 KN CE 1	2C-1.2 W 1 B 9 KN CE 1

uvex ultravision				
Art. no.	9301.815	9301.613	9301.813	9301.544
Version	uvex supravision excellence top ventilation closed	uvex supravision excellence gas-proof	uvex supravision excellence with tear-off films, 2 units	anti-fog for combining with helmet and ear defenders uvex K1H and uvex K2H ear defenders are not included! For attaching the uvex ultravision without ear defenders, additional adapters (9924.010) are required!
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 349 B CE	yellow W 166 3459 B CE	transparent grey W 166 349 B CE	transparent grey W 166 34 F CE
Lens	PC clear UV 400	PC clear UV 400	PC clear UV 400	CA clear UV 380
Retail unit	2C-1.2 W 1 B 9 KN CE 1	2C-1.2 W 1 B 9 KN DIN CE 1	2C-1.2 W 1 B 9 KN CE 1	2-1.2 W 1 FN DIN CE 1

Replacement lenses and films					
Art. no.	Replacement lenses		Replacement films		Adapter
Version	9300.517 anti-fog	9300.956 anti-fog	9301.255 uvex supravision excellence	9300.316 replacement films for art. no. 9301.813 clear	9924.010 Adapter for attachment to the helmet without ear defenders
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	-	-
Lens	CA clear UV 380	CA clear UV 380	PC clear UV 400	-	-
Retail unit	2-1.2 W 1 FN DIN CE 1	2C-1.2 W 1 B 9 FN CE 1	2C-1.2 W 1 B 9 KN CE 1	10	1



Safety Goggles

uvex ultravision faceguard · uvex 9405 · uvex 9305



9301.555



9301.318



9301.317

uvex ultravision faceguard

- combines goggles with flip-up face guard
- completely seals the eyes and protects the face

	Goggles with face protection	Face protection	Face protection
Art. no.	9301.555	9301.318	9301.317
Version	Goggles with mouth protection uvex supravision excellence	for all models 9301 with PC lens (except 9301.906) not mounted, without spectacles, uncoated	for all models 9301 with PC lens (except 9301.906) not mounted, without spectacles, uncoated
Standard	EN 166, EN 170	-	-
Frame	transparent grey W 166 349 B CE	-	-
Lens	PC clear UV 400 2C-1.2 W 1 B 9 KN CE	-	-
Retail unit	1	1	1



9405.714



9305.514



9305.714

uvex 9405

- classic goggles with cellulose acetate lens and ventilation system
- mechanical strength F: 45 m/s

	uvex 9405	Replacement lens
Art. no.	9405.714	9400.517
Version	anti-fog	anti-fog
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	-
Lens	CA clear UV 380 W 1 FN DIN CE	CA clear UV 380 W 1 FN DIN CE
Retail unit	4	4

uvex 9305

- classic goggles with cellulose acetate lens and ventilation system
- mechanical strength F: 45 m/s

	uvex 9305	
Art. no.	9305.514	9305.714
Version	anti-fog with rubber headband	anti-fog with textile headband
Standard	EN 166, EN 170	EN 166, EN 170
Frame	transparent grey W 166 34 F CE	transparent grey W 166 34 F CE
Lens	CA clear UV 380 W 1 FN DIN	CA clear UV 380 W 1 FN DIN CE
Retail unit	4	4

laservision

Innovative laser protection solutions

Rapid developments in laser technology mean that personal laser protection is becoming increasingly important. New laser applications in all areas of industry, research and medicine demand new and unique safety solutions. laservision, a member of the uvex group, is one of the leading global producers of laser protection products. It develops, manufactures and distributes laser protection eyewear, large-scale laser protection (mobile screens and safety curtains), small filters and cabin windows for all laser types and areas of use.



Laser protective spectacles and cabin windows

Based on physical properties, such as radiation intensity and focusing capability (spatial coherence), laser light is potentially very hazardous, particularly for the eyes. The valid laser protective norms (EN 207 and EN 208) and safety regulations (BGV B2) stipulating the wearing of laser safety eyewear are the response to such hazards. Laser safety eyewear with coated or absorbent special lenses and plastics is a core focus of the laservision product portfolio. With more than 30 years of experience of laser technology, laservision offers an extensive range of glass and plastic filter materials as windows for installation in machine housings, partitions and curtains.

Active protection systems

For automated laser processing operations, i.e. operations which are not under constant surveillance, to be classified as test class T1, European standard EN 60825-4 housing must maintain a survival rate of 30,000 seconds. However, where laser output and radiation intensity are constantly on the increase, rates of this order are no longer achievable with passive protection systems, particularly in the case of window materials. The newly patented active cabin window system from laservision provides the ideal and simplest solution to this problem in the form of integrated electronics installed within the safety circuitry of the laser system. When laser beams hit the plastic pane with enough output to activate the sensor integrated in the frame, the laser is immediately switched off before hazardous radiation can be transmitted through the pane. The system gives users a complete CE-certified class T1 system in line with the applicable machine construction directive. In combination with an active cabin wall system, this makes a complete and certifiable solution available for industrial high-performance laser units operating in the 820 to 1100 nm wavelength spectrum.

Screens

Alternatively, it is possible to screen out laser radiation by mechanical means and to protect potentially endangered personnel during laser operation. Screening against laser radiation may take the form of curtains, partitions or even fixed insulating walls. These can be installed in the workplace, or they may be integrated in machinery housing. laservision offers standard and customer-specific solutions for screening which comply with the applicable standards. On account of the wide range of possible materials and solutions, we advise our customers on their protection issues in their own premises in order to find the best possible solution.


Training

laservision, in cooperation with the uvex academy offers a programme of modular courses on laser safety. These feature compulsory annual laser safety training together with special courses for those responsible for laser safety, advanced customised seminars, an internship in laser safety and measuring techniques.

laservision is an active and knowledgeable partner for various National and International standards committees and takes part in domestic and international research projects in the field of laser safety in conjunction with research institutions.

laservision

LASERVISION GmbH & Co. KG
Telefon: +49 911 973681-00 · E-Mail: info@lv.com · uvex-laservision.de



Welding Protection

A new generation of welding protection eyewear available with different grey-tint lenses and protection classes. The innovative technology affords protection from UV and infrared light while maintaining perfect colour recognition in line with uvex sunglare filters.

The special uvex infradur plus coating has anti-fog properties which prevents the inside of the lenses misting up and the extreme scratch-resistance on the outside keeps damage from welding sparks to an absolute minimum.

With various welding safety spectacles and goggle solutions, there is something for everyone – enhancing comfort and the wearer experience.

N.B.: Do not use for electric welding.



All welding products have polycarbonate lenses providing protection against impact as well as UV rays, IR rays and visible glare.

The products do not provide protection against laser beams!

For expert advice on safety and in selecting the right laser protection eyewear, talk to our specialists

laservision

Call them on +49 (0)911 9736 8100.

uvex-laservision.com

Welding Protection

uvex i-vo · uvex super fit



uvex i-vo

- fashionable safety spectacles with adjustable side arms
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- reliable protection provided by customised fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their facial shape
- soft, uvex quattroflex arms and soft components at the nose and forehead for a comfortable, pressure-free fit
- the shape of the lenses offers unrestricted peripheral vision


uvex i-vo			
Art. no.	9160.041	9160.043	9160.045
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTKN CE	PC grey UV 400 + IR 3 W 1 FTKN CE	PC grey UV 400 + IR 5 W 1 FTKN CE
Retail unit	5	5	5



uvex super fit

- low weight welding safety spectacles with hinged side arms in a sporty design
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- ultra thin, wraparound lens delivers maximum optical clarity and an excellent field of vision
- low weight design for increased wearer comfort
- permanent anti-fog coating on both sides – eliminating risk of fogging (uvex super fit ETC)
- uvex x-stream technology – side arms graduate from hard to soft material for comfortable, non-slip fit

uvex super fit		
Art. no.	9178.041	9178.043
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3
Standard	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTKN CE	PC grey UV 400 + IR 3 W 1 FTKN CE
Retail unit	5	5



Welding Protection

uvex futura



uvex futura

- classic style spectacles with large field of vision
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- soft, duo-flex ear pieces for a pressure free fit

uvex futura					
Art. no.	9180.141	9180.143	9180.144	9180.145	9180.146
Version	uvex infradur welding protection level 1.7	uvex infradur welding protection level 3	uvex infradur welding protection level 4	uvex infradur welding protection level 5	uvex infradur welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTK CE	PC grey UV 400 + IR 3 W 1 FTK CE	PC grey UV 400 + IR 4 W 1 FTK CE	PC grey UV 400 + IR 5 W 1 FTK CE	PC grey UV 400 + IR 6 W 1 FTK CE
Retail unit	5	5	5	5	5

Replacement lenses					
Art. no.	9180.056	9180.057	9180.058	9180.059	9180.060
Version	uvex infradur welding protection level 1.7	uvex infradur welding protection level 3	uvex infradur welding protection level 4	uvex infradur welding protection level 5	uvex infradur welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Lens	PC grey UV 400 + IR 1.7 W 1 FTK CE	PC grey UV 400 + IR 3 W 1 FTK CE	PC grey UV 400 + IR 4 W 1 FTK CE	PC grey UV 400 + IR 5 W 1 FTK CE	PC grey UV 400 + IR 6 W 1 FTK CE
Retail unit	5	5	5	5	5

Welding Protection

uvex 9116



9116.041



9116.043



9116.045



9116.046



9116.044

uvex 9116

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9116					
Art. no.	9116.041	9116.043	9116.044	9116.045	9116.046
Version	uvex infradur welding protection level 1.7	uvex infradur welding protection level 3	uvex infradur welding protection level 4	uvex infradur welding protection level 5	uvex infradur welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE
Lens	PC grey UV 400 + IR 1,7 W 1 FTK CE	PC grey UV 400 + IR 3 W 1 FTK CE	PC grey UV 400 + IR 4 W 1 FTK CE	PC grey UV 400 + IR 5 W 1 FTK CE	PC grey UV 400 + IR 6 W 1 FTK CE
Retail unit	5	5	5	5	5



Welding Protection

uvex 9104



9104.041



9104.043



9104.044



9104.045



9104.046

uvex 9104

- compact welding safety spectacles with a close fit and anatomically shaped nose bridge
- side shields and integrated brow guard design for increased protection
- with flip-up and easily replaceable filter
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- specially-shaped frames provide protection against particles from below
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- adjustable, soft and comfortable ear pieces

uvex 9104					
Art. no.	9104.041	9104.043	9104.044	9104.045	9104.046
Version	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter	uvex supravision plus with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE	black, green W 166 S CE
Lens	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE	PC clear UV 400 2-1.2 W 1 FKN DIN CE
Additional lens	PC grey, UV 400 + IR 1.7 W 1 FTK CE uvex infradur welding protection level 1.7	PC grey, UV 400 + IR 3 W 1 FTK CE uvex infradur welding protection level 3	PC grey, UV 400 + IR 4 W 1 FTK CE uvex infradur welding protection level 4	PC grey, UV 400 + IR 5 W 1 FTK CE uvex infradur welding protection level 5	PC grey, UV 400 + IR 6 W 1 FTK CE uvex infradur welding protection level 6
Retail unit	5	5	5	5	5

Flip-up replacement part					
Art. no.	9104.081	9104.083	9104.084	9104.085	9104.086
Version	uvex infradur	uvex infradur	uvex infradur	uvex infradur	uvex infradur
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Lens	PC grey UV 400 + IR 1.7 W 1 FTK CE	PC grey UV 400 + IR 3 W 1 FTK CE	PC grey UV 400 + IR 4 W 1 FTK CE	PC grey UV 400 + IR 5 W 1 FTK CE	PC grey UV 400 + IR 6 W 1 FTK CE
Retail unit	5	5	5	5	5

Welding Protection

uvex astrospec 2.0



9164.141



9164.143



9164.144



9164.145



9164.146

uvex astrospec 2.0

- innovative development of the world's most popular uvex astrospec safety spectacles
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- panoramic polycarbonate lens with integrated side shield for optimum protection of the whole eye
- fully adjustable side arms enable wearers to achieve a customised fit: multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- uvex ventilation system with integrated brow guard for added comfort
- soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) for pressure free fit
- fits easily into breast pocket thanks to flat-fold design

uvex astrospec 2.0

Art. no.	9164.141	9164.143	9164.144	9164.145	9164.146
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 4	uvex infradur plus welding protection level 5	uvex infradur plus welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FTKN CE	PC grey UV 400 + IR 3 W 1 FTKN CE	PC grey UV 400 + IR 4 W 1 FTKN CE	PC grey UV 400 + IR 5 W 1 FTKN CE	PC grey UV 400 + IR 6 W 1 FTKN CE
Retail unit	5	5	5	5	5

Levels of welding protection and recommendations for use according to EN 169

Level of protection	Use	Gas used	Flow rate (l/h)
1.7	Protection against scattered rays for welding assistants	–	–
3	Lightweight oxyacetylene cutting	–	–
4	Welding and braze welding	Acetylene	< 70
5	Welding and braze welding Oxyacetylene cutting	Acetylene Oxygen	70 – 200 900 – 2,000
6	Welding and braze welding Oxyacetylene cutting	Acetylene Oxygen	200 – 800 2,000 – 4,000



Welding Protection

uvex 9161 · uvex super f OTG



uvex 9161

- welding overspecs for wearers of prescription glasses
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- fully adjustable side arms enable wearers to achieve a customised fit:
 - multi-level side arm inclination and four different side arm lengths adjust to suit any facial shape
- unrestricted peripheral vision
- pressure-free fit with soft uvex duoflex arms

uvex 9161					
Art. no.	9161.141	9161.143	9161.144	9161.145	9161.146
Version	uvex infradur welding protection level 1.7	uvex infradur welding protection level 3	uvex infradur welding protection level 4	uvex infradur welding protection level 5	uvex infradur welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE	black, green W 166 F CE
Lens	PC grey UV 400 + IR 1.7 W 1 FT CE	PC grey UV 400 + IR 3 W 1 FT CE	PC grey UV 400 + IR 4 W 1 FT CE	PC grey UV 400 + IR 5 W 1 FT CE	PC grey UV 400 + IR 6 W 1 FT CE
Retail unit	5	5	5	5	5



uvex super f OTG

- welding overspecs with arm-hinge concept for wearers of prescription glasses
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- unrestricted peripheral vision
- soft arm ends for increased comfort

uvex super f OTG			
Art. no.	9169.541	9169.543	9169.545
Version	uvex infradur plus welding protection level 1.7	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black, green W 166 FT CE	black, green W 166 FT CE	black, green W 166 FT CE
Lens	PC grey UV 400 + IR 1.7 W 1 FT KN CE	PC grey UV 400 + IR 3 W 1 FT KN CE	PC grey UV 400 + IR 5 W 1 FT KN CE
Retail unit	5	5	5

Welding Protection

uvex carbonvision · uvex ultravision



9307.043



9307.045



9307.046

uvex carbonvision

- low profile wraparound style welding goggle
- lightweight at just 46 g
- highly compatible with other PPE, such as helmets
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- low profile frame and high mechanical strength (B: 120 m/s)
- panoramic lens for unrestricted field of vision

uvex carbonvision			
Art. no.	9307.043	9307.045	9307.046
Version	uvex infradur plus welding protection level 3	uvex infradur plus welding protection level 5	uvex infradur plus welding protection level 6
Standard	EN 166, EN 169	EN 166, EN 169	EN 166, EN 169
Frame	black W 166 34 B CE	black W 166 34 B CE	black W 166 34 B CE
Lens	PC grey UV 400 + IR 3 W 1 BKN CE	PC grey UV 400 + IR 5 W 1 BKN CE	PC grey UV 400 + IR 6 W 1 BKN CE
Retail unit	5	5	5



9301.145



9301.185

uvex ultravision

- classic style welding goggle with unrestricted field of vision
- classic goggle style that can be worn over prescription spectacles
- with flip-up and easily replaceable filter
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- high mechanical strength of the polycarbonate lens (B: 120 m/s)
- indirect ventilation system helps maintain a comfortable climate around the eyes

uvex ultravision		Replacement lens
Art. no.	9301.145	9301.185
Version	uvex infradur plus welding protection level 5	uvex infradur plus welding protection level 5
Standard	EN 166, EN 169	EN 166, EN 169
Frame	black W 166 3 B CE	-
Lens	PC grey UV 400 + IR 5 W 1 BKN CE	PC grey UV 400 + IR 5 W 1 BKN CE
Retail unit	1	1



Welding Protection

uvex ultrasonic flip-up



9302.043



9302.045



9302.083



9302.085

uvex ultrasonic flip-up

- welding goggles in sporty design, can also be worn over prescription spectacles
- lenses can be changed
- perfect colour recognition
- new filter technology combines UV and IR radiation protection
- minimum damage from welding sparks
- high mechanical strength (B: 120 m/s)
- wide panoramic field of vision
- a combination of hard and soft components create soft, effect, pressure free seal for comfortable all day wear

uvex ultrasonic		
Art. no.	9302.043	9302.045
Version	uvex supervision excellence with flip-up and easily replaceable filter	uvex supervision excellence with flip-up and easily replaceable filter
Standard	EN 166, EN 169, EN 170	EN 166, EN 169, EN 170
Frame	black, green W 166 349 B CE	black, green W 166 349 B CE
Lens	PC clear UV 400 2-1.2 W 1 B9 KN DIN CE	PC clear UV 400 2-1.2 W 1 B9 KN DIN CE
Additional lens	PC grey UV 400 + IR uvex infradur 3 W 1 CE welding protection level 3	PC grey UV 400 + IR uvex infradur 5 W 1 CE welding protection level 5
Retail unit	4	4

Replacement lenses		
Art. no.	9302.083	9302.085
Version	uvex infradur	uvex infradur
Standard	EN 166, EN 169	EN 166, EN 169
Lens	PC grey UV 400 + IR 3 W 1 CE welding protection level 3	PC grey UV 400 + IR 5 W 1 CE welding protection level 5
Retail unit	4	4

Accessories

uvex cleaning accessories



9970.002



9963.000

uvex spectacle cleaning station

- including
- 2 x 9971.000
- 1 x 9972.100
- 1 x 9973.100

uvex spectacle cleaning station	
Art. no.	9970.002
Retail unit	1

uvex cleaning fluid

- 0.5 l cleaning fluid
- suitable for all viewing lenses

uvex cleaning fluid	
Art. no.	9972.100
Retail unit	1

Plastic pump

- for uvex cleaning fluid 9972.100

Plastic pump	
Art. no.	9973.100
Retail unit	1

Cleaning papers

- replacement silicone-free paper
- approx. 700 sheets
- antistatic
- suitable for all uvex lenses

Cleaning papers	
Art. no.	9971.000
Retail unit	1

uvex lens cleaning towelettes

- 100 towelettes per box
- silicone-free
- not antistatic
- individually sealed
- for all uvex lenses

uvex cleaning towelettes	
Art. no.	9963.000
Retail unit	5

- wall mount for individually sealed lens cleaning wipes
- assembly accessories included

Wall mount	
Art. no.	9963.001
Retail unit	1



9973.100



9972.100



9971.000



9963.001



Accessories


uvex eyewear straps and uvex hang-cords



9958.006



9958.003



9959.003



9959.002

uvex eyewear headband

- adjustment toggle for individual length adjustment
- metal-free

uvex eyewear headband	
Art. no.	9958.006
Retail unit	10

uvex eyewear headband

- fully adjustable
- metal-free

uvex eyewear headband	
Art. no.	9958.003
Retail unit	10

uvex eyewear cord

- for all uvex flex arms
- for all soft arms and duo flex ear pieces (uvex skyper models)

uvex eyewear cord	
Art. no.	9959.003
Retail unit	10

uvex eyewear cord

- suitable for all uvex spectacles

uvex eyewear cord	
Art. no.	9959.002
Retail unit	10



9958.020



9959.004

uvex pheos headband

- for attaching to uvex pheos standard and uvex pheos small
- metal-free
- individual length adjustment

uvex pheos headband	
Art. no.	9958.020
Retail unit	10

uvex eyewear cord

- for uvex models 9192, 9172, 9160, 9195, 9196, 9197, 9175, 9174, 9188, 9194
- metal-free
- individual length adjustment

uvex eyewear cord	
Art. no.	9959.004
Retail unit	10

see page 29

Accessories

uvex safety eyewear cases



9954.600

uvex eyewear case

- hard shell case in modern design
- extremely robust design to protect against external damage
- soft interior
- belt loop for ease of carrying
- practical snap hook
- specially for curved spectacles (e.g. uvex i-vo)

uvex eyewear case	
Art. no.	9954.600
Retail unit	5



9954.500

uvex eyewear case

- extremely robust case
- reinforced zip for extra strength
- belt loop
- extra space for replacement lens
- suitable for all uvex spectacles (except 9169)

uvex eyewear case	
Art. no.	9954.500
Retail unit	5



9954.501

uvex eyewear case

- goggle case with zip and belt loop
- large and very robust
- extra space for replacement lens
- suitable for spectacles and goggles

uvex eyewear case	
Art. no.	9954.501
Retail unit	5



Accessories

uvex safety eyewear cases



6118.002



9954.650



9954.355



9954.360



9957.502

uvex eyewear case

- flexible case made from robust nylon material
- extendable zip on side to increase space
- individually adjustable velcro fastening
- comes with belt loop
- suitable for all spectacles

uvex eyewear case

Art. no. 6118.002

Retail unit 1

uvex eyewear case

- flexible case made from robust nylon material
- individually adjustable velcro fastening
- comes with belt loop
- for goggle models uvex 9308 and uvex 9307

uvex eyewear case

Art. no. 9954.650

Retail unit 5

uvex microfibre case

- elegant microfibre case
- for uvex spectacles models

uvex microfibre case

Art. no. 9954.355

Retail unit 5

- elegant microfibre case
- for uvex goggles and overspecs

uvex microfibre case

Art. no. 9954.360

Retail unit 5

uvex SECU box

- storage box for wall assembly
- for spectacles and goggles:
 - 2 goggles or
 - 3 spectacles or
 - 1 goggles and 2 spectacles

uvex SECU box

Art. no. 9957.502

Retail unit 1

Safety Eyewear

Overview

Model	Name	Product	Retail unit	Page	uvex supravision excellence	uvex supravision extreme	uvex supravision clean	uvex supravision sapphire	uvex supravision plus	ETC (extreme)	uvex AR (anti-reflective)	uvex supravision variomatic	silver mirror	blue mirror	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog	scratch-resistant	scratch-resistant + anti-fog	uncoated
9104	uvex 9104	Safety spectacles – welding protection	5	57					■						■						
9104	uvex 9104	Replacement flip-up part	1	57											■						
9116	uvex 9116	Safety spectacles – welding protection	5	56											■						
9130	uvex cosmoflex	Plastic temple spectacles	5	38				■													■
9134	uvex meteor	Plastic temple spectacles	5	38				■													
9148	uvex 9148	Metal temple spectacles	5	41				■													
9149	uvex 9149	Metal temple spectacles	5	41				■													
9153	uvex racer MT	Metal temple spectacles	5	40									■							■	
9155	uvex mercury	Metal temple spectacles	5	41				■													
9159	uvex winner	Metal temple spectacles	5	40															■	■	
9160	uvex i-vo	Plastic temple spectacles	5	32	■			■													
9160	uvex i-vo	Replacement lenses	5	32	■			■													
9160	uvex i-vo	Safety spectacles – welding protection	5	54												■					
9161	uvex 9161	Plastic temple spectacles	12	42				■	■												
9161	uvex 9161	Safety spectacles – welding protection	12	59											■						
9164	uvex astrospec 2.0	Plastic temple spectacles	5	27	■	■		■	■												
9164	uvex astrospec 2.0	Safety spectacles – welding protection	5	58												■					
9168	uvex astrospec	Plastic temple spectacles	5	36	■			■													
9168	uvex astrospec	Replacement lenses	5	36	■			■													
9169	uvex super OTG	Plastic temple spectacles	5	42	■			■													
9169	uvex super f OTG	Plastic temple spectacles	5	43				■				■									
9169	uvex super f OTG	Plastic temple spectacles, UV 525	1	43				■													
9169	uvex super f OTG CR	Plastic temple spectacles	5	33/43				■													
9169	uvex super f OTG	Safety spectacles – welding protection	5	59												■					
9172	uvex super g	Plastic temple spectacles	5	30	■			■	■				■								
9172	uvex super g	Replacement lens	5	30	■																
9174	uvex skylite	Plastic temple spectacles	5	37				■													
9175	uvex skyguard NT	Plastic temple spectacles	5	37	■	■															
9177	uvex x-trend	Plastic temple spectacles	5	36	■																
9178	uvex super fit	Plastic temple spectacles	5	31	■			■	■												
9178	uvex super fit ETC	Plastic temple spectacles	5	31						■											
9178	uvex super fit CR	Plastic temple spectacles	5	31/33				■													
9178	uvex super fit	Safety spectacles – welding protection	5	54												■					
9180	uvex futura	Plastic temple spectacles	5	38				■	■												
9180	uvex futura	Replacement lenses	5	38				■	■												
9180	uvex futura	Safety spectacles – welding protection	5	55											■						
9180	uvex futura	Replacement lenses – welding protection	5	55											■						
9182	uvex futura	Plastic temple spectacles	5	38				■													
9182	uvex futura	Replacement lenses	5	38				■													
9188	uvex cybric	Plastic temple spectacles	5	39				■	■					■							
9188	uvex cyberguard	Plastic temple spectacles	5	39					■												
9188	uvex cybric/cyberguard	Extra frame	10	39																	
9190	uvex i-3	Plastic temple spectacles	5	25	■			■	■		■		■								
9190	uvex i-3	Plastic temple spectacles	1	25								■									
9190	uvex i-3	Replacement lens	5	25	■																
9192	uvex pheos/uvex pheos s	Plastic temple spectacles	5	28/29	■	■		■					■								



Model	Name	Product	Retail unit	Page	uvex supravision excellence	uvex supravision extreme	uvex supravision clean	uvex supravision sapphire	uvex supravision plus	ETC (extreme)	uvex AR (anti-reflective)	uvex supravision variomatic	silver mirror	blue mirror	uvex infradur	uvex infradur plus	CA uncoated	CA anti-fog	scratch-resistant	scratch-resistant + anti-fog	uncoated
9192	uvex pheos blue/uvex pheos s blue	Plastic temple spectacles	5	28	■																
9192	uvex pheos guard/uvex pheos s guard	uvex pheos headband version	4	29		■															
9192	uvex pheos/uvex pheos s	Extra frame	20	29																	
9193	uvex sportstyle	Plastic temple spectacles	5	21		■															
9194	uvex i-works	Plastic temple spectacles	5	26	■								■								
9195	uvex skyper	Plastic temple spectacles	5	34	■			■													
9195	uvex skyper	Replacement lenses	5	34	■			■													
9196	uvex skyper s	Plastic temple spectacles	5	34	■			■													
9197	uvex skyper sx2	Plastic temple spectacles	5	35	■			■													
9197	uvex skyper sx2	Replacement lens	5	35				■													
9197	uvex skybrite sx2	Plastic temple spectacles	5	35	■								■								
9198	uvex pheos cx2	Plastic temple spectacles	5	23	■																
9231	uvex polavision	Plastic temple spectacles	1	39																	■
9300	uvex ultravision	Tear-off films	2	50																	
9301	uvex ultravision	Safety goggles	10	50	■				■												■
9301/9300	uvex ultravision	Replacement lenses	5	50	■																■
9301	uvex ultravision faceguard	Safety goggles	1	51	■																
9301	uvex ultravision	Mouth shield	1	51	■																
9301	uvex ultravision	Safety goggles – welding protection	10	60												■					
9302	uvex ultrasonic	Safety goggles	4	46/47	■	■															
9302	uvex ultrasonic	Replacement lenses	5	46	■																
9302	uvex ultrasonic CR	Safety goggles	4	33/47			■														
9302	uvex ultrasonic flip-up	Safety goggles – welding protection	4	61	■											■					
9302	uvex ultrasonic flip-up	Replacement lenses – welding protection	5	61												■					
9305	uvex 9305	Safety goggles	12	51																	■
9307	uvex carbonvision	Safety goggles	5	49		■															
9307	uvex carbonvision	Safety goggles – welding protection	5	60												■					
9308	uvex u-sonic	Safety goggles	5	45	■	■		■													
9308	uvex u-sonic	Add-on lens	5	45				■													
9308	uvex u-sonic	Replacement lenses	5	45	■																
9405	uvex 9405	Safety goggles	12	51																	■
9400	uvex 9405	Replacement lens	5	51																	■
6118		Safety eyewear case	1	65																	
9954		Safety eyewear cases	5	64/65																	
9954		Microfibre case	5	65																	
9957		SECU box	1	65																	
9958		Headband for uvex temple spectacles	10	63																	
9958	uvex pheos	Headband	5	63																	
9959		Neck hang cord for uvex spectacles	10	63																	
9963		Cleaning towelettes	5	62																	
9963		Wall holder	1	62																	
9970		Cleaning station	1	62																	
9971		Replacement cleaning papers	1	62																	
9972		Cleaning fluid	1	62																	
9973		Plastic pump	1	62																	

Applications

Always the perfect solution

Working conditions	Eyewear model	Lens material	Lens tint	Lens coating
Light and precision engineering	Spectacles	HG PC	clear	uvex supravision plus uvex supravision sapphire uvex supravision excellence uvex supravision extreme
Assembly, maintenance	Spectacles	HG PC	clear	uvex supravision plus uvex supravision sapphire uvex supravision excellence uvex supravision extreme
Grinding, angle grinding	Spectacles, Goggles	HG VG PC	clear	uvex supravision sapphire uvex supravision excellence uvex supravision variomatic uvex supravision extreme
Turning Milling	Spectacles	HG PC	clear	uvex supravision plus uvex supravision sapphire uvex supravision excellence uvex supravision extreme
Dusty environments	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Foundry cleaning	Goggles	PC	clear	uvex supravision excellence uvex supravision extreme
Forestry and agriculture	Spectacles	PC	clear amber	uvex supravision excellence uvex supravision extreme
Laboratory	Spectacles Goggles	HG PC	clear light blue	uvex supravision sapphire uvex supravision excellence uvex supravision extreme uvex supravision plus
Working with acids and galvanic media	Goggles	PC CA	clear	uvex supravision excellence uvex supravision extreme
Spot welding, soldering	Spectacles, Goggles	G PC	welding shade grey	uvex infradur uvex infradur plus
Oxygene cutting Gas welding, braze welding Welders assistant	Spectacles, Goggles	G PC	welding shade grey	uvex infradur uvex infradur plus
Foundries	Spectacles	G PC	welding shade grey	uvex infradur uvex infradur plus
Furnaces	Spectacles, Goggles	G PC	welding shade grey	uvex infradur uvex infradur plus
Outdoors – sunglare	Spectacles	PC	grey brown silver mirror	uvex supravision excellence uvex supravision extreme uvex supravision plus uvex supravision sapphire
Offshoring/maritime	Spectacles	PC	uvex variomatic uvex polavision	uvex supravision variomatic uvex polavision
Strong lighting, glare, mixed lighting	Spectacles	PC	clear light blue	uvex supravision AR
Working conditions under short-wave blue light up to 525 nm	Overspecs	PC	orange	uvex supravision sapphire
Sterile working conditions	Spectacles, Goggles	PC	clear	uvex supravision clean
Plant visitors	Spectacles, Overspecs	PC	clear	uvex supravision excellence uvex supravision plus uvex supravision sapphire uvex supravision extreme uncoated