

Safety Helmets



uvex

uvex i-gonomics

Measurable stress reduction for safety helmets

uvex i-gonomics is redefining wearer comfort. The innovative product system distinguishes itself through ergonomic fit, light weight and ideal temperature control properties resulting in evenly distributed weight, freedom of movement and a comfortable interior climate enabling wearers to get on with the job at hand, even in extreme conditions.

uvex pheos visor





The uvex pheos safety helmet and visor combined seamlessly. The visor's magnetic locking system evenly distributes weight across the body's centre of gravity: significantly reducing the onset of fatigue and ensuring high levels of wearer comfort. Its exceptional RI value of 4.57 means the innovative helmet system is ideally suited for all applications in construction and industry.

* independently tested by the Chemnitz Technical University

Relief-Index

4.57 

The relief index is calculated using the mean value of the three index values (IV) for force, weight and temperature – ranging from 0 (= poor) to 5 (=perfect).



force

- Test method: twist moment measurement in the neck area*
- Test result: twist moment = 0.47 Nm (IV 4.3)
- Minimises stress on the head and neck, reduces onset of fatigue



weight

- Test method: visor weight (without helmet)
- Test result: product weight = 230 g (IV 4.6)
- High levels of wearer comfort and sustained performance



clima

- Test method: uvex benchmark test "Anti-fog"
- Anti-fog performance = 29 points (IV 4.8)
- Fog-free vision even under extreme conditions




uvex pheos

IES ensures eyewear is always where it should be.

When combining helmets and safety eyewear, the position of the eyewear is related to that of the helmet shell. If the helmet shifts as a result of sudden movement, this inevitably means the visor moves, which can be dangerous as it changes light conditions.

IES stands for Integrated Eyewear System and the name says it all: With this system, uvex pheos safety spectacles can be pushed up inside the uvex pheos helmet or pulled down to sit on the nose. The sliding element can be swiveled, so that the helmet can move, while the eyewear keeps its position.



Simple to use

The clip system with the integrated spectacle means eyewear can be easily attached and removed for cleaning or replacement.



Integrated Eyewear System

The nose piece of uvex pheos safety spectacles is clicked into the mount and locked into the sliding element in the interior of the helmet.

Increased flexibility

The duo-spherical lenses of the uvex pheos safety spectacles not only ensure a wide field of vision and an optimum fit, but are also available with a range of different tint and coating options to the lenses.

Increased safety

This unique construction means that forces impacting on the helmet are not transferred to eyewear, ensuring the best possible protection for the wearer.

Functionality uvex pheos IES

The spectacles have a set storage spot in the helmet. If safety eyewear is required, it can be pulled down quickly and easily.

Safety Helmets

uvex pheos IES · uvex pheos B · uvex pheos B-WR



9772.040



9772.140



9772.240



9772.320



9772.520



9772.430



9772.930

uvex pheos IES

- safety helmet with slots for uvex visors, earmuffs, lamps and Integrated Eyewear System (IES)
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment – also has the option to mount uvex pheos safety spectacles
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos IES

Art. no.	9772.040	9772.140	9772.240	9772.340	9772.540
Colour	white	yellow	orange	red	blue
Version	with long brim and IES (Integrated Eyewear System)				
Standard	EN 397	EN 397	EN 397	EN 397	EN 397
-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	55 to 61 cm	55 to 61 cm	55 to 61 cm	55 to 61 cm	55 to 61 cm
Retail unit	1	1	1	1	1
Quantity in outer box	25	25	25	25	25



2013

uvex pheos B · uvex pheos B-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos B-WR)
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B

Art. no.	9772.020	9772.120	9772.220	9772.320	9772.520	9772.920
Colour	white	yellow	orange	red	blue	black
Version	with long brim					
Standard	EN 397					
-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 61 cm					
Retail unit	1	1	1	1	1	1
Quantity in outer box	25	25	25	25	25	25

uvex pheos B-WR

Art. no.	9772.030	9772.130	9772.230	9772.330	9772.430	9772.530	9772.930
Colour	white	yellow	orange	red	green	blue	black
Version	with long brim						
Standard	EN 397						
-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm						
Retail unit	1	1	1	1	1	1	1
Quantity in outer box	25	25	25	25	25	25	25



Safety Helmets

uvex pheos B-S-WR · uvex pheos E · uvex pheos E-WR



uvex pheos B-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos B-S-WR						
Art. no.	9772.031	9772.131	9772.332	9772.531	9772.832	9772.932
Colour	white	yellow	red	blue	dark grey	black
Version	with short brim					
Standard	EN 397					
	-30 °C, MM					
Sizes	52 to 61 cm					
Retail unit	1	1	1	1	1	1
Quantity in outer box	25	25	25	25	25	25



uvex pheos E · uvex pheos E-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)
- conventional suspension harness for comfortable adjustable fit (uvex pheos E)
- suspension harness with wheel ratchet for variable width adjustment (uvex pheos E-WR)
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E					
Art. no.	9770.020	9770.120	9770.230	9770.430	9770.530
Colour	white	yellow	orange	green	blue
Version	with long brim				
Standard	EN 397				
	EN 50365 (100 V AC)				
	-30 °C, MM				
Sizes	51 to 61 cm				
Retail unit	1	1	1	1	1
Quantity in outer box	25	25	25	25	25

uvex pheos E-WR						
Art. no.	9770.030	9770.130	9770.230	9770.330	9770.430	9770.530
Colour	white	yellow	orange	red	green	blue
Version	with long brim					
Standard	EN 397					
	EN 50365 (100 V AC)					
	-30 °C, MM					
Sizes	52 to 61 cm					
Retail unit	1	1	1	1	1	1
Quantity in outer box	5	5	5	5	5	5

Safety Helmets

uvex pheos E-S-WR · uvex 9780 antistatic · uvex 9780 antistatic-WR



9770.031



9770.131



9770.832

uvex pheos E-S-WR

- safety helmet with slots for uvex visors, earmuffs and lamps
- side Euroslot adapters (30 mm) for attaching earmuffs
- suitable for use by electricians as helmet shell is fully enclosed
- meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash and is approved in accordance with EN 50365 (1000 V AC)

- suspension harness with wheel ratchet for variable width adjustment
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex pheos E-S-WR

	Art. no.	9770.031	9770.131	9770.231	9770.331	9770.531	9770.832	9770.931
Colour	white	yellow	orange	red	blue	dark grey	black	
Version	with short brim							
Standard	EN 397 EN 50365 (1000 V AC)							
Sizes	-30 °C, MM 52 to 61 cm							
Retail unit	1	1	1	1	1	1	1	1
Quantity in outer box	5	5	5	5	5	5	5	5



9780.020



9780.030



9780.550

uvex 9780 antistatic · uvex 9780 antistatic-WR

- safety helmet with slots for uvex visors, earmuffs and lamps (ATEX certified only)
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for molten metal (MM) splash
- suitable for unrestricted application in accordance with Equipment Groups I and II for use in potentially explosive atmospheres (in accordance with ATEX Directive 94/9/EC)
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex 9870 antistatic)
- suspension harness with wheel ratchet for variable width adjustment (uvex 9870 antistatic-WR)
- six-point textile band attachment ensures optimal fit and comfort

	uvex 9780 antistatic	uvex 9780 antistatic-WR
Art. no.	9780.020	9780.030
Colour	white	white
Version	with long brim	with long brim
Standard	EN 397 ATEX Directive 94/9/EC	EN 397 ATEX Directive 94/9/EC
Sizes	51 to 61 cm	52 to 61 cm
Retail unit	1	1
Quantity in outer box	25	25

Safety Helmets

uvex pheos alpine



9773.050



9773.150



9773.250



9773.350



9773.450



9773.550



9773.950

uvex pheos alpine

- multifunctional helmet for working at heights and rescue operations
- combination of features from the industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- side Euroslot adapters (30 mm) for attaching earmuffs
- options for attaching head torches, goggles and face protection
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- firmly riveted four-point chin strap for use in accordance with EN 12492
- chin strap included (art. no. 9790.005) for use in accordance with EN 397
- light ABS helmet shell offers high level of protection and durability

- six-point textile band attachment ensures optimal fit and great comfort
- suspension harness with wheel ratchet for variable width adjustment
- shorter brim for a wider field of upward vision
- delivered as standard with a black PU sweatband (art. no. 9760.009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760.005)



2013

uvex pheos alpine							
Art.no.	9773.050	9773.150	9773.250	9773.350	9773.450	9773.550	9773.950
Colour	white	yellow	orange	red	green	blue	black
Version	with short brim						
Standard	EN 397 EN 12492 -30 °C						
Sizes	52 to 61 cm						
Retail unit	1	1	1	1	1	1	1
Quantity in outer box	6	6	6	6	6	6	6

Safety Helmets

uvex pheos forest · Reflective stripes



uvex pheos forestry worker set

- set specially developed to meet the needs of forestry workers and consisting of the uvex pheos B-WR safety helmet 9772.230, uvex dBex earmuffs complete 3000.165 and metal mesh visor 9790.044
- meets standards EN 166, 1731, 352-1 and 397 and additional requirement for very low temperatures (-30 °C)
- the mesh visor, which can be locked in position, protects the wearer from foreign bodies while maintaining clear vision
- earmuffs complete the safety helmet for all-round protection
- three variable air vents for maximum ventilation
- suspension harness with wheel ratchet for variable width adjustment

► Note:

If the set is to be used without hearing protection, additional adapters are required to attach the visor (art. no. 9790.042).

uvex pheos forestry worker set

Art.no.	9774.233
Version	complete set for forestry work
Standard	EN 397, EN 1731, EN 352-1, EN 166
Colour	-30 °C
Sizes	orange
Retail unit	52 to 61 cm
Quantity in outer box	1
	25

Individual parts of the uvex pheos forestry worker set

Art.no.		Retail unit
9790.040	Helmet bracket	1 unit
9790.044	Mesh visor (metal) or	1 unit
9790.043	Mesh visor (nylon)	1 unit
3000.165	Earmuffs with helmet attachment uvex dBex 3000H	1 pair
9790.042	Adapter (for attaching without helmet earmuffs)	1 pair



9790.018

uvex pheos reflex set M

- highly reflective sticker set
- extremely high brightness with prism film
- easy to affix
- suitable for all uvex pheos and uvex pheos alpine safety helmets

uvex pheos reflex set M

Art.no.	9790.018
Retail unit	1

uvex pheos reflex set L

- safety helmet with highly reflective sticker set
- helmets are delivered with the stickers already applied
- customized helmets cannot be exchanged

► Please contact our service hotline free of charge on
+49 911 9736-0.

uvex pheos reflex set L

Art.no.	Colour	Version
9772.026	white	uvex pheos B with reflective sticker
9772.126	yellow	uvex pheos B with reflective sticker
9772.226	orange	uvex pheos B with reflective sticker
9772.326	red	uvex pheos B with reflective sticker
9772.526	blue	uvex pheos B with reflective sticker
9772.926	black	uvex pheos B with reflective sticker
9772.035	white	uvex pheos B-WR with reflective sticker
9772.138	yellow	uvex pheos B-WR with reflective sticker
9772.236	orange	uvex pheos B-WR with reflective sticker
9772.538	blue	uvex pheos B-WR with reflective sticker
9772.936	black	uvex pheos B-WR with reflective sticker
9772.038	white	uvex pheos B-S-WR with reflective sticker
9772.137	yellow	uvex pheos B-S-WR with reflective sticker
9772.537	blue	uvex pheos B-S-WR with reflective sticker
9770.026	white	uvex pheos E with reflective sticker
9770.126	yellow	uvex pheos E with reflective sticker
9770.036	white	uvex pheos E-WR with reflective sticker
9770.136	yellow	uvex pheos E-WR with reflective sticker



uvex pheos reflex set L
(select preferred helmet colour)



Safety Helmets

uvex airwing B · uvex airwing B-WR · uvex super boss



9762.020



9762.220



9762.420



9762.920



9762.130



9762.330



9762.530

uvex airwing B · uvex airwing B-WR

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- three variable air vents for maximum ventilation

- conventional suspension harness for comfortable adjustable fit (uvex airwing B)
- suspension harness with wheel ratchet for variable width adjustment (uvex airwing B-WR)
- six-point textile band attachment ensures optimal fit and comfort

uvex airwing B

Art.no.	9762.020	9762.120	9762.220	9762.320	9762.420	9762.520	9762.920
Colour	white	yellow	orange	red	green	blue	black
Version	with long brim						
Standard	EN 397						
	-30 °C						
Sizes	51 to 61 cm						
Retail unit	1	1	1	1	1	1	1
Quantity in outer box	25	25	25	25	25	25	25

uvex airwing B-WR

Art.no.	9762.030	9762.130	9762.230	9762.330	9762.430	9762.530
Colour	white	yellow	orange	red	green	blue
Version	with long brim					
Standard	EN 397					
	-30 °C					
Sizes	52 to 61 cm					
Retail unit	1	1	1	1	1	1
Quantity in outer box	25	25	25	25	25	25



9750.020



9750.120



9750.520

uvex super boss

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-20 °C)
- conventional suspension harness for comfortable adjustable fit
- adjustable side ventilation slits
- six-point textile band attachment ensures optimal fit and comfort

uvex super boss

Art.no.	9750.020	9750.120	9750.520
Colour	white	yellow	blue
Version	with long brim	with long brim	with long brim
Standard	EN 397	EN 397	EN 397
	-20 °C	-20 °C	-20 °C
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm
Retail unit	1	1	1
Quantity in outer box	25	25	25

Safety Helmets

uvex airwing B-S · uvex airwing B-S-WR · uvex thermo boss



uvex airwing B-S · uvex airwing B-S-WR

- safety helmet with slots for uvex visors and earmuffs
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement for very low temperatures (-30 °C)
- three variable air vents for maximum ventilation
- conventional suspension harness for comfortable adjustable fit (uvex airwing B-S)

- suspension harness with wheel ratchet for variable width adjustment (uvex airwing B-S-WR)
- shorter brim for a wider field of upward vision
- six-point textile band attachment ensures optimal fit and comfort

uvex airwing B-S				
Art.no.	9762.021	9762.121	9762.321	9762.421
Colour	white	yellow	red	green
Version	with short brim	with short brim	with short brim	with short brim
Standard	EN 397	EN 397	EN 397	EN 397
	-30 °C	-30 °C	-30 °C	-30 °C
Sizes	51 to 61 cm			
Retail unit	1	1	1	1
Quantity in outer box	25	25	25	25

uvex airwing B-S-WR				
Art.no.	9762.031	9762.131	9762.331	9762.431
Colour	white	yellow	red	green
Version	with short brim	with short brim	with short brim	with short brim
Standard	EN 397	EN 397	EN 397	EN 397
	-30 °C	-30 °C	-30 °C	-30 °C
Sizes	52 to 61 cm			
Retail unit	1	1	1	1
Quantity in outer box	25	25	25	25



uvex thermo boss


- safety helmet with slots for uvex visors and earmuffs
- the helmet shell is made from heat-resistant polycarbonate and is suitable for use in high ambient temperatures.
- side Euroslot adapters (30 mm) for attaching earmuffs
- meets standard EN 397 and additional requirement (440 V AC) +150 °C
- conventional suspension harness for comfortable adjustable fit
- six-point textile band attachment ensures optimal fit and comfort

uvex thermo boss			
Art.no.	9754.000	9754.100	9754.300
Colour	white	yellow	red
Version	with long brim	with long brim	with long brim
Standard	EN 397	EN 397	EN 397
	+150 °C	+150 °C	+150 °C
Sizes	51 to 61 cm	51 to 61 cm	51 to 61 cm
Retail unit	1	1	1
Quantity in outer box	25	25	25

uvex pheos visor system

Perfect ergonomics. Maximum functionality.

Every detail of the new pheos helmet system has been carefully thought through to deliver an advanced head protection solution. The magnetic locking system makes it even easier to attach the visor, while the ergonomic joint system makes it extremely comfortable to wear, even for long periods



Perfect „resting position“ for the visor and hearing protection

The visor can be locked above the helmet shell when not required, while the hearing protection can be folded back. Everything fits closely to the helmet and is perfectly balanced – ensuring maximum comfort and freedom of movement. There is no unnecessary weight to strain the muscles of the neck.



Magnetic lock system
for visor and earmuffs

Comfortable to wear in every position

The joint system designed to improve the helmets ergonomics, evenly distributes the weight of all attachments across the body's centre of gravity – ensuring it can be worn without causing fatigue.

One click visor attachment system

The unique magnetic lock system means parts click together easily – the helmet does not need to be removed when attaching or changing the visor.

Adapts perfectly to your requirements due to the flexible modular system.

Whether to protect against splinters or sparks, when working with noisy machinery or at height: the uvex pheos modular system can be quickly and easily adapted to your workplace environment – interchangeable components fit perfectly into the ergonomic structure.

MADE IN GERMANY 



Optimal vision

The anti-fog, scratch resistant, high quality polycarbonate visor complies with the specifications of the top optical grade – and is available as a clear or tinted shade option.

You can find suitable visors for the uvex pheos helmet system on page 106.

Reliable face protection

The visor fits the helmet seamlessly, leaving no gaps: the injection moulded, transparent peak provides optimum protection in preventing particles penetrating the inside of the visor.



Safety Helmets

uvex pheos visor system



uvex pheos visor

- polycarbonate visors with uvex supravision excellence coating technology
- available with two alternative mountings: mechanical levers or automatic magnetic locks
- visors 9906.002 and 9906.003 are compatible with the uvex pheos E-S-WR and uvex pheos B-S-WR safety helmets, as well as with the uvex pheos alpine safety helmet for working at heights (the visor adapter art. no. 9790.067 is required for combination with the uvex pheos alpine safety helmet)
- visors uvex pheos SLB 1 and uvex pheos SLB 2 can be combined with the uvex pheos E-S-WR safety helmet
- visor 9906.002 can be combined with earmuffs uvex pheos K2H (mechanical), art. no. 2600.204
- visor 9906.003 can be combined with earmuffs uvex pheos K2H magnet, art.no. 2600.205
- lenses can be changed
- meets standards EN 166 and EN 170, and also certified for areas of application 3 (liquids) and 9 (molten metal and hot solids)
- uvex pheos SLB 1 (art. no. 9906.005 and art. no. 9906.006) visors are certified in accordance with GS-ET 29 as Class 1 visors for protection from electrical arcs (4 kA)
- uvex pheos SLB 2 (art. no. 9906.007 and art. no. 9906.008) visors are certified in accordance with GS-ET 29 as Class 2 visors for protection from electrical arcs (7 kA)

► Helmet not included!

uvex pheos	uvex pheos magnetic
Art. no.	9906.002
Version	uvex supravision excellence with mechanical levers
Standard	EN 166, EN 170
Frame	black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 9 KN CE 0196
Retail unit	1
uvex pheos	uvex pheos magnetic
Art. no.	9906.003
Version	uvex supravision excellence with magnetic levers
Standard	EN 166, EN 170
Frame	black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 9 KN CE 0196
Retail unit	1

uvex pheos SLB 1	uvex pheos SLB 1 magnetic
Art. no.	9906.005
Version	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with mechanical levers
Standard	EN 166, EN 170
Frame	black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 8-1-0 9 KN CE 0196
Retail unit	1
uvex pheos SLB 1	uvex pheos SLB 1 magnetic
Art. no.	9906.006
Version	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with magnetic levers
Standard	EN 166, EN 170
Frame	black
Lens	W 166 3 8-2 9 B CE 0196 PC clear UV 400 2C-1.2 W 1 B 8-1-0 9 KN CE 0196
Retail unit	1

uvex pheos SLB 2	uvex pheos SLB 2 magnetic
Art. no.	9906.007
Version	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with mechanical levers and chin protection
Standard	EN 166, EN 170
Frame	black
Lens	W 166 3 8-2 9 B CE 0196 PC blue UV 400 2C-1.2 W 1 B 8-2-0 9 KN CE 0196
Retail unit	1
uvex pheos SLB 2	uvex pheos SLB 2 magnetic
Art. no.	9906.008
Version	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with magnetic levers and chin protection
Standard	EN 166, EN 170
Frame	black
Lens	W 166 3 8-2 9 B CE 0196 PC blue UV 400 2C-1.2 W 1 B 8-2-0 9 KN CE 0196
Retail unit	1

Safety Helmets

uvex pheos visor system · Wide-vision goggles with a helmet bracket



9790.067

uvex pheos visor system

Visor adapter

Art. no.	9790.067
Version	for combination with the uvex pheos alpine safety helmet for working at heights (visor not included)
Retail unit	1

Replacement lenses

Art. no.	9906.013	9906.012	9906.017
Lens	uvex supravision excellence accessories for uvex pheos and uvex pheos magnetic	uvex supravision excellence accessories for uvex pheos SLB 1 and uvex pheos SLB 1 magnetic	uvex supravision excellence accessories for uvex pheos SLB 2 and uvex pheos SLB 2 magnetic
PC clear	PC clear	PC clear	PC blue
UV 400	UV 400	UV 400	UV 400
2C-1.2 W 1 B 9 KN CE 0196	2C-1.2 W 1 B 8-1-0 9 KN CE 0196	2C-1.2 W 1 B 8-2-0 9 KN CE 0196	2C-1.2 W 1 B 8-2-0 9 KN CE 0196
Retail unit	1	1	1

Sunglare filter/rain cover

Art. no.	9790.074
Version	protects against sun and rain cannot be combined with uvex pheos alpine safety helmet for working at heights
Retail unit	1



9790.074



9302.510

uvex goggles with helmet bracket

► Helmet and earmuffs not included!

Art. no.	9302.510	uvex ultrasonic	uvex ultravision
Version	uvex supravision extreme	9301.544	anti-fog
Standard	reduced ventilation		
Frame	EN 166, EN 170	EN 166, EN 170	
Lens	blue, grey	transparent grey	
	W 166 349 B CE	W 166 34 F CE	
PC clear	CA clear		
UV 400	UV 380		
2-1.2 W 1 B 9 KN DIN CE	2-1.2 W 1 FN DIN CE		
Retail unit	4	1	

► Additional adapters are required for attaching the goggles without earmuffs:
Art. no. 9924.010



9301.544



Safety Helmets

uvex Visors



9790.048



9790.047



9924.010



9725.514
9726.014



uvex 9790

- robust polycarbonate visor for the uvex industrial safety helmets and earmuffs 2H, uvex 3H and uvex 3200H
- additional adapters (art. no. 9924.010) are required for the helmet and visor combination

► Helmet, helmet bracket and earmuffs are not included.

Lens	
Art. no.	9790.048
Version	uncoated
Standard	Classification 8, against effect of electrical arcs
Lens	EN 166, EN 170
	PC clear
	UV 400
	2C-1.2 W 1 A 89 CE
Retail unit	1

Helmet bracket	
Art. no.	9790.047
Frame	black
Retail unit	1

Adapter	
Art. no.	9924.010
Version	Adapter for attaching without earmuffs
Retail unit	1

uvex 9725 · uvex 9726

- polycarbonate and cellulose acetate visors with specially developed adapters for attaching on the side helmet slots
- easy to change lenses
- not combinable with earmuffs

► Helmet not included!

Visors		
Art. no.	9725.514	9726.014
Version	anti-fog	uncoated
Standard	Material thickness: 1 mm	Material thickness: 1 mm
Lens	EN 166, EN 170	EN 166, EN 170
	black	black
	W 166 3-F DIN CE 0196	W 166 3-B DIN CE 0196
	CA clear	PC clear
	UV 380	UV 400
	W 1 FN DIN CE	W 1 B DIN CE
Retail unit	1	1

Replacement lenses		
Art. no.	9050.517	9723.017
Version	for uvex 9725	for uvex 9726
Standard	anti-fog	uncoated
Lens	Material thickness: 1 mm	Material thickness: 1 mm
	EN 166, EN 170	EN 166, EN 170
	CA clear	PC clear
	UV 380	UV 400
	W 1 FN DIN CE	W 1 B DIN CE
Retail unit	1	1

Safety Helmets

Face protection



9705.014



9707.014



9706.514



9708.514

uvex 9705 · uvex 9706

- cellulose acetate visor with integrated forehead cover
- easy to change lenses
- cannot be combined with safety helmets
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

uvex 9707 · uvex 9708

- cellulose acetate visor with integrated forehead cover and additional protective cap made from impact-resistant polystyrene
- easy to change lenses
- flip-up mechanism with continuous adjustment
- head size can be easily adjusted using a twist lock

Visors

Art. no.	9705.014	9706.514
Version	uncoated	anti-fog
Standard	EN 166, EN 170	EN 166, EN 170
Frame	black	black
	W 166 3-F DIN CE 0196	W 166 3-F DIN CE 0196
Lens	CA clear	CA clear
	UV 380	UV 380
	W 1 F DIN CE	W 1 FN DIN CE
Retail unit	1	1

Replacement lenses

Art. no.	9060.017	9050.517
Version	uncoated	anti-fog
Standard	EN 166, EN 170	EN 166, EN 170
Lens	CA clear	CA clear
	UV 380	UV 380
	W 1 F DIN CE	W 1 FN DIN CE
Retail unit	1	1

Visors

Art. no.	9707.014	9708.514
Version	uncoated	anti-fog
Standard	EN 166, EN 170	EN 166, EN 170
Frame	black	black
	W 166 3 F DIN CE 0196	W 166 3 F DIN CE 0196
Lens	CA clear	CA clear
	UV 380	UV 380
	W 1 F DIN CE	W 1 FN DIN CE
Retail unit	1	1

Replacement lenses

Art. no.	9060.017	9050.517
Version	uncoated	anti-fog
Standard	EN 166, EN 170	EN 166, EN 170
Lens	CA clear	CA clear
	UV 380	UV 380
	W 1 F DIN CE	W 1 FN DIN CE
Retail unit	1	1

Safety Helmets

Accessories



9790.065
with safety helmet
(helmet not included)



9790.068



9790.066



9790.076
with safety helmet
(helmet not included)



9790.075
with safety helmet
(helmet not included)

uvex winter cap · uvex balaclava · uvex neck protection

- winter cap for use in all uvex helmets
- windproof and waterproof outer material
- all-around reflective strip
- side mesh to increase the wearer's attention to environmental influences (ear area)
- warming fleece lining
- uvex balaclava is the ideal addition to the winter cap – with continuous size adjustment through hinged Velcro fastening

	uvex winter cap	uvex balaclava	uvex neck protection	
Art. no.	9790.065	9790.068	9790.066	9790.075
Version	Polyester/Fleece	Polyester/Fleece	Fleece	Polyester
Colour	hi-viz yellow	hi-viz orange	black	orange
Sizes	unisize	unisize	unisize	unisize
Retail unit	1	1	1	1
Quantity in outer box	10	10	10	50



9790.071



9790.006

9790.010

9790.015

9790.016

9790.012

uvex helmet bag

helmet bag ideal for storing and transporting the uvex safety helmet

uvex helmet bag	
Art. no.	9790.071
Retail unit	1

Paper caps · Winter caps

	Paper cap	Winter caps		
Art. no.	9790.006	9790.010	9790.015	9790.016
Version	Hygienic caps made of soft, comfortable fleece for visitors	Winter cap for wearing under the helmet, knitted (WIN)	Winter cap for wearing under the helmet	Winter cap for wearing under the helmet
Colour	white	black	black	black
Sizes	unisize	unisize	S to M	unisize
Retail unit	100	10	10	10
Quantity in outer box	800	10	10	10

Safety Helmets

Accessories



Accessories for uvex pheos, uvex 9780 antistatic, uvex pheos alpine, uvex airwing, uvex super boss and uvex thermo boss

	Suspension harness IES for uvex pheos	Suspension harness for uvex super boss and uvex thermo boss	Suspension harness for uvex pheos and uvex airwing with conventional equipment	Suspension harness for uvex pheos and uvex airwing with wheel ratchet (not for uvex pheos E-WR)
Art. no.	9772.001	9790.000	9760.000	9760.001
Version	plastic suspension harness with uvex pheos mount	six-point textile strap with sweatband	six-point textile strap with sweatband	
Retail unit	1	1	1	1
Quantity in outer box	10	10	10	10

	Suspension harness for uvex 9780 antistatic with wheel ratchet	Sweatband for uvex super boss and uvex thermo boss	Sweatband for uvex pheos, uvex pheos alpine, uvex 9780 antistatic and uvex airwing	Sweatband for IES suspension harness	Sweatband for uvex pheos alpine and uvex pheos E-WR
Art. no.	9780.001	9790.004	9760.005	9760.007	9760.009
Version	six-point textile strap with sweatband	leather	synthetic leather	textile/foam material	PU leather
Retail unit	1	1	1	1	1
Quantity in outer box	10	10	10	10	10

	Leather chin straps for uvex pheos IES and uvex 9780 antistatic	Forked chin straps for uvex airwing	Forked chin straps for uvex pheos (not for pheos IES and pheos E), uvex pheos alpine, uvex airwing, uvex superboss and uvex thermo boss	
Art. no.	9790.035	9790.007	9790.021	9790.005
Version	robust leather version with plastic eyelets, length can be adjusted	textile band with push-button quick-action fastener	plastic	robust leather version with plastic eyelets, length can be adjusted
Retail unit	10	1	1	10
Quantity in outer box	10	10	10	10

	Pen holder for uvex pheos	Goggles clip for uvex pheos/chin strap clip for uvex pheos alpine	IES mount with sliding element for uvex pheos IES	Helmet slot sealing plug set
Art. no.	9790.023	9790.022	9772.002	9790.077
Version	plastic	plastic	plastic	plastic
Retail unit	1	1	10	1
Quantity in outer box	10	10	10	50

Safety Helmets

Accessories: Head torches

- All uvex LED head torches fit into the front slot of the uvex pheos, uvex pheos alpine and uvex 9780 antistatic helmets.



9790.062
9790.063



9790.058



9790.029



9790.064

LED head torch pheos Lights · pheos Lights EX

- LED helmet torch with two separate reflectors for distance and area lighting
- compact design, developed for the uvex pheos visor system
- four different operating modes
- power source: 1.7 Ah-Li-Ion battery
- luminous flux: up to max. 115 lumen
- luminous flux: up to min. 55 lumen

LED head torch pheos Lights	LED head torch pheos Lights EX
Art. no.	9790.063
for uvex pheos helmets	for uvex pheos helmets – ATEX

Art. no. 9790.062

for uvex pheos helmets

Retail unit 1

- light duration: 25 hours
- operating temperature: -20 °C to +60 °C
- charge adapter and micro-USB charger included
- 9790.063: ATEX certification II 2G Ex ib IIC T4
- protection class IP 67 (dust-tight and waterproof)

LED head torch KS-7610-MX

- LED head torch with three switching steps and CREE LED
- power source: lithium battery, charge time < 9 h
- luminous flux: up to max. 195 lumen
- luminous intensity: emergency light > 1200 lux, normal light > 3700 lux, intense light > 5000 lux

LED head torch KS-7610-MX	LED head torch KS-7610-MX
Art. no.	9790.058
Version	LED head torch for the uvex pheos, uvex pheos alpine and uvex 9780 antistatic helmets
Retail unit	1

- light duration: emergency light > 50 hrs, normal light > 14 hrs, intense light > 6 hrs
- operating temperature: -20 °C to +60 °C
- charger with charger stand included
- ATEX certification II 2G Ex ib IIC T4
- protection class IP67 (watertight up to 1 m deep)

LED head torch KS-6001

- LED head torch with two switching steps
- power source: lithium battery, charge time < 7 hrs
- luminous flux: up to max. 55 lumen
- luminous intensity: emergency light > 200 lux, normal light > 1400 lux

LED head torch KS-6001	LED head torch KS-6001
Art. no.	9790.029
Version	for uvex pheos, uvex pheos alpine and uvex 9780 antistatic helmets
Retail unit	1 unit

- light duration: emergency light > 80 hrs, normal light > 11 hrs
- operating temperature: -20 °C to +60 °C
- charger included
- protection class IP67 (watertight up to 1 m deep)

LED head torch u-cap sport

- LED head torch with two separate reflectors for distance and area lighting
- power source: 3 x AAA batteries (not included)
- luminous flux: up to max. 100 lumen
- luminous range: 3 to 80 m (depending on the light mode used)
- light duration: 30 to 150 hrs (depending on the light mode used)
- operating temperature: -20 °C to +45 °C
- simple attachment to the uvex u-cap sport impact cap with magnet adapter
- impact cap adapter and headband are included
- protection class IP 66 (complete protection against dust and powerful water jets)

LED head torch uvex u-cap sport	LED head torch uvex u-cap sport
Art. no.	9790.064
Version	for uvex u-cap sport
Retail unit	1

uvex pheos helmet adapter

- Adapter for the LED head torch u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets

uvex pheos helmet adapter	uvex pheos helmet adapter
Art. no.	9790.069
Version	for LED head torch uvex u-cap sport for combining with the uvex pheos and uvex pheos alpine helmets
Retail unit	1

Safety helmets to match your corporate identity

Individual safety helmets

uvex gives you the option to customise all uvex helmets and bump caps so that your employees' equipment matches your corporate identity specifications.

Please contact the uvex service centre with your requests at any time.

Tel. +49 911 9736-0 · Email: serviceteam@uvex.de


Helmet in the company colours

(from 100 units)
"Your" helmet is designed in your company colours.



Pad printing on the helmet

(1 to 5 colours)
Printable areas based on uvex pheos.



How individual can you be?

We will be happy to advise you on the technical options for customising our safety helmets.



Please note the following conditions:

- minimum order value 25 helmets
- number of print colours: up to five
- helmet shell in special colours: from 100 units
- vector file (.eps, .ai) and image file (.jpg, .pdf) required as template



Embroidery

Areas that can be embroidered based on uvex u-cap sport.



Textile cap in special colour

(from 1000 units)
Bump caps in your chosen colour.



uvex u-cap sport with company logo

All uvex bump caps can be embroidered with 14 colours.



Please note the following conditions:


- minimum order value 25 caps
- number of colours to be embroidered: up to 14
- textile cap in special colour: from 1000 units
- vector file (.eps, .ai) and image file (.jpg, .pdf) required as template



uvex u-cap sport

Guaranteed head protection with a sporty design

Reliable protection that looks good: uvex u-cap sport is an innovative baseball bump cap in accordance with Norm EN 812. The ergonomically shaped hard shell with integrated shock-absorbing elements ensures safety and optimal comfort. To give your team a uniform appearance, this model is also available as a standard baseball cap for employees working in environments where head protection is not compulsory.



Integrated shock-absorbing elements with honeycomb structure

The specially developed honeycomb structure of the cap with integrated shock-absorbing elements ensures complete protection in accordance with EN 812.




Armadillo design gives flexibility

The armadillo design of the uvex u-cap sport provides additional flexibility and ergonomically adapts to different head shapes and sizes. The extended cut-out near the ear makes it easier to wear earmuffs.



Continuously adjustable
The uvex u-cap sport can be quickly and easily fitted to the head using the adjustable velcro fastening.



Magnetic head torch

- Simple to use: magnetic fixing enables easy attachment and removal from u-cap sport
- The beam can be directed in multiple directions through a moving joint, ensuring optimal illumination
- Switch between various beam types



9794.400 9794.443
9794.401 9794.423
9794.402 9794.425



9794.110



9794.407
9794.408



9794.430 9794.444
9794.420 9794.416
9794.421 9794.417



9794.409
9794.403
9794.404
9794.442
9794.422
9794.424



9794.415

uvex u-cap sport

uvex u-cap sport

Art.no.	9794.409	9794.403	9794.404	9794.442	9794.422	9794.424
Version	with short brim			with short brim and mesh webbing suspension harness		
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	black	black	black	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Retail unit	1	1	1	1	1	1
Quantity in outer box	60	60	60	60	60	60

Art.no.	9794.400	9794.401	9794.402	9794.407	9794.408
Version	with long brim				
Standard	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	black	black	black	navy blue	navy blue
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	55 to 59 cm	60 to 63 cm
Retail unit	1	1	1	1	1
Quantity in outer box	60	60	60	60	60

Art.no.	9794.443	9794.423	9794.425
Version	with long brim and mesh webbing suspension harness		
Standard	EN 812	EN 812	EN 812
Colour	black	black	black
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm
Retail unit	1	1	1
Quantity in outer box	60	60	60

uvex u-cap sport vent

uvex u-cap sport vent						
Art.no.	9794.430	9794.420	9794.421	9794.444	9794.416	9794.417
Version	with short brim and mesh webbing			with short brim, mesh webbing and mesh webbing interior		
Standard	EN 812	EN 812	EN 812	for improved ventilation		
Colour	black	black	black	EN 812	EN 812	EN 812
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	black	black	black
Retail unit	1	1	1	52 to 54 cm	55 to 59 cm	60 to 63 cm
Quantity in outer box	60	60	60	1	1	1
				60	60	60

uvex u-cap sport suspension harness

uvex u-cap sport suspension harness			
Art.no.	9794.415		
Version	soft, comfortable mesh webbing suspension harness		
	increased wearer comfort in uvex u-cap sport bump caps		
Standard	EN 812		
Colour	black		
Sizes	unisize		
Retail unit	1		
Quantity in outer box	60		

Baseball cap

Baseball cap		
Art.no.	9794.110	9794.111
Version	with long brim	with short brim
	without hard shell element	without hard shell element
Colour	black	black
Sizes	55 to 63 cm	55 to 63 cm
Retail unit	1	1
Quantity in outer box	60	60

uvex u-cap

uvex u-cap sport hi-viz · uvex u-cap premium · uvex u-cap basic · uvex u-cap hi-viz



9794.480
9794.481
9794.482



9794.490
9794.491
9794.492

uvex u-cap sport hi-viz

uvex u-cap sport hi-viz						
Art. no.	9794.482	9794.480	9794.481	9794.492	9794.490	9794.491
Version	with short brim and textile components in signal colours, in accordance with the requirements of EN 471 – offering greater visibility and safety for the user					
Standard	EN 812	EN 812	EN 812	EN 812	EN 812	EN 812
Colour	hi-viz yellow	hi-viz yellow	hi-viz yellow	hi-viz orange	hi-viz orange	hi-viz orange
Sizes	52 to 54 cm	55 to 59 cm	60 to 63 cm	52 to 54 cm	55 to 59 cm	60 to 63 cm
Retail unit	1	1	1	1	1	1
Quantity in outer box	60	60	60	60	60	60



9794.300



9794.301



9794.800



9794.310
9794.200



9794.311



9794.900

uvex u-cap premium · uvex u-cap basic · uvex u-cap hi-viz

- premium bump cap with an exceptional design
- protects against abrasions and impact injuries
- integrated reflective piping on the brim and textile components
- colours of the textile components comply with the requirements of EN 471, offering greater visibility and safety for the user (uvex u-cap hi-viz)
- flexible plastic shell adapts to different head shapes and sizes
- foam pad inlay for increased comfort (uvex u-cap basic)
- comfortable suspension harness for great functionality and maximum wearer comfort (uvex u-cap premium)
- continuous size adjustment using adjustable band

► **EN 812-compliant impact caps provide protection from injuries caused by hitting fixed objects. Caps do not provide sufficient protection against falling objects and can only be used in situations where a safety helmet is not obligatory as per EN 397.**

uvex u-cap premium				
Art. no.	9794.300	9794.301	9794.310	9794.311
Version	with long brim	with short brim	with long brim	with short brim
Standard	EN 812	EN 812	EN 812	EN 812
Colour	anthracite	anthracite	anthracite	anthracite
Sizes	unisize	unisize	unisize	unisize
Retail unit	1	1	1	1
Quantity in outer box	25	25	25	25

uvex u-cap basic			uvex u-cap hi-viz	
Art. no.	9794.200	9794.800	9794.900	
Version	with long brim	with long brim and textile components in signal colours, meeting the requirements of EN 471		
	and foam pad inlay			
Standard	EN 812	EN 812, EN 471		
Colour	anthracite	hi-viz yellow	hi-viz orange	
Sizes	unisize	unisize	unisize	
Retail unit	1	1	1	
Quantity in outer box	25	25	25	

Safety Helmets

Overview

Art. no.	Name	Description	Colour	Page	Art. no.	Name	Description	Colour	Page
9050.517		Replacement lens, CA, non-fogging	clear	108/109	9770.136	uvex pheos E-WR	Safety helmet with reflective sticker	yellow	101
9060.017		Replacement lens, CA	clear	109	9770.230	uvex pheos E-WR	Safety helmet	orange	98
9301.544	uvex ultravision	Wide-vision goggles with helmet bracket, grey		107	9770.231	uvex pheos E-S-WR	Safety helmet	orange	99
9302.510	uvex ultrasonic	Wide-vision goggles with helmet bracket, blue, grey		107	9770.330	uvex pheos E-WR	Safety helmet	red	98
9705.014		Cellulose acetate protective visor	clear	109	9770.331	uvex pheos E-S-WR	Safety helmet	red	99
9706.514		Antifog cellulose acetate protective visor	clear	109	9770.430	uvex pheos E-WR	Safety helmet	green	98
9707.014		Cellulose acetate protective visor	clear	109	9770.530	uvex pheos E-WR	Safety helmet	blue	98
9708.514		Antifog cellulose acetate protective visor	clear	109	9770.531	uvex pheos E-S-WR	Safety helmet	blue	99
9723.017		Replacement lens, PC	clear	108	9770.832	uvex pheos E-S-WR	Safety helmet	dark grey	99
9725.514		Antifog cellulose acetate visor	clear	108	9770.931	uvex pheos E-S-WR	Safety helmet	black	99
9726.014		Polycarbonate visor	clear	108	9772.001	Accessories	Suspension harness IES		111
9750.020	uvex super boss	Safety helmet	white	102	9772.002	Accessories	Mount		111
9750.120	uvex super boss	Safety helmet	yellow	102	9772.020	uvex pheos B	Safety helmet	white	97
9750.520	uvex super boss	Safety helmet	blue	102	9772.026	uvex pheos B	Safety helmet with reflective sticker	white	101
9754.000	uvex thermo boss	Safety helmet	white	103	9772.030	uvex pheos B-WR	Safety helmet	white	97
9754.100	uvex thermo boss	Safety helmet	yellow	103	9772.031	uvex pheos B-S-WR	Safety helmet	white	98
9754.300	uvex thermo boss	Safety helmet	red	103	9772.035	uvex pheos B-WR	Safety helmet with reflective sticker	white	101
9760.000	Accessories	Conventional suspension harness		111	9772.038	uvex pheos B-S-WR	Safety helmet with reflective sticker	white	101
9760.001	Accessories	Suspension harness with rotating size adjusters		111	9772.040	uvex pheos IES	Safety helmet	white	97
9760.005	Accessories	Sweatband, synthetic leather		111	9772.120	uvex pheos B	Safety helmet	yellow	97
9760.007	Accessories	Sweatband, textile/foam material		111	9772.126	uvex pheos B	Safety helmet with reflective sticker	yellow	101
9760.009	Accessories	Sweatband, PU/leather		111	9772.130	uvex pheos B-WR	Safety helmet	yellow	97
9762.020	uvex airwing B	Safety helmet	white	102	9772.131	uvex pheos B-S-WR	Safety helmet	yellow	98
9762.021	uvex airwing B-S	Safety helmet	white	103	9772.137	uvex pheos B-S-WR	Safety helmet with reflective sticker	yellow	101
9762.030	uvex airwing B-WR	Safety helmet	white	102	9772.138	uvex pheos B-WR	Safety helmet with reflective sticker	yellow	101
9762.031	uvex airwing B-S-WR	Safety helmet	white	103	9772.140	uvex pheos IES	Safety helmet	yellow	97
9762.120	uvex airwing B	Safety helmet	yellow	102	9772.220	uvex pheos B	Safety helmet	orange	97
9762.121	uvex airwing B-S	Safety helmet	yellow	103	9772.226	uvex pheos B	Safety helmet with reflective sticker	orange	101
9762.130	uvex airwing B-WR	Safety helmet	yellow	102	9772.230	uvex pheos B-WR	Safety helmet	orange	97
9762.131	uvex airwing B-S-WR	Safety helmet	yellow	103	9772.236	uvex pheos B-WR	Safety helmet with reflective sticker	orange	101
9762.220	uvex airwing B	Safety helmet	orange	102	9772.240	uvex pheos IES	Safety helmet	orange	97
9762.230	uvex airwing B-WR	Safety helmet	orange	102	9772.320	uvex pheos B	Safety helmet	red	97
9762.320	uvex airwing B	Safety helmet	red	102	9772.326	uvex pheos B	Safety helmet with reflective sticker	red	101
9762.321	uvex airwing B-S	Safety helmet	red	103	9772.330	uvex pheos B-WR	Safety helmet	red	97
9762.330	uvex airwing B-WR	Safety helmet	red	102	9772.332	uvex pheos B-S-WR	Safety helmet	red	98
9762.331	uvex airwing B-S-WR	Safety helmet	red	103	9772.340	uvex pheos IES	Safety helmet	red	97
9762.420	uvex airwing B	Safety helmet	green	102	9772.430	uvex pheos B-WR	Safety helmet	green	97
9762.421	uvex airwing B-S	Safety helmet	green	103	9772.520	uvex pheos B	Safety helmet	blue	97
9762.430	uvex airwing B-WR	Safety helmet	green	102	9772.526	uvex pheos B	Safety helmet with reflective sticker	red	101
9762.431	uvex airwing B-S-WR	Safety helmet	green	103	9772.530	uvex pheos B-WR	Safety helmet	blue	97
9762.520	uvex airwing B	Safety helmet	blue	102	9772.531	uvex pheos B-S-WR	Safety helmet	blue	98
9762.521	uvex airwing B-S	Safety helmet	blue	103	9772.537	uvex pheos B-S-WR	Safety helmet with reflective sticker	blue	101
9762.530	uvex airwing B-WR	Safety helmet	blue	102	9772.538	uvex pheos B-WR	Safety helmet with reflective sticker	blue	101
9762.531	uvex airwing B-S-WR	Safety helmet	blue	103	9772.540	uvex pheos IES	Safety helmet	blue	97
9762.920	uvex airwing B	Safety helmet	black	102	9772.832	uvex pheos B-S-WR	Safety helmet	dark grey	98
9770.020	uvex pheos E	Safety helmet	white	98	9772.920	uvex pheos B	Safety helmet	black	97
9770.026	uvex pheos E	Safety helmet with reflective sticker	white	101	9772.926	uvex pheos B	Safety helmet with reflective sticker	black	101
9770.030	uvex pheos E-WR	Safety helmet	white	98	9772.930	uvex pheos B-WR	Safety helmet	black	97
9770.031	uvex pheos E-S-WR	Safety helmet	white	99	9772.932	uvex pheos B-S-WR	Safety helmet	black	98
9770.036	uvex pheos E-WR	Safety helmet with reflective sticker	white	101	9772.936	uvex pheos B-WR	Safety helmet with reflective sticker	black	101
9770.120	uvex pheos E	Safety helmet	yellow	98	9773.050	uvex pheos alpine	Safety helmet	white	100
9770.126	uvex pheos E	Safety helmet with reflective sticker	yellow	101	9773.150	uvex pheos alpine	Safety helmet	yellow	100
9770.130	uvex pheos E-WR	Safety helmet	yellow	98	9773.250	uvex pheos alpine	Safety helmet	orange	100
9770.131	uvex pheos E-S-WR	Safety helmet	yellow	99	9773.350	uvex pheos alpine	Safety helmet	red	100
					9773.450	uvex pheos alpine	Safety helmet	green	100
					9773.550	uvex pheos alpine	Safety helmet	blue	100

Safety Helmets

Overview

Art. no.	Name	Description	Colour	Page	Art. no.	Name	Description	Colour	Page
9773.950	uvex pheos alpine	Safety helmet	black	100	9794.417	uvex u-cap sport vent	Impact cap, size 60 – 63 cm	black	115
9774.233	uvex pheos	Forestry worker set	orange	101	9794.420	uvex u-cap sport vent	Impact cap, size 55 – 59 cm	black	115
9780.001	Accessories	Suspension harness with rotating size adjusters		111	9794.421	uvex u-cap sport vent	Impact cap, size 60 – 63 cm	black	115
9780.020	uvex 9780 antistatic	Safety helmet	white	99	9794.422	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	115
9780.030	uvex 9780 antistatic-WR	Safety helmet	white	99	9794.423	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	115
9780.550	uvex 9780 antistatic-WR	Safety helmet	sky blue	99	9794.424	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	115
9790.000	Accessories	Suspension harness		111	9794.425	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	115
9790.004	Accessories	Sweatband, leather		111	9794.430	uvex u-cap sport vent	Impact cap, size 52 – 54 cm	black	115
9790.005	Accessories	Leather chin straps		111	9794.442	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	115
9790.006	Accessories	Paper cap	white	110	9794.443	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	115
9790.007	Accessories	Forked chin straps		111	9794.444	uvex u-cap sport vent	Impact cap, size 52 – 54 cm	black	115
9790.010	Accessories	Winter cap	black	110	9794.480	uvex u-cap sport hi-viz	Impact cap, size 55 – 59 cm	hi-viz yellow	116
9790.012	Accessories	Winter cap	black	110	9794.481	uvex u-cap sport hi-viz	Impact cap, size 60 – 63 cm	hi-viz yellow	116
9790.015	Accessories	Winter cap	black	110	9794.482	uvex u-cap sport hi-viz	Impact cap, size 52 – 54 cm	hi-viz yellow	116
9790.016	Accessories	Winter cap	black	110	9794.490	uvex u-cap sport hi-viz	Impact cap, size 55 – 59 cm	hi-viz orange	116
9790.018	uvex pheos reflex set M	Reflective set		101	9794.491	uvex u-cap sport hi-viz	Impact cap, size 60 – 63 cm	hi-viz orange	116
9790.021	Accessories	Forked chin straps		111	9794.492	uvex u-cap sport hi-viz	Impact cap, size 52 – 54 cm	hi-viz orange	116
9790.022	Accessories	Goggles clip/chin strap clip		111	9794.800	uvex u-cap hi-viz	Impact cap with long brim	hi-viz yellow	116
9790.023	Accessories	Pen holder		111	9794.900	uvex u-cap hi-viz	Impact cap with long brim	hi-viz orange	116
9790.029	Accessories	LED head torch KS-6001		112	9906.002	uvex pheos	Visor	clear	106
9790.035	Accessories	Leather chin straps		111	9906.003	uvex pheos magnetic	Visor	clear	106
9790.047	Accessories	Helmet bracket	black	108	9906.005	uvex pheos SLB 1	Visor	clear	106
9790.048	Accessories	Visor lens, PC	clear	108	9906.006	uvex pheos SLB 1	Visor	clear	106
9790.058	Accessories	LED head torch KS-7610-MX		112	9906.007	uvex pheos SLB 2	Visor	blue	106
9790.062	Accessories	LED head torch pheos Lights		112	9906.008	uvex pheos SLB 2	Visor	blue	106
9790.063	Accessories	LED head torch pheos Lights EX		112	9906.012	Replacement lens	clear	107	
9790.064	Accessories	LED head torch u-cap sport		112	9906.013	Replacement lens	clear	107	
9790.065	Accessories	Winter cap	hi-viz yellow	110	9906.017	Replacement lens	blue	107	
9790.066	Accessories	Balaclava	black	110	9924.010	Accessories	Adapter	black	108
9790.067	Accessories	Visor adapter	black	107					
9790.068	Accessories	Winter cap	hi-viz orange	110					
9790.069	Accessories	Helmet adapter for LED head torch u-cap sport		112					
9790.071	Accessories	Helmet bag		110					
9790.074	Accessories	Sunglare filter/rain cover		107					
9790.075	Accessories	Neck protection	orange	110					
9790.076	Accessories	Neck protection	yellow	110					
9790.077	Accessories	Helmet slot sealing plug set		111					
9794.110	Baseball cap	with long brim, size 55 – 63 cm	black	115					
9794.111	Baseball cap	with short brim, size 55 – 63 cm	black	115					
9794.200	uvex u-cap basic	Basic impact cap	anthracite	116					
9794.300	uvex u-cap premium	Impact cap with long brim	anthracite	116					
9794.301	uvex u-cap premium	Impact cap with short brim	anthracite	116					
9794.310	uvex u-cap premium	Impact cap with long brim	anthracite	116					
9794.311	uvex u-cap premium	Impact cap with short brim	anthracite	116					
9794.400	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	115					
9794.401	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	115					
9794.402	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	115					
9794.403	uvex u-cap sport	Impact cap, size 55 – 59 cm	black	115					
9794.404	uvex u-cap sport	Impact cap, size 60 – 63 cm	black	115					
9794.407	uvex u-cap sport	Impact cap, size 55 – 59 cm	navy blue	115					
9794.408	uvex u-cap sport	Impact cap, size 60 – 63 cm	navy blue	115					
9794.409	uvex u-cap sport	Impact cap, size 52 – 54 cm	black	115					
9794.415	uvex u-cap sport	Suspension harness	black	115					
9794.416	uvex u-cap sport vent	Impact cap, size 55 – 59 cm	black	115					