

## uvex 2 trend

# Safety and comfort redefined



442607



## uvex 2 trend - add a splash of colou



#### Reliable protection against twisting

The innovative uvex anti-twist heel cap gives the foot extra support to avoid painful twisting.



#### **First-class wearer comfort**

The midsole follows the lines of the arch, making the safety shoes especially comfortable to wear.







#### **Laced in no time**

Boa® Fit System engineered to optimise fit and provide precision, adaptability, and control. (on selected S1 models)



#### Safe slip resistance

The ergonomic design of the outsole supports the natural rolling motion of the foot. The new outsole profiles offer the best grip on almost any surface.



#### **Sporty design**

Contemporary colours and a long, flexible lacing area give the uvex 2 trend range a sporty look and a high degree of wearer acceptance.

#### **Greater visibility**

Reflective elements provide greater visibility – and therefore safety – even in poor light conditions.

#### **Pleasant foot climate**

The breathable, chrome-free microvelour material ensures a pleasant foot climate at all times, even during prolonged periods of use.

#### climazone













#### **Comfort features**

- ideal foot climate constantly maintained due to uvex climazone: highly breathable lining and upper, and comfortable climatic insole with moisture transport system
- soft, comfortable fit with no pressure points with soft padding on the collar and a padded tongue
- removable antistatic comfortable insole, with a moisture transport system and additional shock absorption around the heel and forefoot
- orthopaedic solutions in accordance with German DGUV 112–191 and Austrian ÖNORM Z1259

#### **Protection features**

 meets the ESD specifications with volume resistance under 35 megaohms 442777

- reliable protection for the wearer and material: penetration-resistant steel midsole (S3 models), steel toe cap and stabilising uvex anti-twist heel cap to prevent ankle twisting
- ergonomically designed outsole made from dual density polyurethane with excellent slip resistance
- reflective elements for better visibility

#### **General features**

- · sporty S1 safety footwear range with a wide fit
- double, individually adjustable counter-traction hook and loop straps (S1 P models)
- dirt-resistant, smooth-running and heat-resistant lacing system (S3 models)
- upper over the toe cap is protected by the foamed scuffcap (S3 models)
- all sole materials are free of silicones, plasticisers and other paint wetting impairment substances

#### Areas of application:

medium applications

### uvex 2 trend - overview of all models

uvex 2 trend

uvex 2 trend

uvex 2 trend

uvex 2 trend Perforated shoe S1 P S

69081

69082 69083



69078 69079

69477 69478

Breathable microvelour is made from synthetic materials, so suitable for people allergic to chrome.

Double, individually adjustable counter-traction hook and loop straps.

Art. no. 69367 69368 69369 Width 12 EN ISO 20345:2011 S1 SRC Standard Sizes 38 to 52

Breathable microvelour is made from synthetic materials, so suitable for people allergic to chrome.

Double, individually adjustable counter-traction hook and loop straps.

Art. no. 69361 69362 69363 Width EN ISO 20345:2011 S1 P SRC Standard Sizes 38 to 52

69061 69062 69063 Art. no. Width 12 EN ISO 20345:2011 S1 P SRC 38 to 52

Art. no. 69461 69462 69463 EN ISO 20345:2011 S1 P SRC Standard **Sizes** 38 to 52

Breathable microvelour is made from synthetic materials, so suitable for people allergic to chrome.

69479

69377 69378 69379 Art. no. Width Standard EN ISO 20345:2011 S1 SRC Sizes 38 to 52

Art. no. 69077 69078 69079 Width 10 EN ISO 20345:2011 S1 SRC Standard Sizes 38 to 52

Art. no. 69477 69478 69479 Width Standard EN ISO 20345:2011 S1 SRC Sizes 38 to 52

Breathable microvelour is made from synthetic materials, so suitable for people allergic to chrome.

Boa® Fit System (consisting of a micro-adjustable dial, super-strong lightweight laces and low friction lace guides) engineered to optimise fit and provide precision, adaptability, and control.

Art. no. Width Standard Sizes

69381 69382 69383 10 EN ISO 20345:2011 S1 P SRC 38 to 52

Art. no. Width **Standard** Sizes

69081 69082 69083 EN ISO 20345:2011 S1 P SRC 38 to 52



UVEX ARBEITSSCHUTZ GMBH Würzburger Straße 181-189 90766 Fürth GERMANY

Tel.: +49 911 9736-0 E-Mail: safety@uvex.de Internet: uvex-safety.com



facebook.com /uvexsafetygroup



youtube.com /uvexsafetygroup



instagram.com /uvexsafetygroup



twitter.com /uvexsafetygroup



linkedin.com /company/uvex-arbeitsschutz-gmbh



uvex-safety.com/uvex2trend

protecting people

uvex-safety.com

