




uvex

uvex tactical

Professional protection
for special forces

protecting people

uvex

Reliable eye protection for professional use

Special forces rely on first-class equipment for their operations all around the world, which gives them a crucial advantage. In particular, this includes effective eye protection that guarantees distortion-free vision and can adapt to many situations.

MADE IN GERMANY 



9112265



9112561

Automatic
tinting



uvex apache safety spectacles boast maximum robustness, a modern, sporty design and the best wearer comfort.

- Robust and lightweight safety spectacles with slim side arm geometry
- The soft non-slip nose piece ensures a perfect fit
- Suitable for prescription spectacle wearers due to the RX insert
- Mechanical strength FT tested in accordance with EN 166 and STANAG 2920/4296
- Tested in accordance with MIL-PRF-32432A



Soft nose piece



RX insert



9112901

Dust frame (optional)



Headband (optional)

uvex apache spec set



Set includes uvex eyewear case, uvex microfibre cloth, uvex hang cord and replacement lenses in orange and 14% sun-protection in grey.

uvex apache spec set

Art. no.	9112265
Coating	uvex supravision excellence
Standard	EN 166, EN 170, EN 172
STANAG	2920/4296
Frame	black, W 166 FT CE
Clear lens	UV400, 2C-1.2 W1 FTKN CE
Grey lens	UV400, 5-3.1 W1 FTKN CE
Orange lens	UV400, 2-1.4 W1 FTKN CE
Weight	30 g

uvex apache spec variomatic



Set includes uvex eyewear case, uvex microfibre cloth and uvex hang cord.

uvex apache spec variomatic

Art. no.	9112561
Coating	uvex supravision variomatic
Standard	EN 166, EN 170
STANAG	2920/4296
Frame	black, W 166 FT CE
Lens	UV400, 2-1.2 W1 FTKN CE, PC light green
Weight	30 g

uvex apache spec with laser protection

The easy availability of increasingly powerful and inexpensive laser pointers with a wide variety of wavelengths is increasingly endangering the safety of civilian and military pilots, and emergency services.



9112365



9112562




9112565

uvex apache spec P1P19

Protective effect P1P19

Wavelengths in nm	Protection levels	OD
785–800	DIRM LB2	2+
800–900	DIRM LB3	3+
1064	D LB6 + IR LB7	7+

Transmission*



- High infrared protection in accordance with EN 207
- Good colour vision and 50% daylight transmission

uvex apache spec P1P19


Art. no.	9112365
Coating	uvex supravision excellence
Standard	EN 166, EN 207
STANAG	2920/4296
Frame	black, W 166 FT CE
Lens	W1 FTKN CE, PC green
Weight	30 g

uvex apache spec P1E21

Protective effect P1E21

Wavelengths in nm (extract)	Protection levels	OD
>315–440	DIRM LB3	3+
>440–446	DIRM LB2	2+
522–534	DIRM LB1	1+
636–660	DIRM LB1	1+

Transmission*



- RGB filter in accordance with EN 207 with OD1+
- Good colour vision and 40% daylight transmission

uvex apache spec P1E21


Art. no.	9112562
Coating	uvex supravision excellence
Standard	EN 166, EN 207
STANAG	2920/4296
Frame	black, W 166 FT CE
Lens	W1 FKN CE, PC green-brown
Weight	30 g

uvex apache spec P1E24

Protective effect P1E24

Wavelengths in nm (extract)	Protection levels	OD
>315–438	DIRM LB4	4+
>438–453	DIRM LB3	3+
522–533	DIRM LB4	4+
637–640	DIRM LB3	3+

Transmission*



- RGB filter in accordance with EN 207 with OD4+
- Good colour vision and 12% daylight transmission

uvex apache spec P1E24

Art. no.	9112565
Coating	uvex supravision excellence
Standard	EN 166, EN 207
STANAG	2920/4296
Frame	black, W 166 FT CE
Lens	W1 FKN CE, PC, green-brown
Weight	30 g

* Transmission of signal colours in accordance with DIN EN 172

Effective eye protection with distortion-free view



9310265



9310265

uvex apache goggle set includes

- uvex eyewear bag
- uvex microfibre cloth
- Replacement lenses in orange and 14% sun-protection in grey



9320110

uvex megasonic tactical set including high-quality uvex eyewear case and uvex microfibre cloth

uvex apache goggle set



Can be combined with helmets



Extra-wide headband



RX insert

uvex apache goggle set

Art. no.	9310265
Coating	uvex supravision excellence
Standard	EN 166, EN 170, EN 172
STANAG	2920/4296
Frame	black, W 166 34 BT CE
Clear lens	UV400, 2C-1.2 W1 BTKN CE
Grey lens	UV400, 5-3.1 W1 BTKN CE
Orange lens	UV400, 2-1.4 W1 BTKN CE
Weight	120 g

- Robust goggles with flame-retardant headband
- Can be combined with conventional combat helmets and earmuffs
- Mechanical strength BT tested in accordance with EN 166 and STANAG 2920/4296.
- Also suitable for prescription spectacle wearers due to the RX insert
- Completely distortion-free lenses
- Proven uvex supravision coating technology

uvex megasonic tactical



30mm wide headband



Frameless design



Face seal foam

uvex megasonic tactical

Art. no.	9320110
Coating	uvex supravision excellence
Standard	EN 166, EN 170
STANAG	2920/4296
Frame	black, W 166 34 BT CE
Lens	PC clear, UV400, 2C-1.2 W1 BTKN CE
Weight	95 g

- Revolutionary goggles with maximum field of vision
- Unique frameless lens design
- OTG compatible with frame recess for side arms
- Flexible frame with face seal foam for maximum wearer comfort
- 30mm wide headband with silicone coating on the inside of the band for non-slip grip, can also be used in combination with helmets, for example
- Can easily be combined with other items of PPE
- Tested in accordance with STANAG 2920/4296
- Proven uvex supravision coating technology

uvex i-3 tactical set

- Adjustable, multi-feature premium-quality safety spectacles
- The combination of padding around the forehead and ergonomically shaped side arms with soft ear-pieces ensures a comfortable and secure fit without creating pressure points
- Multi-stage adjustable side arms allow for a high degree of customisation
- Soft, adjustable nose piece for a non-slip and pressure-free fit
- Robust polycarbonate lenses with uvex's proven supravision coating technology
- UV400 – 100% protection against dangerous UVA and UVB radiation up to 400 nm
- Tested in accordance with STANAG 2920/4296
- Optional extra frame provides greater protection against particles, dust and dirt

uvex pheos cx2 tactical

- Sporty-looking safety spectacles with high wearer acceptance
- x-tended eyeshield: soft-seal frame technology wraps around the forehead providing protection from particle ingress
- Ergonomically shaped side arms with soft ear-pieces provide a comfortable, secure fit without pressure points
- Soft, flexible nose piece for a non-slip and pressure-free fit
- Robust polycarbonate lens with uvex's proven supravision coating technology
- UV400 – 100% protection against dangerous UVA and UVB radiation up to 400 nm
- Tested in accordance with STANAG 2920/4296
- Tested in accordance with MIL-PRF-32432A

uvex super f OTG tactical

- Classic overspecs for prescription spectacle wearers with a flat lens design for a wide field of vision, designed for maximum wearer acceptance
- Soft ear-pieces for a comfortable, secure fit without creating pressure points
- Anatomically shaped nose piece designed for all-day wearer comfort
- Robust polycarbonate lens with uvex's proven supravision coating technology
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- Tested in accordance with STANAG 2920/4296



9190027



9198268



9269110



uvex i-3 tactical set includes

- uvex eyewear case
- uvex microfibre cloth
- uvex hang cord
- Replacement lenses in orange and 14% sun-protection in grey

uvex i-3 tactical set

Art. no.	9190027
Coating	uvex supravision excellence
Standard	EN 166, EN 170, EN 172
STANAG	2920/4296
Frame	black, anthracite, W 166 FT CE
Clear lens	UV400, 2C-1.2 W1 FTKN CE
Grey lens	UV400, 5-3.1 W1 FTKN CE
Orange lens	UV400, 5-1.4 W1 FTKN CE
Weight	30 g

uvex pheos cx2 tactical

Art. no.	9198268
Coating	uvex supravision extreme
Standard	EN 166, EN 170
STANAG	2920/4296
Frame	black, W 166 FT CE
Lens	PC clear, UV400, 2C-1.2 W1 FTKN CE
Weight	28 g

uvex super f OTG tactical

Art. no.	9269110
Coating	uvex supravision excellence
Standard	EN 166, EN 170
STANAG	2920/4296
Frame	black, W 166 FT CE
Lens	PC clear, UV400, 2C-1.2 W1 FTKN CE
Weight	38 g



HexArmor® PointGuard® Ultra 4045




60005

EN 388:2016



4 X 2 2 F

SuperFabric® protection*



2 layers
SuperFabric® protection
SuperFabric®
Protection area

- SuperFabric® brand material* offers industry-leading needlestick resistance (in the reinforced areas)
- Back-of-hand knuckle padding for lightweight protection against impacts
- Silicone pattern palm grip for enhanced grip
- Neoprene cuff with hook-and-loop fastening

ANSI/ISEA
Cut protection
level

A7

Grammage

4321

Puncture
protection in
accordance
with ANSI/
ISEA

3

Needlestick
protection

CLASS 2 5.284
SuperFabric® SuperFabric®
CLASS 3 6.9
2 layers 2 layers
SuperFabric® SuperFabric®

5.284

6.9

2 layers

2 layers

SuperFabric®

SuperFabric®



Hook-and-loop fastening



Grip

HexArmor® PointGuard® Ultra 4045

Art. no.	60005
Standard	EN 388: 2016 (4 X 2 2 F)
Colour	black
Sizes	6/XS to 12/3XL

HexArmor® Helix® 3003




60665

EN 388:2016



4 X 4 2 D P

IR-X® Impact Exoskeleton



Impact protection
HPPE outer layer
from mixed fabric

- Outer layer (13 gauge) made of HPPE and steel
- Flexible, roughened nitrile coating on the palm
- IR-X® Impact Exoskeleton™ for the back of the hand in high-flex design
- Reinforced thumb crotch
- Elasticated cuff with hook-and-loop fastening
- Index finger without shock protection for increased dexterity (e.g. handling a weapon)

Puncture protection
in accordance
with ANSI/ISEA

3



IR-X® Impact Exoskeleton™



Dexterous index finger

HexArmor® Helix® 3003

Art. no.	60665
Standard	EN 388: 2016 (4 X 4 2 D P) EN 407 (X 1 X X X X)
Colour	black
Sizes	7/S to 11/XXL



Reinforcement on the
thumb crotch





Reduce injuries to a minimum

HexArmor® puncture-resistant products use several layers of SuperFabric® brand material that do not restrict mobility or breathability.

HexArmor® 2132

- Synthetic leather palm provides abrasion resistance and strong grip in dry or slightly oily situations
- Comfortable, breathable back of the hand with a neutral colouring for better camouflage
- Adjustable TPR hook-and-loop fastening for a secure fit
- Pull strap
- Touchscreen capability
- Very snug fit thanks to form-fitting, high-quality materials
- Washable/easily decontaminated



Breathable



Strong grip



Snug fit

	HexArmor® 2132	HexArmor® 2132
Art. no.	60701	60702
Standard	EN 388: 2016 (2 1 2 1 X)	EN 388: 2016 (2 1 2 1 X)
Colour	stealth	coyote
Sizes	7/S to 11/XXL	7/S to 11/XXL



Stealth
60701



Coyote
60702

EN 388:2016



2 1 2 1 X

Puncture protection in accordance with ANSI/ISEA

2

HexArmor® Hercules® 400R6E

- SuperFabric®** brand materials for industry-leading cut protection
- Silicone gripping surface on the palm for improved grip
- Pre-curved shape for maximum comfort and dexterity
- Gauntlet
- Puncture protection from wires, metal, wood and glass
- Suitable for handling animals
- Washable



SuperFabric® protection*



Non-slip silicone

HexArmor® Hercules® 400R6E

Art. no.	60634
Standard	EN 388: 2016 (4 X 3 4 F)
Colour	black
Sizes	8/M to 11/XXL



60634

EN 388:2016



4 X 3 4 F

ANSI/ISEA Cut protection level

A9

Puncture protection in accordance with ANSI/ISEA

5

uvex

uvex tactical

Always ready for action

uvex tactical eyewear



uvex apache spec
set
9112265



uvex apache spec
variomatic
9112561




uvex apache spec
P1P19
9112365



uvex apache spec
P1E21
9112562




uvex apache spec
P1E24
9112565



uvex apache
goggle set
9310265



uvex megasonic
tactical
9320110



uvex i-3 tactical
set
9190027



uvex pheos cx2
tactical
9198268



uvex super f OTG
tactical
9269110

HexArmor® tactical gloves




HexArmor®
PointGuard® Ultra
4045
60005



HexArmor®
Helix® 3003
60665



HexArmor®
2132
60701



HexArmor®
2132
60702



HexArmor®
Hercules® 400R6E
60634


Protect your emergency services.
We are happy to advise you.

UVEX ARBEITSSCHUTZ GMBH

Wuerzburger Str. 181-189
90766 Fuerth
GERMANY

T: +49 911 9736 360
F: +49 911 9736 460

E: safety@uvex.de
I: uvex-safety.com



More information:



1.001.747/2.24/1/8 · Printed in Germany.
Rights of technical changes reserved. © 2024 – UVEX ARBEITSSCHUTZ GmbH



protecting people

uvex-safety.com