

**uvex**



# **Safety Footwear**

---

protecting people

**uvex**

Safety Footwear  
uvex 3 MACSOLE® welder

Hot work.

Easy



68661  
68662  
68663



clima zone



**uvex 3 MACSOLE® welder · Lace-up boot S3 WG**

Designed for high-heat environments, the sole incorporates specialised insulating materials to protect against extreme temperatures. The steel midsole provides reliable penetration resistance and added protection from external hazards. The ergonomic fit makes these shoes the perfect companion for strenuous work.

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- heat-, chemical- and cut-resistant uvex MACSOLE® rubber outsole
- foamed polyurethane scuffcap
- foamed polyurethane heel basket

- 100% metal-free protective toe cap
- steel penetration resistance
- heat-resistant seams
- hydrophobic leather upper
- elastic laces, concealed with leather
- breathable textile lining
- reflective elements
- ESD certified
- dust tongue
- sizes 36 to 40 produced using a womens' last
- removable antistatic comfortable innersole (Art. no.: 86937-9)

uvex 3 MACSOLE® welder

Art. no. Width 10

Art. no. Width 11

Art. no. Width 12

Standard EN ISO 20349-2:2017 + A1:2020

Upper

Lining

Fastening

Sizes

Order unit

Lace-up boot

68661

**68662**

68663

S3 WG CI HI HRO SRC

hydrophobic leather

textile

concealed elastic laces

36 to 52

PR



Recycled content: The midsole consists of 10% recycled PU waste (PIR) from our production processes, the outsole consists of 30% recycled rubber waste, the insole board consists of 38% recycled polyester, the innersole consists of 72% recycled material (PU foam, GRS-certified polyester)

You can find more information on uvex medicare on pages 438 to 441

Safety Footwear  
uvex 3 foundry



going.



65731  
65732  
65733




**uvex 3 foundry · Boot S3 Fe Al**

Designed for high-heat environments, the sole incorporates specialised insulating materials to protect against extreme temperatures. The steel midsole provides reliable penetration resistance and added protection from external hazards. The ergonomic fit makes these shoes the perfect companion for strenuous work.

- heat-, chemical- and cut-resistant rubber sole
- shock-absorbing EVA inserts in the rubber sole at the heel and forefoot
- rubber scuffcap
- 100% metal-free protective toe cap

- steel penetration resistance
- special upper construction to prevent the penetration of molten metal
- heat-resistant seams
- hydrophobic leather upper
- quick-release strap closure for quickly taking off the footwear in case of contact with molten metal
- breathable textile lining
- reflective elements
- cover and dust tongue

uvex 3 foundry	Boot
Art. no. Width 10	65731
Art. no. Width 11	<b>65732</b>
Art. no. Width 12	65733
Standard EN ISO 20349-2:2017 + A1:2020	S3 Fe Al CI HI HRO SRC
Upper	hydrophobic leather
Lining	textile
Fastening	quick release fastener
Sizes	36 to 51
Order unit	PR

 Recycled content: The insole board consists of 38% recycled polyester, the innersole consists of 55% recycled material (PU foam, GRS-certified polyester)

