



uvex

Designed
with you in mind

protecting people

Empowering women with perfectly fitted PPE

**Times are changing:
The number of
women working in
construction is on the
increase.**



A survey conducted by GoConstruct found that **37%** of new entrants into the industry that came from higher education are women and **14%** of construction industry professionals overall are female*.

Promoting gender equality and diversity in the workplace

As more women enter what were once male-dominated industry sectors, ensuring the safety of individuals through the availability of appropriate Personal Protective Equipment (PPE) has become more critical. A 'one size fits all' approach is not adequate, especially when it comes to safety equipment.

As advocates for gender inclusivity in PPE design, we understand that women have distinct characteristics and preferences that need to be considered. Ill-fitting, uncomfortable, or impractical PPE not only poses safety risks but also hinders the performance and confidence of women in their respective fields.

Empowerment and protection

We believe that correctly fitting women's PPE is not just a matter of necessity; it's about respect, equality, and the path toward a safer, more inclusive world.

Recognising this need, we have selected a range of solutions that take into account individual requirements and anatomical differences, with the aim of protecting and empowering women across various industries.



Safety without compromise:

We believe that safety should never be compromised due to ill-fitting PPE. Each uvex product is engineered with **WEARABILITY**, to meet or exceed safety standards, while balancing comfort, fit, technical performance and style to ensure our wearers remain compliant and confident.



Customised sizing:

We offer a variety of sizes and styles, acknowledging that every woman is unique. Our size charts, fitting guides, and expert support will assist you in finding the perfect fit for your needs. We also offer a range of insoles that allow you to customise the fit of your footwear to your individual requirements.




Quality and durability:

Our PPE is made from high-quality materials in our own production facilities across Europe. Each product is built to withstand the rigors of your profession or daily activities, ensuring that our products offer value for money.




Comfort and style:

Safety doesn't mean sacrificing comfort or style. Discover PPE that not only keeps you protected but also reflects your personal style and professionalism.



Industry-specific solutions:

Explore our range of PPE tailored to various sectors, including construction, utilities, automotive, manufacturing and more. We understand the nuances of each field and offer products accordingly.



Resources and support:

As you embark on this journey with us, we're here to provide guidance and resources to help you make informed choices about your PPE. Our team of experts take a consultative approach to PPE and are dedicated to ensuring you find the products you need. If you need guidance, feel free to contact us.



Sustainability at uvex safety


Sustainability is a key topic for uvex.

Our mission of protecting people instils in us responsibility towards environment protection.

We actively embrace social and technological change – and continuously optimise all steps along the value creation chain to ensure we keep our place at the top of the sustainability podium.

Our 4 focus areas

The uvex sustainability strategy




Ecological transformation

We strive for a more environmentally friendly footprint across our entire value creation chain and aim to reduce our Scope 1–2 emissions by 42% by the year 2030 (base year FY 22/23). This reduction target has been verified by the Science Based Targets initiative (SBTi).



Circular economy as a driver of innovation

We are driving the development of circular solutions – with a focus on innovative materials and concepts, durability and Design for Recycling.



Social responsibility

We generate social benefits and help to bring about positive change in society and our supply chains through our entrepreneurial thinking and actions.



Safeguarding health and the environment

We stand for rigorous management of harmful substances with the aim of minimising the impact on the health of both people and the environment.

4 hexagons — greater product transparency



Material



Packaging



Circular economy



CO₂
footprint

Our new labelling system makes it easy to quickly identify environmentally relevant product characteristics. With this system, you can see at a glance which aspects of the product design actively contribute to the reduction of CO₂, resource conservation and a circular economy — clearly, comprehensibly and with direct focus on the product.



uvex Restricted Substances List (RSL)
Stricter chemical limit values than REACH



uvex products offer quality and protection
far beyond standard requirements

WE SUPPORT



Human rights and responsibility — enshrined in the **uvex Code of Conduct and social standard**



ISO 14001
certification of all European sites by 2026 (currently 5 of 7)



ISO 9001
certification for all uvex sites

56%
of our products are manufactured in Europe



made in uvex

-65%
CO₂ emissions per turnover since 2014



Our **Rainer Winter Foundation** supports projects for disadvantaged children



>2300 kWp
solar power from our PV systems



100%
green electricity at our European sites

285
uvex products with calculated CO₂ footprint

... that's the same as 20% of our portfolio — **and is continuing to grow.**

uvex UV400

100% UV protection. 100% safety. 100% uvex.

The EN166/170 standard requires safety eyewear to provide UV protection up to 380 nm. The latest scientific findings show that this is not enough. The WHO (World Health Organization) recommends UV protection up to 400 nm.



“The reasons why the WHO recommends UV400 protection are clear. The outer tissues of the eye, cornea and lens fully absorb UV light. While UVB light primarily damages the genetic material, UVA rays penetrate deeper, cause thermal damage and magnify the effects of UVB light.”

Univ.-Prof. Dr. rer. nat. Olaf Strauß



uvex UV400 – included in all uvex safety eyewear


Whether you choose clear or tinted lenses, all uvex safety spectacles are equipped with uvex UV400 effective UV protection as standard – as well as pleasant wearer comfort, a sporty design and top-quality lens coatings.

Even without sun, UV rays can still put strain on the eye

When working outdoors, your eyes are regularly exposed to harmful UV radiation – even when it is cloudy. The result: using insufficient protection risks may cause dangerous long-term damage such as corneal injury, cataracts and blindness.

100 % protection against dangerous UVA and UVB radiation

For the eye and surrounding skin



uvex UV400 offers complete protection against UVA and UVB radiation as well as high-energy visible light (HEV) up to a wavelength 400 nm.

uvex UV400 not only filters 100 % of UVA rays (20 % still passes through 380 nm lenses), it also completely minimises temperature-induced cell changes – a factor which increases tenfold in the percentage of total cell damage in the range from 380 to 400 nm. In addition, the dangerous, damaging blue light content (HEV), which is also harmful to the retina, is reduced by 15 %.

uvex safety eyewear,
100 % safety.



Safety Eyewear

If your protective eyewear doesn't fit properly, it can lead to discomfort, eye strain and may even increase your risk of injury.

Our range of safety eyewear includes spectacle and goggle designs specifically for those with smaller faces. We understand that women often find it challenging to find safety eyewear that offers optimal protection, a close and secure fit and is comfortable to wear the entire working day.

Part of the uvex **WEARABILITY** and eyewear fit program looks at the lens shades and coatings options available for a variety of workplace environments and lighting conditions.

uvex **WEARABILITY** also takes into account, fit, comfort, the product performance and style.



Scan to find out more ►

Fit Guide

The best safety eyewear is the one that fits best

uvex has devised a highly successful fit program that ensures everyone can find a safety spectacle or goggle that best suits them. Our highly knowledgeable team of experts work alongside you and your employees to ensure they find something that really fits them. Our approach takes into account the employee's features, work environment and personal requirements e.g. compatibility with other PPE.

By involving the wearer in the selection process, this not only ensures a proper fit - crucial for their safety – but it also increases the likelihood of that eyewear remains worn throughout the day.



» Here are a few simple steps for ensuring a proper fit:




1.	There should be no uncomfortable pressure points on the side of the head or behind the ears.
2.	The nose piece should be comfortable and contacting your nose without pinching.
3.	You should be able to see in all directions without major obstruction.
4.	The overall weight of your safety eyewear should be evenly distributed between your ears and nose. The frame should sit comfortably on your face without distracting you from tasks.
5.	Frames should fit close to the face without your eyelashes hitting the lens. The space around the frame and your face should be less than a pencil width. Gaps of less than or equal to 6-8mm are preferred.
6.	Lenses should cover the eyebrow, eye socket and any soft tissue around it.
7.	Eyewear should stay in place when you move your head front-to-back and side-to-side.

» Did you know **2,500 people** injure their eyes at work each year in the UK?

Don't become a statistic - it's all about proper **WEARABILITY**.

» Look out for:



Safety Spectacles

uvex pheos nxt · uvex pheos nxt planet · uvex pheos nxt guard



uvex pheos nxt

- Classic sporty, lightweight safety spectacle with innovative side arm structure for optimal, secure hold at all times
 - Ergonomically shaped side arms with grip structure and soft-grip temple ends provide a comfortable, secure fit without pressure
 - Numerous recesses in the side arms provide increased air circulation for excellent climate-optimised wearer comfort
 - Nose bridge designed for all-day comfort
 - Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
 - uvex pheos nxt guard with directly injected additional frame offers additional protection against particles, dirt and dust combined with even greater wearer comfort
 - uvex pheos nxt guard with headband keeps the eyewear in position even during demanding work
 - metal-free

uvex pheos nxt		uvex pheos nxt planet	
Art. no.	9128265	9128295	
Version	uvex supravision excellence	uvex supravision excellence	
Standard	EN 166, EN 170	EN 166, EN 170	
Frame	blue, anthracite	anthracite, jade	
	W 166 FT CE	W 166 FT CE	
Lens	PC clear	PC clear (mass balanced)	
	UV400	UV400	
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	
Weight	25 g	25 g	
Order quantity multiples	10 PC	10 PC	

uvex pheos nxt	uvex pheos nxt guard	uvex pheos nxt guard	uvex pheos nxt guard	uvex pheos nxt guard
Art. no.	9128780	9128781	9128064	9128223
Version	uvex supravision extreme	uvex supravision extreme	uvex supravision excellence	uvex supravision excellence
	with extra frame	with extra frame and headband	sunglare filter	sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172
Frame	blue, anthracite	blue, anthracite	white, black	white, black
	W 166 34 FT CE	W 166 34 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC CBR65	PC CBR23
	UV400	UV400	UV400	UV400
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-1.4 W1 FTKN CE	5-2.5 W1 FTKN CE
Weight	31 g	42 g	25 g	25 g
Order quantity multiples	10 PC	8 PC	10 PC	10 PC

The lens is composed of 71% bio-based, mass-balanced polycarbonate (recycled oils of plant origin), certified in accordance with ISCC Plus.

Safety Spectacles

uvex i-5



9183265



9183064



9183223



9183281

uvex i-5

- Sporty premium quality safety spectacle with a range of adaptive features
- x-tended eyeshield: soft seal frame technology wraps around the brow providing protection from particle ingress
- x-tended sideshield offers additional protection from hazards
- Ergonomically shaped side arms with multi-incline points and length adjustment allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- Soft-grip temple ends provide a comfortable, secure fit
- Soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- Metal-free

uvex i-5				
Art. no.	9183265	9183064	9183223	9183281
Version	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Frame	anthracite, blue W 166 FT CE	white, black W 166 FT CE	white, black W 166 FT CE	anthracite, lime W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC CBR65 UV400 5-1.4 W1 FTKN CE	PC CBR23 UV400 5-2.5 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE
Weight	29 g	29 g	29 g	29 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

MADE IN GERMANY 

Safety Spectacles

uvex i-range · uvex i-range planet



reddot winner 2022

uvex i-range

- Versatile 3in1 safety eyewear range – allows eyewear to be adapted according to workplace hazards
- Large, flat lens delivers unrestricted field of vision
- x-tended sideshield offers additional protection from hazards
- Side arms with multi-incline points allow for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- Ergonomically shaped side arms provide a secure fit without pressure
- Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UV radiation up to 400 nm
- Metal-free
- uvex i-guard: soft, flexible face seal adapts to the wearer providing both protection and comfort. It also protects against droplets or splashes of liquids and large dust particles (markings 3 and 4)
- uvex i-guard+: above features together with increased impact protection
- uvex i-guard+ kit: interchangeable side arms and headband means eyewear can be worn as either a spectacle or goggle depending on the workplace hazards

uvex i-range	uvex i-lite	uvex i-lite planet	uvex i-lite	uvex i-guard	uvex i-guard planet
Art. no.	9143265	9143295	9143281	9143266	9143296
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 170
Frame	anthracite, blue	anthracite, jade	anthracite, lime	anthracite, blue	anthracite, jade
	W 166 F CE	W 166 F CE	W 166 F CE	W 166 34 F CE	W 166 34 F CE
Lens	PC clear	PC clear (mass balanced)	PC grey 23%	PC clear	PC clear (mass balanced)
	UV400	UV400	UV400	UV400	UV400
	2C-1.2 W1 FKN CE	2C-1.2 W1 FKN CE	5-2.5 W1 FKN CE	2C-1.2 W1 FKN CE	2C-1.2 W1 FKN CE
Weight	32 g	32 g	32 g	48 g	48 g
Order quantity multiples	10 PC	10 PC	10 PC	8 PC	8 PC

uvex i-range	uvex i-guard+	uvex i-guard+ planet
Art. no.	9143267	9143297
Version	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 170
Frame	anthracite, blue	anthracite, jade
	W 166 34 B CE	W 166 34 B CE
Lens	PC clear	PC clear (mass balanced)
	UV400	UV400
	2C-1.2 W1 BKN CE	2C-1.2 W1 BKN CE
Weight	50 g	50 g
Order quantity multiples	8 PC	8 PC

 The lens is composed of 71% bio-based, mass-balanced polycarbonate (recycled oils of plant origin), certified in accordance with ISCC Plus

MADE IN GERMANY 

Safety Spectacles

uvex suXXeed · uvex suXXeed guard



9181265



9181281



9181180



uvex suXXeed

- Sporty safety spectacle in an appealing, dynamic design
- Ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- Soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- UV400 – 100% protection against dangerous UV radiation up to 400 nm robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- Optional clip-in frame seal provides extra protection against particles, dirt and dust
- Metal-free



uvex suXXeed			uvex suXXeed guard	clip-in frame
Art. no.	9181265	9181281	9181180	9181001
Version	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence incl. clip-in frame	clip-in frame for uvex suXXeed
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	
Frame	anthracite, blue	anthracite, lime	anthracite, blue	black
	W 166 FT CE	W 166 FT CE	W 166 FT CE	
Lens	PC clear	PC grey 23%	PC clear	
	UV400	UV400	UV400	
	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE	2C-1.2 W1 FTKN CE	
Weight	28 g	28 g	33 g	5 g
Order quantity multiples	10 PC	10 PC	10 PC	20 PC

Safety Spectacles

uvex sportstyle · uvex sportstyle planet



uvex sportstyle

- Sporty, lightweight safety spectacle with a contoured lens that will fit narrow and wider faces equally well
- The combination of soft padding around the brow with ergonomically shaped side arms and soft-grip temple ends provide a comfortable, secure fit without pressure
- Soft, adjustable nose pad allows spectacle to be adapted to the wearer to deliver a comfortable, non-slip and pressure-free fit
- Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100% protection against dangerous UV radiation up to 400 nm

uvex sportstyle		uvex sportstyle planet		
Art. no.	9193080	9193265	9193376	9193395
Version	uvex supravision plus oil & gas	uvex supravision excellence	uvex supravision extreme	uvex supravision extreme
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170
Frame	black, grey	black, lime	black, petrol	anthracite, jade
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC clear	PC clear (mass balanced)
	UV400	UV400	UV400	UV400
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE
Weight	23 g	23 g	23 g	23 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

uvex sportstyle				
Art. no.	9193064	9193223	9193280	9193880
Version	uvex supravision extreme sunglare filter	uvex supravision extreme sunglare filter	uvex supravision extreme sunglare filter	uvex supravision variomatic self-tinting lenses
Standard	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172	EN 166, EN 170
Frame	white, black	white, black	white, black	black, anthracite
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC CBR65	PC CBR23	PC grey 23%	PC light green
	UV400	UV400	UV400	UV400
	5-1.4 W1 FTKN CE	5-2.5 W1 FTKN CE	5-2.5 W1 FTKN CE	2-1.2 W1 FTKN CE
Weight	23 g	23 g	23 g	23 g
Order quantity multiples/	10 PC	10 PC	10 PC	PC
Order unit				



The lens is composed of 71% bio-based, mass-balanced polycarbonate (recycled oils of plant origin), certified in accordance with ISCC Plus

MADE IN GERMANY

Safety Spectacles

uvex pheos cx2



9198257



9198064



9198223



9198237

uvex pheos cx2


- Sporty looking safety spectacle with high wearer acceptance
- x-tended eyeshield: soft seal frame technology wraps around the brow providing protection from particle ingress
- Ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure

- Soft, flexible nose pad adapts to the wearer, delivering a non-slip and pressure-free fit
- Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- Metal-free

uvex pheos cx2				
Art. no.	9198257	9198064	9198223	9198237
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence
Standard	EN 166, EN 170	EN 166, EN 172	EN 166, EN 172	EN 166, EN 172
Frame	blue, grey	white, black	white, black	white, black
Lens	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Weight	28 g	28 g	28 g	28 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC

Safety Spectacles

uvex pheos · uvex pheos s



uvex pheos

- Sporty, timeless safety spectacle; frameless design allowing for an extra-large field of vision
- Ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- Nose bridge designed for all-day comfort
- Robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- Optional clip-in frame seal provides extra protection against particles, dirt and dust
- Headband option holds eyewear in place during overhead or work in confined spaces
- Available as standard size or narrow version
- Metal-free

uvex pheos						uvex pheos s
Art. no.	9192080	9192225	9192285	9192385	9192881	9192720
Version	uvex supravision plus standard size,	uvex supravision excellence standard size	uvex supravision excellence standard size, sunglare filter	uvex supravision excellence standard size, contrast-enhancing	anti-fog on the inside standard size, sunglare filter, silver mirror	uvex supravision excellence small size
Standard Frame	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 black, green W 166 FT CE	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 170 black, yellow W 166 FT CE	EN 166, EN 172 light grey, grey W 166 FT CE	EN 166, EN 170 black, green W 166 FT CE
Lens	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC amber UV400 2C-1.2 W1 FTKN CE	PC silver mirror grey UV400 5-1.7 W1 FTN CE	PC clear UV400 2C-1.2 W1 FTKN CE
Weight	29 g	29 g	29 g	29 g	29 g	28 g
Order quantity multiples	10 PC	10 PC	10 PC	10 PC	10 PC	10 PC
uvex pheos s				Accessories		
Art. no.	9192786	9192180	9192680	Art. no.		9192001
Version	uvex supravision excellence small size, sunglare filter	uvex supravision extreme standard size incl. clip-in frame and headband	uvex supravision extreme standard size incl. clip-in frame and headband	Version	clip-in frame for uvex pheos standard size	headband for uvex pheos and uvex pheos s
Standard Frame	EN 166, EN 172 black, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	EN 166, EN 170 black, grey W 166 FT CE	Colour	black	grey, black
Lens	PC grey 23% UV400 5-2.5 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	PC clear UV400 2C-1.2 W1 FTKN CE	Order quantity multiples	20 PC	10 PC
Weight	28 g	46 g	45 g			
Order quantity multiples	10 PC	10 PC	10 PC			

MADE IN GERMANY

Safety Spectacles

uvex i-works



9194171



9194265



9194365



9194270

uvex i-works

- sporty, robust safety spectacle, available in a range of lens shades
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens

- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- fits the uvex IES
- a sustainable benefit: lenses can be replaced when required
- metal-free

uvex i-works				
Art. no.	9194171	9194265	9194365	9194270
Replacement lens		9194255	–	–
Version	uvex supravision excellence	uvex supravision excellence	uvex supravision excellence contrast-enhancing	uvex supravision excellence sunglare filter
Standard	EN 166, EN 170	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
Frame	anthracite, blue	anthracite, lime	black, yellow	anthracite, grey
	W 166 FT CE	W 166 FT CE	W 166 FT CE	W 166 FT CE
Lens	PC clear	PC clear	PC amber	PC grey 23%
	UV400	UV400	UV400	UV400
	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	2C-1.2 W1 FTKN CE	5-2.5 W1 FTKN CE
Weight	26 g	26 g	26 g	26 g
Order quantity multiples	10 PC	10 ST	10 PC	10 PC

Safety Goggles

uvex u-sonic • uvex pheos cx2 sonic



9308245



309275



9309286

uvex u-sonic

- Compact design - from just 69 g
- Low profile, wraparound design fits a wide range of facial shapes
- Soft seal frame technology adapts to the wearer for a customised fit - protects against liquid droplets/splash, large dust particles
- uvex supravision excellence lens coating technology: permanent anti-fog coating on the inside of the lens, scratch resistant on the outside
- Wide fully adjustable head strap - secure, pressure free and ergonomically optimised fit
- High levels of compatibility with other items of PPE
- 100% UV protection

	uvex u-sonic
Product code	9308245
Design	uvex supravision excellence narrow size
Standard	EN 166, EN 170
Frame	anthracite, lime W 166 34 B CE
Lens	PC clear UV400 2C-1.2 W1 BKN CE
Weight	72 g

MADE IN GERMANY

uvex pheos cx2 sonic

- uvex's lightest compact wide-vision goggles (34 grams)
- High mechanical strength B (120 m/s)
- Designation 3 (liquids), 4 (coarse dust) and T (extreme temperatures)
- Comfortable protection thanks to soft forehead and nose piece moulded directly onto the lens
- Very soft, light textile headband for secure and comfortable fit
- Can be easily combined with other PPE

	uvex pheos cx2 sonic	
Product code	9309275	9309286
Design	uvex supravision extreme narrow size	uvex supravision extreme narrow size, sunglare filter
Standard	EN 166, EN 170	EN 166, EN 172
Frame	white, black W 166 34 BT CE	white, black W 166 34 BT CE
Lens	PC clear UV400 2C-1.2 W1 BTKN CE	PC grey 23% UV400 5-2.5 W1 BTKN CE
Weight	34 g	34 g

MADE IN GERMANY

Comfort

Innovative features for improved comfort and protection

Fit and comfort go hand in hand. Eyewear should deliver a low-pressure, lightweight fit with even weight distribution.

Thanks to uvex's German-engineered dual-injection mould technology, hard and soft components can be combined within frames enabling them to flex. As a result, wearers can achieve a more tailored fit which is comfortable, long-lasting and ensures the eyewear stays put.



Safety eyewear needs to be comfortable, with no pressure points on the nose bridge, against the sides of the head, or behind the ears. Frames that combine a number of key features ensure eyewear stays worn all day. Eyewear should take into account:



»» Effective ventilation

Ventilation increases airflow and doesn't necessarily mean dust and debris will get it. A cleverly designed ventilation system helps to reduce misting and ensures the climate around the eyes is pleasant and non-drying.



»» Injection moulded technology

uvex's technique of combining injection moulded hard and soft materials around the brow, nose and within the side arms, allows products to adapt to the wearer's facial features. This not only increases comfort, it ensures correct fit and helps keep eyewear in place to deliver the intended level of protection.



»» Less weight - more comfort

Developing frames with a low weight enhances wearer comfort by reducing additional stress on the body. As a result, uvex safety eyewear can be worn for long periods without fatigue.



»» Size matters

If protective eyewear doesn't fit properly this is not only frustrating, but it can lead to discomfort, eye strain and could increase the risk of injury.

Our range of safety eyewear includes designs that adapt to the face delivering absolute consistency of protection and performance levels.

uvex

Safety prescription eyewear

uvex safety prescription eyewear

**MADE FOR
YOUR EYES**
MADE BY **UVEX**



Tailored protection and perfect vision for the industrial workplace

At uvex, we understand that safety and vision go hand in hand. Our prescription safety spectacles offer the perfect blend of protection and precision, ensuring wearers experience the same high level of protection as their colleagues who wear standard safety glasses, while also enjoying tailored vision correction.



Tailored vision and maximum protection

Certified and marked in accordance with EN 166, these glasses meet the stringent requirements for protective eyewear. They are designed to safeguard against common workplace hazards such as flying particles, UV radiation, dust and more, meaning prescription wearers can enjoy comprehensive eye protection without sacrificing vision clarity, ensuring they meet the safety standards required in the workplace.



Safety and optical performance

Each pair of uvex prescription safety spectacles is individually adapted to the wearer's unique vision needs. With options ranging from single vision, bi-focal, and varifocal lenses and a range of lens coatings, you can be sure of a customised solution.

The lenses are made from high-quality materials, providing crystal-clear vision, while also offering the necessary dioptric effect for visual aid.



VDU glasses for screen work

In addition to our safety eyewear, uvex also offers a range of VDU (Visual Display Unit) glasses, ideal for workers who spend long hours in front of screens. These glasses help reduce eye strain, enhance comfort, and support long-term visual health, making them a perfect choice for office and screen-based environments.



Enhanced comfort and seamless transition

Our eyewear is designed with comfort in mind, offering various frame options and coatings that improve performance. The seamless transition between personal spectacles and employer-provided safety eyewear increases wearer acceptance, ensuring employees feel comfortable and protected throughout their working day.



Uncompromising quality and safety

The uvex quality system guarantees top-tier design and processing technology, with all materials – including lenses, frames, and cases – being free from harmful substances and regularly inspected to meet the highest standards of safety and performance.

uvex safety prescription eyewear

Prescription ONLINE ORDERING process

uvex's online ordering system allows customers to order prescription eyewear quickly and easily. The automated system enables approved personnel (Authorising Officers) to:

- Generate a form quickly: for print or to be emailed to an employee
- Create and track the status of new prescription orders as they move through the manufacturing process: from when the Authorising Officer generates the form through to the order being despatched to the optician and finally invoiced
- Review historical orders and run user reports



The Optician's Portal

This is a great advantage to the flow and speed of the order process and will give employees a better experience when they visit the optician.

If an employee chooses a frame or a lens type which is not on your pre-approved list for selection, the optician can advise the employee straightaway. The employee will then have a choice to either choose something from the pre-approved list or to continue with the order.

If they choose the latter, uvex will seek approval as necessary. Orders will be placed on hold until approval is granted.

Once registered your Optician will be able to:



See the approved frames for your employees



Review and complete all fields to ensure timely processing



Submitted orders will go straight into production. Delays will only occur if there is a query with the order e.g. obtaining approval for non-standard items



Check the status of the order at any point once in production and advise the employee accordingly



To find out more visit

www.uvex-safety.ie/en/products/prescription-eyewear/

Caring for your safety eyewear

uvex eyewear cleaning and storage accessories



Keeping safety eyewear clean and scratch-free not only keeps employees seeing clearly, it also extends the life of the product as well - resulting in significant cost savings for companies.

The main cause for scratched or under performing safety eyewear lenses is improper cleaning. Incorrect handling and storage can also cause unnecessary damage to lenses.

Follow these simple care and cleaning steps to increase the life of uvex safety eyewear:



Lightly blow off any loose dirt or debris from your lenses.



Rinse your lenses with cool water. uvex eyewear engineered with nanotechnology - a non stick formula that makes lenses easier to clean. At your uvex cleaning station, spray the cleaning solution directly onto the lenses.



Use a lens-safe tissue (provided at the uvex cleaning station) to dry and wipe clean.



If you're not immediately putting the safety eyewear on, store it in a pouch or case before putting them in a safe spot. Never put unprotected safety eyewear in your pocket.

If a cleaning station is not available, use a soft, dry microfiber cloth to gently wipe your lenses.*

In addition to properly cleaning, check your safety eyewear before you put them on to ensure that the lenses and frames are intact. If anything is defective, replace immediately. Inspection is the first line of protection.



9970007



9972101



9971002



9963000

uvex lens cleaning station (includes fluid and tissues)

Art. no. 9970007

Retail unit 1

uvex cleaning fluid

Art. no. 9972101

Retail unit 1

uvex clear tissues

Art. no. 9971002

Retail unit 1

uvex lens cleaning towelettes

Art. no. 9963000

Safety Gloves

While it is important to choose the correct safety gloves for the job, it is equally important to ensure your safety gloves fit properly.

Correctly fitted gloves increase comfort levels and therefore, workers are more likely to keep them on and stay protected. If gloves are too big they can slip off, affect grip and dexterity or get caught in moving parts or tools.

Oversized gloves may not shield against the intended cuts, chemicals or other workplace hazards. Similarly, gloves that are too tight are more likely to restrict movement and cause circulation issues.

Find out about uvex **WEARABILITY** and how it can enhance the wearing of safety gloves.

Scan to find out more ►



protecting planet



Every action we take leaves behind a carbon footprint. We can help reduce this carbon footprint by choosing uvex safety gloves. How?

The **uvex phynomic XG**, for example, is the ideal combination of sustainable materials and durability. Both help protect the environment. The fabric, which makes up more than 50% of the total product weight, is made of recycled polyamide material. This has reduced the carbon footprint by 20% to just 0.28 kg CO₂e (04/2024) when compared to the previous version without recycled polyamide material. The packaging is also made of 100% paper and cardboard.

4 hexagons
increased
transparency
about the product



Material

Products featuring this symbol contain bio-based materials, materials that can be composted at home or recycled materials. Recycled materials covers both post-consumer recycling materials (PCR) and post-industrial recycling materials (PIR).



Packaging

Product packaging featuring this symbol is made of, for example, 100% recycled materials or materials that can be composted at home.



Circular economy

Products featuring this symbol are, for example, designed to last for a particularly long time, recyclable, intended to be used a second time or able to be repaired.



Carbon footprint

We calculate the product-specific greenhouse gas emissions using the methods set out in the ISO 14067 standard.

Calculation method: IPCC 2021 GWP100 (based on ISO 14067); SimaPro with ecoinvent database; Scope: Cradle-to-Customer; The CO₂ values provided were valid at the time of calculation and may be subject to change due to database or methodology updates.




made in Lueneburg

Made in Germany in the largest European centre for hand protection, uvex gloves are among the most innovative and kindest to your health and the environment.

uvex hand protection



Reduction of CO₂ emissions
through the use of
recycled polyamide
materials
in Bamboo TwinFlex®
products, and many
more



No solvents
Water-based
coating

All
shipping in Germany
is carried out using
GLS Klima Protect

**Cartons and paper
sleeves are made
of certified
paper**



**Conforms to uvex harm-
ful substances standard**
List includes
+200 critical banned
substances

**ISO 14001 and
ISO 50001 certified**
Environmental
management and energy
management

**Carton adhesive tape
with starch-based
adhesive made from
potatoes**

Skin compatibility
dermatologically approved
by the proDerm®
Institute

**Electricity from
renewable sources**
TÜV Gold certified,
carbon offset gas



Our goal: By 2030,
use up to 20% more
recycled and bio-based
materials than in
2020/21

**Reduction
of energy consumption**
through the use of a more
efficient combined heat
and power plant



Innovative features "made by uvex"

Safety gloves that offer more than just protection

From high-tech yarn to the uXT coating

We develop safety gloves that can do more than provide reliable protection. They have exclusive features ranging from the patented Bamboo TwinFlex® yarn to 3D ErgoFlex Technology and the highest possible health standards. Only available from uvex.

uvex represents
improved wearer comfort, improved functionality, improved cost efficiency




Bamboo-fibre-based cut protection is only available from us.
No other gloves are as comfortable.

The innovative Bamboo TwinFlex® Technology from uvex is completely unique and combines comfortable bamboo materials with reliable cut protection. The patented high-tech yarn absorbs up to six times more moisture than synthetic fibres. The result: Significantly less sweating and a natural, cotton-like feel.

From the plant to the glove



Bamboo is grown in an environmentally friendly way and then converted into fibres. These bamboo fibres are combined with other high-performance fibres to create a soft, durable yarn. This is woven with additional protective yarns to form a seamless glove.



Adaptable? Of course.
Our gloves fit perfectly like they were made for you.

uvex uses innovative moulding technology in its production processes: Special 3D Ergo moulding is used to give every safety glove an ergonomic shape that takes into account even the smallest details of the human hand. Thanks to uvex adaptive fit technology, the glove independently adapts to the individual shape of your hand and fits like a second skin.



The uvex glove is pre-shaped on special 3D Ergo moulds that mirror the natural shape of the human hand



uvex high-tech yarns for the perfect fit: Body heat and movement causes them to twist and adapt gently to the individual shape of the wearer's hand.



uvex has developed innovative 3D ErgoFlex Technology: Because every hand is different.







Extended LifeSpan Technology

Our gloves last much longer. **This makes them unbeatable value for money.**

uvex safety gloves are extremely robust and durable. This is due to the innovative nitrile coating systems and the completely unique coating process – both developed entirely by uvex. The extended durability of uvex gloves makes them more sustainable and much more cost-effective than you would expect.



The uvex glove remains intact after the sandpaper test*, even after the test is repeated several times.



* internal application test to determine abrasion resistance.




uvex CrossLinking Technology

We make our coatings in-house. **This makes all the difference.**

The water-based uXT Technology developed by uvex raises the bar for coatings: It makes the safety gloves particularly soft and flexible, yet extremely robust at the same time. It also offers ultimate grip – no matter whether in oily, wet or dry conditions. Thanks to the completely unique, allergen-free cross-linking systems, the coating is also very kind to your skin – even wearers with highly sensitive skin will be able to wear it comfortably.



Coating technology developed in-house by uvex for high protection and exceptional durability.



Compared to the market standard, uvex safety gloves are particularly soft and flexible, as well as extremely robust.



True DermaSafe Technology

With every single pair of our gloves, we strive to achieve perfect quality. **With no harmful chemicals.**

True DermaSafe Technology means that uvex safety gloves are subject to the uvex harmful substances standard. The uvex harmful substances standard encompasses around 200 classes of hazardous substances, going significantly beyond the REACH Regulation. This means that all uvex yarns and coatings are particularly kind to skin and are also ideal for allergy-prone users. This is also proven by the certification from the independent dermatological research organisation, proDERM Institut für Angewandte Dermatologische Forschung GmbH.



Confirmed by the independent proDERM Institute in Hamburg: A 2x24-hour test with 30 test subjects, some of whom had pre-existing allergies, proved that uvex safety gloves have no allergenic potential and are particularly skin-friendly.

Mechanical Risks

Area of application: precision / all-round



60070



MADE IN GERMANY



60050



MADE IN GERMANY



60049



MADE IN GERMANY

uvex phynomic XG planet

- Flexible and extremely durable assembly glove with the best oil grip in its class
- Outstanding mechanical abrasion resistance thanks to the durable XtraGrip-NBR coating
- Outstanding grip in oily areas
- High level of breathability due to the porous foam coating
- Very good tactile feel when assembling (oily) parts
- Free from accelerators for health protection and skin compatibility dermatologically approved (proDERM®), highly suitable for allergy sufferers

uvex phynomic foam

- Dexterity safety glove for precision mechanical work
- Good grip in dry and slightly damp areas
- Highly breathable coating
- Free from accelerators, health protection and skin compatibility dermatologically approved (proDERM®), highly suitable for allergy sufferers

uvex phynomic allround

- Light and dirt-resistant all-round safety glove for mechanical activities
- Good grip in dry and slightly damp areas
- Highly breathable coating
- Free from accelerators, health protection and skin compatibility dermatologically approved (proDERM®), highly suitable for allergy sufferers

	uvex phynomic XG	uvex phynomic foam	uvex phynomic allround
Art. no.	60070	60050	60049
Design	knitted cuff	knitted cuff	knitted cuff
Standard	EN 388 (4 1 2 1 X)	EN 388 (3 1 2 1 X)	EN 388 (3 1 2 1 X)
Material	polyamide recycle, elastane, carbon	polyamide, elastane	polyamide, elastane
Coating	Palm and fingertips feature the XtraGrip-NBR coating	palm and fingertips with foam-NBR coating	palm and fingertips with foam-NBR coating
Suitable for	damp and oily working conditions	dry areas and slightly damp areas	dry areas and slightly damp areas
Colour	black, black	white, grey	grey, black
Sizes	5 to 12	5 to 12	5 to 12
Order unit	10 PR	10 PR	10 PR



Mechanical Risks

Area of application: precision / all-round




60062




MADE IN GERMANY



60054



MADE IN GERMANY



Break section



60040



MADE IN GERMANY

uvex phynomic pro

- High dexterity and dirt- and damp-resistant safety glove
- Very good grip in damp, wet and oily areas
- High moisture absorption thanks to the bamboo viscose in the backing material
- Outstanding wearer comfort on the skin thanks to the bamboo-polyamide-elastane liner
- Free from accelerators, health protection and skin compatibility dermatologically approved (proDERM®), highly suitable for allergy sufferers

uvex phynomic x-foam HV

- Patented finger tear-off technology
- Reduced tear resistance in the finger area with the integration of a seamless break section, which clearly reduces the risk of severe hand injuries when using hand-held power tools
- Outstanding tactile feel when assembling parts
- Free from accelerators, health protection and skin compatibility dermatologically approved (proDERM®), highly suitable for allergy sufferers
- A thorough risk analysis must be carried out before use

uvex phynomic lite

- Lightweight safety glove for fatigue-free work
- Good mechanical abrasion resistance due to the very thin yet robust NBR impregnation
- Very high level of breathability with the porous coating, which reduces sweating
- Outstanding tactile feel when handling small parts
- Free from accelerators, dermatologically approved skin compatibility (proDERM®), highly suitable for allergy sufferers

	uvex phynomic pro	uvex phynomic x-foam HV	uvex phynomic lite
Art. no.	60062	60054	60040
Design	knitted cuff	knitted cuff	knitted cuff
Standard	EN 388 (2 1 2 1 X)	EN 388 (3 1 1 2 A), EN 407 (X 1 X X X X)	EN 388 (2 1 2 1 X)
Material	bamboo, polyamide, elastane	polyamide, elastane	polyamide, elastane
Coating	palm and 3/4 of the back of the hand with NBR coating	palm and fingertips with foam-NBR coating	palm and fingertips with highly breathable NBR impregnation
Suitable for	damp and oily working conditions	dry areas and slightly damp areas	dry and slightly damp areas
Colour	blue, anthracite	orange, grey	grey, grey
Sizes	6 to 12	6 to 12	5 to 12
Order quantity multiples	10 PR	10 PR	10 PR



Mechanical Risks

Area of application: precision / all-round




60028



60026



60024



uvex athletic allround

- Lightweight and dirt-resistant all-round safety glove for mechanical tasks
- Very good grip in dry and slightly damp areas
- Perfect fit thanks to the "slim fit" design and elastane with liner
- Certified according to OEKO-TEX® Standard 100 (S02-0648 HOHENSTEIN HTTI)

uvex athletic lite XT

- Lightweight, breathable and sensitive safety glove for mechanical tasks
- Matt, open-pored and particularly abrasion-resistant Micro-Foam-NBR coating
- Touchscreen capability
- Protection against contact heat up to 100°C
- Perfect fit thanks to the "slim fit" design and elastane in the liner
- Certified according to OEKO-TEX® Standard 100 (S02-0648 HOHENSTEIN HTTI)

uvex athletic lite XT ESD

- ESD in accordance with DIN EN 16350:2014 + touchscreen compatibility + heat protection
- Matt, open-pored and particularly abrasion-resistant Micro-Foam-NBR coating
- Perfect fit thanks to the "slim fit" design and elastane in the liner
- Certified according to OEKO-TEX® Standard 100 (S02-0648 HOHENSTEIN HTTI)

	uvex athletic allround	uvex athletic lite XT	uvex athletic lite XT ESD
Art. no.	60028	60026	60024
Design	knitted cuff	knitted cuff	knitted cuff
Standard	EN 388 (4 1 2 1 X)	EN 388 (4 1 3 1 X), EN 407 (X 1 X X X X)	EN 388 (4 1 3 1 A), DIN EN 16350:2014, EN 407 (X 1 X X X X)
Material	polyamide, elastane	polyamide, elastane	polyamide, elastane
Coating	palm and fingertips with foam-NBR coating	palm and fingertips with Micro-Foam-NBR coating	palm and fingertips with Micro-Foam-NBR coating
Suitable for	dry and slightly damp areas	dry and slightly damp areas	dry and slightly damp areas
Colour	grey, anthracite	black, black	black, black
Sizes	6 to 12	6 to 12	5 to 12
Order quantity multiples	10 PR	10 PR	10 PR



Mechanical Risks


Area of application: cut protection



60080



EN 388:2016



MADE IN GERMANY



60044



EN 388:2016

Xtra Grip



MADE IN GERMANY



60048



Xtra Grip

EN 388:2016

EN 16350:2014



MADE IN GERMANY

uvex phynomic B foam

- Lightweight and extremely sensitive cut protection gloves for mechanical activities (level B)
- High breathability thanks to the foam-NBR coating with excellent grip in dry and slightly damp areas
- Suitable for the food industry

uvex phynomic B XG

- Lightweight and extremely sensitive cut protection gloves for mechanical activities (level B)
- Extremely durable and excellent grip in oily areas thanks to XtraGrip-NBR coating
- Very good tactile feel when assembling (oily) parts

uvex phynomic C XG ESD


- Sensitive cut protection glove, with excellent grip in oily conditions, for mechanical activities
- ESD function (DIN EN 16350:2014)
- Excellent mechanical abrasion resistance thanks to the XtraGrip-NBR coating

Art. no.	uvex phynomic B foam	uvex phynomic B XG	uvex phynomic C XG ESD
Design	knitted cuff	knitted cuff	knitted cuff
Standard	EN 388 (4 X 4 2 B)	EN 388 (4 X 4 2 B)	EN 388 (3 X 4 2 C), EN 16350
Material	polyamide, elastane, HPPE, glass, carbon	polyamide, elastane, HPPE, glass, carbon	polyamide, elastane, HPPE, glass, carbon
Coating	palm and fingertips with foam-NBR coating	palm and fingertips with XtraGrip-NBR coating	palm and fingertips with XtraGrip-NBR coating
Suitable for	for damp and oily areas	for damp and oily areas	damp and oily areas
Colour	sky blue, grey	sky blue, black	blue, black
Sizes	6 to 12	6 to 12	6 to 12
Order quantity multiples	10 PR	10 PR	10 PR



Mechanical Risks

Area of application: cut protection



Crotch zone reinforcement ▶



60036



EN 388:2016



4 X 4 3 B

EN 16350:2014



Crotch zone reinforcement ▶



60037



EN 388:2016



4 X 4 2 C



Crotch zone reinforcement ▶



60030



EN 388:2016



4 X 4 3 D

EN 407:2020



X1 X X X X



uvex athletic B XP

- Lightweight and flexible cut protection glove (Level B) with good grip in dry and slightly damp areas
- Very good tactile feel with an abrasion-resistant coating
- Bio-based HPPE
- Suitable for industrial washing
- Certified according to OEKO-TEX® Standard 100 (S02-0648 HOHENSTEIN HTTI)

uvex athletic C XP

- Lightweight and flexible cut protection glove (Level C) with good grip in dry and slightly damp areas
- Very good tactile feel with an abrasion-resistant coating
- Suitable for industrial washing
- Certified according to OEKO-TEX® Standard 100 (S02-0648 HOHENSTEIN HTTI)

uvex athletic D5 XP

- lightweight and flexible cut protection glove (Level D) with good grip in dry and slightly damp areas
- very good tactile feel with an abrasion-resistant coating
- suitable for industrial washing
- certified according to OEKO-TEX® Standard 100 (S02-0648 HOHENSTEIN HTTI)

uvex athletic B XP		uvex athletic C XP		uvex athletic D5 XP	
Art. no.	60036	Art. no.	60037	Art. no.	60030
Design	knitted cuff	Design	knitted cuff	Design	knitted cuff
Standard	EN 388 (4 X 4 3 B), EN 16350	Standard	EN 388 (4 X 4 2 C)	Standard	EN 388 (4 X 4 3 D), EN 407 (X1 X X X X)
Material	bio-based HPPE, glas, polyamide, elastane	Material	HPPE, glas, polyamide, elastane	Material	HPPE, steel, polyamide, elastane
Coating	palm and fingertips with Micro-Foam-NBR coating	Coating	palm and fingertips with Micro-Foam-NBR coating	Coating	palm and fingertips with Micro-Foam-NBR coating
Suitable for	for dry, slightly damp areas	Suitable for	for dry, slightly damp areas	Suitable for	for dry, slightly damp areas
Colour	grey, anthracite	Colour	grey, anthracite	Colour	grey, anthracite
Sizes	6 to 12	Sizes	6 to 12	Sizes	6 to 12
Order quantity multiples	10 PR	Order quantity multiples	10 PR	Order quantity multiples	10 PR



Mechanical Risks

Area of application: cut protection



60781



60068



60777



uvex phynomic D uXT1

- Particularly sensitive cut protection glove for mechanical activities (Level D)
- Innovative uXT1-NBR coating for extremely high flexibility, durability and grip in dry, damp and oily areas
- ESD function (DIN EN 16350:2014)

uvex phynomic F XG

- Sensitive glove with very high cut protection level (Cut F) and excellent grip in oily conditions, for mechanical activities
- Extremely durable and excellent grip in damp/oily areas thanks to XtraGrip-NBR coating
- Excellent tactile feel when assembling (oily) parts

uvex phynomic D X HV

- Patented finger tear-off technology and cut protection in one
- Reduced tear resistance in the finger area due to the integration of seamless break sections, which significantly reduce the risk of hand injuries when using manually operated screwdrivers
- Free from accelerators for health protection and skin compatibility dermatologically approved (proDERM®)
- A thorough risk analysis must be carried out before use.

	uvex phynomic D uXT1	uvex phynomic F XG	uvex phynomic D X HV
Art. no.	60781	60068	60777
Design	knitted cuff	knitted cuff	knitted cuff
Standard	EN 388 (4 X 4 3 D), EN 407 (X 1 X X X X), EN 16350	EN 388 (4 X 4 3 F), EN 407 (X 1 X X X X)	EN 388 (3 X 4 1 D), EN 407 (X 1 X X X X)
Material	HPPE, glass, carbon, polyamide, elastane	polyamide, elastane, HPPE, glass, steel	polyamide, elastane, HPPE, steel
Coating	palm and fingertips with uXT1-NBR coating	palm and fingertips with XtraGrip-NBR coating	palm and fingertips with NBR impregnation
Suitable for	for damp, oily/greasy areas of application	for damp and oily areas	for dry and slightly damp areas
Colour	blue, grey	black, black	high-visibility yellow, yellow
Sizes	6 to 12	6 to 12	6 to 12
Order quantity multiples	10 PR	10 PR	10 PR



Mechanical Risks

Area of application: cut protection



60090



Xtra Grip MADE IN GERMANY



60092



MADE IN GERMANY



60093



MADE IN GERMANY

uvex Bamboo TwinFlex® D XG · uvex Bamboo TwinFlex® D SG · uvex Bamboo TwinFlex® D uXT2

- Patented uvex Bamboo TwinFlex® yarn technology with high cut protection (Level D)
- Up to six times higher moisture absorption for pleasantly dry skin

Features 60090:

- Cut protection glove with proven XtraGrip-NBR coating for durability and grip in damp and oily areas
- Adaptive fit: adapts precisely to fit the shape of your hand within a few minutes of wearing
- uvex protexxion zone further extends the service life

Features 60092:

- Extremely thin cut protection gloves for excellent tactile feel
- Extremely lightweight SoftGrip-NBR coating for high flexibility
- For dry applications

Features 60093:



- Cut protection glove with innovative uXT2-NBR coating for extremely high flexibility, durability and grip in dry, damp and oily areas
- uvex protexxion zone further extends the service life
- Increased safety due to high visibility

	uvex Bamboo TwinFlex® D XG	uvex Bamboo TwinFlex® D SG	uvex Bamboo TwinFlex® D uXT2
Art. no.	60090	60092	60093
Design	knitted cuff, protexxion zone	knitted cuff	knitted cuff, protexxion zone
Standard	EN 388 (4 X 3 2 D), EN 407 (X 1 X X X X)	EN 388 (3 X 3 1 D), EN 407 (X 1 X X X X)	EN 388 (4 X 4 2 D), EN 407 (X 1 X X X X)
Material	bamboo viscose, HPPE, steel, polyamide, elastane	bamboo viscose, HPPE, steel, polyamide, elastane	bamboo viscose, HPPE, steel, polyamide, elastane
Coating	palm and fingertips with XtraGrip-NBR coating	palm and fingertips with SoftGrip-NBR coating	palm and fingertips with uXT2-NBR coating
Suitable for	for damp/oily areas	for dry areas	for dry, damp/oily areas
Colour	green, black	turquoise, black	turquoise, neon green
Sizes	6 to 12	6 to 12	6 to 12
Order quantity multiples	10 PR	10 PR	10 PR



Mechanical Risks

Area of application: cut protection



HexArmor Helix® 3051

- 21-gauge HexAir™ HPPE/nylon blend shell is highly breathable
- Industry-first HexAir™ seamless four-way stretch flexes to the natural contours of your hand for a personalized fit
- Foam nitrile palm coating provides superior grip and abrasion resistance
- Industry-first HexAir™ seamless four-way stretch flexes to the natural contours of your hand
- Fiberglass-free and steel-free for sensitive skin
- Launderable for extended life

HexArmor Helix® 3052

- 21-gauge HexAir™ HPPE/nylon blend shell is highly breathable
- Industry-first HexAir™ seamless four-way stretch flexes to the natural contours of your hand for a personalized fit
- Polyurethane palm coating provides superior grip and abrasion resistance
- Industry-first HexAir™ seamless four-way stretch flexes to the natural contours of your hand
- Fiberglass-free and steel-free for sensitive skin
- Launderable for extended life

HexArmor Helix® 2076

- Knit: 13-gauge HPPE and steel fiber blend shell offering 360° cut protection
- Coating: Flexible polyurethane palm coating provides superior grip and abrasion resistance
- ANSI/ISEA level A6 cut protection
- Elastic knit wrist helps prevent dirt and debris from entering the glove
- Seamless construction for enhanced comfort and breathability
- Reinforced thumb saddle for increased durability

	HexArmor Helix® 3051	HexArmor Helix® 3052	HexArmor Helix® 2076
Art. no.	60733	60734	60660
Design	knitted cuff	knitted cuff	knitted cuff
Standard	EN 2016 (3 X 3 1 D)	EN 2016 (2 X 3 1 D)	EN388 (4 X 4 4 F)
Material	HPPE/nylon blend shell	HPPE/nylon blend shell	13-gauge HPPE and steel fiber blend shell
Coating	palm and fingertips with foam nitrile	palm and fingertips with polyurethane	palm and fingertips with polyurethane
Suitable for	for dry, damp/oily areas	for dry, damp/oily areas	for dry, damp/oily areas
Colour	mottled blue/ Hi-vis cuff	mottled blue/ orange cuff	mottled blue/black
Sizes	6 to 12	6 to 12	5 to 13





HexArmor®

REVOLUTIONARY CUT, PUNCTURE, NEEDLESTICK PERFORMANCE

Preventing life-changing injuries

HexArmor® products made with SuperFabric® brand material protect against the most dangerous hazards encountered on the job – blades, wire, metal, glass, and needles – preventing life-changing injuries and saving companies millions in expenses and downtime.

The configuration of tiny guard plates block and deflect hazards without sacrificing dexterity. Impacts come in all forms, shapes and sizes in the workplace and HexArmor's patented IR-X® Impact Exoskeleton™ is proved to reduce the number and effects of impact injuries.



Two brands with one global mission:

protecting people
HexArmor® + uvex

 **SuperFabric®**

HexArmor

Arc flash, needlestick and cut protection



EN 407:2004



4 2 2 1 4 1

EN 388:2016



2 X 2 3 E



EN 388:2016



4 X 4 2 F



EN 388:2016



4 X 3 3 F

HexArmor Chrome SLT®

- Arc Flash Level 4 Rating: Lab tested in accordance with HRC ATPV at 46 Cal/cm²
- EN407 tested for Burning Behavior Level 4, Contact Heat Level 2, Convective Heat Level 2, Radiant Heat Level 2, Small Splashes of Molten Metal Level 4, and Large Splashes of Molten Metal Level 1
- 360° cut resistance
- SlipFit® cuff assists a quick on and off between tasks
- Form-fitting, quality materials
- Goatskin leather palm provides a traditional style of comfort
- Grip in dry or light oil situations

HexArmor PointGuard® Ultra 4041

- Highest needlestick and cut resistance available provided by the layering of SuperFabric® brand material on noted enhanced areas, ANSI/ISEA Cut Level A9 and Needlestick Level 5
- Tested using actual 25-gauge needles against ANSI/ISEA 105 standard
- Back-of-hand knuckle padding for incidental bumps & impacts
- Neoprene cuff with Velcro® closure
- Silicone pattern palm grip for enhanced durability and grip
- Launderable

HexArmor ThornArmor® 3092

- Three layers of SuperFabric® brand material in the palm providing ANSI/ISEA Level A9 cut protection
- Reinforced index finger wrap extending the puncture-resistant area
- Breathable HexVent® panel on the back-of-hand helps keep you cool
- Durable TP-X® palm provides superior grip and abrasion resistance
- Airprene cuff with Velcro® closure to keep debris out
- ANSI/ISEA Level 5 needlestick protection
- Launderable

Product code	60611	60004	60010
Design	HexArmor Chrome SLT® 4061	HexArmor PointGuard® Ultra 4041	HexArmor ThornArmor® 3092
Standard	EN388 (2 X 2 3 E) EN407 (4 2 2 1 4 1)	EN388 (4 X 4 2 F)	EN388 (4 X 3 3 F)
Sizes	6 to 13	6 to 12	5 to 12
Coating	Goatskin leather	Silicone pattern palm grip	TP-X® palm
Base glove	Aramid liner	Layering of SuperFabric® brand material	Layering of SuperFabric® brand material
Suitable for	Dry or light oil	Dry or light oil	Dry or light oil

HexArmor
Impact protection



60728




HexArmor Helix® 3004IMP

- Unique and patented i2™ design offers outstanding flexibility and reliable impact resistance
- 18-gauge knitted blend of bamboo viscose, HPPE, steel, elastane and recycled polyamide
- SoftGrip foam coating on the palm and fingers
- Seamless construction for enhanced comfort and breathability
- Hi-vis colour on the back of the hand enhances visibility and compliance
- Reinforced thumb crotch
- Touchscreen compatible



60704



HexArmor Helix® 3014IMP

- 18-gauge knitted blend of HPPE, steel and recycled nylon
- SandyGrip-NBR coating on the palm
- Unique, extremely flexible i2™ impact protection design on the back of the hand
- Seamless construction for enhanced comfort and breathability
- Hi-vis colour on the back of the hand enhances visibility and compliance
- Touchscreen compatibility
- Reinforced thumb crotch
- REACH compliant for being skin-safe and void of harsh chemicals

	HexArmor Helix® 3004IMP	HexArmor Helix® 3014IMP
Art. no.	60728	60704
Design	knitted cuff	knitted cuff
Standard	EN 388 (3 X 3 1 D P), EN 407 (X 1 X X X X)	EN 388 (3 X 4 2 F P)
Material	Bamboo viscose, HPPE, steel, elastane	HPPE, steel and recycled nylon
Coating	palm and fingertips with SoftGrip foam	palm and fingertips with SandyGrip-NBR
Suitable for	xxxxxx	Dry, oil, or wet
Colour	green, yellow	yellow/grey
Sizes	5 to 13	5 to 13

Safety Footwear

Men and women have different shaped feet. Women generally have a smaller Achilles tendon, lighter bone weight, with softer and more flexible joints.

Poorly fitted safety footwear can lead to discomfort, reduced productivity, and increased risks of slips, trips, and falls. Simply reducing the male product size for females is not sufficient, therefore, they should be designed using a special last and have adaptive features such as the uvex custom insoles ensuring you find the perfect fit.

Scan to find out more about uvex's footwear **WEARABILITY** to ensure you find the perfect pair for you and your workplace. ▶



Why are insoles important?

To help keep feet supported and **comfortable all day long**, uvex have developed a range of insoles to fit multiple widths, as well as low, medium and high arch shapes.

Did you know?


Modifying your safety footwear, such as changing the insoles, means it no longer conforms to its certified design and may breach UK safety laws.

The Personal Protective Equipment at Work (Amendment) Regulations 2022 and the Health and Safety at Work Act 1974 require PPE to be properly maintained and used as instructed. Altering it (by changing the insole to another non-certified insole) could be considered misuse and may put you or others at risk.

Follow our handy guide to explain, if you need to change your insoles, what combinations of our insoles and footwear go together to ensure you are protected and stay safe and compliant.



uvex multiple width fitting system



These insoles change the dimensions inside the footwear by reducing or increasing the space inside the footwear depending on whether the wearer needs a narrower or wider fit.



Available in three widths, allowing the wearer to alter the dimensions inside the footwear for a customised fit. The full-surface shock absorption reduces pressure evenly across the foot, helping to minimise potential back, knee and joint problems.

Ultra-breathable materials allow effective removal of sweat and moisture without reducing the shock absorbing properties.

- Full-surface shock absorption
- Reduces symptoms of fatigue
- Prevents pressure points
- Breathable fabric that absorbs moisture
- Antibacterial
- Antistatic




Footwear styles in width 14 (extra wide fit) can only be paired with insoles of the same width (14). The width-fittings insoles in widths 10 (narrow), 11 (standard), and 12 (wide), and the arch support insoles L, (low) M (medium), H (high), are incompatible due to the extra width. Only like-for-like replacements are suitable.



uvex tune up insoles




These insoles provide support and comfort to the arch of the foot, helping to realign the natural position of the foot with the aim to reduce foot, back and knee pain and to avoid fallen arches.



Arch pain is generally caused by the pronation of our feet. Pronation relates to the rolling motion of the foot as we walk or run. If you over-pronate or under-pronate, pressure and forces can become unevenly distributed causing pains in the arch of the foot. Insoles that effectively support the arches of the feet can help ease discomfort by distributing the body weight evenly.

uvex tune-up arch support insoles provide support to the arch of the foot. They can help realign the natural position of the foot with the aim to reduce foot, back and knee pain and to avoid fallen arches.

- Very good cushioning for underfoot comfort
- Reduces symptoms of fatigue
- Prevents pressure points
- Breathable fabric that absorbs moisture
- Antibacterial
- Antistatic
- Suitable for ESD footwear



Please note that the arch support insoles are only available for footwear in a width 11.

Safety Footwear


Light industry

uvex 1 x-craft pro

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Breathable, lightweight and tear-resistant ripstop upper
- Durable, robust and flexible PUtek upper in the forefoot area
- Breathable distance mesh lining and removable antistatic innersole
- Sizes 3-6.5 produced using a women's last
- Suitable for people allergic to chrome

Footwear standard EN ISO 20345:2022

S1 PL FO SC SR ESD rated



Colour
black

Sizes
3 to 16



Product number shoe
68001 (width 10)
68002 (width 11)
68003 (width 12)
68004 (width 14)

Product number boot
68011 (width 10)
68012 (width 11)
68013 (width 12)
68014 (width 14)

uvex 1 x-craft pro planet

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features made with 15% recycled granulate from production surpluses
- uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Light and breathable uvex x-dry knit planet textile outer shoe material
- Breathable distance mesh lining made from 18% bamboo and 52% recycled polyamide
- Sizes 3-6.5 produced using a women's last
- Suitable for people allergic to chrome

Footwear standard EN ISO 20345:2022

S1 PL FO SC SR ESD rated



Colour
black/
green

Sizes
3 to 16




Product number
68081 (width 10)
68082 (width 11)
68083 (width 12)

uvex 1 x-craft pro BOA®

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole
- BOA® Fit System for quick, easy and customised fit
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Breathable, lightweight and tear-resistant ripstop upper
- Durable, robust and flexible PUtek upper in the forefoot area
- Breathable distance mesh lining and removable antistatic innersole
- Sizes 3-6.5 produced using a women's last
- Suitable for people allergic to chrome

Footwear standard EN ISO 20345:2022

S1 PL FO SC SR ESD rated



Colour
black

Sizes
3 to 16




Product number shoe
68161 (width 10)
68162 (width 11)
68163 (width 12)

Safety Footwear

Light industry

D30® Metatarsal protection

D30® uses patented and exclusive technologies made from non-Newtonian fluid to manufacture flexible materials with impact absorption. D30® offers an ergonomic solution guaranteeing safe metatarsal protection against impacts, without restricting freedom of movement and ensuring high levels of comfort.



Breathability

The segmented geometries offer breathability and air circulation.

Integrated metatarsal protection

M additional requirement according to EN ISO 20345 standard

Thin and lightweight

Enhanced protection with reduced weight

Soft and flexible

The protective component moulds to the shape of the foot, giving the wearer complete freedom of movement.

uvex 1 x-craft pro D30® meta

- Integrated and flexible D30® metatarsal protection with 100 J energy absorption
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Breathable, lightweight and tear-resistant ripstop upper
- Durable, robust and flexible PUtek upper in the forefoot area
- Breathable distance mesh lining and removable antistatic innersole
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S1PSFOMSCSRESDRated



Product number shoe
68061 (width 10)
68062 (width 11)
68063 (width 12)



uvex 1 x-craft BOA®

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Breathable microvelour outer shoe material
- BOA® Fit System for quick, easy and customised fit
- PU outsole
- Foamed polyurethane scuffcap and heel basket
- 100 % metal-free protective toe cap and flexible textile penetration resistance
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S3SFO SC SR ESD rated



Product number shoe
68171 (width 10)
68172 (width 11)
68173 (width 12)

Product number boot
68181 (width 10)
68182 (width 11)
68183 (width 12)



Safety Footwear

Light industry

uvex 1 G2

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- 100% metal-free protective toe cap
- Midsole made with 15% recycled granulate from production processes
- Lightweight and breathable uvex x-dry knit textile upper
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S1 PL FO SR ESD rated



Colour
black

Sizes
3 to 16



Product number
68342

uvex 1 G2

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- 100% metal-free protective toe cap
- Breathable microvelour outer shoe material
- TPU scuffcap made from 40% recycled material
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S3L FO SC SR ESD rated



Colour
black/
red

Sizes
3 to 16



Product number shoe
68381 (width 10)
68382 (width 11)
68383 (width 12)
68384 (width 14)

Product number boot
68391 (width 10)
68392 (width 11)
68393 (width 12)
68394 (width 14)

uvex 1 G2

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- 100% metal-free protective toe cap
- Breathable microvelour outer material with perforations
- TPU scuffcap made from 40% recycled material
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S1 FO SR ESD rated



Colour
black/
blue

Sizes
3 to 16



Product number shoe
68297 (width 10)
68298 (width 11)
68299 (width 12)
68290 (width 14)

Product number boot
68317 (width 10)
68318 (width 11)
68319 (width 12)
68310 (width 14)

Safety Footwear

Light industry

uvex 1 sport

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- PU outsole
- 100% metal-free protective toe cap and textile penetration resistance
- Breathable textile outer shoe material
- TPU scuffcap
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S1 PS FO SC SR ESD rated



Colour
black

Sizes
3 to 16

Product number
68891 (width 10)
68892 (width 11)
68893 (width 12)
68894 (width 14)



uvex 1 sport

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- PU outsole
- 100% metal-free protective toe cap and textile penetration resistance
- Light and breathable microvelour upper
- TPU scuffcap
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S3S FO SC SR ESD rated



Colour
black

Sizes
3 to 16

Product number
68981 (width 10)
68982 (width 11)
68983 (width 12)
68984 (width 14)



uvex 1

- Ultra light and flexible, multipurpose safety boot and shoe
- 100% metal-free (Art. no.: 8545 only)
- 100% metal-free protective toe cap
- Breathable, water-repellent high-tech micro velour upper
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole
- Dual density PU sole with shock absorption properties

Footwear standard EN ISO 20345:2022

S2 FO SR ESD rated



Colour
black/ lime

Sizes
3 to 14.5

Product number
85448



Product number
85458

Safety Footwear

Light industry

uvex x-cite shoe

- Smart, modern, female safety shoe
- Soft, smooth water-repellent leather upper with breathable textile lining
- Removable antistatic comfortable insole made partly from recycled materials
- Ergonomically designed outsole made from polyurethane with excellent slip resistance
- Metal-free protective toe cap contains carbon for durability and impact resistance without the weight
- Flexible, textile penetration-resistant midsole
- Made using a women's last increasing comfort as it fits the natural contours of the female foot

Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated



Colour
black

Sizes
2 to 10



Product number
86401 (width 10)
86402 (width 11)
86403 (width 12)

uvex x-cite Chelsea boot

- Smart, modern, female safety boot
- Soft, smooth water-repellent leather upper with breathable textile lining
- Removable antistatic comfortable insole made partly from recycled materials
- Ergonomically designed outsole made from polyurethane with excellent slip resistance
- Metal-free protective toe cap contains carbon for durability and impact resistance without the weight
- Flexible, textile penetration-resistant midsole
- Made using a women's last increasing comfort as it fits the natural contours of the female foot

Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated



Colour
black

Sizes
2 to 10



Product number
86471 (width 10)
86472 (width 11)
86473 (width 12)

uvex x-cite boot

- Smart, modern, female safety boot
- Soft, smooth water-repellent leather upper with breathable textile lining
- Removable antistatic comfortable insole made partly from recycled materials
- Ergonomically designed outsole made from polyurethane with excellent slip resistance
- Metal-free protective toe cap contains carbon for durability and impact resistance without the weight
- Flexible, textile penetration-resistant midsole
- Made using a women's last increasing comfort as it fits the natural contours of the female foot

Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated



Colour
black

Sizes
2 to 10



Product number
86421 (width 10)
86422 (width 11)
86423 (width 12)

Safety Footwear

Medium industry

uvex 2

- Low weight, flexible black safety shoe and boot
- Breathable, water-resistant black leather upper with virtually seam free design
- PU scuff cap protects leather upper
- 100% metal-free protective toe cap and penetration resistant midsole
- Dual density PU sole with a rough, self-cleaning tread
- Breathable lining materials
- Removable antistatic comfort insole
- Cushioning ankle support
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S3L FO SC SR ESD rated



Colour
black/
orange

Sizes
3 to 16



Product number shoe
65022 (width 11)
65023 (width 12)
65024 (width 14)

Product number boot
65032 (width 11)
65033 (width 12)
65034 (width 14)

uvex 2 MACSOLE® BOA®

- MACSOLE® rubber sole technology features resistance to heat, chemicals and cuts
- BOA® Fit System for quick, easy and customised fit
- Breathable, water-resistant black leather upper with virtually seam free design
- PU scuff cap protects leather upper
- 100% metal-free protective toe cap and penetration resistant midsole
- Breathable lining materials
- Removable antistatic comfort insole
- Cushioning ankle support
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S3L FO HI HRO SC SR ESD rated



Colour
black/
orange

Sizes
3 to 16



Product number
65321 (width 10)
65322 (width 11)
65323 (width 12)

uvex 2 trend

- Water repellent leather shoe and boot
- PU scuff cap is moulded directly onto the footwear for increased durability
- Steel toe cap and steel penetration resistant midsole
- Dual density PU sole with self-cleaning outsole
- Pivot point on the ball of the foot reduces pressure on joints during twisting motions
- Additional shock absorption around the heel and forefoot
- Removable, anti-static, comfortable insole
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S3P FO SR ESD rated



Colour
black/
blue

Sizes
3.5 to 16



Product number
69342

Product number
69352

clima zone

Safety Footwear

Heavy areas of application

uvex 3 MACSOLE®

- The MACSOLE® rubber outsole is resistant to heat, chemicals and cuts
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- Waterproof Sympatex lining
- Leather upper with uvex waterstop technology for reliable protection against splashing
- uvex anklepro extremely shock-absorbing ankle foam
- uvex lace lock keeps tension in the laces increasing ankle stability
- Steel penetration resistant midsole and metal-free protective toe cap
- Sizes 36–40 produced using a women's last

Footwear standard EN ISO 20345:2022

S7 FO CI HI HRO SC SR ESD rated



Colour
black/
blue

Sizes
3.5 to 16



Product number
68632

uvex 3 quatro

- Robust, full-grain, water-repellent leather upper
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- Penetration-resistant steel midsole and 100% metal-free protective toe cap
- Dual-density polyurethane sole with a rough, self-cleaning tread
- Injection moulded scuff cap adds durability in high wear zones
- Reflective collar piping and uvex logo for increased visibility
- Heel basket for stability and protection against ankle twisting
- Sizes 36–40 produced using a women's last

Footwear standard EN ISO 20345:2022

S3 FO CI SC SR ESD rated



Colour
black/
red

Sizes
3.5 to 16



Product number
68791 (Width 10)
68792 (Width 11)
68793 (Width 12)

uvex 3 quatro winter

- Robust, full-grain, water-repellent leather upper with warm textile lining
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- Penetration-resistant steel midsole and 100% metal-free protective toe cap
- Dual-density polyurethane sole with a rough, self-cleaning tread
- Injection moulded scuff cap adds durability in high wear zones
- Reflective collar piping and uvex logo for increased visibility
- Heel basket for stability and protection against ankle twisting
- Sizes 36–40 produced using a women's last

Footwear standard EN ISO 20345:2022

S3 FO CI SC SR ES rated



Colour
black/
red

Sizes
3.5 to 16



Product number
68812

Product number
68822





Hearing Protection

Women often have smaller ear canals when compared to men, so it is important to find hearing protection that is designed to fit comfortably in smaller ears.

Choosing the wrong size can severely reduce the protection value, exposing wearers to harmful noise, and makes the earplugs uncomfortable to wear. Foam or soft thermoplastic plugs can mould to the shape of the ear canal to provide a snug fit.

Alternatively, earmuffs with adjustable headbands to accommodate various head sizes along with cushioned earcups also add comfort.

To learn more about uvex hearing
WEARability, scan here. ▶



Hearing protection


Size and fit

Everyone's ear canal is unique – much like a fingerprint. Which is why it's all the more important that you choose adequate and suitable hearing protection that is the correct size to achieve a good fit. uvex offers a complete range of hearing protection to ensure all wearers are able to achieve a fit that's right for them.

Choosing the wrong size can severely reduce the protection value, exposing wearers to harmful noise, and makes the ear plugs uncomfortable to wear.

- If the earplugs are too large, they are unlikely to sit deep enough in the ear canal, so the specified protection level cannot be achieved. They'll also feel uncomfortable
- If the earplugs are too small, although they may be comfortable to wear, there could be noise leakage and reduced protection capacity which over time can cause noise-induced hearing loss.
- Round earplugs don't necessarily completely seal an oval-shaped ear canal. It is on this premise that we developed the uvex xact-fit range of hearing protectors.

It is best to try different sizes to find the one that gives you the best protection and fit. With the uvex com4-fit and uvex x-fit, we offer something for the majority of ear canal shapes.



Look out for the different sizes



Anyone can get used to wearing hearing protection; you just need to choose the right type of protection for you.

- Wearing time
- Noise levels
- Choose earplugs according to the size of your ear canal
- Earmuffs are not recommended for hot workplaces
- Fitting accuracy (glasses wearers)
- For earmuff wearers, the weight should be taken into consideration
- Handling (dirty hands, gloves, disabilities)
- Compatibility with other PPE (helmet, glasses, respiratory protection)

The right hearing protection can make even the loudest noises more comfortable.

Hearing Protection

Disposable hearing protection plugs



uvex xact-fit

- The easiest plug to fit giving accurate fitting every time
- Tapered plug shape fits natural shape of the ear canal for easy, comfortable secure fitting
- Ergonomic stem marked left and right with thumb indentations for easy fitting ensuring consistently accurate insertion and optimum protection
- Adjustable neck cord can be altered to wearers requirements for increased safety
- Low pressure, sealed PU foam reduces the potential for contamination for increased hygiene

- Replacement pods help prolong the life of the product and reduce waste

Corded earplugs	
Product code	2124001
SNR	26 dB
Box	1 box of 50 pairs (paired in mini box)

Replacement pods	
Product code	2124002
SNR	26 dB
Box	1 box of 250 pairs (5 prs per mini box)



uvex xact-fit reusable S

- Reusable earplugs with thumb indentations
- Oval-shaped earplugs mimics the natural shape of the ear canal for optimum fit and comfort
- Can be handled with dirty hands or while wearing gloves

uvex xact-fit reusable s	
Product code	2124017 (plastic earplug box)
Product code	2124019 (card minibox)
SNR	26 dB



uvex hi-com

- Disposable foam ear plug with low attenuation reduces the risk of over protection and feelings of isolation
- Unique shape is designed to fit the natural shape of the ear canal helping to reduce pressure for greater comfort
- Large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas
- The hollow nose and base gives low and flat attenuation allowing for excellent speech and sound recognition
- Lime coloured for high visibility

Uncorded earplugs	
Product code	2112100
SNR	24 dB
Box	1 box of 200 pairs (bagged in pairs)

Mini dispenser ideal for toolboxes and vans - uncorded	
Product code	2112104
SNR	24 dB
Box	1 box of 50 pairs

Corded earplugs	
Product code	2112101
SNR	24 dB
Box	1 box of 100 pairs (bagged in pairs)

uvex com4-fit

- Tapered shape that fits the natural shape of the ear canal. Easy, comfortable, secure fitting
- X emboss helps reduce pressure on the ear canal as there is less material. Also aids easy and hygienic removal after use
- Smaller size suitable for smaller ear canals or those new to earplugs
- Low pressure sealed PU foam, reduces the potential for contamination and gently expands to fit the size and shape of the ear canal
- Compatible with other items of PPE

Uncorded earplugs	
Product code	2112004
SNR	33 dB
Box	1 box of 200 pairs (bagged in pairs)

Corded earplugs	
Product code	2112012
SNR	33 dB
Box	1 box of 100 pairs (bagged in pairs)





Hearing protection

The uvex xact-fit family

Using earplugs has never been easier

The unique design of the uvex xact-fit is based on the anatomy of the ear canal, mimicking the natural oval shape.

This allows fast, easy and accurate insertion while reducing pressure inside the ear – even when worn for extended periods.




The cross-section of an ear canal is oval shaped

MADE IN SWEDEN 



Perfect fit

Oval-shaped earplugs mimic the natural shape of the ear canal for a low pressure fit and enhanced comfort, with no rolling required.



Ergonomic thumb indentations

The stem is shaped to fit either the left or right ear as indicated. Ensures correct insertion and optimum fit, providing intended and required protection.



Adjustable cord

Thanks to an adjustable cord the earplugs can be worn comfortably around the neck so they're always conveniently to hand.



Breathing Protection

Where respiratory protective equipment is used, it must be able to provide adequate protection for the wearer - RPE can't protect if it leaks, and one of the main reasons for this is poor fit.

Masks need to fit close to the face creating an air-tight seal to be effective. People come in all sorts of shapes and sizes so it is unlikely that one particular type or size of RPE facepiece will fit everyone.

Some women may have smaller facial features compared to men, and therefore need a respirator that is designed to fit smaller dimensions.


Scan to find out more ►




uvex silv-Air premium Respirators



- More sustainable mask family: the valve and headband attachment on all models are partly made of recycled material
- Contour-optimised design for maximum wearer comfort and a secure fit
- Available in two sizes for improved fit
- Sealing lip (in the nose area for FFP1 and FFP2, in the nose and chin area for FFP3) and nose clip provide greater comfort and a very secure fit
- The masks are packaged individually to meet the highest hygiene requirements
- Adjustable textile headband for greater protection and comfort
- Optional: exhalation valve for reducing heat and humidity
- Model against unpleasant odours available (5320+)




The nose clip is easy to adjust, ensuring a particularly good fit.



The comfortable sealing lip offers maximum comfort and a reliable fit.



The masks are packaged individually and therefore meet the highest hygiene requirements.



The extra-wide textile headband ensures that the mask fits comfortably and securely.



Exhalation valve for reducing heat and humidity.



8735200



8735210



8735310

uvex silv-Air 5200 // 5210

- Particle-filtering flat-fold mask for **small to medium face shapes**
- Wide, seamless headband for ensuring a comfortable and secure fit
- Incorporated nose clip that is easy to adjust
- Comfortable sealing lip in the nose area for a reliable fit
- 5210: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5200	uvex silv-Air 5210
Art. no.	8735200	8735210
Version	FFP2 NR D folding mask without valve – small version	FFP2 NR D folding mask with valve – small version
Colour	white	white
Order quantity multiple/ Order unit	BOX	BOX
Content	30 PC, individually packed in BOX	15 PC, individually packed in BOX

uvex silv-Air 5310

- Particle-filtering flat-fold mask for **small to medium face shapes**
- Wide, seamless headband for ensuring a comfortable and secure fit
- Comfortable sealing lip in the nose and chin area for a reliable fit
- Incorporated nose clip that is easy to adjust
- Exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 5310
Art. no.	8735310
Version	FFP3 NR D folding mask with valve – small version
Colour	white
Order quantity multiple/ Order unit	BOX
Content	15 PC, individually packed in BOX

uvex silv-Air c

Filtering face masks



uvex silv-Air 3100 // 3110

- Particle-filtering folding mask
- Seamless headband and flexible, adjustable nose clip
- Comfortable sealing lip in nose area for secure fit
- 3110: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 3100	uvex silv-Air 3110
Art. no.	8763100	8763110
Version	FFP1 NR D folding mask without valve	with valve
Colour	white	white
Order quantity multiple/	BOX	BOX
Content	30 PC, individually packed in BOX	15 PC, individually packed in BOX



uvex silv-Air 3200

- Particle-filtering folding mask
- Seamless headband and flexible, adjustable nose clip
- Comfortable sealing lip in nose area for secure fit
- 3210: exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 3200	uvex silv-Air 3210
Art. no.	8763200	8763210
Version	FFP2 NR D folding mask without valve	with valve
Colour	white	white
Order quantity multiple/	BOX	BOX
Content	30 PC, individually packed in BOX	15 PC, individually packed in BOX



uvex silv-Air 3310

- Particle-filtering folding mask with exhalation valve
- Adjustable headband and flexible, adjustable nose clip for a comfortable, secure fit
- Comfortable, all-around sealing lip for secure fit
- Exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 3310
Art. no.	8763310
Version	FFP3 NR D folding mask with valve
Colour	white
Order quantity multiple/	BOX
Content	15 PC, individually packed in BOX

uvex silv-Air 2312

- Particle-filtering preformed mask with exhalation valve – ergonomically adapted for **smaller to medium-sized face shapes**
- Four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- Very soft, all-around sealing lip for optimal wearer comfort
- Exhalation valve for reducing heat and humidity as well as noticeably reducing breathing resistance

	uvex silv-Air 2312
Art. no.	8762312
Version	
Size	small version
Colour	white
Order quantity multiple/	BOX
Content	15 PC, packed in BOX

uvex pheos faceguard

compact. functional. modular

This innovative face protection system consists of a height-adjustable suspension harness and width adjustable head strap and high-quality polycarbonate visor with permanent uvex supravision excellence lens coating.

The unique feature is the low weight and ergonomic design which evenly distributes the weight across the body's centre of gravity to support a natural head posture, minimising strain on the neck and spine, even when the visor is 'parked'.

The uvex multi-system in detail



Suspension harness and sweatband

Adapts comfortably to the head shape

Individual height adjustment of system for a custom fit

An additional bump cap can be snapped into the system and protects the head from bumps



Highly adjustable wheel ratchet system with wide neck piece

uvex spiderneck single-handed width adjustment wheel ratchet system for a customised, comfortable fit. Suitable for head sizes 52–64 cm.

Multiposition lockable visor

Lenses can be changed



Removable earmuffs

Hearing protection SNR 28 dB



Robust visor with UV400 and proven uvex coating

Scratch-resistant on the outside, permanent anti-fog on the inside. UV 400 protection.



What sets uvex pheos faceguard face protection apart?

- Fully preassembled face protection
- Sturdy polycarbonate visor with anti-fog and scratch-resistant uvex supravision excellence coating and uvex UV400 protection
- Wide field of vision with the highest optical quality class
- Low weight, slim design and balanced centre of gravity to relieve the spine
- Comfortable fit even when worn with prescription spectacles and respirators
- Expandable modular system with replaceable individual parts



Head + Face Protection

Poorly fitted safety helmets are not only an uncomfortable distraction, but they also won't offer the right level of protection.

The suspension harness should act like a shock absorber and allow a level of airflow through the helmet. Adjustable suspension systems ensures a secure, stable fit without discomfort, irritation or abrasion, all indicators of incorrect sizing.

The individual sizes of our uvex safety helmets offer several centimetres of adjustment, so you can find the perfect helmet fit for your head circumference using an adjuster.

Scan to find out about innovative features
that can enhance the wearing experience. ►



Safety Helmets

uvex pheos alpine



9773050



9773150



9773250



9773350



9773450



9773550



9773950

uvex pheos alpine

- Multifunctional helmet for working at heights and rescue operations
- Combines the features of an industrial protection helmet (EN 397) with the requirements for a climbing helmet (EN 12492)
- Light ABS helmet shell offers a high level of protection and durability
- Shorter brim for a wider field of upward vision
- Side Euroslot adapters (30 mm) for attaching earmuffs and visor
- Options for attaching head torches and goggles
- Permanently opened air vents
- Meets standard EN 397 and additional requirements for very low temperatures (-30°C)

- Firmly riveted chin strap for use in accordance with EN 12492
- Six-point textile band attachment ensures ideal fit and great comfort
- Suspension harness with wheel ratchet system for variable width adjustment
- The helmet is delivered as standard with a black PU sweatband (art. no. 9760009); there is also an option of a light sweatband made of synthetic leather (art. no. 9760005)



product
design award

2013

uvex pheos alpine with wheel ratchet system

Art. no.	9773050	9773150	9773250	9773350	9773450	9773550	9773950
Colour	white	yellow	orange	red	green	blue	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	ABS	ABS	ABS	ABS	ABS	ABS	ABS
Standard	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492	EN 397, -30 °C EN 12492
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm

Safety Helmets

uvex pheos B · uvex pheos B-WR · uvex pheosB-S-WR



uvex pheos B · uvex pheos B-WR

- Safety helmet with slots for uvex visors, earmuffs and lamps
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- Three variable air vents for maximum ventilation
- Conventional suspension harness for comfortable adjustable fit (uvex pheos B)
- Suspension harness with wheel ratchet for variable width adjustment (uvex pheos B-WR)
- Fitted with the 9760005 sweatband
- Six-point textile band attachment ensures optimal fit and comfort

uvex pheos B with conventional suspension harness						
Art. no.	9772020	9772120	9772220	9772320	9772520	9772920
Colour	white	yellow	orange	red	blue	black
Version	with long brim					
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm	51 to 61 cm

uvex pheos B-WR with wheel ratchet system							
Art. no.	9772030	9772130	9772230	9772330	9772430	9772530	9772930
Colour	white	yellow	orange	red	green	blue	black
Version	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim	with long brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm



uvex pheos B-S-WR

- Safety helmet with slots for uvex visors, earmuffs and lamps
- Side Euroslot adapters (30 mm) for attaching earmuffs
- Meets standard EN 397 and additional requirements for very low temperatures (-30 °C) and molten metal (MM) splash
- Three variable air vents for maximum ventilation
- Suspension harness with wheel ratchet for variable width adjustment
- Fitted with the 9760005 sweatband
- Shorter brim for a wider field of upward vision
- Six-point textile band attachment ensures optimal fit and comfort

uvex pheos B-S-WR with wheel ratchet system							
Art. no.	9772031	9772131	9772231	9772332	9772531	9772832	9772932
Colour	white	yellow	orange	red	blue	dark grey	black
Version	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim	with short brim
Material	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE	HDPE
Standard	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397	EN 397
	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM	-30 °C, MM
Sizes	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm	52 to 61 cm



Visors and face protection selection

uvex pheos visor system at a glance



The following uvex helmet and pheos visor combinations are possible:

Visor	Helmet			Earmuff
uvex pheos visor 9906002 (mechanical)	uvex pheos B-S-WR in all available colours	uvex pheos E-S-WR in all available colours	uvex pheos alpine in all available colours (plus adapter 9790067)	uvex pheos K2P 2600214
uvex pheos visor 9906003 (magnetic)	uvex pheos B-S-WR in all available colours	uvex pheos E-S-WR in all available colours	uvex pheos alpine in all available colours (plus adapter 9790067)	uvex pheos K2P magnetic 2600215
Class 1 protection from electrical arcs (4 kA) uvex pheos visor 9906005 (mechanical)	uvex pheos E-S-WR in all available colours			uvex pheos K2P 2600214
Class 1 protection from electrical arcs (4 kA) uvex pheos visor 9906006 (magnetic)	uvex pheos E-S-WR in all available colours			uvex pheos K2P magnetic 2600215
Class 2 protection from electrical arcs (7 kA) uvex pheos visor 9906007 (mechanical)	uvex pheos E-S-WR in all available colours			uvex pheos K2P 2600214
Class 2 protection from electrical arcs (7 kA) uvex pheos visor 9906008 (magnetic)	uvex pheos E-S-WR in all available colours			uvex pheos K2P magnetic 2600215

Visors and face protection

uvex pheos visor system



	uvex pheos	uvex pheos SLB 1	uvex pheos SLB 2
Art. no.	9906002	9906005	9906007
Version	uvex supravision excellence with mechanical levers and bayonet connection for hearing protection	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with mechanical levers and bayonet connection for hearing protection	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with mechanical levers and chin protection and bayonet connection for hearing protection
Standard Frame	EN 166, EN 170 black W 166 3 8-2 9 B CE 0196	EN 166, EN 170 black W 166 3 8-2 9 B CE 0196	EN 166, EN 170 black W 166 3 8-2 9 B CE 0196
Lens	PC clear UV 400 2C-1.2 W 1 B 9 KN CE 0196	PC clear UV 400 2C-1.2 W 1 B 8-1-0 9 KN CE 0196	PC blue UV 400 2C-1.2 W 1 B 8-2-0 9 KN CE 0196
Replacement lens	9906013, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags

	uvex pheos magnetic	uvex pheos SLB 1 magnetic	uvex pheos SLB 2 magnetic	uvex pheos magnetic with chin guard
Art. no.	9906003	9906006	9906008	9906009
Version	uvex supravision excellence with magnetic levers	uvex supravision excellence certified as Class 1 visor for protection from electrical arcs, with magnetic levers	uvex supravision excellence certified as Class 2 visor for protection from electrical arcs with magnetic levers and chin protection	uvex supravision excellence with small chin guard and magnetic lever arms
Standard Frame	EN 166, EN 170 black W 166 3 8-2 9 B CE 0196	EN 166, EN 170 black W 166 3 8-2 9 B CE 0196	EN 166, EN 170 black W 166 3 8-2 9 B CE 0196	EN 166, EN 170 black W 166 3 9 8-2 B CE 0196
Lens	PC clear UV 400 2C-1.2 W 1 B 9 KN CE 0196	PC clear UV 400 2C-1.2 W 1 B 8-1-0 9 KN CE 0196	PC blue UV 400 2C-1.2 W 1 B 8-2-0 9 KN CE 0196	PC clear UV 400 2C - 1.2 W 1 B 9 KN CE
Replacement lens	9906013, individually packed in polythene bags	9906012, individually packed in polythene bags	9906017, individually packed in polythene bags	9906014, individually packed in polythene bags

Safety Helmets

uvex pronamic alpine



Generous ventilation

The side air vents significantly improve the temperature inside the helmet.



Closed version

This version also offers optimal protection for work in low-voltage areas. It fully complies with EN 397, EN 50365 and EN 12492 except point 4.1.4 (ventilation).



Optimal adjustment

The wheel ratchet system provides plenty of scope for adjustments and the suspension harness inside the helmet can be adjusted as desired to provide the perfect fit for the wearer's head shape



EN 12492 and EN 397

The best equipment for various applications. Whether used while working at height or as an industrial safety helmet, the helmet's chin strap system is quick and easy to change, enabling the helmet to fulfil the safety standards for both applications and offer optimum protection at all times



Mips® included

An additional low-friction layer can be optionally integrated to absorb rotational energy, reducing the force transferred to the wearer's head. A detailed description of how the Mips® safety system works can be found on page 129.



Accessories can be fitted easily and quickly

The four stylistic retaining clips guarantee an optimal fit of the helmet accessories. This ensures that the user has access to any necessary application-related products, such as helmet torches or goggles, and that these are in the perfect position at all times.

Safety Helmets

uvex pronamic alpine



9735030

9735130

9735230

9735031

9735131

9735231


LD-tested

uvex pronamic alpine

- Multi-standard helmet that meets the requirements of EN 397 and EN 12492
- Optionally with Mips® brain protection system
- Side Euroslot adapters (30 mm) for attaching earmuffs and visor
- Four retaining clips for fitting head torches or goggles
- Additional elements allow our wide range of accessories to be attached to the helmet
- Air vents for maximum ventilation




- Versatile and adjustable suspension harness with variable wheel ratchet system
- EPS inner shell ensures excellent fit and comfort
- EN 12492 forked chin strap (art. no. 9790351) included in the standard scope of delivery, EN 397 version (art. no. 9790021) sold separately as an accessory
- Replaceable hygiene kits 9790350 and 9790352 (Mips®)



uvex pronamic alpine			
Art. no.	9735030	9735130	9735230
Colour	white	hi-viz yellow	hi-viz orange
Material	ABS	ABS	ABS
Standard	EN 12492, EN 397	EN 12492, EN 397	EN 12492, EN 397
	-30°C, MM, LD	-30°C, MM, LD	-30°C, MM, LD
Sizes	51 to 63 cm	51 to 63 cm	51 to 63 cm
Order unit	PC	PC	PC
Outer packaging	8 PC per CT	8 PC per CT	8 PC per CT

uvex pronamic alpine Mips			
Art. no.	9735031	9735131	9735231
Colour	white	hi-viz yellow	hi-viz orange
Material	Mips®	Mips®	Mips®
Standard	ABS	ABS	ABS
	EN 12492, EN 397	EN 12492, EN 397	EN 12492, EN 397
	-30°C, MM, LD	-30°C, MM, LD	-30°C, MM, LD
Sizes	51 to 63 cm	51 to 63 cm	51 to 63 cm
Order unit	PC	PC	PC
Outer packaging	8 PC per CT	8 PC per CT	8 PC per CT

	Hygiene kit	Forked chin strap EN 12492	Mips® hygiene kit
Art. no.	uvex pronamic alpine 9790350	uvex pronamic alpine 9790351	uvex pronamic alpine 9790352
Version	for the variants without Mips®	according to DIN EN	for the variants with Mips®
Order unit	PC	PC	PC



What is Mips?

The MIPS safety system is designed to provide additional protection for helmets during a wide variety of accidents. In certain impact situations, the MIPS system can reduce dangerous forces that might otherwise be transferred to the helmet wearer's head.

Linear impacts

Conventional helmets are designed and tested for linear impacts. In most cases, however, impacts occur at an angle and lead to a rotational movement of the head.

Angled impacts

The low-friction inner shell is designed to help reduce the rotational forces acting on the head in certain cases of an angled impact.

uvex



UVEX SAFETY (UK) LTD
uvex House
Farnham Trading Estate
Farnham
Surrey
England
GU9 9NW

Tel: 01252 731200
info@uvex-safety.ie
uvex-safety.ie

protecting people