uvex



uvex safety footwear
solutions

protecting people

uvex

uvex safety footwear: elevate your safety, elevate your comfort

Choosing the right safety footwear is crucial, as it is relied upon day after day to keep you safe and productive. This comprehensive safety footwear solutions guide highlights the key considerations to take into account when selecting the perfect pair.

At uvex, our meticulously crafted range of safety footwear combines cutting-edge technology with unparalleled comfort.

Each pair is designed to ensure your feet are reliably protected, shift after shift. Whether you're navigating challenging terrains or working long hours, our footwear provides the durability and support you need to perform at your best.





Explore our collection and discover how uvex and Heckel safety footwear can enhance your safety and productivity, every step of the way.

New additions to the range:
uvex 1 x-craft – our new light-duty trainer range makes demanding workdays less tiring through ergonomic design whether walking, standing or kneeling.

uvex 3 quatro – the next evolution in safety footwear, engineered to deliver exceptional protection and comfort in heavy-duty environments.

uvex 3 MACSOLE welder – designed for protection against high-heat and sparks whilst providing all-day comfort.

Heckel MACCROSSROAD 3.0 TAN – new colourway in the MACCROSSROAD 3.0 collection, featuring our durable MACSOLE outsole and water-resistant full-grain leather upper


Sustainability is a focus of the uvex safety group and as a consequence 96% of Heckel and 100% of uvex styles feature at least one recycled component. uvex continues to calculate the CO_2 footprint for producing footwear based on materials, production, packaging and transport. This gives you access to transparent data about the footwear you are using.

Our commitment to innovation, quality and comfort ensures that your feet are protected and supported every step of the way.



uvex

Under the **uvex safety group** umbrella sit two leading names in protective footwear: **uvex and Heckel.**



Renowned for its commitment to wearer wellbeing, safety and sustainable practices, both brands deliver high-quality products engineered for reliability and performance across a broad range of industries.

From uvex's innovative designs, focused on advanced technology and ergonomic comfort, through to Heckel's reputation for robust durability and exceptional traction, professionals can trust these brands to safeguard their feet in challenging environments. Together, they represent a unified approach to safety footwear, ensuring every step you take is protected, supported and secure.

Under the uvex safety group, there are two brands





uvex

HECKEL
PERFORMANCE WITH STYLE

uvex safety footwear combines innovation, premium materials and sustainability to deliver unmatched protection, comfort and durability. Designed in Germany and crafted in Italy, the uvex range incorporates advanced technologies, including slip-resistant soles, breathable, water-resistant uppers and ergonomic, lightweight designs that minimise fatigue. All while maintaining a strong commitment to environmentally responsible manufacturing practices, ensuring that every pair delivers superior performance with a lower environmental footprint.

Heckel safety footwear is crafted with innovative technologies and high-quality materials, offering exceptional performance and comfort for demanding work environments. Their proprietary MACSOLE® rubber sole technology provides outstanding grip, durability and resistance to extreme conditions such as abrasion, chemicals and high temperatures.

Built for comfort and protection, Heckel footwear includes features like the BOA® Fit System for precise lacing adjustments, D3O® metatarsal protection and waterproof GORE-TEX membranes. Designed in France and made to meet rigorous safety standards, Heckel footwear is ideal for those who require reliable, durable and high-performance safety footwear.

PROTECTING PEOPLE
PROTECTING PLANET



Responsibility:
uvex use renewable energy and CO_2-neutral electricity and gas

For years, the uvex group has set itself ambitious ecological, economic and social targets. That is why we check, evaluate and optimise all steps along the value creation chain so that we can continue to be at the forefront in the discipline of sustainability.



Promoting responsible supply chains

Our main suppliers and production sites are certified to ISO 14001 environmental management standard. We use mainly leather certified by the Leather Working Group for environmentally friendly and socially responsible leather production.

Prioritising recycled materials

More than 96% of the models in the catalogue have at least one recycled component.

Goal by 2030: 10% of the weight of the item is made from sustainable materials.

Protecting health and the environment

The uvex group has developed its own list of banned substances, which goes far beyond the requirements of European REACH regulations.

Adopting our own social standards

Since 2008, the uvex group has established and implemented its own social standards and are applied cross all our suppliers and business partners. In addition to the International Labour Organisation (ILO) principles, they also refer to the Organisation for Economic Cooperation and Development (OECD) guidelines for multinational enterprises.

Several criteria are considered: respect for human rights, working conditions, health and safety at work, environmental management, quality management systems and corruption.

Using environmentally friendly packaging

We use packaging made exclusively from recycled materials, whether for shoeboxes (minimum 90% recycled materials), user manuals or the tissue paper that the safety shoes are wrapped in to protect them during transit and storage (100% recycled paper).



Calculating the carbon footprint of our products


We calculate the CO_2 footprint of products using the measurement method specified in the ISO 14067 standard. For the calculation, we use the SimaPro software package and the ecoinvent database, information we obtain from our suppliers and datasets based on our own measurements.

This makes the sustainability of our products measurable, comparable and improvable. The CO_2 symbol on our products provides our customers with a clear and reliable indication of the CO_2 product footprint.

Safety Footwear

Standards · Labels

Labelling



The labelling on the shoe contains the following information

1. Manufacturer
2. CE symbol
3. Manufacturer's type designation
4. Article number
5. Size
6. Number of European standard
7. Symbol for protection
8. Date of manufacture
9. Country of manufacture
10. Postal address of the manufacturer
11. UKCA symbol

Electrostatic


Controlling unwelcome electrostatic charge is becoming an increasingly important role in industry, as more and more employees come into contact with processes, materials or objects which are sensitive to electro static charge. It is often necessary to use safety footwear as part of a system to conduct electrostatic charge in such workplaces.

Independent of various measuring methods, volume resistance between 100 kiloohms (1.0×10^5 ohms) and 100 megaohms (1×10^8 ohms) is required to fulfil the various relevant standards (e.g. EN ISO 20345, EN 61340).

All ESD-certified products in this catalogue feature the ESD symbol.



These products are also suitable in accordance with the specification for conductive footwear in the German Technical Rules for Hazardous Substances (TRGS) 727 "Avoiding risks of ignition resulting from electrostatic charges."



R = electrical resistance

Basic and additional requirements for safety shoes (in accordance with EN ISO 20345:2022, marking S) and occupational shoes (in accordance with EN ISO 20347:2022, marking O)

Symbol	Requirement	Category												
		SB	S1	S2	S3	S3L	S3S	S5	S6	S7	S7L	S7S	O1	O2
-	Basic requirements	X	X	X	X	X	X	X	X	X	X	X	X	X
-	Toe cap, tested via 200 joule drop test and 15 kilonewton pressure test	X	X	X	X	X	X	X	X	X	X	X	-	-
-	Footwear made of leather or other materials, not including solid rubber or total polymers	O	X	X	X	X	X	-	X	X	X	X	X	X
-	Footwear made of solid rubber or total polymers	O	-	-	-	-	-	X	-	-	-	-	-	-
-	Slip resistance on ceramic tile floors with SLS	X	X	X	X	X	X	X	X	X	X	X	X	X
-	Closed seat region	O	X	X	X	X	X	X	X	X	X	X	X	X
A	Antistatic footwear	O	X	X	X	X	X	X	X	X	X	X	X	X
E	Energy absorption of seat region	O	X	X	X	X	X	X	X	X	X	X	X	X
WPA	Water penetration and absorption of upper material	O	-	X	X	X	X	-	X	X	X	X	-	X
WR	Whole shoe waterproof	O	O	O	O	O	O	-	X	X	X	X	O	O
P	Perforation resistance, metallic insert	O	O	O	X	-	-	X	O	X	-	-	O	O
PL	Perforation resistance, non-metallic insert, tested with a 4.5 mm test nail	O	O	O	-	X	-	-	O	-	X	-	O	O
PS	Perforation resistance, non-metallic insert, tested with a 3.0 mm test nail	O	O	O	-	-	X	-	O	-	-	X	O	O
-	Treaded sole	O	O	O	X	X	X	X	O	X	X	X	O	O

Additional requirements for special applications

Symbol	Requirement
FO	Fuel resistance and oil resistance
SR	Slip resistance on ceramic tile floors with glycerol
HI	Heat insulation of the sole complex
CI	Cold insulation of the sole complex
HRO	Heat resistance of the outsole
M	Metatarsal protection
AN	Ankle protection
CR	Cut resistance of the upper part of the shoe
SC	Abrasion resistance of optional overcaps
LG	Outsoles provide hold on ladders

X = Requirement must be fulfilled O = Requirement may be fulfilled, but is not mandatory - = Requirement cannot be fulfilled

To ensure optimal clarity, we have included the labelling in accordance with both the old and the new standard in this catalogue. The new labelling on the products will be introduced gradually. The label on your product will help you to identify the version of the standard to which the product is certified.

Perforation resistance

The perforation resistance of the footwear has been measured in a laboratory using standardised nails and forces. Nails with a smaller diameter and higher static or dynamic loads increase the risk of perforation. Under these conditions, additional protective measures should be considered. Three generic types of perforation-resistant insoles are currently available for PPE footwear. These include types made of metal materials and of non-metallic materials, which must must be chosen by means of an activity-based risk assessment. All types offer protection against perforation risks, but each has different additional advantages or disadvantages, including the following:

Metal (P e.g. S1 P, S3):
Is less affected by the shape of the sharp object/hazard (i.e. diameter, geometry, sharpness) due to the processes used in shoe manufacturing, however, it may not be possible to cover the entire bottom of the foot.

Non-metal (PS or PL or category e.g. S1 PS, S3L):
May be lighter and more flexible and may cover a larger area, but perforation resistance may vary more depending on the shape of the sharp object/hazard (i.e. diameter, geometry, sharpness). In terms of the protection obtained, two types are available. Type PS may offer better protection against objects with a smaller diameter than type PL.



Safety footwear
product selection

With so many variables to consider when choosing safety footwear, we recommend using the STEP acronym to help support the selection process and narrow down the range of products to the right solution.

S → T → E → P


SURFACE	TEMPERATURE	ENVIRONMENT	PROCESS
			
What kind of floors or terrain will the footwear encounter?	How hot or cold will the working environment be?	Are there chemicals, oils, or debris present? Is there heavy traffic or specialised machinery?	What tasks are being performed – heavy lifting, driving, maintenance, assembly?

Safety Footwear

Product selction

After considering the key factors such as surface types, temperature, environmental conditions, and the overall work process – it's time to translate these insights into practical footwear choices.


When selecting each component of your safety footwear, think of the "STEP" framework:



Upper:

Material: Water-resistant or waterproof leathers for outdoor or wet environments; breathable synthetic textiles for indoor or warmer conditions.

Fit and protection: Ergonomic foot shape support, ankle support, toe protection, and specialised reinforcements (e.g., metatarsal guards).



Outsole:

Traction and slip resistance: Slip-resistant outsoles for smoother surfaces; deeper tread pattern for rough, uneven terrain.

Chemical and abrasion resistance: Outsoles resistant to oils, chemicals, or sharp debris for longer-lasting safety.



Midsole:

Cushioning and support: Robust shock absorption for hard concrete floors or uneven surfaces; flexible midsole for light and medium industrial environments.

Thermal properties: Midsoles that do not conduct heat or cold for greater comfort.



uvex

Industry Applications

Areas of application: light · medium · heavy

Building on the **STEP** acronym introduced on the previous page, we've segmented our product range into three categories – light, medium, and heavy industrial applications. This clear breakdown will help you quickly identify the most suitable option for your needs. In the following sections, you'll discover the unique features, benefits and technical specifications of each category, enabling you to select based on performance, durability and value. With this comprehensive overview, you can select with confidence and achieve the results you need.



light



medium



heavy

Key to suitable industry applications

The following icons represent a guide for suggested industrial sectors where the features of the footwear are best suited for the hazards faced by workers. Please contact your local uvex PPE Solutions Specialist for advice or a comprehensive footwear site audit and fit clinic to identify a more tailored solution that addresses your specific employees requirements.

- Aerospace
- Automotive
- Construction
- Energy and Utilities
- Food
- Maintenance
- Manufacturing
- Oil and Gas
- Pharmaceuticals
- Rail
- Warehouse/Transport/Logistics







light

‘Light’ covers all areas of application where work is primarily carried out indoors and without significant demands on the physical properties of the outsole. Examples include assembly workplaces, as well as storage and logistics areas.



Considerations: comfort features supporting flexible movement: lightweight, breathable upper, energy absorbing insole. Non-marking and non-contaminating sole. Slip resistance especially if a mix of dry and wet surfaces. ESD may be required for working with electrical components.

medium

‘Medium’ applications usually take place both indoors and outdoors, with the outsole needing to be significantly more robust. Typical users include manual labourers, public sector employers and people working in the chemical industry.



Considerations: durability, anti-penetration midsole usually required. Ankle support, water resistance or fully waterproof. Ladder grip may be required.

heavy

‘Heavy’ applications involve external influences that place extensive demands on the footwear, its durability and stability. They are usually found in heavy mechanical engineering and in the construction industry, especially in building and civil engineering.



Considerations: higher protection against multiple hazards e.g. heat, impact, slips. Oil and fuel resistant sole, scuff cap, ankle support. Zip or BOA® closure for easy removal. High durability needed for tougher environments. Waterproof requirement for outdoors/offshore working.



uvex

Safety Footwear

Technologies



clima zone

Optimised breathability for dry and sweat-free feet
Breathable materials, reduced layers and a practical design ensure air circulation for long-lasting comfort.



bionom x

Ergonomic design for improved performance through comfort
The ergonomic design based on biomechanical principles optimises the interaction between shoes, floor and body to facilitate natural movement.



flex zone

Comfortable flexibility for unrestricted movement when kneeling
The integrated flex grooves in the midsole design increases forefoot flexibility and improves comfort, especially during tasks that require kneeling.



x-**dry** knit

Breathable functional material for dry and sweat-free feet
The breathable and water-repellent knitted upper minimises sweating and keeps the feet dry.



ankle pro

Shock-absorbing foam minimises impact in the ankle area
Absorbent foam protects the ankle area against external impacts.

lace lock

Stabilising fastening system for increased stability in the shoe
The locking lacing hook fixes the laces in place, preventing them from loosening and ensuring more stability in the shoe.

Safety Footwear
Technologies



i-**PURE**nrj planet

Sustainable midsole for better endurance due to shock absorption and energy return
The innovative PU midsole material redefines cushioning and energy return, reducing fatigue. It consists of up to 20% recycled PU from our in-house production processes.



work zone

Maximum durability for a long service life
The direct-injected scuff cap and PUtek upper combines outstanding abrasion resistance with a flexible, lightweight construction for lasting performance without compromising comfort.



water stop

Increased water resistance keeps feet dry for longer when working in wet environments
The special tanning technique used for the leather upper protects against water penetration for four times longer than the safety footwear standard requires – without additional chemical treatments.



x-**tended** grip planet

Sustainable grip for reduced risk of slipping and less wear
The TPU outsole with up to 10% recycled PU granulate increases abrasion resistance and provides grip on smooth and wet surfaces.



MAC sole

Innovative rubber outsole to prevent slipping on extremely hot or cold surfaces
In addition to extraordinary slip resistance and abrasion resistance, the flexible sole with innovative rubber compound is extremely resistant to cold, heat and chemicals.

Using up to 30% recycled rubber in the form of devulcanised powder and granulate saves resources and prevents waste without impacting performance.

The special geometric structure between the tread blocks on the outsole reduces the weight by up to 20%.







Light areas of application

uvex 1 x-craft pro


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Breathable, lightweight and tear-resistant ripstop upper
- Durable, robust and flexible PUtek upper in the forefoot area
- Breathable distance mesh lining and removable antistatic innersole
- Sizes 3-6.5 produced using a women's last
- Suitable for people allergic to chrome



Footwear standard EN ISO 20345:2022

S1 PL FO SC SR ESD rated





Colour black

Sizes 3 to 16



Product number shoe
68001(width 10)
68002 (width 11)
68003(width 12)
68004 (width 14)

Product number boot
68011 (width 10)
68012 (width 11)
68013 (width 12)
68014 (width 14)

uvex 1 x-craft pro planet


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features made with 15% recycled granulate from production surpluses
- uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Light and breathable uvex x-dry knit planet textile outer shoe material
- Breathable distance mesh lining made from 18% bamboo and 52% recycled polyamide
- Sizes 3-6.5 produced using a women's last
- Suitable for people allergic to chrome



Footwear standard EN ISO 20345:2022

S1 PL FO SC SR ESD rated





Colour black/ green

Sizes 3 to 16



Product number
68081 (width 10)
68082 (width 11)
68083 (width 12)

uvex 1 x-craft pro BOA®


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole
- BOA® Fit System for quick, easy and customised fit
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Breathable, lightweight and tear-resistant ripstop upper
- Durable, robust and flexible PUtek upper in the forefoot area
- Breathable distance mesh lining and removable antistatic innersole
- Sizes 3-6.5 produced using a women's last
- Suitable for people allergic to chrome



Footwear standard EN ISO 20345:2022

S1 PL FO SC SR ESD rated





Colour black

Sizes 3 to 16



Product number shoe
68161 (width 10)
68162 (width 11)
68163 (width 12)


uvex

Safety Footwear

Light areas of application

D30® Metatarsal protection

D3O® uses patented and exclusive technologies made from non-Newtonian fluid to manufacture flexible materials with impact absorption. D3O® offers an ergonomic solution guaranteeing safe metatarsal protection against impacts, without restricting freedom of movement and ensuring high levels of comfort.





Breathability
The segmented geometries offer breathability and air circulation.

Integrated metatarsal protection
M additional requirement according to EN ISO 20345 standard

Thin and lightweight
Enhanced protection with reduced weight

Soft and flexible
The protective component moulds to the shape of the foot, giving the wearer complete freedom of movement.

uvex 1 x-craft pro D30® meta


- Integrated and flexible D30® metatarsal protection with 100 J energy absorption
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and flexible textile penetration resistance
- Breathable, lightweight and tear-resistant ripstop upper
- Durable, robust and flexible PUtek upper in the forefoot area
- Breathable distance mesh lining and removable antistatic innersole
- Sizes 3-6.5 produced using a women's last



Footwear standard EN ISO 20345:2022

S1 PS FO M SC SR ESD rated





Colour black/ orange

Sizes 3 to 16



Product number shoe
68061 (width 10)
68062 (width 11)
68063 (width 12)

uvex 1 x-craft BOA®


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Breathable microvelour outer shoe material
- BOA® Fit System for quick, easy and customised fit
- PU outsole
- Foamed polyurethane scuffcap and heel basket
- 100 % metal-free protective toe cap and flexible textile penetration resistance
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S3S FO SC SR ESD rated





Colour black

Sizes 3 to 16



Product number shoe
68171 (width 10)
68172 (width 11)
68173 (width 12)

Product number boot
68181 (width 10)
68182 (width 11)
68183 (width 12)

uvex 1 sport

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- PU outsole
- 100% metal-free protective toe cap and textile penetration resistance
- Breathable textile outer shoe material
- TPU scuffcap
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S1 PS FO SC SR ESD rated

Multiple width insoles

Arch support insoles

Product number
68891 (width 10)
68892 (width 11)
68893 (width 12)
68894 (width 14)

Colour black

Sizes 3 to 16



uvex 1 sport

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- PU outsole
- 100% metal-free protective toe cap and textile penetration resistance
- Light and breathable microvelour upper
- TPU scuffcap
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

S3S FO SC SR ESD rated

Multiple width insoles

Arch support insoles

Product number
68981 (width 10)
68982 (width 11)
68983 (width 12)
68984 (width 14)

Colour black

Sizes 3 to 16



uvex 1 sport NC · Shoe O1

- Shock-absorbing PU midsole
- PU outsole
- Lightweight and breathable textile upper
- TPU scuffcap
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole

Footwear standard EN ISO 20345:2022

O1 FO SC SR ESD rated

Multiple width insoles

Arch support insoles

Colour black / grey

Sizes 3 to 16



Product number
65938 (width 11)

uvex

Safety Footwear

Light areas of application

uvex 1 G2


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- 100% metal-free protective toe cap
- Midsole made with 15% recycled granulate from production processes
- Lightweight and breathable uvex x-dry knit textile upper
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S1 PL FO SR ESD rated





Colour black

Sizes 3 to 16



Product number
68342

uvex 1 G2


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- 100% metal-free protective toe cap
- Breathable microvelour outer shoe material
- TPU scuffcap made from 40% recycled material
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S3L FO SC SR ESD rated





Product number shoe
68381 (width 10)
68382 (width 11)
68383 (width 12)
68384 (width 14)

Colour black/ red

Sizes 3 to 16



Product number boot
68391 (width 10)
68392 (width 11)
68393 (width 12)
68394 (width 14)

uvex 1 G2


- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Abrasion-resistant uvex x-tended grip planet TPU outsole made with 10% recycled granulate
- 100% metal-free protective toe cap
- Breathable microvelour outer material with perforations
- TPU scuffcap made from 40% recycled material
- Breathable distance mesh lining
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S1 FO SR ESD rated





Product number shoe
68297 (width 10)
68298 (width 11)
68299 (width 12)
68290 (width 14)

Colour black/ blue

Sizes 3 to 16



Product number boot
68317 (width 10)
68318 (width 11)
68319 (width 12)
68310 (width 14)

uvex 1

- Ultra light and flexible, multipurpose safety boot and shoe
- 100% metal-free (Art. no.: 8545 only)
- 100% metal-free protective toe cap
- Breathable, water-repellent high-tech micro velour upper
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole
- Dual density PU sole with shock absorption properties

Footwear standard EN ISO 20345:2022

S2 FO SR ESD rated

Multiple width insoles

Arch support insoles

Product number **85448**

Colour black/ lime

Sizes 3 to 14.5



Product number **85458**

uvex 1 x-tended support

- Ultra light and flexible, S3L multipurpose safety boot and shoe
- Heel support system integrated into the sole for greater stability
- 100% metal-free (Art. no.: 8517 only)
- 100% metal-free protective toe cap and midsole
- Breathable, water-repellent high-tech micro velour upper
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole
- Dual density PU sole with shock absorption properties

Footwear standard EN ISO 20345:2022

S3PL FO SR ESD rated

Multiple width insoles

Arch support insoles

Product number **85162**

Colour black/ red

Sizes 3 to 16



Product number **85172**

uvex 1 x-tended support

- Ultra light and flexible, multipurpose safety shoe
- Heel support system integrated into the sole for greater stability
- 100% metal-free protective toe cap
- Breathable, perforated high-tech micro velour upper
- Sizes 3-6.5 produced using a women's last
- Removable antistatic comfortable insole
- Dual density PU sole with shock absorption properties

Footwear standard EN ISO 20345:2022

S1 FO SR ESD rated

Multiple width insoles

Arch support insoles

Product number **85118**

Colour black/ grey

Sizes 3 to 14.5

Colour black/ red



Product number **85128**

uvex

Safety Footwear

Light areas of application

uvex 1 sport white

- Lightweight and flexible, slip-on S2 safety shoe
- Upper made from hydrophobic microfibre material that is easy to clean
- Minimal number of seams to reduce contamination
- Washable at up to 30°C
- PU dual-density sole with shock absorption properties and excellent slip resistance
- Removable antistatic comfortable insole
- 100% metal-free protective toe cap
- Sizes 3-6.5 have been produced using a women's last

Colour white

Sizes 3 to 16




Product number
65818 (width 11)
65819 (width 12)



Footwear standard EN ISO 20345:2022

S2 FO SR ESD rated



uvex 1 sport white

- Lightweight and flexible S3 safety shoe
- Upper made from hydrophobic microfibre material that is easy to clean
- Minimal number of seams to reduce contamination
- Washable at up to 30°C
- PU dual-density sole with shock absorption properties and excellent slip resistance
- Removable antistatic comfortable insole
- 100% metal-free protective toe cap
- Sizes 3-6.5 have been produced using a women's last

Colour white

Sizes 3 to 16




Product number
65822



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated



uvex 1 business

- Smart lace-up protective shoe with steel toe cap
- Metal-free penetration resistant midsole - suitable for office and industrial environments
- Made from full-grain leather for a soft, comfortable fit with no pressure points
- uvex climazone technology - wicks moisture away from foot and regulates the internal temperature reducing moisture build up and perspiration
- PU outsole with excellent slip resistance
- Removable antistatic comfortable insole

Colour black

Sizes 6 to 16



Product number
84482



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated

uvex 1 business

- Smart lace-up protective shoe with steel toe cap
- Metal-free penetration resistant midsole - suitable for office and industrial environments
- Water and abrasion resistant, breathable microvelour upper
- uvex climazone technology - wicks moisture away from foot and regulates the internal temperature reducing moisture build up and perspiration
- PU outsole with excellent slip resistance
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated

Colour back

Sizes 6 to 16



Product number **84302**

uvex 1 business

- Smart lace-up protective shoe with steel toe cap
- Water and abrasion resistant, breathable microvelour upper
- uvex climazone technology - wicks moisture away from foot and regulates the internal temperature reducing moisture build up and perspiration
- PU outsole with excellent slip resistance
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S2 FO SR ESD rated

Colour grey

Sizes 6 to 16



Product number **84698**

uvex 1 business

- Smart lace-up protective shoe and boot with steel toe cap
- Metal-free penetration resistant midsole - suitable for office and industrial environments
- Water and abrasion resistant, breathable microvelour upper
- uvex climazone technology - wicks moisture away from foot and regulates the internal temperature reducing moisture build up and perspiration
- PU outsole with excellent slip resistance
- Removable antistatic comfortable insole



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated

Colour blue

Sizes 6 to 16



Product number **84282**

Product number **84272**

uvex

uvex 1 x-cite



Seamless style meets **uncompromising safety**

Whether you're heading from the boardroom to the factory floor or transitioning from the office to the construction site, the **uvex 1 x-cite** has you covered. Our safety footwear blends contemporary style with industry-leading protection, so you never have to choose between style and safety.

Designed to complement modern business attire and uniforms, our footwear offers a sleek, professional look without sacrificing performance. With exceptional comfort that lasts from your first meeting to the end of your shift, uvex ensures you stay protected - and look sharp - every step of the way.



Ergonomically designed, non-marking, polyurethane outsole made for excellent slip resistance (SR)

Oil and fuel resistant (FO)

PU sole is free of silicones, plasticisers and other paint-wetting impairment substances

clima zone ESD



Stay dry and comfortable
Water-repellent leather and extra-soft breathable textile lining work together to keep feet dry while helping to regulate the internal temperature to reduce moisture build-up. This helps prevent blisters and skin irritation and keep feet fresh and comfortable.



Extensive size range – our biggest ever!
Available in sizes 2 to 10, in widths 10, 11 and 12. Each pair is built on a last designed to mirror the natural shape of the female foot, delivering a more natural, supportive and comfortable fit.



Lightweight for lasting energy
The low-weight design reduces strain on legs and feet, enabling you to remain comfortable, focused and limit the onset of fatigue – even during long shifts. The metal-free carbon fibre toe cap is incredibly durable, offering robust protection at a fraction of the weight of fibreglass.

uvex x-cite shoe

- Smart, modern, female safety shoe
- Soft, smooth water-repellent leather upper with breathable textile lining
- Removable antistatic comfortable insole made partly from recycled materials
- Ergonomically designed outsole made from polyurethane with excellent slip resistance
- Metal-free protective toe cap contains carbon for durability and impact resistance without the weight
- Flexible, textile penetration-resistant midsole
- Made using a women's last increasing comfort as it fits the natural contours of the female foot

Colour black

Sizes 2 to 10



Product number
86401 (width 10)
86402 (width 11)
86403 (width 12)



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated

uvex x-cite Chelsea boot

- Smart, modern, female safety boot
- Soft, smooth water-repellent leather upper with breathable textile lining
- Removable antistatic comfortable insole made partly from recycled materials
- Ergonomically designed outsole made from polyurethane with excellent slip resistance
- Metal-free protective toe cap contains carbon for durability and impact resistance without the weight
- Flexible, textile penetration-resistant midsole
- Made using a women's last increasing comfort as it fits the natural contours of the female foot

Colour black

Sizes 2 to 10



Product number
86471 (width 10)
86472 (width 11)
86473 (width 12)



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated

uvex x-cite boot

- Smart, modern, female safety boot
- Soft, smooth water-repellent leather upper with breathable textile lining
- Removable antistatic comfortable insole made partly from recycled materials
- Ergonomically designed outsole made from polyurethane with excellent slip resistance
- Metal-free protective toe cap contains carbon for durability and impact resistance without the weight
- Flexible, textile penetration-resistant midsole
- Made using a women's last increasing comfort as it fits the natural contours of the female foot

Colour black

Sizes 2 to 10



Product number
86421 (width 10)
86422 (width 11)
86423 (width 12)



Footwear standard EN ISO 20345:2022

S3L FO SR ESD rated



Medium areas of application

uvex 2

- Low weight, flexible black safety shoe and boot
- Breathable, water-resistant black leather upper with virtually seam free design
- PU scuff cap protects leather upper
- 100% metal-free protective toe cap and penetration resistant midsole
- Dual density PU sole with a rough, self-cleaning tread
- Breathable lining materials
- Removable antistatic comfort insole
- Cushioning ankle support
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S3L FO SC SR ESD rated

Multiple width insoles

Arch support insoles

Colour black/ orange

Sizes 3 to 16

Product number shoe
65022 (width 11)
65023 (width 12)
65024 (width 14)



Product number boot
65032 (width 11)
65033 (width 12)
65034 (width 14)

uvex 2 MACSOLE® BOA®

- MACSOLE® rubber sole technology features resistance to heat, chemicals and cuts
- BOA® Fit System for quick, easy and customised fit
- Breathable, water-resistant black leather upper with virtually seam free design
- PU scuff cap protects leather upper
- 100% metal-free protective toe cap and penetration resistant midsole
- Breathable lining materials
- Removable antistatic comfort insole
- Cushioning ankle support
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S3L FO HI HRO SC SR ESD rated

Multiple width insoles

Arch support insoles

Colour black/ orange

Sizes 3 to 16



Product number
65321 (width 10)
65322 (width 11)
65323 (width 12)

uvex 2 trend

- Water repellent leather shoe and boot
- PU scuff cap is moulded directly onto the footwear for increased durability
- Steel toe cap and steel penetration resistant midsole
- Dual density PU sole with self-cleaning outsole
- Pivot point on the ball of the foot reduces pressure on joints during twisting motions
- Additional shock absorption around the heel and forefoot
- Removable, anti-static, comfortable insole
- Sizes 3-6.5 produced using a women's last

Footwear standard EN ISO 20345:2022

S3P FO SR ESD rated

Colour black/ blue


Sizes 3.5 to 16

Product number
69342



Product number
69352







Heavy areas of application

uvex 3

- Robust, modern and lightweight lace-up safety boot
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- uvex bionom x design creates a symbiosis between the foot, shoe and the floor
- Leather upper with uvex waterstop technology for reliable protection against splashing
- uvex anklepro extremely shock-absorbent ankle foam
- 100% metal-free protective toe cap and steel midsole
- Dual-density PU sole with a rough, self-cleaning tread and excellent slip resistance
- Removable anti-static comfort insole

Colour black/ yellow

Sizes 5 to 16



Product number **68722**

Footwear standard EN ISO 20345:2022

S3 FO CI SC SR ESD rated

10 11 12 Multiple width insoles

uvex 3

- Robust, modern and lightweight lace-up safety boot
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- uvex bionom x design creates a symbiosis between the foot, shoe and the floor
- Leather upper with uvex waterstop technology for reliable protection against splashing
- uvex anklepro extremely shock-absorbent ankle foam
- 100% metal-free protective toe cap
- Dual-density PU sole with a rough, self-cleaning tread and excellent slip resistance
- Removable anti-static comfort insole

Colour black

Sizes 5 to 16



Product number **68742**

Footwear standard EN ISO 20345:2022

S3L FO CI SC SR ESD rated

10 11 12 Multiple width insoles

uvex 3

- Robust, modern and lightweight high-top safety boot with extra-wide fit
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- uvex bionom x design creates a symbiosis between the foot, shoe and the floor
- Leather upper with uvex waterstop technology for reliable protection against splashing
- uvex anklepro extremely shock-absorbent ankle foam
- 100% metal-free protective toe cap and steel penetration resistance
- Dual-density PU sole with a rough, self-cleaning tread and excellent slip resistance
- Removable anti-static comfort insole

Colour black/ yellow

Sizes 5 to 16



Product number **68752**

Footwear standard EN ISO 20345:2022

S3 FO CI SC SR ESD rated

10 11 12 Multiple width insoles

uvex

Safety Footwear

Heavy areas of application

uvex 3 MACSOLE®

- The MACSOLE® rubber outsole is resistant to heat, chemicals and cuts
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- Waterproof Sympatex lining
- Leather upper with uvex waterstop technology for reliable protection against splashing
- uvex anklepro extremely shock-absorbing ankle foam
- uvex lace lock keeps tension in the laces increasing ankle stability
- Steel penetration resistant midsole and metal-free protective toe cap
- Sizes 36–40 produced using a women's last



Footwear standard EN ISO 20345:2022

S7 FO CI HI HRO SC SR ESD rated







Colour black/ blue

Sizes 3.5 to 16



Product number
68632

uvex 3 quatro


- Robust, full-grain, water-repellent leather upper
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- Penetration-resistant steel midsole and 100% metal-free protective toe cap
- Dual-density polyurethane sole with a rough, self-cleaning tread
- Injection moulded scuff cap adds durability in high wear zones
- Reflective collar piping and uvex logo for increased visibility
- Heel basket for stability and protection against ankle twisting
- Sizes 36–40 produced using a women's last



Footwear standard EN ISO 20345:2022

S3 FO CI SC SR ESD rated





Colour black/ red

Sizes 3.5 to 16



Product number
68791 (Width 10)
68792 (Width 11)
68793 (Width 12)

uvex 3 quatro winter

- Robust, full-grain, water-repellent leather upper with warm textile lining
- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Midsole made with 10% recycled granulate from production processes
- Penetration-resistant steel midsole and 100% metal-free protective toe cap
- Dual-density polyurethane sole with a rough, self-cleaning tread
- Injection moulded scuff cap adds durability in high wear zones
- Reflective collar piping and uvex logo for increased visibility
- Heel basket for stability and protection against ankle twisting
- Sizes 36–40 produced using a women's last



Footwear standard EN ISO 20345:2022

S3 FO CI SC SR ES rated





Colour black/ red

Sizes 3.5 to 16



Product number
68812

Product number
68822

Heckel MACCROSSROAD 3.0 LOW | HIGH

- MACSOLE® ADVENTURE 3.0 rubber sole with MACABSORB EVA insert in forefoot and heel for greater flexibility and better cushioning
- MACSOLE® excellent levels of grip (SR), oil, hydrocarbon and chemical-resistant, antistatic and resistance to contact heat up to 300°C (HRO)
- All-terrain, sole profile with deep treads for better grip
- Water-resistant full-grain leather upper
- 3D mesh lining for better ventilation | fast drying
- Metal-free toe cap and penetration-resistant midsole
- Removable insole with forefoot and heel shock absorbers



MAC sole ADVENTURE 3.0

Footwear standard EN ISO 20345:2022

S3L FO CI HI HRO SC SR



Colour black/ lime

Sizes 3.5 to 13

Product number **67323**



Product number **67313**

Heckel MACCROSSROAD 3.0 TAN HIGH


- MACSOLE® ADVENTURE 3.0 rubber sole with MACABSORB EVA insert in forefoot and heel for greater flexibility and better cushioning
- MACSOLE® excellent levels of grip (SR), oil, hydrocarbon and chemical-resistant, antistatic and resistance to contact heat up to 300°C (HRO)
- All-terrain, sole profile with deep treads for better grip
- Water-resistant full-grain leather upper
- 3D mesh lining for better ventilation | fast drying
- Metal-free toe cap and penetration-resistant midsole
- Removable insole with forefoot and heel shock absorbers



MAC sole ADVENTURE 3.0

Footwear standard EN ISO 20345:2022

S3L FO CI HI HRO SC SR



Colour Tan

Sizes 3.5 to 13



Product number **78203**

Heckel MACCROSSROAD 3.0 LOW

- Water-resistant, oiled full-grain leather boot with metatarsal protection (internal)
- D3O® metatarsal protection is ultra light and flexible
- MACSOLE® ADVENTURE 3.0 rubber sole with MACABSORB EVA insert in forefoot and heel for greater flexibility and better cushioning
- All-terrain, sole profile with deep treads for better grip
- Water-resistant full-grain leather upper
- 3D mesh lining for better ventilation | fast drying
- Metal-free toe cap and penetration-resistant midsole
- Removable insole with forefoot and heel shock absorbers



MAC sole ADVENTURE 3.0

Footwear standard EN ISO 20345:2022

S3L FO M CI HI HRO SC SR



Colour black/ lime

Sizes 3.5 to 13



Product number **67743**

uvex

THE BOA® FIT SYSTEM

The BOA® Fit System is an innovative adjustment system for a tailor-made fit. Originally developed for the world of sport, BOA® Fit System technology applied to safety footwear enhances user safety, comfort and performance.

HOW IT WORKS

- Push in to engage
- Turn to tighten
- Pull up for quick release

THE BENEFITS

PERSONALISED

Make effortless micro-adjustments

FAST

The BOA® Fit System allows you to get your gear on and off fast and easily, no matter the conditions

RESISTANT

Extensively tested in the harshest conditions, BOA dials and laces are designed to reduce contamination by shedding ice, dirt, oil and other elements

FIT FOR LIFE WITH BOA®

The BOA® Fit System dials and laces are guaranteed for the lifetime of the product on which they are integrated



BOA® is a registered trademark of BOA® Technology Inc

Heckel MACCROSSROAD 3.0 BOA LOW | HIGH

- BOA® Fit System for quick, easy and customised fit
- MACSOLE® ADVENTURE 3.0 rubber sole with MACABSORB EVA insert in forefoot and heel for greater flexibility and better cushioning
- All-terrain, sole profile with deep treads for better grip
- Water-resistant full-grain leather upper
- 3D mesh lining for better ventilation | fast drying
- Metal-free toe cap and penetration-resistant midsole
- Removable insole with forefoot and heel shock absorbers



MAC sole ADVENTURE 3.0

BOA

Footwear standard EN ISO 20345:2022

S3L FO CI HI HRO SC SR



Colour black/ blue

Sizes 3.5 to 13

Product number **67373**



Product number **67363**

Heckel MACEXPLORE BLACK 3.0 RANGER ZIPPER

- MACSOLE® ADVENTURE 3.0 rubber sole with MACABSORB EVA insert in forefoot and heel for greater flexibility and better cushioning
- MACSOLE® excellent levels of grip (SR), oil, hydrocarbon and chemical-resistant, antistatic and resistance to contact heat up to 300°C (HRO)
- All-terrain, sole profile with deep treads for better grip
- Water-resistant full-grain leather upper
- 3D mesh lining for better ventilation | fast drying
- Metal-free toe cap and penetration-resistant midsole
- Removable insole with forefoot and heel shock absorbers



MAC sole ADVENTURE 3.0

Footwear standard EN ISO 20345:2022

S3L FO CI HI HRO SC SR



Colour black

Sizes 3.5 to 13



Product number **67673**

Heckel SUXXEED 2.0 OFFROAD BROWN LOW | HIGH

- Water-resistant, brown full-grain oiled leather upper with injection moulded PU scuff cap
- PU2D sole with excellent shock absorption, grip and resistant to oils and chemicals
- Ladder grip (LG) and GRIPSTEP profile for extra grip on ladders and stairs
- Padded water-resistant collar and gusset
- 3D polyester mesh lining for excellent breathability, quick drying
- Non-metallic eyelets and hooks
- Metal-free toe cap, extra wide, comfortable due to its ergonomic shape
- Metal-free penetration-resistant midsole, flexible and lightweight



Footwear standard EN ISO 20345:2022

S3S FO LG CI SC SR

Colour brown/ black

Sizes 3 to 14.5

Product number **67953**





Product number **67943**



uvex

Waterproofness and breathability



GORE-TEX TECHNOLOGY

The GORE-TEX membrane has microscopic pores 20,000 times smaller than a drop of water but 700 times larger than one water vapour molecule. It thereby enables sweat to escape, while protecting you from rain and snow. GORE-TEX footwear keep your feet dry and comfortable.

GORE-TEX footwear by far exceeds the requirements of the standard EN ISO 20345/347 with respect to waterproofness, breathability and durability.

Proven quality under uncompromising testing conditions

GORE-TEX footwear by far exceeds the requirements of the standard EN ISO 20345/347 with respect to waterproofness, breathability and durability.



Durable waterproofness

GORE-TEX footwear has to withstand up to 300,000 flex movements (80 hours) in ankle-high water - without allowing one single drop of water to penetrate inside the boot. EN ISO standard 20344 requires only 4,800 flexes (80 minutes) and 3 cm^2 water entry is allowed.



Breathability

The materials used in GORE-TEX footwear achieve a breathability value up to six times higher than the values specified in EN ISO standard 20345/347.



Durability

Inner lining and upper materials of GORE-TEX footwear have to withstand up to four times more abrasion movement than specified in by the EN ISO standard.

Heckel MACULTIMATE 3.0 RANGER GTX

- MACSOLE® ADVENTURE 3.0 rubber sole, resistant to oils and hydrocarbons, resistant to chemicals, and contact heat up to 300°C (HRO), anti-static
- EVA MACABSORB inserts in heel and forefoot for added flexibility and cushioning
- GRIPSTEP profile for ladders and stairs - marked cleats with sharp edges for optimal grip
- Water-resistant full-grain leather upper and leather gusseted tongue
- Agile Ankle Guard, closure system with non-metallic hooks and metal zip, reflective elements
- GORE-TEX Insulated Comfort membrane lining for waterproofness and breathability
- Metal-free toe cap and penetration-resistant midsole
- Removable comfort insole, with forefoot and heel shock absorbers

Colour black

Sizes 3.5 to 13



MAC sole ADVENTURE 3.0

GORE-TEX

Footwear standard EN ISO 20345:2022

S7L FO CI HI HRO SC SR

10 11 12 Multiple width insoles



Product number **67683**

Heckel MACTRACK 3.0 GTX

- MACSOLE® ADVENTURE 3.0 rubber sole, resistant to oils and hydrocarbons, resistant to chemicals, and contact heat up to 300°C (HRO), anti-static
- EVA MACABSORB inserts in heel and forefoot for added flexibility and cushioning
- GRIPSTEP profile for ladders and stairs - marked cleats with sharp edges for optimal grip
- Water-resistant full-grain leather upper and leather gusseted tongue
- Agile Ankle Guard back and side reinforcements for stability and protection
- GORE-TEX Performance Comfort membrane lining for waterproofness and breathability
- Metal-free toe cap and penetration-resistant midsole
- Removable comfort insole, with forefoot and heel shock absorbers

Colour black

Sizes 3.5 to 13



MAC sole ADVENTURE 3.0

GORE-TEX

Footwear standard EN ISO 20345:2022

S7L FO CI HI HRO SC SR

10 11 12 Multiple width insoles



Product number **67643**

Heckel MACEXPEDITION 3.0 HIGH

- MACSOLE® ADVENTURE 3.0 rubber sole, resistant to oils and hydrocarbons, resistant to chemicals, and contact heat up to 300°C (HRO), anti-static
- EVA MACABSORB inserts in heel and forefoot for added flexibility and cushioning
- GRIPSTEP profile for ladders and stairs - marked cleats with sharp edges for optimal grip
- Water-resistant microfibre textile upper
- Agile Ankle Guard back and side reinforcements for stability and protection
- GORE-TEX Performance Comfort membrane lining for waterproofness and breathability
- Metal-free toe cap and penetration-resistant midsole
- Removable comfort insole, anatomically shaped with forefoot and heel

Colour black

Sizes 3.5 to 13



MAC sole ADVENTURE 3.0

GORE-TEX

Footwear standard EN ISO 20345:2022

S7L FO CI HI HRO SC SR

10 11 12 Multiple width insoles



Product number **67343**

uvex

Safety Footwear

Heavy areas of application

uvex 3 MACSOLE® welder

- uvex i-PUREnrj planet midsole with shock-absorption and energy-return features
- Heat, chemical and cut-resistant uvex MACSOLE® rubber outsole
- Foamed polyurethane scuffcap and heel basket
- 100% metal-free protective toe cap and steel penetration resistance
- Hydrophobic leather upper with heat-resistant seams
- Elastic laces, concealed with leather
- Breathable textile lining
- sizes 36 to 40 produced using a womens' last
- Removable antistatic comfortable innersole

Footwear standard EN ISO 20345:2022

S3 WG CI HI HRO SRC ESD

Colour black

Sizes 3.5 to 16



Product number
68661 (width 10)
68662 (width 11)
68663 (width 12)



uvex 3 foundry

- Heat-insulating S3-safety boot designed specifically for work in foundries
- Heat, chemical and cut-resistant uvex MACSOLE® rubber outsole
- Shock-absorbing EVA inserts in the rubber sole at the heel and forefoot
- rubber scuffcap
- 100% metal-free protective toe cap and steel penetration resistance
- Special upper construction to prevent the penetration of molten metal
- Hydrophobic leather upper with heat-resistant seams
- Quick-release strap closure in case of contact with molten metal
- Breathable textile lining

Footwear standard EN ISO 20345:2022

S3 Fe Al CI HI HRO SRC

Colour black

Sizes 3.5 to 16



Product number
65731 (width 10)
65732 (width 11)
65733 (width 12)



Heckel MACWELDER

- MACSOLE® ADVENTURE 3.0 rubber sole with excellent levels of grip oil, hydrocarbon and chemical-resistant | antistatic | resistance to contact heat up to 300°C (HRO)
- MACABSORB EVA insert in forefoot and heel for greater flexibility and better cushioning
- All-terrain profile with deep treads for better grip
- Water-resistant full-grain leather upper with fire-resistant seams and rubber scuff cap
- Hook-and-loop strap with splash guard flap
- 3D mesh polyester lining for better ventilation | spark-resistant non-woven ankle collar
- Metal-free toe cap and metal-free penetration-resistant midsole
- Removable insole

Footwear standard EN ISO 20345:2022

S3 CI HI HRO WG SRC

ADVENTURE 3.0

Colour black

Sizes 3.5 to 15

Product number
78213



HECKEL MACASPHALT

Specifically designed for road surfacing, the new MACSOLE® ASPHALT rubber sole has a smooth flat tread pattern to avoid marking the surface, all while providing excellent slip resistance. This also makes it suitable for a wide variety of other applications including working with machinery.

Tread pattern provides excellent slip resistance

MACSOLE® rubber sole with superior abrasion resistance for increased durability. Resistant to contact heat up to 300°C (HRO standard), slip resistant. Resistant to oils and hydrocarbons and antistatic

Heckel MACASPHALT

- MACSOLE® ASPHALT rubber sole, reduced tread to avoid making tarmac and resistant to contact heat up to 300°C (HRO standard)
- Sole resistant to oils, hydrocarbons and chemicals
- Integrated heel support to help prevent ankle twisting
- PU layer for improved shock and vibration absorption over the entire surface of the foot
- Water-resistant full grain leather upper with reduced number of seams
- Flexible and compact foam upper padding for better comfort
- Metal-free toe cap and steel penetration resistant midsole
- Hygienic and comfortable insole



Footwear standard EN ISO 20345:2022

S3 FO HI HRO

Colour black

Sizes 5 to 14.5

Product number
62763



uvex

What is **WEAR**ABILITY?



At uvex we know the best PPE is the PPE that is worn - which is why we design **WEAR**ABILITY into every safety footwear product we make. But what do we mean by that? **WEAR**ABILITY = Safety and compliance. It's PPE that doesn't get in the way allowing you to focus on the task at hand. Ultimately, it's the perfect balance of four main factors:

FIT

One size does not fit all

Properly-fitting footwear can make a significant difference to comfort, wearer wellbeing, concentration levels and the avoidance of accidents. In addition to ergonomic design, features such as adaptive fit insoles that increase or decrease the space within the footwear can create a customised fit for enhanced comfort.

COMFORT

With proper fit comes comfort

Ergonomically designed footwear that supports the foots bone structure and natural rolling motion together with lightweight materials, temperature regulation, sweat management, shock absorption and cushioning, all play an important role in ensuring footwear remains comfortable throughout the working day.

PERFORMANCE

Quality and technology makes all the difference

We understand that the design and quality of materials appropriate for the intended environment of use all have a bearing on the wearer experience in terms of comfort, slip resistance, protection and durability.

STYLE

We all want to look and feel good

Footwear that is high performing, comfortable and stylish makes wearing PPE effortless. As a result, safety footwear is more likely to continuously worn throughout the day and employees remain safe and compliant.

uvex foot clinics



Industrial footwear fits differently compared to everyday shoes. This is due to the materials used for durability and protection, and the inclusion of safety features like toecaps. Sizing can also vary between brands.

At uvex, we understand that all-day comfort is crucial for peak performance. That's why we prioritise both fit and comfort in our footwear. By eliminating distractions from uncomfortable boots or shoes, employees can focus on their tasks and achieve their best.

The uvex clinics support employees with the correct fitting of safety footwear. The service ensures employees find the correct size (length), width, and/or arch support, for their boots or shoes. This approach helps reduce discomfort and potential foot problems, while also promoting better support for the musculoskeletal system and extending the life of the footwear.

uvex foot clinics also aim to help employees with specific needs, offering support for conditions like plantar fasciitis, diabetes, bunions and other such conditions.



What happens during a uvex foot clinic?



1. uvex will discuss safety footwear options with the employer based on the risk assessment and pre-qualification questionnaire.
2. At the uvex fit clinic the employee stands on a fit board that takes a heat impression of the foot to determine size, width, gait and exact pressure points (i.e. over pronation or over supination).
3. The individual's foot is measured against a mondopoint measurement system to determine the correct sizing (length and width).
4. The arch instep is also measured during this thermal transfer and recorded.
5. The employee will try on the chosen footwear styles in the corret size with the width fitting or arch support insoles. If an employee is between sizes they may need to try two sizes.
6. The chosen footwear and insole combination is recorded on the footwear clinic form.

uvex

Why are insoles important?



To help keep feet supported and **comfortable all day long,** uvex have developed a range of insoles to fit multiple widths, as well as low, medium and high arch shapes.


Did you know?
Modifying your safety footwear, such as changing the insoles, means it no longer conforms to its certified design and may breach UK safety laws.

The Personal Protective Equipment at Work (Amendment) Regulations 2022 and the Health and Safety at Work Act 1974 require PPE to be properly maintained and used as instructed. Altering it (by changing the insole to another non-certified insole) could be considered misuse and may put you or others at risk.

Follow our handy guide to explain, if you need to change your insoles, what combinations of our insoles and footwear go together to ensure you are protected and stay safe and compliant.

uvex multiple width fitting system





These insoles change the dimensions inside the footwear by reducing or increasing the space inside the footwear depending on whether the wearer needs a narrower or wider fit.

Available in three widths, allowing the wearer to alter the dimensions inside the footwear for a customised fit. The full-surface shock absorption reduces pressure evenly across the foot, helping to minimise potential back, knee and joint problems.

Ultra-breathable materials allow effective removal of sweat and moisture without reducing the shock absorbing properties.

- Full-surface shock absorption
- Reduces symptoms of fatigue
- Prevents pressure points
- Breathable fabric that absorbs moisture
- Antibacterial
- Antistatic



Width 14 extra wide


Footwear styles in width 14 (extra wide fit) can only be paired with insoles of the same width (14). The width-fittings insoles in widths 10 (narrow), 11 (standard), and 12 (wide), and the arch support insoles L, (low) M (medium), H (high), are incompatible due to the extra width. Only like-for-like replacements are suitable.



uvex tune up
insoles

Arch support insoles

These insoles provide support and comfort to the arch of the foot, helping to realign the natural position of the foot with the aim to reduce foot, back and knee pain and to avoid fallen arches.



Arch pain is generally caused by the pronation of our feet. Pronation relates to the rolling motion of the foot as we walk or run. If you over-pronate or under-pronate, pressure and forces can become unevenly distributed causing pains in the arch of the foot. Insoles that effectively support the arches of the feet can help ease discomfort by distributing the body weight evenly.

uvex tune-up arch support insoles provide support to the arch of the foot. They can help realign the natural position of the foot with the aim to reduce foot, back and knee pain and to avoid fallen arches.

- Very good cushioning for underfoot comfort
- Reduces symptoms of fatigue
- Prevents pressure points
- Breathable fabric that absorbs moisture
- Antibacterial
- Antistatic
- Suitable for ESD footwear





Please note that the arch support insoles are only available for footwear in a width 11.

Safety Footwear

Accessories · Insoles




94908


95158


95798


95188


95348


86938


67962


67963


67964

Replacement insoles

- Improved full-surface shock absorption
- Ultra-breathable, moisture-absorbing and quick-drying materials
- Shock absorption zones support natural movement of the foot
- Non-irritating, comfortable surface structure
- Antistatic properties
- Arch support
- Washable, hand wash at 30°C

clima zone

Accessories – insoles uvex						
Art. no. Width 10	94907	95157	95797	95187	95347	86937
Art. no. Width 11	**94908**	**95158**	**95798**	**95188**	**95348**	**86938**
Art. no. Width 12	94909	95159	95799	95189	95349	86939
Art. no. Width 14	94900	-	95790	-	95340	-
Version	for uvex 1 G2,	for uvex 1 business	for uvex 1 x-craft uvex 1 sport	for uvex 2 trend	for uvex 1, uvex 2, uvex 2 MACSOLE®	for uvex 3 MACSOLE® uvex 3, uvex 3 quatro uvex 3 MACSOLE® welder
Sizes	35 to 52	39 to 52	35 to 52	36 to 52	35 to 52	36 to 52

Accessories – insoles Heckel	
Art. no. Width 10	67962
Art. no. Width 11	**67963**
Art. no. Width 12	67964
Version	for Heckel MACSOLE® ADVENTURE 3.0 range
Sizes	35 to 52

HECKEL PERFORMANCE WITH STYLE



LOW
Art. no. 95281
Art. no. 95287
Art. no. 95284
Sizes 35 to 52

MEDIUM
Art. no. 95282
Art. no. 95288
Art. no. 95285
Sizes 35 to 52

HIGH
Art. no. 95283
Art. no. 95289
Art. no. 95286
Sizes 35 to 52

ESD

clima zone

uvex tune-up comfortable insole

Designed to increase wearer comfort and enhance ergonomics by providing optimum support for the arches of the feet, helping to reduce foot fatigue.

- Three different arch support versions: high, medium, low
- Very good cushioning for comfort underfoot
- Reduces symptoms of fatigue
- Prevents pressure points
- Non-irritating, comfortable surface structure
- Breathable and absorbs moisture
- Anti-bacterial
- Antistatic
- Suitable for ESD footwear
- Hand-washable at 30°C
- Certified for use in the following uvex safety shoes

uvex tune-up			
Art. no. arch support low	95281	95287	95284
Art. no. arch support medium	**95282**	**95288**	**95285**
Art. no. arch support high	95283	95289	95286
Version certified in accordance with EN ISO 20345	uvex 1, uvex 2, uvex 2 MACSOLE®	uvex 1 G2	uvex 1 x-craft, uvex 1 sport
Sizes	35 to 52	35 to 52	35 to 52

uvex

UVEX SAFETY (UK) LTD
uvex House
Farnham Trading Estate
Farnham
Surrey
England
GU9 9NW

Tel: 01252 731200
info@uvex-safety.ie
uvex-safety.ie

uvex footwear brochure 08102026

protecting people